

Eocrinoidea Kinzercystis removed a priori



Eocrinoidea Kinzercystis removed a posteriori Yanjiahella biscarpa -Beidazoon venustum Vetulicola cuneata Eocrinoidea Akadocrinus 100% <sup>00</sup>4Rhombifera Macrocystella LRhombifera Pleurocystites Eocrinoidea Ubaghsicystis 999 Eocrinoidea Gogia Eocrinoidea Lyracystis radiata Crinoidea Aethocrinus Edrioasteroidea Camptostroma <sup>0</sup>0<sup>24</sup>Helicoplacus 100% <sup>1</sup> Helicocystis moroccoensis 97% Edrioasteroidea Kailidiscus chinensis Edrioasteroidea Stromatocystites Solute Castericystis vali -Solute Coleicarpus sprinklei 82%-Cornute Ceratocystis perneri Cornute Ponticulocarpus 1009 100% Mitrate Lagynocystis pyramidalis -Mitrate Mitrocystella incipiens 94%Ctenocystoid Courtessolea -Ctenoimbricata spinosa Cinctan Bohemiacinctus havliceki Vetulocystis catenata -Banffia constricta 96% -Pterobranch Cephalodiscus LPterobranch Rhabdopleura 95% Hemichordata Oesia %Enteropneusta Spengelidae Glandiceps Enteropneusta Harrimaniidae Saccoglossus -Hemichordata Spartobranchus -Hemichordata Gyaltsenglossus -Rotadiscus Herpetogaster collinsi Phlogites longus Shankouclava anningense Leaf stability Tunicata Ciona Unstable Cephalochordata Branchiostoma Amiskwia sagittiformis

Stable



Trustworthiness = 0.783 Continuity = 0.869