iw10
Score: 7.61518
Amiskwia sagittiformis
Branchiostoma
Shankouclava anningense
Ciona
Gyaltsenglossus
Cephalodiscus
Rhabdopleura
Oesia
Spartobranchus
Saccoglossus
Glandiceps
Phlogites longus
Herpetogaster collinsi
Rotadiscus
Yanjiahella biscarpa
Vetulocystis catenata
Banffia constricta
Beidazoon venustum
Vetulicola cuneata
Castericystis vali
Coleicarpus sprinklei
Bohemiacinctus havliceki
Courtessolea
Ctenoimbricata spinosa
Ceratocystis perneri
Ponticulocarpus
Lagynocystis pyramidalis
Mitrocystella incipiens
Aethocrinus
Stromatocystites
Camptostroma
Kailidiscus chinensis
Helicocystis moroccoensis
Helicoplacus
Kinzercystis
Gogia
Lyracystis radiata
Akadocrinus
Ubaghsicystis
Macrocystella
Pleurocystites
Tip stability
Least stable
–
Most stable


Amiskwia sagittiformis
Branchiostoma
Shankouclava anningense
Ciona
Gyaltsenglossus
Cephalodiscus
Rhabdopleura
Oesia
Spartobranchus
Saccoglossus
Glandiceps
Phlogites longus
Herpetogaster collinsi
Rotadiscus
Yanjiahella biscarpa
Vetulocystis catenata
Banffia constricta
Beidazoon venustum
Vetulicola cuneata
Castericystis vali
Coleicarpus sprinklei
Bohemiacinctus havliceki
Courtessolea
Ctenoimbricata spinosa
Ceratocystis perneri
Ponticulocarpus
Lagynocystis pyramidalis
Mitrocystella incipiens
Aethocrinus
Stromatocystites
Camptostroma
Kailidiscus chinensis
Helicocystis moroccoensis
Helicoplacus
Kinzercystis
Gogia
Lyracystis radiata
Akadocrinus
Ubaghsicystis
Macrocystella
Pleurocystites
Tip influence
Max: 59.9 bits
9.69
6.46
3.23
0


Search without Hemichordata_Spartobranchus
Amiskwia sagittiformis
Yanjiahella biscarpa
Herpetogaster collinsi
Rotadiscus
Branchiostoma
Phlogites longus
Shankouclava anningense
Ciona
Cephalodiscus
Rhabdopleura
Gyaltsenglossus
Oesia
Saccoglossus
Glandiceps
Beidazoon venustum
Vetulicola cuneata
Banffia constricta
Bohemiacinctus havliceki
Courtessolea
Ctenoimbricata spinosa
Vetulocystis catenata
Ceratocystis perneri
Ponticulocarpus
Lagynocystis pyramidalis
Mitrocystella incipiens
Aethocrinus
Castericystis vali
Coleicarpus sprinklei
Stromatocystites
Camptostroma
Kailidiscus chinensis
Helicocystis moroccoensis
Helicoplacus
Kinzercystis
Gogia
Lyracystis radiata
Akadocrinus
Ubaghsicystis
Macrocystella
Pleurocystites
Tip stability
Least stable
Most stable


Search without Eocrinoidea_Kinzercystis_cs4
Amiskwia sagittiformis
Yanjiahella biscarpa
Herpetogaster collinsi
Rotadiscus
Branchiostoma
Phlogites longus
Shankouclava anningense
Ciona
Gyaltsenglossus
Cephalodiscus
Rhabdopleura
Oesia
Spartobranchus
Saccoglossus
Glandiceps
Beidazoon venustum
Vetulicola cuneata
Banffia constricta
Bohemiacinctus havliceki
Courtessolea
Ctenoimbricata spinosa
Vetulocystis catenata
Ceratocystis perneri
Ponticulocarpus
Lagynocystis pyramidalis
Mitrocystella incipiens
Aethocrinus
Castericystis vali
Coleicarpus sprinklei
Stromatocystites
Camptostroma
Kailidiscus chinensis
Helicocystis moroccoensis
Helicoplacus
Gogia
Lyracystis radiata
Akadocrinus
Ubaghsicystis
Macrocystella
Pleurocystites
Tip stability
Least stable
Most stable


Minimum spanning tree (mapping distortion)
Order in which trees found
seed
start