

## Solute Coleicarpus sprinklei removed a priori



Solute Coleicarpus sprinklei removed a posteriori Yanjiahella biscarpa -Beidazoon venustum Vetulicola cuneata Eocrinoidea Akadocrinus 100% <sup>00</sup>4Rhombifera Macrocystella LRhombifera Pleurocystites Eocrinoidea Ubaghsicystis 99 Eocrinoidea Gogia Eocrinoidea Lyracystis radiata Eocrinoidea Kinzercystis 71% Crinoidea Aethocrinus Edrioasteroidea Camptostroma 100% 97% <sup>9</sup>Helicoplacus <sup>©</sup>Helicocystis moroccoensis Edrioasteroidea Kailidiscus chinensis Edrioasteroidea Stromatocystites -Solute Castericystis vali 82%-Cornute Ceratocystis perneri Cornute Ponticulocarpus 100% 1009 Mitrate Lagynocystis pyramidalis -Mitrate Mitrocystella incipiens 94%Ctenocystoid Courtessolea -Ctenoimbricata spinosa Cinctan Bohemiacinctus havliceki Vetulocystis catenata -Banffia constricta 96% -Pterobranch Cephalodiscus LPterobranch Rhabdopleura 95% Hemichordata Oesia %Enteropneusta Spengelidae Glandiceps Enteropneusta Harrimaniidae Saccoglossus -Hemichordata Spartobranchus -Hemichordata Gyaltsenglossus -Rotadiscus Herpetogaster collinsi Phlogites longus <sup>⊭</sup>Shankouclava anningense Leaf stability Tunicata Ciona Unstable Cephalochordata Branchiostoma Amiskwia sagittiformis

Stable



Tree space mapping quality
Trustworthiness = 0.832
Continuity = 0.886