
Eocrinoidea Akadocrinus removed a priori



Eocrinoidea Akadocrinus removed a posteriori Yanjiahella biscarpa -Beidazoon venustum Vetulicola cuneata 100%Rhombifera Macrocystella 100% LRhombifera Pleurocystites Eocrinoidea Ubaghsicystis Eocrinoidea Gogia 99% Eocrinoidea Lyracystis radiata Eocrinoidea Kinzercystis 71% Crinoidea Aethocrinus Edrioasteroidea Camptostroma ⁰⁰4Helicoplacus Lelicocystis moroccoensis 97% Edrioasteroidea Kailidiscus chinensis Edrioasteroidea Stromatocystites Solute Castericystis vali -Solute Coleicarpus sprinklei 82%-Cornute Ceratocystis perneri Cornute Ponticulocarpus 1009 100% Mitrate Lagynocystis pyramidalis -Mitrate Mitrocystella incipiens 94%Ctenocystoid Courtessolea -Ctenoimbricata spinosa Cinctan Bohemiacinctus havliceki Vetulocystis catenata -Banffia constricta 96% -Pterobranch Cephalodiscus LPterobranch Rhabdopleura 95% Hemichordata Oesia %Enteropneusta Spengelidae Glandiceps Enteropneusta Harrimaniidae Saccoglossus -Hemichordata Spartobranchus -Hemichordata Gyaltsenglossus

100% -Rotadiscus Herpetogaster collinsi Phlogites longus [⊭]Shankouclava anningense Leaf stability Tunicata Ciona Cephalochordata Branchiostoma Amiskwia sagittiformis Stable

Unstable

Continuity = 0.881