


Bar bending schedule

F-RCC6-BNBC — Sattva Court




Campaign rcc6-bnbc-campaign
Pinned revision rcc6-bnbc-revision
Stock bar 12,000
Rounded to 25

PC1 PILE_CAP FDN PC-A1

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC1-bx	MAIN		16	A 192.000, B 1,850.000, C 192.000	2,170.000	2,170.000	6	20.559
		21						
PC1-by	MAIN		16	A 192.000, B 850.000, C 192.000	1,170.000	1,170.000	13	24.017
		21						
PC1-tx	MAIN		12	A 144.000, B 1,850.000, C 144.000	2,090.000	2,100.000	5	9.280
		21						
PC1-ty	MAIN		12	A 144.000, B 850.000, C 144.000	1,090.000	1,100.000	10	9.679
		21						
PC1-s	SIDE		12	A 5,400.000	5,400.000	5,400.000	3	14.386
		00						

PC1 PILE_CAP FDN PC-A6

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC1-bx	MAIN		16	A 192.000, B 1,850.000, C 192.000	2,170.000	2,170.000	6	20.559
		21						
PC1-by	MAIN		16	A 192.000, B 850.000, C 192.000	1,170.000	1,170.000	13	24.017
		21						
PC1-tx	MAIN		12	A 144.000, B 1,850.000, C 144.000	2,090.000	2,100.000	5	9.280
		21						
PC1-ty	MAIN		12	A 144.000, B 850.000, C 144.000	1,090.000	1,100.000	10	9.679
		21						
PC1-s	SIDE		12	A 5,400.000	5,400.000	5,400.000	3	14.386
		00						

PC1 PILE_CAP FDN PC-E6

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC1-bx	MAIN		16	A 192.000, B 1,850.000, C 192.000	2,170.000	2,170.000	6	20.559
		21						
PC1-by	MAIN		16	A 192.000, B 850.000, C 192.000	1,170.000	1,170.000	13	24.017
		21						
PC1-tx	MAIN		12	A 144.000, B 1,850.000, C 144.000	2,090.000	2,100.000	5	9.280
		21						
PC1-ty	MAIN		12	A 144.000, B 850.000, C 144.000	1,090.000	1,100.000	10	9.679
		21						
PC1-s	SIDE		12	A 5,400.000	5,400.000	5,400.000	3	14.386
		00						

PC2 PILE_CAP FDN PC-A2

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC2-bx	MAIN		16	A 192.000, B 1,950.000, C 192.000	2,270.000	2,270.000	11	39.428
		21						
PC2-by	MAIN		16	A 192.000, B 1,600.000, C 192.000	1,920.000	1,920.000	14	42.444
		21						
PC2-tx	MAIN		12	A 144.000, B 1,950.000, C 144.000	2,190.000	2,200.000	9	17.502
		21						
PC2-ty	MAIN		12	A 144.000, B 1,600.000, C 144.000	1,840.000	1,850.000	10	16.339
		21						
PC2-s	SIDE		12	A 6,360.108	6,360.108	6,370.000	3	16.943
		00						

PC2 PILE_CAP FDN PC-E2


BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC2-bx	MAIN		16	A 192.000, B 1,950.000, C 192.000	2,270.000	2,270.000	11	39.428
		21						

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC2-by	MAIN		16	A 192.000, B 1,600.000, C 192.000	1,920.000	1,920.000	14	42.444
		21						
PC2-tx	MAIN		12	A 144.000, B 1,950.000, C 144.000	2,190.000	2,200.000	9	17.502
		21						
PC2-ty	MAIN		12	A 144.000, B 1,600.000, C 144.000	1,840.000	1,850.000	10	16.339
		21						
PC2-s	SIDE		12	A 6,360.108	6,360.108	6,375.360.108	3	16.943
		00						

PC2 PILE_CAP FDN PC-A3

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC2-bx	MAIN		16	A 192.000, B 1,950.000, C 192.000	2,270.000	2,270.000	11	39.428
		21						
PC2-by	MAIN		16	A 192.000, B 1,600.000, C 192.000	1,920.000	1,920.000	14	42.444
		21						
PC2-tx	MAIN		12	A 144.000, B 1,950.000, C 144.000	2,190.000	2,200.000	9	17.502
		21						
PC2-ty	MAIN		12	A 144.000, B 1,600.000, C 144.000	1,840.000	1,850.000	10	16.339
		21						
PC2-s	SIDE		12	A 6,360.108	6,360.108	6,375.360.108	3	16.943
		00						

PC2 PILE_CAP FDN PC-E3

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC2-bx	MAIN		16	A 192.000, B 1,950.000, C 192.000	2,270.000	2,270.000	11	39.428
		21						
PC2-by	MAIN		16	A 192.000, B 1,600.000, C 192.000	1,920.000	1,920.000	14	42.444
		21						
PC2-tx	MAIN		12	A 144.000, B 1,950.000, C 144.000	2,190.000	2,200.000	9	17.502
		21						

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC2-ty	MAIN		12	A 144.000, B 1,600.000, C 144.000	1,840.000	1,850.000	10	16.339
		21						
PC2-s	SIDE		12	A 6,360.108	6,360.108	6,375.360.108	3	16.943
		00						

PC2 PILE_CAP FDN PC-A4

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC2-bx	MAIN		16	A 192.000, B 1,950.000, C 192.000	2,270.000	2,275.000	11	39.428
		21						
PC2-by	MAIN		16	A 192.000, B 1,600.000, C 192.000	1,920.000	1,925.000	14	42.444
		21						
PC2-tx	MAIN		12	A 144.000, B 1,950.000, C 144.000	2,190.000	2,200.000	9	17.502
		21						
PC2-ty	MAIN		12	A 144.000, B 1,600.000, C 144.000	1,840.000	1,850.000	10	16.339
		21						
PC2-s	SIDE		12	A 6,360.108	6,360.108	6,375.360.108	3	16.943
		00						

PC2 PILE_CAP FDN PC-E4

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC2-bx	MAIN		16	A 192.000, B 1,950.000, C 192.000	2,270.000	2,275.000	11	39.428
		21						
PC2-by	MAIN		16	A 192.000, B 1,600.000, C 192.000	1,920.000	1,925.000	14	42.444
		21						
PC2-tx	MAIN		12	A 144.000, B 1,950.000, C 144.000	2,190.000	2,200.000	9	17.502
		21						
PC2-ty	MAIN		12	A 144.000, B 1,600.000, C 144.000	1,840.000	1,850.000	10	16.339
		21						
PC2-s	SIDE		12	A 6,360.108	6,360.108	6,375.360.108	3	16.943
		00						

PC2 PILE_CAP FDN PC-A5

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC2-bx	MAIN		16	A 192.000, B 1950.000, C 192.000	2,270.000	2,270.000	11	39.428
		21						
PC2-by	MAIN		16	A 192.000, B 1600.000, C 192.000	1,920.000	1,920.000	14	42.444
		21						
PC2-tx	MAIN		12	A 144.000, B 1950.000, C 144.000	2,190.000	2,200.000	9	17.502
		21						
PC2-ty	MAIN		12	A 144.000, B 1600.000, C 144.000	1,840.000	1,850.000	10	16.339
		21						
PC2-s	SIDE		12	A 6,360.108	6,360.108	6,375.360.108	3	16.943
		00						

PC2 PILE_CAP FDN PC-E5

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC2-bx	MAIN		16	A 192.000, B 1950.000, C 192.000	2,270.000	2,270.000	11	39.428
		21						
PC2-by	MAIN		16	A 192.000, B 1600.000, C 192.000	1,920.000	1,920.000	14	42.444
		21						
PC2-tx	MAIN		12	A 144.000, B 1950.000, C 144.000	2,190.000	2,200.000	9	17.502
		21						
PC2-ty	MAIN		12	A 144.000, B 1600.000, C 144.000	1,840.000	1,850.000	10	16.339
		21						
PC2-s	SIDE		12	A 6,360.108	6,360.108	6,375.360.108	3	16.943
		00						

PC2 PILE_CAP FDN PC-B1


BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC2-bx	MAIN		16	A 192.000, B 1950.000, C 192.000	2,270.000	2,270.000	11	39.428
		21						

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC2-by	MAIN		16	A 192.000, B 1,600.000, C 192.000	1,920.000	1,920.000	14	42.444
		21						
PC2-tx	MAIN		12	A 144.000, B 1,950.000, C 144.000	2,190.000	2,200.000	9	17.502
		21						
PC2-ty	MAIN		12	A 144.000, B 1,600.000, C 144.000	1,840.000	1,850.000	10	16.339
		21						
PC2-s	SIDE		12	A 6,360.108	6,360.108	6,376.360.108	3	16.943
		00						

PC2 PILE_CAP FDN PC-B6

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC2-bx	MAIN		16	A 192.000, B 1,950.000, C 192.000	2,270.000	2,270.000	11	39.428
		21						
PC2-by	MAIN		16	A 192.000, B 1,600.000, C 192.000	1,920.000	1,920.000	14	42.444
		21						
PC2-tx	MAIN		12	A 144.000, B 1,950.000, C 144.000	2,190.000	2,200.000	9	17.502
		21						
PC2-ty	MAIN		12	A 144.000, B 1,600.000, C 144.000	1,840.000	1,850.000	10	16.339
		21						
PC2-s	SIDE		12	A 6,360.108	6,360.108	6,376.360.108	3	16.943
		00						

PC2 PILE_CAP FDN PC-C1

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC2-bx	MAIN		16	A 192.000, B 1,950.000, C 192.000	2,270.000	2,270.000	11	39.428
		21						
PC2-by	MAIN		16	A 192.000, B 1,600.000, C 192.000	1,920.000	1,920.000	14	42.444
		21						
PC2-tx	MAIN		12	A 144.000, B 1,950.000, C 144.000	2,190.000	2,200.000	9	17.502
		21						

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC2-ty	MAIN		12	A 144.000, B 1,600.000, C 144.000	1,840.000	1,850.000	10	16.339
		21						
PC2-s	SIDE		12	A 6,360.108	6,360.108	6,375.360.108	3	16.943
		00						

PC2 PILE_CAP FDN PC-C6

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC2-bx	MAIN		16	A 192.000, B 1,950.000, C 192.000	2,270.000	2,275.000	11	39.428
		21						
PC2-by	MAIN		16	A 192.000, B 1,600.000, C 192.000	1,920.000	1,925.000	14	42.444
		21						
PC2-tx	MAIN		12	A 144.000, B 1,950.000, C 144.000	2,190.000	2,200.000	9	17.502
		21						
PC2-ty	MAIN		12	A 144.000, B 1,600.000, C 144.000	1,840.000	1,850.000	10	16.339
		21						
PC2-s	SIDE		12	A 6,360.108	6,360.108	6,375.360.108	3	16.943
		00						

PC2 PILE_CAP FDN PC-D1

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC2-bx	MAIN		16	A 192.000, B 1,950.000, C 192.000	2,270.000	2,275.000	11	39.428
		21						
PC2-by	MAIN		16	A 192.000, B 1,600.000, C 192.000	1,920.000	1,925.000	14	42.444
		21						
PC2-tx	MAIN		12	A 144.000, B 1,950.000, C 144.000	2,190.000	2,200.000	9	17.502
		21						
PC2-ty	MAIN		12	A 144.000, B 1,600.000, C 144.000	1,840.000	1,850.000	10	16.339
		21						
PC2-s	SIDE		12	A 6,360.108	6,360.108	6,375.360.108	3	16.943
		00						

PC2 PILE_CAP FDN PC-D6

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC2-bx	MAIN		16	A 192.000, B 1950.000, C 192.000	2,270.000	2,270.000	11	39.428
		21						
PC2-by	MAIN		16	A 192.000, B 1600.000, C 192.000	1,920.000	1,920.000	14	42.444
		21						
PC2-tx	MAIN		12	A 144.000, B 1950.000, C 144.000	2,190.000	2,200.000	9	17.502
		21						
PC2-ty	MAIN		12	A 144.000, B 1600.000, C 144.000	1,840.000	1,850.000	10	16.339
		21						
PC2-s	SIDE		12	A 6,360.108	6,360.108	6,375.360.108	3	16.943
		00						

PC3 PILE_CAP FDN PC-B2

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC3-bx	MAIN		16	A 192.000, B 1850.000, C 192.000	2,170.000	2,170.000	15	51.396
		21						
PC3-by	MAIN		16	A 192.000, B 1850.000, C 192.000	2,170.000	2,170.000	15	51.396
		21						
PC3-tx	MAIN		12	A 144.000, B 1850.000, C 144.000	2,090.000	2,100.000	10	18.559
		21						
PC3-ty	MAIN		12	A 144.000, B 1850.000, C 144.000	2,090.000	2,100.000	10	18.559
		21						
PC3-s	SIDE		12	A 7,400.000	7,400.000	7,400.000	3	19.714
		00						

PC4 PILE_CAP FDN PC-B3


BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC4-bx	MAIN		20	A 240.000, B 2,450.000, C 240.000	2,820.000	2,820.000	20	139.082
		21						

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC4-by	MAIN		20	A 240.000, B 2,450.000, C 240.000	2,820.000	2,820.000	20	139.082
		21						
PC4-tx	MAIN		12	A 144.000, B 2,450.000, C 144.000	2,690.000	2,700.000	13	31.053
		21						
PC4-ty	MAIN		12	A 144.000, B 2,450.000, C 144.000	2,690.000	2,700.000	13	31.053
		21						
PC4-s	SIDE		12	A 9,800.000	9,800.000	9,800.000	3	26.107
		00						

PC4 PILE_CAP FDN PC-B5

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC4-bx	MAIN		20	A 240.000, B 2,450.000, C 240.000	2,820.000	2,820.000	20	139.082
		21						
PC4-by	MAIN		20	A 240.000, B 2,450.000, C 240.000	2,820.000	2,820.000	20	139.082
		21						
PC4-tx	MAIN		12	A 144.000, B 2,450.000, C 144.000	2,690.000	2,700.000	13	31.053
		21						
PC4-ty	MAIN		12	A 144.000, B 2,450.000, C 144.000	2,690.000	2,700.000	13	31.053
		21						
PC4-s	SIDE		12	A 9,800.000	9,800.000	9,800.000	3	26.107
		00						

PC3 PILE_CAP FDN PC-C2

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC3-bx	MAIN		16	A 192.000, B 1,850.000, C 192.000	2,170.000	2,170.000	15	51.396
		21						
PC3-by	MAIN		16	A 192.000, B 1,850.000, C 192.000	2,170.000	2,170.000	15	51.396
		21						
PC3-tx	MAIN		12	A 144.000, B 1,850.000, C 144.000	2,090.000	2,100.000	10	18.559
		21						

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC3-ty	MAIN		12	A 144.000, B 1,850.000, C 144.000	2,090.000	2,100,090.000	10	18.559
		21						
PC3-s	SIDE		12	A 7,400.000	7,400.000	7,400,400.000	3	19.714
		00						

PC3 PILE_CAP FDN PC-C5

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC3-bx	MAIN		16	A 192.000, B 1,850.000, C 192.000	2,170.000	2,170,170.000	15	51.396
		21						
PC3-by	MAIN		16	A 192.000, B 1,850.000, C 192.000	2,170.000	2,170,170.000	15	51.396
		21						
PC3-tx	MAIN		12	A 144.000, B 1,850.000, C 144.000	2,090.000	2,100,090.000	10	18.559
		21						
PC3-ty	MAIN		12	A 144.000, B 1,850.000, C 144.000	2,090.000	2,100,090.000	10	18.559
		21						
PC3-s	SIDE		12	A 7,400.000	7,400.000	7,400,400.000	3	19.714
		00						

PC3 PILE_CAP FDN PC-D2

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC3-bx	MAIN		16	A 192.000, B 1,850.000, C 192.000	2,170.000	2,170,170.000	15	51.396
		21						
PC3-by	MAIN		16	A 192.000, B 1,850.000, C 192.000	2,170.000	2,170,170.000	15	51.396
		21						
PC3-tx	MAIN		12	A 144.000, B 1,850.000, C 144.000	2,090.000	2,100,090.000	10	18.559
		21						
PC3-ty	MAIN		12	A 144.000, B 1,850.000, C 144.000	2,090.000	2,100,090.000	10	18.559
		21						
PC3-s	SIDE		12	A 7,400.000	7,400.000	7,400,400.000	3	19.714
		00						

PC3 PILE_CAP FDN PC-D5

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC3-bx	MAIN		16	A 192.000, B 1,850.000, C 192.000	2,170.000	2,170.000	15	51.396
		21						
PC3-by	MAIN		16	A 192.000, B 1,850.000, C 192.000	2,170.000	2,170.000	15	51.396
		21						
PC3-tx	MAIN		12	A 144.000, B 1,850.000, C 144.000	2,090.000	2,100.000	10	18.559
		21						
PC3-ty	MAIN		12	A 144.000, B 1,850.000, C 144.000	2,090.000	2,100.000	10	18.559
		21						
PC3-s	SIDE		12	A 7,400.000	7,400.000	7,400.000	3	19.714
		00						

PC1 PILE_CAP FDN PC-C6X

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC1-bx	MAIN		16	A 192.000, B 1,971.320, C 192.000	2,291.320	2,300.000	14	50.652
		21						
PC1-by	MAIN		16	A 192.000, B 1,971.320, C 192.000	2,291.320	2,300.000	14	50.652
		21						
PC1-tx	MAIN		12	A 144.000, B 1,971.320, C 144.000	2,211.320	2,220.000	10	19.637
		21						
PC1-ty	MAIN		12	A 144.000, B 1,971.320, C 144.000	2,211.320	2,220.000	10	19.637
		21						
PC1-s	SIDE		12	A 5,400.000	5,400.000	5,400.000	3	14.386
		00						

PC5 PILE_CAP FDN PC-CORE

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC5-bx	MAIN		20	A 240.000, B 3,350.000, C 240.000	3,720.000	3,720.000	27	247.685
		21						

BAR MARK	ROLE	SHAPE	DIA	DIMENSIONS	CUTTING	ROUNDED	IS ADD. BARS	MASS
PC5-by	MAIN		20	A 240.000, B 3,350.000, C 240.000	3,720.000	3,725,750.000	27	247.685
		21						
PC5-tx	MAIN		16	A 192.000, B 3,350.000, C 192.000	3,670.000	3,675,670.000	23	133.283
		21						
PC5-ty	MAIN		16	A 192.000, B 3,350.000, C 192.000	3,670.000	3,675,670.000	23	133.283
		21						
PC5-s	SIDE		12	A 13,400.000	13,400.000	13,400,400.000	3	35.698
		00						
LAP			12	1x600			1	1.598

Cutting stock by diameter

DIAMETER	MASS	STOCK BARS	PIECES	OFFCUT
12	1,362.553	1,238	5,445	1,42,700
16	2,161.766	1,200	3,604	1,99,600
20	1,051.698	1,737	3,776	8,59,300
Total mass	4,576.017			

Stock bars, pieces and offcut describe what a site cuts from a stock bar. They are informational and are never billed.