

# Bar bending schedule

Sattva Court



Project Sattva Court (SC-001)  
 Client Sattva Holdings  
 Site Bashundhara R/A, Dhaka

Drawings Structural drawings, revision 2, pinned 22 Sep 2026  
 Issued 24 Sep 2026  
 Cut from Stock bars of 12,000 mm; each length rounded once, up to the next 25 mm

| Bar mark                 | Role | Dia (mm) | Shape                                                                               | Dimensions (mm)                             | Cutting length (mm) | Rounded (mm) | IS 2502 (mm) | In each | Total     | Mass (kg) |
|--------------------------|------|----------|-------------------------------------------------------------------------------------|---------------------------------------------|---------------------|--------------|--------------|---------|-----------|-----------|
| <b>C1 • Column • FDN</b> |      |          |                                                                                     |                                             |                     |              |              |         | 3 members |           |
| C1-d                     | Main | 16       |    | 11 A 1,854.2, B 192                         | 2,014.2             | 2,025        | 2,014.2      | 8       | 24        | 76.329    |
| Lap                      |      | 16       |                                                                                     | 800 × 1 per bar                             |                     |              |              |         |           | 30.318    |
| C1-t                     | Tie  | 10       |    | 51 A 320, B 320, C 320, D 320, E 100, F 100 | 1,380               | 1,400        | 1,360        | 7       | 21        | 17.853    |
| <b>C2 • Column • FDN</b> |      |          |                                                                                     |                                             |                     |              |              |         | 8 members |           |
| C2-d                     | Main | 20       |    | 11 A 1,854.2, B 240                         | 2,039.2             | 2,050        | 2,054.2      | 10      | 80        | 402.296   |
| Lap                      |      | 20       |                                                                                     | 1,000 × 1 per bar                           |                     |              |              |         |           | 197.280   |
| C2-t                     | Tie  | 10       |   | 51 A 220, B 520, C 220, D 520, E 100, F 100 | 1,580               | 1,600        | 1,560        | 7       | 56        | 54.504    |
| <b>C3 • Column • FDN</b> |      |          |                                                                                     |                                             |                     |              |              |         | 6 members |           |
| C3-d                     | Main | 20       |  | 11 A 1,854.2, B 240                         | 2,039.2             | 2,050        | 2,054.2      | 8       | 48        | 241.374   |
| Lap                      |      | 20       |                                                                                     | 1,000 × 1 per bar                           |                     |              |              |         |           | 118.368   |
| C3-t                     | Tie  | 10       |  | 51 A 220, B 420, C 220, D 420, E 100, F 100 | 1,380               | 1,400        | 1,360        | 7       | 42        | 35.706    |
| <b>C4 • Column • FDN</b> |      |          |                                                                                     |                                             |                     |              |              |         | 7 members |           |
| C4-d                     | Main | 25       |  | 11 A 1,854.2, B 300                         | 2,085.45            | 2,100        | 2,104.2      | 12      | 84        | 675.136   |
| Lap                      |      | 25       |                                                                                     | 1,250 × 1 per bar                           |                     |              |              |         |           | 404.670   |

| Bar mark                      | Role       | Dia (mm) | Shape                                                                               | Dimensions (mm)                             | Cutting length (mm) | Rounded (mm) | IS 2502 (mm) | In each | Total     | Mass (kg) |
|-------------------------------|------------|----------|-------------------------------------------------------------------------------------|---------------------------------------------|---------------------|--------------|--------------|---------|-----------|-----------|
| <b>C4 • Column • FDN</b>      |            |          |                                                                                     |                                             |                     |              |              |         | 7 members |           |
| C4-t                          | Tie        | 10       |    | 51 A 370, B 520, C 370, D 520, E 100, F 100 | 1,880               | 1,900        | 1,860        | 7       | 49        | 56.749    |
| <b>C6 • Column • FDN</b>      |            |          |                                                                                     |                                             |                     |              |              |         | 1 member  |           |
| C6-d                          | Main       | 20       |    | 11 A 1,854.2, B 240                         | 2,039.2             | 2,050        | 2,054.2      | 8       | 8         | 40.229    |
| Lap                           |            | 20       |                                                                                     | 1,000 × 1 per bar                           |                     |              |              |         |           | 19.728    |
| C6-t                          | Tie        | 10       |    | 51 A 220, B 420, C 220, D 420, E 100, F 100 | 1,380               | 1,400        | 1,360        | 7       | 7         | 5.951     |
| <b>C7 • Column • FDN</b>      |            |          |                                                                                     |                                             |                     |              |              |         | 1 member  |           |
| C7-d                          | Main       | 20       |    | 11 A 1,854.2, B 240                         | 2,039.2             | 2,050        | 2,054.2      | 8       | 8         | 40.229    |
| Lap                           |            | 20       |                                                                                     | 1,000 × 1 per bar                           |                     |              |              |         |           | 19.728    |
| <b>SW1 • Shear wall • FDN</b> |            |          |                                                                                     |                                             |                     |              |              |         | 2 members |           |
| SW1-v                         | Main       | 12       |    | 00 A 609.6                                  | 609.6               | 625          | 609.6        | 36      | 72        | 38.976    |
| Lap                           |            | 12       |                                                                                     | 600 × 1 per bar                             |                     |              |              |         |           | 38.362    |
| SW1-h                         | Horizontal | 10       |    | 11 A 2,648.4, B 120                         | 2,748.4             | 2,750        | 2,748.4      | 8       | 16        | 27.088    |
| <b>SW1 • Shear wall • FDN</b> |            |          |                                                                                     |                                             |                     |              |              |         | 2 members |           |
| SW1-v                         | Main       | 12       |  | 00 A 609.6                                  | 609.6               | 625          | 609.6        | 34      | 68        | 36.810    |
| Lap                           |            | 12       |                                                                                     | 600 × 1 per bar                             |                     |              |              |         |           | 36.230    |
| SW1-h                         | Horizontal | 10       |  | 11 A 2,453.2, B 120                         | 2,553.2             | 2,575        | 2,553.2      | 8       | 16        | 25.164    |
| <b>C1 • Column • GF</b>       |            |          |                                                                                     |                                             |                     |              |              |         | 3 members |           |
| C1-v                          | Main       | 16       |  | 00 A 3,352.8                                | 3,352.8             | 3,375        | 3,352.8      | 8       | 24        | 127.059   |
| Lap                           |            | 16       |                                                                                     | 800 × 1 per bar                             |                     |              |              |         |           | 30.318    |
| C1-t                          | Tie        | 10       |  | 51 A 320, B 320, C 320, D 320, E 100, F 100 | 1,380               | 1,400        | 1,360        | 30      | 90        | 76.506    |

**DRAFT — UNSIGNED**

| Bar mark                | Role | Dia (mm) | Shape                                                                               | Dimensions (mm)                          | Cutting length (mm) | Rounded (mm) | IS 2502 (mm) | In each | Total     | Mass (kg) |
|-------------------------|------|----------|-------------------------------------------------------------------------------------|------------------------------------------|---------------------|--------------|--------------|---------|-----------|-----------|
| <b>C2 • Column • GF</b> |      |          |                                                                                     |                                          |                     |              |              |         | 8 members |           |
| C2-v                    | Main | 20       |    | A 3,352.8                                | 3,352.8             | 3,375        | 3,352.8      | 10      | 80        | 661.440   |
| Lap                     |      | 20       |                                                                                     | 1,000 × 1 per bar                        |                     |              |              |         |           | 197.280   |
| C2-t                    | Tie  | 10       |    | A 220, B 520, C 220, D 520, E 100, F 100 | 1,580               | 1,600        | 1,560        | 32      | 256       | 249.160   |
| <b>C3 • Column • GF</b> |      |          |                                                                                     |                                          |                     |              |              |         | 6 members |           |
| C3-v                    | Main | 20       |    | A 3,352.8                                | 3,352.8             | 3,375        | 3,352.8      | 8       | 48        | 396.864   |
| Lap                     |      | 20       |                                                                                     | 1,000 × 1 per bar                        |                     |              |              |         |           | 118.368   |
| C3-t                    | Tie  | 10       |    | A 220, B 420, C 220, D 420, E 100, F 100 | 1,380               | 1,400        | 1,360        | 31      | 186       | 158.112   |
| <b>C4 • Column • GF</b> |      |          |                                                                                     |                                          |                     |              |              |         | 5 members |           |
| C4-v                    | Main | 25       |    | A 3,352.8                                | 3,352.8             | 3,375        | 3,352.8      | 12      | 60        | 775.300   |
| Lap                     |      | 25       |                                                                                     | 1,250 × 1 per bar                        |                     |              |              |         |           | 289.050   |
| C4-t                    | Tie  | 10       |    | A 370, B 520, C 370, D 520, E 100, F 100 | 1,880               | 1,900        | 1,860        | 31      | 155       | 179.500   |
| <b>C4 • Column • GF</b> |      |          |                                                                                     |                                          |                     |              |              |         | 2 members |           |
| C4-v                    | Main | 25       |   | A 3,352.8                                | 3,352.8             | 3,375        | 3,352.8      | 12      | 24        | 310.120   |
| Lap                     |      | 25       |                                                                                     | 1,250 × 1 per bar                        |                     |              |              |         |           | 115.620   |
| C4-t                    | Tie  | 10       |  | A 370, B 520, C 370, D 520, E 100, F 100 | 1,880               | 1,900        | 1,860        | 33      | 66        | 76.434    |
| <b>C6 • Column • GF</b> |      |          |                                                                                     |                                          |                     |              |              |         | 1 member  |           |
| C6-v                    | Main | 20       |  | A 3,352.8                                | 3,352.8             | 3,375        | 3,352.8      | 8       | 8         | 66.144    |
| Lap                     |      | 20       |                                                                                     | 1,000 × 1 per bar                        |                     |              |              |         |           | 19.728    |
| C6-t                    | Tie  | 10       |  | A 220, B 420, C 220, D 420, E 100, F 100 | 1,380               | 1,400        | 1,360        | 30      | 30        | 25.502    |

**DRAFT — UNSIGNED**

| Bar mark                     | Role       | Dia (mm) | Shape                                                                               | Dimensions (mm)                          | Cutting length (mm) | Rounded (mm) | IS 2502 (mm) | In each | Total | Mass (kg) |
|------------------------------|------------|----------|-------------------------------------------------------------------------------------|------------------------------------------|---------------------|--------------|--------------|---------|-------|-----------|
| <b>C7 • Column • GF</b>      |            |          |                                                                                     |                                          |                     |              |              |         |       | 1 member  |
| C7-v                         | Main       | 20       |    | A 3,352.8                                | 3,352.8             | 3,375        | 3,352.8      | 8       | 8     | 66.144    |
| Lap                          |            | 20       |                                                                                     | 1,000 × 1 per bar                        |                     |              |              |         |       | 19.728    |
| <b>SW1 • Shear wall • GF</b> |            |          |                                                                                     |                                          |                     |              |              |         |       | 2 members |
| SW1-v                        | Main       | 12       |    | A 3,352.8                                | 3,352.8             | 3,375        | 3,352.8      | 34      | 68    | 202.456   |
| Lap                          |            | 12       |                                                                                     | 600 × 1 per bar                          |                     |              |              |         |       | 36.230    |
| SW1-h                        | Horizontal | 10       |    | A 2,523.4, B 120                         | 2,623.4             | 2,625        | 2,623.4      | 44      | 88    | 142.210   |
| <b>SW1 • Shear wall • GF</b> |            |          |                                                                                     |                                          |                     |              |              |         |       | 1 member  |
| SW1-v                        | Main       | 12       |    | A 3,352.8                                | 3,352.8             | 3,375        | 3,352.8      | 34      | 34    | 101.228   |
| Lap                          |            | 12       |                                                                                     | 600 × 1 per bar                          |                     |              |              |         |       | 18.115    |
| SW1-h                        | Horizontal | 10       |    | A 2,453.2, B 120                         | 2,553.2             | 2,575        | 2,553.2      | 44      | 44    | 69.202    |
| <b>C1 • Column • 1F</b>      |            |          |                                                                                     |                                          |                     |              |              |         |       | 3 members |
| C1-v                         | Main       | 16       |    | A 3,048                                  | 3,048               | 3,050        | 3,048        | 8       | 24    | 115.506   |
| Lap                          |            | 16       |                                                                                     | 800 × 1 per bar                          |                     |              |              |         |       | 30.318    |
| C1-t                         | Tie        | 10       |  | A 320, B 320, C 320, D 320, E 100, F 100 | 1,380               | 1,400        | 1,360        | 28      | 84    | 71.406    |
| <b>C2 • Column • 1F</b>      |            |          |                                                                                     |                                          |                     |              |              |         |       | 8 members |
| C2-v                         | Main       | 20       |  | A 3,048                                  | 3,048               | 3,050        | 3,048        | 10      | 80    | 601.312   |
| Lap                          |            | 20       |                                                                                     | 1,000 × 1 per bar                        |                     |              |              |         |       | 197.280   |
| C2-t                         | Tie        | 10       |  | A 220, B 520, C 220, D 520, E 100, F 100 | 1,580               | 1,600        | 1,560        | 30      | 240   | 233.584   |
| <b>C3 • Column • 1F</b>      |            |          |                                                                                     |                                          |                     |              |              |         |       | 6 members |
| C3-v                         | Main       | 20       |  | A 3,048                                  | 3,048               | 3,050        | 3,048        | 8       | 48    | 360.786   |
| Lap                          |            | 20       |                                                                                     | 1,000 × 1 per bar                        |                     |              |              |         |       | 118.368   |

## DRAFT — UNSIGNED

| Bar mark                     | Role       | Dia (mm) | Shape                                                                               | Dimensions (mm)                             | Cutting length (mm) | Rounded (mm) | IS 2502 (mm) | In each | Total     | Mass (kg) |
|------------------------------|------------|----------|-------------------------------------------------------------------------------------|---------------------------------------------|---------------------|--------------|--------------|---------|-----------|-----------|
| <b>C3 • Column • 1F</b>      |            |          |                                                                                     |                                             |                     |              |              |         | 6 members |           |
| C3-t                         | Tie        | 10       |    | 51 A 220, B 420, C 220, D 420, E 100, F 100 | 1,380               | 1,400        | 1,360        | 29      | 174       | 147.912   |
| <b>C4 • Column • 1F</b>      |            |          |                                                                                     |                                             |                     |              |              |         | 7 members |           |
| C4-v                         | Main       | 25       |    | 00 A 3,048                                  | 3,048               | 3,050        | 3,048        | 12      | 84        | 986.748   |
| Lap                          |            | 25       |                                                                                     | 1,250 × 1 per bar                           |                     |              |              |         |           | 404.670   |
| C4-t                         | Tie        | 10       |    | 51 A 370, B 520, C 370, D 520, E 100, F 100 | 1,880               | 1,900        | 1,860        | 29      | 203       | 235.088   |
| <b>C5 • Column • 1F</b>      |            |          |                                                                                     |                                             |                     |              |              |         | 1 member  |           |
| C5-v                         | Main       | 20       |    | 00 A 3,048                                  | 3,048               | 3,050        | 3,048        | 8       | 8         | 60.131    |
| Lap                          |            | 20       |                                                                                     | 1,000 × 1 per bar                           |                     |              |              |         |           | 19.728    |
| C5-t                         | Tie        | 10       |    | 51 A 220, B 370, C 220, D 370, E 100, F 100 | 1,280               | 1,300        | 1,260        | 27      | 27        | 21.289    |
| <b>C6 • Column • 1F</b>      |            |          |                                                                                     |                                             |                     |              |              |         | 1 member  |           |
| C6-v                         | Main       | 20       |    | 00 A 3,048                                  | 3,048               | 3,050        | 3,048        | 8       | 8         | 60.131    |
| Lap                          |            | 20       |                                                                                     | 1,000 × 1 per bar                           |                     |              |              |         |           | 19.728    |
| C6-t                         | Tie        | 10       |   | 51 A 220, B 420, C 220, D 420, E 100, F 100 | 1,380               | 1,400        | 1,360        | 28      | 28        | 23.802    |
| <b>SW1 • Shear wall • 1F</b> |            |          |                                                                                     |                                             |                     |              |              |         | 2 members |           |
| SW1-v                        | Main       | 12       |  | 00 A 3,048                                  | 3,048               | 3,050        | 3,048        | 34      | 68        | 184.050   |
| Lap                          |            | 12       |                                                                                     | 600 × 1 per bar                             |                     |              |              |         |           | 36.230    |
| SW1-h                        | Horizontal | 10       |  | 11 A 2,523.4, B 120                         | 2,623.4             | 2,625        | 2,623.4      | 40      | 80        | 129.282   |
| <b>SW1 • Shear wall • 1F</b> |            |          |                                                                                     |                                             |                     |              |              |         | 1 member  |           |
| SW1-v                        | Main       | 12       |  | 00 A 3,048                                  | 3,048               | 3,050        | 3,048        | 34      | 34        | 92.025    |
| Lap                          |            | 12       |                                                                                     | 600 × 1 per bar                             |                     |              |              |         |           | 18.115    |

## DRAFT — UNSIGNED

| Bar mark                     | Role       | Dia (mm) | Shape                                                                             | Dimensions (mm)  | Cutting length (mm) | Rounded (mm) | IS 2502 (mm) | In each | Total | Mass (kg) |
|------------------------------|------------|----------|-----------------------------------------------------------------------------------|------------------|---------------------|--------------|--------------|---------|-------|-----------|
| <b>SW1 · Shear wall · 1F</b> |            |          |                                                                                   |                  |                     |              |              |         |       | 1 member  |
| SW1-h                        | Horizontal | 10       |  | A 2,453.2, B 120 | 2,553.2             | 2,575        | 2,553.2      | 40      | 40    | 62.911    |

## Declared, not scheduled

This bar is bent to a shape the schedule's BS 8666 roster does not hold, so it is declared here and its mass is left out of every total.

| Bar mark                            | Member                      | Role | Dia (mm) | Shape | Cutting length (mm) | Total | Mass (kg) |
|-------------------------------------|-----------------------------|------|----------|-------|---------------------|-------|-----------|
| C7-h                                | C7 · Column · FDN, 1 member | Tie  | 10       | CH    | 1,322.389           | 7     | 5.702     |
| C7-h                                | C7 · Column · GF, 1 member  | Tie  | 10       | CH    | 1,322.389           | 34    | 27.696    |
| <b>Excluded from the total mass</b> |                             |      |          |       |                     |       | 33.398    |

## Cutting stock by diameter

| Dia (mm)          | Mass (kg)         | Stock bars                                     | Pieces | Offcut (m) |
|-------------------|-------------------|------------------------------------------------|--------|------------|
| 10                | 2,124.915         | 306                                            | 1,998  | 185.700    |
| 12                | 838.825           | 68                                             | 344    | 73.150     |
| 16                | 409.845           | 20                                             | 72     | 37.200     |
| 20                | 4,062.392         | 116                                            | 432    | 171.600    |
| 25                | 3,961.314         | 68                                             | 252    | 99.900     |
| <b>Total mass</b> | <b>11,397.291</b> | Excludes the 33.398 kg declared, not scheduled |        |            |

Stock bars, pieces and offcut describe what a site cuts from a stock bar. They are informational and are never billed.

**DRAFT — UNSIGNED**

**Prepared by**

Name \_\_\_\_\_

Signature \_\_\_\_\_

Date \_\_\_\_\_

**Checked by**

Name \_\_\_\_\_

Signature \_\_\_\_\_

Date \_\_\_\_\_

Completed by hand. This schedule is a draft: it names no surveyor and certifies no quantity.