

Draft BOQ — unpriced

Sattva Court



Campaign 33333333-3333-4333-8333-333333333333
Pinned revision 44444444-4444-4444-8444-444444444444
Taxonomy bill-taxonomy/2026-09-16
Coverage INCOMPLETE

1 Substructure

ITEM	DESCRIPTION	LEVEL	QUANTITY	UNIT
	Column · Concrete		0.810	m3
1.1.1	Column · Concrete	FDN	0.810	m3
	Column · Rebar		Not measured	kg
	(None of 2 measured — note reading contested; rebar tie zone unstated)			
1.2.1	Column · Rebar (note reading contested; rebar tie zone unstated)	FDN	Not measured	kg
1.2.2	Column · Rebar (note reading contested; rebar tie zone unstated)	FDN	Not measured	kg
	Pile cap · Concrete		8.320	m3
1.3.1	Pile cap · Concrete	FDN	4.160	m3
1.3.2	Pile cap · Concrete	FDN	4.160	m3
	Pile cap · Formwork		9.75	m2
1.4.1	Pile cap · Formwork	FDN	9.75	m2
	Pile cap · Blinding		0.391	m3
	(1 of 2 measured; 1 not measured — blinding plan deferred)			
1.5.1	Pile cap · Blinding	FDN	0.391	m3
1.5.2	Pile cap · Blinding (blinding plan deferred)	FDN	Not measured	m3
	Measured-scope subtotal		9.521	m3
	Measured-scope subtotal		Not measured	kg
	Measured-scope subtotal		9.75	m2

2 Superstructure

ITEM	DESCRIPTION	LEVEL	QUANTITY	UNIT
	Column · Concrete		0.405	m3
2.1.1	Column · Concrete	GF	0.405	m3
	Column · Formwork		6.48	m2
2.2.1	Column · Formwork	GF	6.48	m2
	Beam · Concrete		1.296	m3
2.3.1	Beam · Concrete	GF	1.296	m3
	Slab · Concrete		12.480	m3
2.4.1	Slab · Concrete	1F	12.480	m3

ITEM	DESCRIPTION	LEVEL	QUANTITY	UNIT
	Brick wall · Brickwork		8.640	m3
2.5.1	Brick wall · Brickwork	1F	8.640	m3
	Measured-scope subtotal		22.821	m3
	Measured-scope subtotal		6.48	m2

3 Finishes

ITEM	DESCRIPTION	LEVEL	QUANTITY	UNIT
	Surface · Plaster		24.50	m2
3.1.1	Surface · Plaster	1F	24.50	m2
	Surface · Paint		Not measured	m2
	(None of 1 measured — opening schedule absent)			
3.2.1	Surface · Paint (opening schedule absent)	1F	Not measured	m2
	Measured-scope subtotal		24.50	m2

Unclassified

REASON	DESCRIPTION	LEVEL	QUANTITY	UNIT
Level not in stack	Column · Concrete		0.324	m3

Not measured in this draft

Scope no line was published for

DESCRIPTION	LEVELS	WHY
Boring		No class sighted in this campaign bears this kind, so no cell stands for it.
Slab · Concrete	GF–2F	No line has been published for this kind on this class and level, and nothing explains the absence.
Stair · Concrete	GF	A person declared this kind out of the project scope on this class and level.

Why a line states no figure

REASON	WHAT IT MEANS
Note reading contested	Two readings of this note disagree, so no figure stands.
Rebar tie zone unstated	The schedule states the tie spacing for this member but no zone it runs over, so its ties cannot be counted.
Blinding plan deferred	This foundation's plan is not a rectangle, and the blinding under a non-rectangular plan is not measured yet.
Opening schedule absent	No opening schedule stands behind this face, so it is not measured — its gross area would over-measure the work.