## First R Markdown

#### Vinicius Padovani

15/01/2020

### R Markdown Test edit

### Cheat Sheet Guide

Built with 3.6.2

getRversion()

## [1] '3.6.2'

New paragraph code  $sub^{\hat{}}_{\{4\}}$ 

 $\sup^{4}$ 

 $\begin{array}{c} \text{strike} \\ \text{esc *} \_ \setminus \end{array}$ 

en –

em —

 $A=\pi*r^2$ 

 $E = mc^2$ 

> quote blablabla

### Header 1

#### Header 2

#### Header3

texbf{Tex ignored in HTML}
HTML ignored in pdfs
<www.youtube.com>
link
jump to Header 1
[caption] (image)

• bullet list 1 >- bulet 2

\*Unordered list + sub-item 1 - sub-sub-item 1

- 1. ordered list
  - i)  $sub\_1$  I.  $sub\_sub\_1$
- (1) Continuous list
- (2) keeps going

Table 1: Defitinition

TABLE 1 BLABLA
VALUE 1 VALUE 2


Footnote  $^{\rm 1}$ 

### summary(cars)

##	speed	dist
##	Min. : 4.0	Min. : 2.00
##	1st Qu.:12.0	1st Qu.: 26.00
##	Median :15.0	Median : 36.00
##	Mean :15.4	Mean : 42.98
##	3rd Qu.:19.0	3rd Qu.: 56.00
##	Max. :25.0	Max. :120.00

<sup>&</sup>lt;sup>1</sup>Footnote

# Including Plots



Horizontal rule: \*\*\*