Lab -Adding Resource Locks

Locks:



Delete Lock:



Read Only Lock:

Microsoft Azure | Search resources, services, and docs (G+/) | Copilot

Home > Resource Manager | Resource groups > rg-lab-vijaya > vnet-lab-vijaya

vnet-lab-vijaya | Address space

Virtual network

Search

- Tags
- Diagnose and solve problems
- Resource visualizer
- Settings
  - Address space
  - Connected devices
  - Subnets
  - Bastion
  - DDoS protection
  - Firewall
  - Microsoft Defender for Cloud
  - Network manager
  - DNS
  - Peerings
  - Service endpoints
  - Private endpoints
  - Properties
  - Locks
- Monitoring
- Automation
- Help

Add address space | Refresh

The address space for a virtual network is composed of one or more non-overlapping address ranges that are specified in CIDR notation. IP Address Management (IPAM) is recommended to simplify address management and avoid overlapping address space. When not using IPAM, it is recommended to use an address range that is not globally routable, such as 172.16.0.0/12, or a range defined in RFC 1918 or RFC 6598. Learn more.

Showing all 1 items

Address space	Address range	Address count
10.0.0.0/6	10.0.0.0 10.0.0.0 - 13.255.255.255	/6 67.108.864 address

10.0.0.0/6 is not a valid CIDR block. Use 16.0.0.0/6 or 20.0.0.0/6 instead.

Peered virtual network address space

Search

Showing all 0 items

Peering name	Peered to	Address space
No items found		

Save | Cancel | Give feedback