Install package http

[root@vivek ~]# yum install http* -y
Updating Subscription Management repositories.

Unable to read consumer identity

This system is not registered to Red Hat Subscription Management. You can us Last metadata expiration check: 1 day, 1:39:41 ago on Tue 01 Mar 2022 03:35: Package httpd-2.4.37-21.module+el8.2.0+5008+cca404a3.x86_64 is already insta Package httpd-filesystem-2.4.37-21.module+el8.2.0+5008+cca404a3.x86_64 is already Dependencies resolved.

Service start

Firewall Configuration


```
[root@vivek ~]# firewall-cmd --permanent --zone=public --add-port=80/tcp
success
[root@vivek ~]# firewall-cmd --permanent --zone=public --add-port=443/tcp
success
[root@vivek ~]# firewall-cmd --permanent --zone=public --add-service=http
Warning: ALREADY_ENABLED: http
success
[root@vivek ~]# firewall-cmd --permanent --zone=public --add-service=https
Warning: ALREADY_ENABLED: https
success
[root@vivek ~]# firewall-cmd --reload
success
[root@vivek ~]# firewall-cmd --list-port
80/tcp 443/tcp
```

Enable selinux ports


```
[root@vivek ~] # semanage port -1 | grep http_port_t
http_port_t tcp 80, 81, 443, 488, 8008, 8009, 8443, 9000
pegasus_http_port_t tcp 5988
[root@vivek ~] # semanage port -a -t http_port_t -p tcp 80
ValueError: Port tcp/80 already defined
[root@vivek ~] # semanage port -a -t http_port_t -p tcp 443
ValueError: Port tcp/443 already defined
[root@vivek ~] # semanage port -a -t http_port_t -p tcp 443
ValueError: Port tcp/443 already defined
```

Go to html path and create file

```
[root@vivek ~] # cd /var/www/html/
[root@vivek html] # ls
index.php license.txt wordpress wp-admin
latest.zip readme.html wp-activate.php wp-blog-heade
[root@vivek html] # vim index.html
```




welcome to all of you on my webpage "vivek gandhi"



welcome to all of you on my webpage "vivek gandhi"




welcome to all of you on my webpage "vivek gandhi"



welcome to all of you on my webpage "vivek gandhi"


Task -2Port change





```
Modification port

#Listen 12.34.56.78:80
Listen 80
Listen 8080
```







welcome to all of you on my webpage "vivek gandhi"



welcome to all of you on my webpage "vivek gandhi"

```
× This is vivek gandhi page × +

i vivek.gandhi.com:8080
```

welcome to all of you on my webpage "vivek gandhi"

Task -3

```
[root@vivek /]# systemctl disable httpd
[root@vivek ~]# mkdir -p /var/www/gandhi.com/html
[root@vivek ~]# mkdir -p /var/www/gandhi,com/log
[root@vivek ~] # chown -R $USER:$USER /var/www/gandhi.com/html
[root@vivek ~] # chmod -R 755 /var/www
[root@vivek ~]#
[root@vivek ~] # vim /var/www/gandhi.com/html/index.html
 <head>
   <title>Welcome to gandhi.com!</title>
 </head>
 <body>
   <h1>Success! The gandhi.com virtual host is up and perfectly working!</h1>
</html>
[root@vivek httpd]# mkdir /etc/httpd/sites-available
[root@vivek httpd]# mkdir /etc/httpd/sites-enabled
[root@vivek httpd]#
[root@vivek httpd]# vim /etc/httpd/conf/httpd.conf
Include conf.modules.d/*.conf
IncludeOptional sites-enabled/*.conf
[root@vivek httpd]# vim /etc/httpd/sites-available/gandhi.com
<VirtualHost *:80>
   ServerName vivek.gandhi.com
   ServerAlias gandhi.com
   DocumentRoot /var/www/gandhi.com/html
    ErrorLog /var/www/gandhi.com/log/error.log
    CustomLog /var/www/gandhi.com/log/requests.log combined
 VirtualHost>
root@vivek httpd] # ln -s /etc/httpd/sites-available/gandhi.com.conf /etc/httpd/sites-enabled/gandhi.com.conf
[root@vivek httpd] # ls -dlZ /var/www/gandhi.com/log/
rwxr-xr-x. 2 root root unconfined_u:object_r:httpd_sys_content_t:s0 6 Mar 3 00:44 /var/www/gandhi.com/log/
```

```
[root@vivek httpd] # semanage fcontext -a -t httpd_log_t "/var/www/gandhi.com/log(/.*)?"
root unconfined_u:object_r:httpd_log_t:s0 6 Mar 3 00:44 /var/www/gandhi.com/log/
drwxr-xr-x. 2 root roo
[root@vivek httpd]#
Pending
Task
New
         localhost localhost.localdomain localhost4 localhost4.localdomain4
          localhost localhost.localdomain localhost6 localhost6.localdomain6
192.168.254.133 vivek.gandhi.com vivek
192.168.254.133 websever1.example.com webserver1
192.168.254.133 webserver2.example.com webserver2
192.168.254.139 pooja.gandhi.com pooja
[root@vivek html]# mkdir /var/www/html/webserver1
[root@vivek html]# mkdir /var/www/html/webserver2
  oot@vivek htmll#
[root@vivek webserver1] # vim /var/www/html/webserver2/index.html
<html>
  <head>
    <title>www.example2.com</title>
  </head>
  <body>
    <h1>Hello, Welcome to www.example2.com.</h1>
  </body>
</html>
[root@vivek webserver1] # vim /var/www/html/webserver1/index.html
<html>
  <head>
    <title>www.example1.com</title>
  </head>
  <body>
    <h1>Hello, Welcome to www.example1.com.</h1>
 </body>
/html
[root@vivek html]# systemctl restart httpd
[root@vivek html] # cd /etc/httpd/conf.d/
[root@vivek conf.d] # ls
autoindex.conf manual.conf php.conf README userdir.conf welcome.conf
[root@vivek conf.d]#
[root@vivek conf.d] # mkdir /var/log/httpd/webserver1
[root@vivek conf.d] # mkdir /var/log/httpd/webserver2
```

```
[root@vivek conf.d]# vim webserver1.conf

<VirtualHost *:80>
servername webserver1.example.com
ErrorLog /var/log/httpd/webserver1/error.log
customlog /var/log/httpd/webserver1/access.log combined
documentroot /var/www/html/webserver1

</VirtualHost>

<directory /var/www/html/webserver1>
require all granted
</directory>
~
```


<pre>[root@vivek conf.d]# cp webserver1.conf webserver2.conf [root@vivek conf.d]# vim webserver2.conf</pre>
<virtualhost *:80=""></virtualhost>
servername webserver2.example.com
<pre>ErrorLog /var/log/httpd/webserver2/error.log customlog /var/log/httpd/webserver2/access.log combined documentroot /var/www/html/webserver2 </pre>
<pre><directory html="" var="" webserver2="" www=""> require all granted </directory> ~</pre>

8080 port example




welcome to all of you on my webpage "vivek gandhi"

Vivek.gandhi.com example



Hello, Welcome to www.example1.com.

Example 2



Hello, Welcome to www.example2.com.

