POSTGRESDB SERVER

HOW TO CHANGE POSTGRESDB DATA DIRECTORY.

By default, location store data: - /var/lib/pgsql/12/data

Change location: - /data/data

```
Create directory

[root@vivek /] # mkdir data
[root@vivek /] # ll

total 28

lrwxrwxrwx. 1 root root 7 Aug 12 2018 bin -> usr/bin

dr-xr-xr-x. 5 root root 4096 Jan 20 06:47 boot
drwxr-xr-x. 2 root root 6 Mar 1 00:48 data
```

```
Change root and gname directory
[root@vivek /]# chown postgres:postgres /data
[root@vivek /]# 11
total 28
lrwxrwxrwx.
                                    7 Aug 12 2018 bin -> usr/bin
                                 4096 Jan 20 06:47 boot
dr-xr-xr-x.
             5 root
                        root
drwxr-xr-x.
             2 postgres postgres
                                   6 Mar 1 00:48 data
                                 3280 Mar 1 00:38 dev
drwxr-xr-x.
            20 root
```

```
Give permission directory
[root@vivek /]# chmod -R 750 /data
[root@vivek /]# 11
total 28
lrwxrwxrwx.
             1 root
                       root
                                   7 Aug 12 2018 bin -> usr/bin
                      root
dr-xr-xr-x.
            5 root
                                4096 Jan 20 06:47 boot
            2 postgres postgres
                                   6 Mar 1 00:48 data
drwxr-x---.
                       root 3280 Mar 1 00:38 dev
drwxr-xr-x. 20 root
```

POSTGRESDB SERVER

Rsync directory default location to change location

```
[root@vivek data]# rsync -av /var/lib/pgsql/12/data /data
sending incremental file list
data/
data/PG_VERSION
data/current_logfiles
data/pg_hba.conf
data/pg_ident.conf
data/postgresql.auto.conf
data/postgresql.conf
```

Change configuration file

[root@vivek /]# vi /var/lib/pgsql/12/data/postgresql.conf

```
# FILE LOCATIONS

# The default values of these variables are driven from the -D command-line
# option or PGDATA environment variable, represented here as ConfigDir.

data_directory = '/data/data'  # use data in another directory
```

Service start

```
[root@vivek /]# systemctl start postgresql-12.service
[root@vivek /]# systemctl status postgresql-12.service
• postgresql-12.service - PostgreSQL 12 database server
   Loaded: loaded (/usr/lib/systemd/system/postgresql-12.service; enabled;
   Active: active (running) since Tue 2022-03-01 02:28:47 EST; 4min 19s ag
   Docs: https://www.postgresql.org/docs/12/static/
```

Check new

POSTGRESDB SERVER

