api-aggregator

```
api-aggregator
 - LICENSE
 - README.md

    backend

    DS_Store
env.local
     - .eslintrc.js
     .prettierrc
    - README.md
    - dist
       app.module.d.ts
       - app.module.js
       app.module.js.map

    countries

          - countries.controller.d.ts
          - countries.controller.js
          — countries.controller.js.map
          - countries.module.d.ts
          countries.module.js
          countries.module.js.map
           - countries.repository.d.ts

    countries.repository.js

           countries.repository.js.map

    countries.service.d.ts

           countries.service.js
          └ countries.service.js.map

    entities

          country.entity.d.ts
           country.entity.js
          country.entity.js.map
          — league.entity.d.ts
           - league.entity.js
          L league.entity.js.map

    interfaces

          api-country-league.interface.d.ts
api-country-league.interface.js

    api-country-league.interface.js.map

    api-country.interface.d.ts

    api-country.interface.js

           - api-country.interface.js.map

    country.interface.d.ts

           country.interface.js
           country.interface.js.map

    league.interface.d.ts

           - league.interface.js
          └ league.interface.js.map
        - leagues
           leagues.controller.d.ts
           - leagues.controller.js
           leagues.controller.js.map
           - leagues.module.d.ts
           leagues.module.js
           - leagues.module.js.map
           - leagues.repository.d.ts

    leagues.repository.js

           leagues.repository.js.map
           leagues.service.d.ts
           - leagues.service.js
          └ leagues.service.js.map
         main.d.ts
         main.js
         main.js.map
```

```
services

    api-football.service.d.ts

        - api-football.service.js
      api-football.service.js.map
     - tsconfig.build.tsbuildinfo
   └ utils
      \vdash helpers.d.ts
       - helpers.js
      └ helpers.js.map
 - nest-cli.json
 package-lock.json

    package.json

  - src
    app.module.ts

    countries

       countries.controller.spec.ts
       - countries.controller.ts
       countries.module.ts

    countries.repository.ts

       - countries.service.spec.ts
      └ countries.service.ts
     - entities
        - country.entity.ts
      └ league.entity.ts
    - interfaces
      api-country-league.interface.ts

    api-country.interface.ts

        - country.interface.ts
      └ league.interface.ts
    - leagues
      leagues.controller.spec.ts
       leagues.controller.ts
       — leagues.module.ts
       — leagues.repository.ts
        leagues.service.spec.ts
      L leagues.service.ts
    - main.ts
     - services
      └ api-football.service.ts
     - utils
     └ helpers.ts
  test
   └ jest-e2e.json
  tsconfig.build.json
 - tsconfig.json
frontend
 - .DS Store
  - .env.local
   .next
    app-build-manifest.json
    - build-manifest.json
     - chunks
      [output] __next_transform_adlf0f.js
        - [output] __next_transform_ad1f0f.js.map
      [output] __next_transform_cc8fc1.js
      [turbopack-node] __a86098._.js
      [turbopack-node]__a86098._.js.map
      postcss_config_js_transform_ts_b0fe12._.js
        - postcss config js transform ts b0fe12. .js.map
      postcss_config_js_transform_ts_c36dd5._.js
     - fallback-build-manifest.json
    package.json
    - react-loadable-manifest.json
     server
      - app
```

```
not-found
       page
         - app-build-manifest.json
         - app-paths-manifest.json
         - build-manifest.json
         - next-font-manifest.json
         - react-loadable-manifest.json
        └ server-reference-manifest.json
      - page.is
      - page.js.map
     page_client-reference-manifest.js
    favicon.ico
      - route
         app-paths-manifest.json
         - next-font-manifest.json
        └ react-loadable-manifest.json
      - route.js
     └ route.js.map
   - page
      - app-build-manifest.json
      - app-paths-manifest.json
      - build-manifest.json
     next-font-manifest.json
      - react-loadable-manifest.json
     └ server-reference-manifest.json
   - page.js
   - page.js.map
  └ page_client-reference-manifest.js
- app-paths-manifest.json
- chunks
  [turbopack]_runtime.js
   - [turbopack] runtime.js.map
   app favicon--route-entry 6db5e1.js
   - app favicon--route-entry 6db5e1.js.map
  L ssr
     \vdash [turbopack]_dev_client_3aeb22._.js
      - [turbopack]_dev_client_3aeb22._.js.map
      - [turbopack]_dev_client_hmr-client_ts_530459._.js
      - [turbopack]_dev_client_hmr-client_ts_530459._.js.map
      - [turbopack]_dev_client_hmr-client_ts_b3b884._.js
      - [turbopack]_dev_client_hmr-client_ts_b3b884._.js.map
      - [turbopack]_dev_client_hmr-client_ts_dcc50c._.js
      - [turbopack]_dev_client_hmr-client_ts_dcc50c._.js.map
      - [turbopack]_dev_client_hmr-client_ts_f8cb52._.js
      - [turbopack]_dev_client_hmr-client ts f8cb52. .js.map
      - [turbopack]_runtime.js
      [turbopack]_runtime.js.map
      - _5da79c._.js
      - <sup>5</sup>da79c. .js.map
      – 8686aa. .js
      — _8686aa._.js.map
      - _c6167c._.js
      - _c6167c._.js.map
      - _f00d73._.js
      - _f00d73._.js.map
      - _f70e0b._.js
      ___f70e0b._.js.map
      - _fdd766._.js
- _fdd766._.js.map
      app error_tsx_ebc8e5._.js
      - app_error_tsx_ebc8e5. .js.map
      - app fdc36c. .js
      - app fdc36c. .js.map
      - app layout tsx acda70. .js
     app_layout_tsx_acda70._.js.map
 font-manifest.json
 interception-route-rewrite-manifest.js
```

```
- middleware-build-manifest.js
      - middleware-manifest.json
      - middleware-react-loadable-manifest.js
      - next-font-manifest.js
     next-font-manifest.json

    pages-manifest.json

      - server-reference-manifest.js
    └ server-reference-manifest.json
   static

    chunks

        [turbopack]_dev_client_dcbd7d._.js
         - [turbopack]_dev_client_dcbd7d._.js.map
        - [turbopack]_dev_client_hmr-client_ts_23f2be._.js
         - [turbopack]_dev_client_hmr-client_ts_23f2be._.js.map
         - [turbopack]_dev_client_hmr-client_ts_ddc16d._.js
         - _090fab._.js
         - _090fab._.js.map
         - _373c09._.js
           373c09._.js.map
         _ app_a8f705._.js
         - app_a8f705._.js.map
         app_error_tsx_6c72c3._.js
         - app_error_tsx_6c72c3._.js.map
         - app_error_tsx_cec54a._.js
         app_error_tsx_e5220d._.js
         - app_globals_73c377.css
         - app_globals_73c377.css.map
         - app_globals_b52d8e.css
         app_globals_b52d8e.css.map
         - app_layout_tsx_4f923f._.js
        app_layout_tsx_83fc40._.js
         app_layout_tsx_83fc40._.js.map
         - app_layout_tsx_87135b._.js
         app_layout_tsx_e2db25._.js
        app_layout_tsx_f13d71._.js
         - app_page_tsx_360c65._.js
       └ app_page_tsx_ad1490._.js
       development
         - buildManifest.js
          _ssgManifest.js
   - trace
 L transform.js
 .vercel
  - README.txt
 └ project.json
 .vscode
 └ settings.json
- LICENSE.md
- README.md
- README.pdf
- app
   - api
      - countries
      └ route.ts
      - leagues
       └ [country]
          └ route.ts
   - country
      - [country]

    page.tsx

    └ [country].tsx
   - error.tsx
   - favicon.ico
   - globals.css

    infinite-scroll.ts

   - layout.tsx
  nav-item.tsx
```

```
page.tsx
search.tsx
  components
    - Countries.tsx
    - CountryLeagues.tsx
    - icons.tsx
   L ui
      button.tsx input.tsx
 - components.json
 - lib
  └ utils.ts
 - next-env.d.ts
 - next.config.js
 - package-lock.json
 package.json
postcss.config.js
tailwind.config.ts
tsconfig.json
types.d.ts
```