

Tarea 5.3. Introducción a GitHub

Victor Guinea

3.2. Trabajo con repositorios, issues, forks y pull requests

Haz un fork del repositorio localizado en la siguiente url:

<https://github.com/smrJoseGaspar/Tarea53-peps.git>. A partir de este momento todas las tareas

que se indican se deben realizar en tu repositorio (el que has clonado mediante el fork).

The image shows two screenshots of the GitHub web interface. The top screenshot displays the repository page for 'Tarea53-peps' by user 'smrJoseGaspar'. The repository is public and contains files like LICENSE, README.md, discos.txt, libros.txt, and peliculas.txt. The bottom screenshot shows the 'Forking smrJoseGaspar/Tarea53-peps' screen, indicating that the fork is in progress and should only take a few seconds. A 'Refresh' button is visible below the message.

Platform Solutions Resources Open Source Enterprise Pricing Search or jump to... Sign in Sign up

smrJoseGaspar / Tarea53-peps Public Notifications Fork 16 Star 0

<> Code Issues Pull requests Actions Projects Security Insights

main 1 Branch 0 Tags Go to file Code About

smrJoseGaspar Create discos.txt 63242e · last year 3 Commits

LICENSE	Initial commit	last year
README.md	Update README.md	last year
discos.txt	Create discos.txt	last year
libros.txt	Create libros.txt	last year
peliculas.txt	Create peliculas.txt	last year

README GPL-3.0 license

Tarea53-peps

José Gaspar Sánchez García Tarea 5.3. Puesta en Producción Segura - CESCETI

About

Tarea 5.3. Puesta en Producción Segura - CESCETI

- Readme
- GPL-3.0 license
- Activity
- 0 stars
- 1 watching
- 16 forks
- Report repository

Releases

No releases published

Packages

No packages published

vguinea / Tarea53-peps Type to search

Pull requests Actions Projects Wiki Security Insights Settings

Forking smrJoseGaspar/Tarea53-peps

It should only take a few seconds.

Refresh

© 2023 GitHub, Inc. Terms Privacy Security Status Community Docs Contact Manage cookies Do not share my personal information

```
C:\Users\...>git clone https://github.com/vguinea/Tarea53-peps.git
Cloning into 'Tarea53-peps'...
remote: Enumerating objects: 16, done.
remote: Counting objects: 100% (8/8), done.
remote: Compressing objects: 100% (5/5), done.
remote: Total 16 (delta 3), reused 3 (delta 3), pack-reused 8 (from 1)
Receiving objects: 100% (16/16), 16.56 KiB | 5.52 MiB/s, done.
Resolving deltas: 100% (3/3), done.
```

```
C:\Users\...\Tarea53-peps>git add libros.txt
```


```
C:\Users\...\Tarea53-peps>git commit -m "Añadidos 3 libros. Closes #1"
On branch main
Your branch is up to date with 'origin/main'.
```

```
nothing to commit, working tree clean
```

```
C:\Users\...\Tarea53-peps>git push
Everything up-to-date
```

```
C:\Users\...\Tarea53-peps>git pull origin main
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 1.08 KiB | 57.00 KiB/s, done.
From https://github.com/vguinea/Tarea53-peps
 * branch                main          -> FETCH_HEAD
   f92ef2e..4e25b9f      main          -> origin/main
Updating f92ef2e..4e25b9f
Fast-forward
 README.md | 2 + -
 1 file changed, 1 insertion(+), 1 deletion(-)
```

1. Realiza un primer commit para poner tu nombre y apellidos en el fichero README.md
2. Crea 3 issues con los siguientes títulos. Si no ves la pestaña de issues, actívala desde los ajustes (settings) del repositorio.
 - Añadir 3 libros.
 - Añadir 3 películas.
 - Añadir 3 discos.
3. Crea una milestone denominada Tareas sesión 3-2 que contenga los 3 issues creados.



4. Modifica los ficheros correspondientes y realiza 3 commits para realizar cada una de

las tareas que se indican en los issues. El mensaje del commit debe hacer que se cierren los issues correspondientes de manera automática.

5. Haz una captura de pantalla de los comandos que has utilizado para hacer los commits

y subir los cambios a GitHub.

6. Incluye las capturas de pantalla en el repositorio dentro de la carpeta capturas. Añádelas

también al repositorio de manera que queden guardadas en tu repositorio en GitHub.

```
C:\Users\██████\Tarea53-peps>git commit -m "Añadidos 3 libros. Closes #1"
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

C:\Users\██████\Tarea53-peps>
C:\Users\██████\Tarea53-peps>git add peliculas.txt

C:\Users\██████\Tarea53-peps>git commit -m "Añadidas 3 películas. Closes #2"
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

C:\Users\██████\Tarea53-peps>
C:\Users\██████\Tarea53-peps>git add discos.txt

C:\Users\██████\Tarea53-peps>git commit -m "Añadidos 3 discos. Closes #3"
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

C:\Users\██████\Tarea53-peps>git push
```

```

nothing to commit, working tree clean

C:\Users\██████\Tarea53-peps>git push
To https://github.com/vguinea/Tarea53-peps.git
! [rejected]        main -> main (fetch first)
error: failed to push some refs to 'https://github.com/vguinea/Tarea53-peps.git'
hint: Updates were rejected because the remote contains work that you do not
hint: have locally. This is usually caused by another repository pushing to
hint: the same ref. If you want to integrate the remote changes, use
hint: 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.

C:\Users\██████\Tarea53-peps>git pull origin main
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 1.08 KiB | 57.00 KiB/s, done.
From https://github.com/vguinea/Tarea53-peps
 * branch                main      -> FETCH_HEAD
   f92ef2e..4e25b9f main      -> origin/main
Updating f92ef2e..4e25b9f
Fast-forward
 README.md | 2 +-
 1 file changed, 1 insertion(+), 1 deletion(-)

C:\Users\██████\Tarea53-peps>git add .

```

7. Realiza una pull request indicando en el mensaje que has completado la tarea.

```

hint: See the 'Note about fast-forwards' in 'git push --help' for details.

C:\Users\██████\Tarea53-peps>git pull origin main
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 1.08 KiB | 57.00 KiB/s, done.
From https://github.com/vguinea/Tarea53-peps
 * branch                main      -> FETCH_HEAD
   f92ef2e..4e25b9f main      -> origin/main
Updating f92ef2e..4e25b9f
Fast-forward
 README.md | 2 +-
 1 file changed, 1 insertion(+), 1 deletion(-)

C:\Users\██████\Tarea53-peps>git add .

C:\Users\██████\Tarea53-peps>git commit -m "Resueltos conflictos tras pull"
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

C:\Users\██████\Tarea53-peps>git push origin main
Everything up-to-date

```

3.3. Trabajo con organizaciones

1. Crea una organización en tu cuenta con el nombre organizacion-sesion-3-tu-nombre-y2apellidos.

Tell us about your organization

Set up your organization

Organization name *

organization-sesion-3-victor-guinea

This will be the name of your account on GitHub.

Your URL will be: <https://github.com/organization-sesion-3-victor-guinea>.

Contact email *

victor.guinea@yahoo.com

This organization belongs to:

☒ My personal account

I.e., vguinea

☐ A business or institution

For example: GitHub, Inc., Example Institute, American Red Cross

Start collaborating


Welcome to organizacion-sesion-3-victor-guinea

Add organization members

Organization members will be able to view repositories, organize into teams, review code, and tag other members using @mentions.

[Learn more about permissions for organizations →](#)

Search by username, full name or email address



Complete setup

[Skip this step](#)

2. Crea un repositorio dentro de la organización denominado sesion3-repo-organizacion.

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).
Required fields are marked with an asterisk (*).

1

General

Owner *

organization-sesion-3-victor-guinea

Repository name *

sesion3-repo-organizacion

sesion3-repo-organizacion is available.

Great repository names are short and memorable. How about **literate-rotary-phone**?

Description

sesion3-repo-organizacion

25 / 350 characters

2

Configuration

Choose visibility *

Choose who can see and commit to this repository

Private

Add README

READMEs can be used as longer descriptions. [About READMEs](#)

On

Add .gitignore

.gitignore tells git which files not to track. [About ignoring files](#)

Java

Add license

Licenses explain how others can use your code. [About licenses](#)

MIT License

Create repository

Dicho repositorio debe contener:

o Un archivo README con tu nombre y apellidos.

[sesion3-repo-organizacion](#) / README.md

vguinea

Añadido nombre y apellidos al README.md

Preview

Code


Blame

3 lines (3 loc) • 68 Bytes

sesion3-repo-organizacion


sesion3-repo-organizacion Víctor Guinea

o Un archivo .gitignore para el lenguaje Java.

 **vguinea** Initial commit

CodeBlame


24 lines (19 loc) · 290 Bytes



```
1  # Compiled class file
2  *.class
3
4  # Log file
5  *.log
6
7  # BlueJ files
8  *.ctxt
9
10 # Mobile Tools for Java (J2ME)
11 .mtj.tmp/
12
13 # Package Files #
14 *.jar
15 *.war
16 *.nar
17 *.ear
18 *.zip
19 *.tar.gz
20 *.rar
21
22 # virtual machine crash logs, see http://www.java.com/en/download/help/error_hotspot.xml
23 hs_err_pid*
24 replay_pid*
```


o Un archivo de licencia de tipo MIT.

sesion3-repo-organizacion / LICENSE


 **MIT License**
organization-session-3-victor-guinea/session3-repo-organizacion is licensed under the MIT License
A short and simple permissive license with conditions only requiring preservation of copyright and license notices. Licensed works, modifications, and larger works may be distributed under different terms and without source code.

Permissions	Limitations	Conditions
✓ Commercial use	✗ Liability	④ License and copyright notice
✓ Modification	✗ Warranty	
✓ Distribution		
✓ Private use		

This is not legal advice. [Learn more about repository licenses](#)


 **vguinea** Initial commit

660b0c · 3 minutes ago

 History

CodeBlame

21 lines (17 loc) · 1.07 KB



RawDownloadEditHistory

```
1  MIT license
2
3  Copyright (c) 2025 organization-session-3-victor-guinea
4
5  Permission is hereby granted, free of charge, to any person obtaining a copy
6  of this software and associated documentation files (the "Software"), to deal
7  in the Software without restriction, including without limitation the rights
8  to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
9  copies of the Software, and to permit persons to whom the Software is
10 furnished to do so, subject to the following conditions:
11
12 The above copyright notice and this permission notice shall be included in all
13 copies or substantial portions of the Software.
14
15 THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
16 IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
17 FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
18 AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
```

3. Crea un equipo dentro de la organización denominado equipo-peps.

Create new team

Team name

equipo-peps

Mention this team in conversations as @organizacion-sesion-3-victor-guinea/equipo-peps.

Description

equipo-peps

What is this team all about?

Parent team

There are no teams that can be selected.

Team visibility

☒ Visible Recommended

A visible team can be seen and [@mentioned](#) by every member of this organization.

☐ Secret

A secret team can only be seen by its members and may not be nested.

Team notifications

☒ Enabled

Everyone will be notified when the team is @mentioned.

☐ Disabled

No one will receive notifications.

Create team

4. Da permisos de escritura a equipo-peps en el repositorio creado.

All-repository write

Grants write access to all repositories in the organization.



Repository


Base repository role: Write

Issue and Pull Request

- Assign or remove a user
- Add or remove a label
- Remove an assigned user
- Remove a label

5. Invítame a formar parte de la organización y a formar parte del equipo equipo-peps. Mi

usuario de GitHub es @profeJG.



4. Entrega de la práctica

El alumno/a deberá entregar la documentación (PDF) o video (enlace a Youtube) generado.

En la documentación deberán aparecer los enlaces a los repositorios de GitHub creados durante

la realización de esta tarea práctica.

```
C:\Users\██████\Tarea53-peps>git pull origin main
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 1.08 KiB | 57.00 KiB/s, done.
From https://github.com/vguinea/Tarea53-peps
* branch          main          -> FETCH_HEAD
   f92ef2e..4e25b9f main        -> origin/main
Updating f92ef2e..4e25b9f
Fast-forward
 README.md | 2 +
 1 file changed, 1 insertion(+), 1 deletion(-)
```

```
C:\Users\██████\Tarea53-peps>git add capturas/Final.png

C:\Users\██████\Tarea53-peps>git commit -m "Añadida captura Final"
[main 7a4e3c1] Añadida captura Final
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 capturas/Final.png

C:\Users\██████\Tarea53-peps>git push
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 14 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 40.82 KiB | 20.41 MiB/s, done.
Total 4 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/vguinea/Tarea53-peps.git
 50e8b54..7a4e3c1 main -> main
```

vguinea / Tarea53-peps

Issues 3 Pull requests Actions Projects Wiki Security Insights Settings

Tarea53-peps Public
forked from smrJoseGasper/Tarea53-peps

main 1 Branch 0 Tags

This branch is 3 commits ahead of smrJoseGasper/Tarea53-peps:main.

vguinea Añadida captura Final 74e3c1 · 1 minute ago 8 Commits

capturas	Añadida captura Final	1 minute ago
LICENSE	Initial commit	last year
README.md	Update README.md	47 minutes ago
discos.txt	Create discos.txt	last year
libros.txt	Create libros.txt	last year
peliculas.txt	Create peliculas.txt	last year

README License

Tarea53-peps

Victor Guinea Elvira Tarea 5.3. Puesta en Producción Segura - CESCETI

About

Tarea 5.3. Puesta en Producción Segura - CESCETI

Readme
GPL-3.0 license
Activity
0 stars
0 watching
0 forks

Releases

No releases published
[Create a new release](#)

Packages

No packages published
[Publish your first package](#)

vguinea / Tarea53-peps

Issues 3 Pull requests Actions Projects Wiki Security Insights Settings

Tarea53-peps / capturas

vguinea Añadida captura Final 74e3c1 · 1 minute ago History

This branch is 3 commits ahead of smrJoseGasper/Tarea53-peps:main.

Name	Last commit message	Last commit date
..		
1.jpg	Añadidas capturas de pantalla	3 minutes ago
2.png	Añadidas capturas de pantalla	3 minutes ago
3.jpg	Añadidas capturas de pantalla	3 minutes ago
4.png	Añadidas capturas de pantalla	3 minutes ago
5.png	Añadidas capturas de pantalla	3 minutes ago
6.png	Añadidas capturas de pantalla	3 minutes ago
7.png	Añadidas capturas de pantalla	3 minutes ago
8.png	Añadidas capturas de pantalla	3 minutes ago
9.png	Añadidas capturas de pantalla	3 minutes ago
Final.png	Añadida captura Final	1 minute ago
GUINEA_VICTOR_Tarea 5.3-.pdf	Añadidas capturas de pantalla	3 minutes ago

Tarea completada #23

vguinea wants to merge 3 commits into smrJoseGasper:main from vguinea:main

Conversation 0 Commits 3 Checks 0 Files changed 12

vguinea commented now

He completado la tarea de la Unidad de Trabajo 5:

- Issues creados y vinculados al milestone "Tareas sesión 3-2".
- Commits realizados cerrando automáticamente los issues.
- Capturas subidas en la carpeta 'capturas'.añadido documento PDF también
- Organización y repositorio adicional creados según las instrucciones. el Word -> PDF final algo desordenado

vguinea and others added 3 commits 52 minutes ago

- Update README.md 4e25b9f Verified
- Añadidas capturas de pantalla 58e8054
- Añadida captura Final 74e3c1

No conflicts with base branch
Changes can be cleanly merged.

Still in progress? [Convert to draft](#)

Reviewers

No reviews

Still in progress? [Convert to draft](#)

Assignees

No one assigned

Labels

None yet

Projects

None yet

Milestone

No milestone

Development

Successfully merging this pull request may close these issues.

None yet

Notifications

Customize

<https://github.com/vguinea/Tarea53-peps>

<https://github.com/organizacion-sesion-3-victor-guinea>