


AREA SCHEDULE						
DESIGNATION	DESCRIPTION	FLOOR AREA	FLOOR	WALL	CEILING	BASE
100	OFFICE	99	CARPET	5/8" VINYL COVERED GYPSUM TYPE X	2'X4' LAY IN	4" RUBBER BASE
101	BATHROOM	42	TILE	FRP OVER 5/8" GYPSUM TYPE X	2'X4' LAY IN	4" RUBBER BASE
102	WORK AREA AND SINK AREA	148	TILE	5/8" VINYL COVERED GYPSUM TYPE X	2'X4' LAY IN	4" RUBBER BASE
103	OFFICE	99	CARPET	5/8" VINYL COVERED GYPSUM TYPE X	2'X4' LAY IN	4" RUBBER BASE
104	TELECOM/STORAGE	5	TILE	5/8" VINYL COVERED GYPSUM TYPE X	2'X4' LAY IN	4" RUBBER BASE


WINDOW SCHEDULE			
DESIGNATION	DESCRIPTION	RD	
W1	2044 ALUMINUM BRONZE FRAME, DOUBLE INSULATED LOW E GLASS W/ ALUMINUM MINI BLINDS	24 1/2' X 52 1/2'	5

DOOR SCHEDULE					
DESIGNATION	SIZE	DOOR MATERIAL	FRAME	RD	QTY
D1	3068L	STEEL W/ PENCIL VISION	STEEL	40 1/2' X 82 1/2'	1
D2	3068L	MOHAWK SOLID CORE W/ VISON GLASS	REDIFRAME	37" X 81"	1
D3	3068R	MOHAWK SOLID CORE W/ VISON GLASS	REDIFRAME	37" X 81"	1
D4	3068L	MOHAWK SOLID CORE	REDIFRAME	37" X 81"	1
D5	2068R	MOHAWK SOLID CORE	REDIFRAME	25" X 81"	1




FLOOR PLAN


JOE STEEDE, P.E.
13999 GOLDMARK, SUITE 374
DALLAS, TX 75250 PHONE 972-238-1611

LTR	REVISION	BY	DATE	DRAWN BY: RW	PROJECT: 1240 STOCK W/RR	TITLE: FLOOR PLAN		
				DATE: 04/23/2008	SCALE: 3/16" = 1'-0"	DWG# 1240STKRR		
					SALES PERSON:	SHEET: A-101		


NORTEX MODULAR SPACE
555 JUBILEE LANE
LEWISVILLE, TX 75056
PHONE: 972-492-4040
FAX: 972-492-2704




BACK ELEVATION




BACK END ELEVATION




FRONT ELEVATION



HITCH END ELEVATION

LTR	REVISION	BY	DATE	DRAWN BY: RW	PROJECT: 1240 STOCK W/RR	TITLE: EXTERIOR ELEVATIONS	 NORTEX MODULAR SPACE 555 JUBILEE LANE LEWISVILLE, TX 75056 PHONE: 972-492-4040 FAX: 972-492-2704	
				DATE: 04/23/2008	SCALE: 3/16" = 1'-0"	DWG# 1240STKRR		
					SALES PERSON:	SHEET: A-201		

JOE STEEDE, P.E.
13999 GOLDMARK, SUITE 374
DALLAS, TX 75250 PHONE 972-238-1611




CABINET WALL ELEVATION
SCALE: 1/4" = 1'-0"

JOE STEEDE, P.E.
13999 GOLDMARK, SUITE 374
DALLAS, TX 75250 PHONE 972-238-1611

LTR	REVISION	BY	DATE	DRAWN BY: RW	PROJECT: 1240 STOCK W/RR	TITLE: INTERIOR ELEVATIONS
				DATE: 04/23/2008	SCALE: 1/4" = 1'-0"	DWG# 1240STKRR
					SALES PERSON:	SHEET: A-202



NORTEX MODULAR SPACE
555 JUBILEE LANE
LEWISVILLE, TX 75056
PHONE: 972-492-4040
FAX: 972-492-2704




JOE STEEDE, P.E.
13999 GOLDMARK, SUITE 374
DALLAS, TX 75250 PHONE 972-238-1611

NORTEX MODULAR SPACE
555 JUBILEE LANE
LEWISVILLE, TX 75056
PHONE: 972-492-4040
FAX: 972-492-2704


LTR	REVISION	BY	DATE	DRAWN BY:	PROJECT:	TITLE:	DWG#	SHEET:
				RW	1240 STOCK W/RR	CROSS SECTION	1240STKRR	A-301
				DATE:	SCALE:	SALES PERSON:		
				04/23/2008	3/8" = 1'-0"			




ADA DETAILS



WATER CLOSET
SIDE VIEW



WATER CLOSET
FRONT VIEW



LAV CLEARANCES
CLEAR FLOOR SPACE
AT LAVATORIES




Fig. 28
Clear Floor Space at Water Closets






Fig. 1
Minumum Clear Width for
Single Wheelchair



(b)
High and Low Side Reach Limits



NOTE: equipment permitted in shaded area
Fig. 31
Lavatory Clearances






Fig. 32
Clear Floor Space for Lavatories




(a)
Back Wall



(b)
Side Wall

Fig. 29
Grab Bars at Water Closets



NOTE: X = 12 in (305 mm) if door has both a
closer and a latch

JOE STEEDE, P.E.
13999 GOLDMARK, SUITE 374
DALLAS, TX 75250 PHONE 972-238-1611


NORTEX MODULAR SPACE
555 JUBILEE LANE
LEWISVILLE, TX 75056
PHONE: 972-492-4040
FAX: 972-492-2704

LTR	REVISION	BY	DATE	DRAWN BY:	PROJECT:	TITLE:	DWG#	SHEET:
				RW	1240 STOCK W/RR	ADA	1240STKRR	A-601
				DATE:	SCALE:	SALES PERSON:		
				04/23/2008	NTS			

PANEL "SP-1"																			
		VOLTS		PHASE				BREAKER	VOLTS = V x #LEGS			#6 BARE GROUND							
		120	240	1				125	240										
WIRE	DESCRIPTION	BREAKER	POLE	CONNECTION LOAD				CIRCUIT NO.			CONNECTION LOAD				POLE	BREAKER	DESCRIPTION	WIRE	
				A(AMPS)	A(WATTS)	B(AMPS)	B(WATTS)				A(AMPS)	A(WATTS)	B(AMPS)	B(WATTS)					
6	HVAC	60	2	42.7	5124			1	A	2	22.9	2748			2	30	E-MAX	10	
6	HVAC	60				42.7	5124	3	B	4				22.9		2748	30	E-MAX	10
12	OUTLETS	20	1	9	1080			5	A	6	3.39	406.8			1	20	LIGHTS	12	
12	OUTLETS	20	1			6	720	7	B	8			6	720	1	20	GFCI'S	12	
12	DEDICATED OUTLET	20	1	1.5	180			9	A	10	0.141	16.92			1	20	PORCH,EMEG EXIT	12	
12	LIGHTS, EXH. FAN	20	1			2.65	318	11	B	12			0	0					
				0	0			13	A	14	0	0							
							0	15	B	16			0	0					
							0	17	A	18			0						
							0	19	B	20				0					
							0	21	A	22			0						
							0	23	B	24				0					
							0	25	A	26			0						
						0	0	27	B	28				0					
							0	29	A	30			0						
							0	31	B	32				0					
						0		33	A	34			0						
							0	35	B	36				0					
						0		37	A	38			0						
						0	0	39	B	40				0					
						0		41	A	42			0						
				53.2	6384	51.35	6162				26.431	3171.72	28.9	3468					
				TOTAL A		9555.72	WATTS			49.81%									
				TOTAL B		9630	WATTS			50.19%									
						19185.72	WATTS												
						79.9405	AMPS												
						99.92563	20% AMPS												
				SIZE		125	AMPS												

- SS SURGE PROTECTOR
- ⌘ CAN LIGHT LIGHT
- 2'X4' TROUFFER LIGHT T-8
ELEC. BALLAST, 3-BULB
- 🚪 EMERGENCY EXIT LIGHT
- 🚪 PORCH LIGHT
- \$ SINGLE POLE LIGHT SWITCH
- \$👤 OCCUPANCY SENSOR SWITCH
- ⌘ DIMMER SWITCH
- \$₃ 3WAY SWITCH
- ⊖ DUPLEX OUTLET
- ⊖ SURGE DUPLEX OUTLET
- SDD
- ⊖ WEATHER PROOF DUPLEX GROUND
- WP FAULT INTERRUPT OUTLET
- GFCI
- ⊖ CEILING OUTLET
- CD
- ◀ DATA DROP
- ◀ VOICE DROP
- WH INSTANTANIOUS WATER HEATER

		AMPS EA.	ITEM	WATTS EA.
		1.5	RECEPTS	0
BULBS	32 WATT	0.77	LIGHTS 2'X4' 3-TUBE T-8	92
		0.8	90 CFM EXHAUST FAN	0
BULBS	32 WATT	0.31	LIGHT 2'X2' U-TUBE T-8	38
		0.033333	EMERGENCY/EXIT	4
		0.108333	PORCH LIIGHT	13
		22.9	EeMAX	2633.5
		59	HVAC	0
				0
				0
				0
				0




- NOTES:
1. MOUNT ALL OUTLET BOXES TO 16" AFF TO TOP OF BOX.
 2. COUNTER TOP OUTLET TO BE 42" AFF TO BOTTOM OF BOX.
 3. BATHROOM OUTLET TO BE 42" AFF TO BOTTOM OF BOX.
 4. 3-TUBE LIGHT FIXTURE IS FIGURED AS 92 FIXTURE WATTS AND THE U-TUBE FIXTURE AS 38 WATTS.
 5. HEAT KW HAS BEEN ADJUSTED TO ALLOW FOR 208V OR 240V.
 6. INSTALL A LOCK ON INSTANANOUS HOT WATER HEATER CIRCUIT BREAKER.

ELECTRICAL PLAN

LTR	REVISION	BY	DATE	DRAWN BY: RW	PROJECT: 1240 STOCK W/RR		TITLE: ELECTRICAL PLAN			NORTEX MODULAR SPACE 555 JUBILEE LANE LEWISVILLE, TX 75056 PHONE: 972-492-4040 FAX: 972-492-2704
				DATE: 04/23/2008	SCALE: 3/16" = 1'-0"	SALES PERSON:	DWG# 1240STKRR	SHEET: E-101		

MECHANICAL SCHEDULE		
DESIGNATION	DESCRIPTION	COMMENTS
SA1	2X2 SUPPLY AIR REGISTER	ADJUSTABLE
SA2	12X12 SUPPLY GRILL	NONE
RA1	2X2 RETURN AIR REGISTER	6" FLEX
RA2	2X2 RETURN AIR REGISTER	12" FLEX
RA3	WALL GRILL	
T	THERMOSTAT	PROGRAMMABLE
1 1/2 TON W/8KW	BARD MODEL WA182-A8	
EX1	90 CFM EXHAUST FAN	THRU ROOF




- NOTES:
1. FLEX DUCTS NOT TO BE CUT INTO MAIN DUCT LESS THAN 12" FROM A TRANSITION.
 2. ALL DUCTS TO HAVE A R-5 MINIMUM VALUE.

MECHANICAL PLAN

LTR	REVISION	BY	DATE	DRAWN BY: RW	PROJECT: 1240 STOCK W/RR	TITLE: MECHANICAL PLAN	DWG# 1240STKRR	SHEET: M-101
				DATE: 04/23/2008	SCALE: 3/16" = 1'-0"	SALES PERSON:		

JOE STEEDE, P.E.
13999 GOLDMARK, SUITE 374
DALLAS, TX 75250 PHONE 972-238-1611

NORTEX MODULAR SPACE
555 JUBILEE LANE
LEWISVILLE, TX 75056
PHONE: 972-492-4040
FAX: 972-492-2704




ALL SUPPLY LINES ARE 1/2"
EXCEPT AS NOTED
ALL STUB-OUTS ARE 3/8"
EXCEPT AS NOTED


NOTE: ALL SUPPLY LINES OVER
3/4" IN SIZE SHALL BE COPPER

BAR SINK OPTIONAL, CAP LINES IN WALL IF NOT USED.

SUPPLY RISER



ALL HARNESS WORK AND UNDERGROUND TO BE BY OTHERS IN
THE FIELD PER 2003-IPC



36" AND 42" GRAB BARS
ARE 35" AFF TO CENTER.
BATHROOM SINK TO BE
MOUNTED 31 1/2" AFF TO
BRACKET TOP.
SEE SHEET A-601 FOR
OTHER DETAILS.
LOCATE Eemax UNDER SINK
AS HIGH AS POSSIBLE.


PLUMBING PLAN

JOE STEEDE, P.E.
13999 GOLDMARK, SUITE 374
DALLAS, TX 75250 PHONE 972-238-1611

LTR	REVISION	BY	DATE	DRAWN BY: RW	PROJECT: 1240 STOCK W/RR	TITLE: PLUMBING PLAN	DWG# 1240STKRR	SHEET: P-101
				DATE: 04/23/2008	SCALE: 3/16" = 1'-0"	SALES PERSON:		




NORTEX MODULAR SPACE
555 JUBILEE LANE
LEWISVILLE, TX 75056
PHONE: 972-492-4040
FAX: 972-492-2704



FLOOR JOIST PLAN

JOIST TO RIM: (5) .131X3" NAILS
OUTSIDE RIM TO ACT AS SPLICE BLOCK FOR
INSIDE RIM JOINTS. FOLLOW NAIL PATTERN IN
MANUAL (5) EACH SIDE OF JOINT.


LTR	REVISION	BY	DATE	DRAWN BY: RW	PROJECT: 1240 STOCK W/RR	TITLE: FLOOR JOIST PLAN		
				DATE: 04/23/2008	SCALE: 3/16" = 1'-0"	DWG# 1240STKRR		
					SALES PERSON:	SHEET: SF-101		

JOE STEEDE, P.E.
13999 GOLDMARK, SUITE 374
DALLAS, TX 75250 PHONE 972-238-1611

NORTEX MODULAR SPACE
555 JUBILEE LANE
LEWISVILLE, TX 75056
PHONE: 972-492-4040
FAX: 972-492-2704

SHEARWALL SCHEDULE					
MARK	MATERIAL	FASTEN STUDS TO SIDING	FASTEN BOTTOM PLATE TO DECK	FASTEN TOP PLATE TO RAFTERS	FASTEN END TO SIDEWALLS
SW1	3/8" SMARTPANEL ONESIDE 5/8" VCG OTHER SIDE	NAIL WITH .090 X 2 3/16" FOR 3/8" SMART PANEL6"OC EDGE/12" OC FIELD. ADHESIVE VCG ON INTERIOR	.131 X 3" NAILS 16" O.C.	.131 X 3" NAILS 16" O.C.	.131 X 3" NAILS 16" O.C.

TOP AND BOTTOM EDGE OF SIDING SHALL BE NAILED WITH .090 X 2 3/16" NAILS 2 1/2" O.C. TO THE RIM JOIST.



- NOTES:
1. ADHESIVE TO BE USED ON DECKING.
 2. ALL EDGES ARE UNBLOCKED.
 3. SCREW FLOOR DECKING 6"O.C. EDGES, 12" FIELD WITH 2 1/4" MIN. #10 SCREWS OR .131 X 2 1/4" SCREW SHANK NAILS. S
 4. ALL WALLS 2X4 EXCEPT BATHROOM WET WALL, TO BE 2X6.
 5. ALL EXTERIOR WALL HEADERS ARE (2) 2X6 #2SYP WITH 1/2" FILLER.
 6. ALL LUMBER IS #2SYP UNLESS NOTED OTHERWISE..
 7. ALL TEES ARE (3) STUDS.
 8. 2X4 BLOCKING AT 7'-9" LEVEL AT ALL WALLS CAN BE #3SPF OR BETTER..
 9. ALL EXTERIOR OPENINGS TO HAVE (1) KING STUDS (1) JACK STUD.
 10. ALL BLOCKING SHALL BE 2X6 #3SPF OR BETTER.
 12. ALL NONE INTERIOR LOAD BEARING/NONE SHEARWALL MAY BE #3SPF OR BETTER TOP AND BOTTOM PLATES, AND STUD GRADE OR BETTER SPF FOR STUDS, AND STUD GRADE SPF OR BETTER 2X6 HEADERS.

FLOOR DECK / WALL LAYOUT PLAN



* DENOTES SIDE TO BE PREGYPED

JOE STEEDE, P.E.
13999 GOLDMARK, SUITE 374
DALLAS, TX 75250 PHONE 972-238-1611


LTR	REVISION	BY	DATE	DRAWN BY: RW	PROJECT: 1240 STOCK W/RR	TITLE: FLOOR DECK WALL LAYOUT	DWG# 1240STKRR	SHEET: SF-102
				DATE: 04/23/2008	SCALE: 3/16" = 1'-0"	SALES PERSON:		





NORTEX MODULAR SPACE
555 JUBILEE LANE
LEWISVILLE, TX 75056
PHONE: 972-492-4040
FAX: 972-492-2704



- NOTES:
1. FILL CAVITY WITH R22.
 2. BOTTOM OF JOIST TO BE $\frac{5}{8}$ " GYPSUM.
 3. ROOF DECK TO BE FR $\frac{7}{16}$ " DECK PANEL.
 4. ROOF DECK NAILING TO BE 4" OC EDGE & 8" OC IN FIELD WITH MIN. $2\frac{1}{4}$ " SCREWS.
 5. ROOF IS BUILT IN 30' HALFS.
 6. NAIL JOIST TO RIMS (5) .131 X 3"
 7. SPLICE BLOCKS (5) .131 X 3" EA. SIDE PER DESIGN MANUAL.
 8. TOE NAIL RIM TO TOP WALL PLATES WITH .131 X 3" AT 4" O.C. OUTER SIDE ONLY.

LTR	REVISION	BY	DATE	DRAWN BY: RW	PROJECT: 1240 STOCK W/RR	TITLE: ROOF JOIST PLAN	 NORTEX MODULAR SPACE 555 JUBILEE LANE LEWISVILLE, TX 75056 PHONE: 972-492-4040 FAX: 972-492-2704
				DATE: 04/23/2008	SCALE: 3/16" = 1'-0"	SALES PERSON:	
						DWG# 1240STKRR	
						SHEET: SF-103	

JOE STEEDE, P.E.
13999 GOLDMARK, SUITE 374
DALLAS, TX 75250 PHONE 972-238-1611



- NOTES:
 1. SOIL ASSUMED AT 2500PSI
 2. PAD SPACING SHOWN IS FOR 50PSF FLOOR LOADS.
 3. ANY ADDITIONAL TIE STRAPS REQUIRED BY LOCAL AUTHORITIES WILL BE FRAME TIE STRAPS.
 4. STRAPS MAY BE +/- 1'-0"

FOUNDATION PLAN

JOE STEEDE, P.E.
 13999 GOLDMARK, SUITE 374
 DALLAS, TX 75250 PHONE 972-238-1611

NORTEX MODULAR SPACE
 555 JUBILEE LANE
 LEWISVILLE, TX 75056
 PHONE: 972-492-4040
 FAX: 972-492-2704

LTR	REVISION	BY	DATE	DRAWN BY:	PROJECT:	TITLE:	DWG#	SHEET:
				RW	1240 STOCK W/RR	BLOCKING PLAN	1240STKRR	S-101
				DATE:	SCALE:	SALES PERSON:		
				04/23/2008	3/16" = 1'-0"			

