





2-PLEX




3-PLEX




4-PLEX



5-PLEX



6-PLEX



7-PLEX

LTR	REVISION	BY	DATE	DRAWN BY:	PROJECT:
				RW	NORPLEX OFFICES SERIES
			07/21/08	DATE:	SCALE: 1/16" = 1'-0"

SALES PERSON:

Approved
SES Corp.
TITLE:

SEP 22 2008

KEYPLANS

DWG#

NORPLEXO

SHEET:

G-002



JOE STEEDE, P.E.
13999 GOLDMARK, SUITE 374
DALLAS, TX 75250 PHONE 972-238-1611

NORTEX MODULAR SPACE



555 JUBILEE LANE
LEWISVILLE, TX 75056
PHONE: 972-492-4040
FAX: 972-492-2704

THIS PLAN IS FOR UNITS NA,NR,NO,NOC.

EACH UNIT IS 825SF. THEY CAN BE CONSTRUCTED WITH THE NA AND THE NR BEING THE UNITS WITH EXTERIOR WALLS AND THE NO AND NOC BEING THE CENTER UNITS.


COMCHECK WILL BE USED BASED ON A (2) PLEX (SMALLEST WITH EXTERIOR WALLS), THE VARIOUS COMBINATIONS WILL FALL UNDER LOCAL JURISDICTION.

TYPE	SF	OCCUPANTS	HVAC	KW HEAT	VENTILATION OCCUPANCY	OUTSIDE CFM REQUIRED
2 PLEX	1650	16	6 TONS	20	12	240
3 PLEX	2475	24	9 TONS	30	17	340
4 PLEX	3300	33	12 TONS	40	23	460
5 PLEX	4125	41	15 TONS	50	29	580
6 PLEX	4950	49	18 TONS	60	35	700
7 PLEX	5775	57	21 TONS	70	40	800
8 PLEX	6600	66	24 TONS	80	46	920



8-11-08

8-PLEX







JOE STEEDE, P.E.
13999 GOLDMARK, SUITE 374
DALLAS, TX 75250 PHONE 972-238-1611



NORTEX MODULAR SPACE

555 JUBILEE LANE
LEWISVILLE, TX 75056
PHONE: 972-492-4040
FAX: 972-492-2704

LTR	REVISION	BY	DATE	DRAWN BY:	PROJECT:	TITLE:
				RW	NORPLEX OFFICES SERIES	PLEXING KEYPLAN AND NOTATIONS
				DATE:	SCALE:	DWG#
			07/21/08		1/16" = 1'-0"	NORPLEXO
					SALES PERSON:	SHEET:
						G-003



THESE 4 UNITS ARE USED TO MAKE UP VARIOUS COMPLEX'S. THE NOC UNIT MUST ALWAYS GO BETWEEN NO'S, THEREFORE IT DOESN'T GET USED UNTILL A 5 OR MORE PLEX. IT IS USED IN A 7-PLEX AND ABOVE TO CREATE AREAS LESS THAN 3000SF FOR EXTERIOR DOOR INTO OPEN AREAS, THERE BY EXEMPTING A VESTIBULE AREA REQUIREMENT. 7 AND UP PLEXS MUST HAVE OCCUPANT SENSORS INSTALLED AT LOCATIONS REQUIRED BY CODE.





JOE STEEDE, P.E.
13999 GOLDMARK, SUITE 374
DALLAS, TX 75250 PHONE 972-238-1611

NORTEX MODULAR SPACE

555 JUBILEE LANE
LEWISVILLE, TX 75056
PHONE: 972-492-4040
FAX: 972-492-2704


LTR	REVISION	BY	DATE	DRAWN BY	PROJECT:	TITLE:
				RW	NORPLEX OFFICE SERIES	UNIT PLANS
			06/18/08	DATE:	SCALE: 1/8" = 1'-0"	SALES PERSON:
						DWG# NORPLEXO
						SHEET: A-101





NORPLEX 2860 (2) PLEX

1650 SF, 16 B OCCUPANT LOAD
1-EXITS REQUIRED. 2 EXITS PLANNED.
1-EXITS REQ'D TO BE HANDICAP ACCESSIBLE.



JOE STEEDE, P.E.
13999 GOLDMARK, SUITE 374
DALLAS, TX 75250 PHONE 972-238-1611


NORTEX MODULAR SPACE

555 JUBILEE LANE
LEWISVILLE, TX 75056
PHONE: 972-492-4040
FAX: 972-492-2704


LTR	REVISION	BY	DATE	DRAWN BY:	PROJECT:	TITLE:
				RW	NORPLEX OFFICE SERIES	2-PLEX NOA & NOR FLOOR PLAN
				DATE:	SCALE:	DWG#
			06/18/08		3/16" = 1'-0"	NORPLEXO
					SALES PERSON:	SHEET:
						A-102




HITCH END



ROADSIDE VIEW NOR



CURBSIDE VIEW NOA




Q-11

COLOR: SW6200 LINK GREY, ALL TRIM INCLUDED.


COLOR: SW6149 RELAXED KHAKI, ALL TRIM INCLUDED.

HITCH END

14'-8" APPRX.




LTR	REVISION	BY	DATE	DRAWN BY: RW	PROJECT: NORPLEX OFFICE SERIES	TITLE: ELEVATIONS	DWG# NORPLEXO	SHEET: A-201	 NORTEX MODULAR SPACE 555 JUBILEE LANE LEWISVILLE, TX 75056 PHONE: 972-492-4040 FAX: 972-492-2704
				DATE: 06/18/08	SCALE: 3/16" = 1'-0"	SALES PERSON:			




TRAILING END VIEW NOA & NOR




TRAILING END VIEW NOA, NOO & NOR




HITCH END VIEW NOA & NOR




HITCH END VIEW NOA, NOO & NOR





Handwritten signature and date: 9-11-08



LTR	REVISION	BY	DATE	DRAWN BY: RW	PROJECT: NORPLEX OFFICE SERIES	TITLE: ELEVATIONS	DWG# NORPLEXO	SHEET: A-202	<div> <div> JOE STEEDE, P.E. 13999 GOLDMARK, SUITE 374 DALLAS, TX 75250 PHONE 972-238-1611 </div> <div> NORTEX MODULAR SPACE 555 JUBILEE LANE LEWISVILLE, TX 75056 PHONE: 972-492-4040 FAX: 972-492-2704 </div> </div>
				DATE: 06/18/08	SCALE: 3/16" = 1'-0"	SALES PERSON:			



CABINET ELEVATION




JOE STEEDE, P.E.
13999 GOLDMARK, SUITE 374
DALLAS, TX 75250 PHONE 972-238-1611

LTR	REVISION	BY	DATE	DRAWN BY: RW	PROJECT: NORPLEX OFFICE SERIES	TITLE: INTERIOR CABINET ELEVATIONS
				DATE: 06/18/08	SCALE: 3/8" = 1'-0"	DWG# NORPLEXO
					SALES PERSON:	SHEET: A-203



NORTEX MODULAR SPACE
555 JUBILEE LANE
LEWISVILLE, TX 75056
PHONE: 972-492-4040
FAX: 972-492-2704




LTR	REVISION	BY	DATE	DRAWN BY: RW	PROJECT: NORPLEX OFFICE SERIES	TITLE: 2-PLEX SECTION
				DATE: 06/18/08	SCALE: 3/8" = 1'-0"	DWG# NORPLEXO
					SALES PERSON:	SHEET: A-301




JOE STEEDE, P.E.
13999 GOLDMARK, SUITE 374
DALLAS, TX 75250 PHONE 972-238-1611

NORTECH MODULAR SPACE


555 JUBILEE LANE
LEWISVILLE, TX 75056
PHONE: 972-492-4040
FAX: 972-492-2704




NORTEX MODULAR SPACE




WATER CLOSET
SIDE VIEW



WATER CLOSET
FRONT VIEW




LAV CLEARANCES



CLEAR FLOOR SPACE
AT LAVATORIES

NORTEX STANDARDS:
GRAB BAR 35" AFF
SINK 33" AFF
MIRROR BOTTOM: 39" AFF





48"X56" WC AREA

30"X48" BEYOND DOOR ARC

60" TURN CIRCLE

30"X48" SINK AREA




LTR	REVISION	BY	DATE	DRAWN BY:	PROJECT:	TITLE:	DWG#	SHEET:	
				RW	NORPLEX OFFICE SERIES	ADA DETAILS			
			07/30/08		SCALE: NTS	SALES PERSON:	NORPLEXO	A-601	



NORTEX MODULAR SPACE
555 JUBILEE LANE
LEWISVILLE, TX 75056
PHONE: 972-492-4040
FAX: 972-492-2704


	AMPS EA.	ITEM	WATTS EA.
	1.5	RECEPTS	180
BULBS	32 WATT	0.766667 LIGHTS 2'x4' 3-TUBE T-8	92
	0.283333	lights 2'x4' 2-TUBE T-8	68
	0.8	90 CFM EXHAUST FAN	96
BULBS	32 WATT	0.31 LIGHT 2'x2' U-TUBE T-8	38
	0.033333	EMERGENCY/EXIT	4
	0.108333	PORCH LIGHT	13
	22.9	EeMAX	2748
	47	HVAC	5640
			0
			0
			0



EO	ELECTRICAL DUPLEX OUTLET
SBO	SURGE BLOC DUPLEX OUTLET
SS	MAIN SURGE SUPPRESSION
DO	DEDICATED OUTLET QUAD
HVAC	HEATING AND AIR UNIT
L1	2'x4' 2-BULB LIGHT FIXTURE
L2	2'x2' U BULB FIXTURE
GFI	GROUND FAULT INTERRUPT OUTLET
EF	EXHAUST FAN
WP	WEATHER PROOF
PL	PORCH LIGHT
SP	SERVICE PANEL
So	OCCUPANCY SENSOR SWITCH
\$	SINGLE POLE SWITCH
EeMAX	INSTANT WATER HEATER
EX/EML	EXT/EMERGENCY LIGHT

2X4 TROFFERS ARE 2'-0"

Texas Industrialized Building Code Council
BULB: IRC
SEP 22 2008
Approved
PFS Corp.
INDORA 7




JOE STEEDE, P.E.
13999 GOLDMARK, SUITE 374
DALLAS, TX 75250 PHONE 972-238-1611


LTR	REVISION	BY	DATE	DRAWN BY:	PROJECT:	TITLE:	DWG#	SHEET:
				RW	NORPLEX OFFICE SERIES	DOUBLE ELECTRICAL PLAN	NORPLEXO	E-101
			06/18/08		SCALE: 3/16" = 1'-0"	SALES PERSON:		

NORTEX MODULAR SPACE
555 JUBILEE LANE
LEWISVILLE, TX 75056
PHONE: 972-492-4040
FAX: 972-492-2704

AMPS EA	ITEM	WATTS EA
1.5	RECEPTS	180
BULBS 32 WATT	0.766667 LIGHTS 2'X4' 3-TUBE T-8	92
	0.283333 lights 2'X4' 2-TUBE T-8	68
	0.8 90 CFM EXHAUST FAN	96
BULBS 32 WATT	0.31 LIGHT 2'X2' U-TUBE T-8	38
	0.033333 EMERGENCY/EXT	4
	0.108333 PORCH LIGHT	13
	22.9 EeMAX	2748
	47 HVAC	5640
		0
		0
		0



Texas Industrialized Building Code Council
IBC
SEP 22 2008
Approved
FFS Corp.
IHDP# 7



NOC
9-11-08
STATE OF TEXAS
JOSEPH W. STEEDE, JR.
19689
REGISTERED PROFESSIONAL ENGINEER

FEILD INSTALL EXIT LIGHT

FEILD INSTALL EXIT LIGHT

2X4 TROFFERS ARE 2-BULB.

LTR	REVISION	BY	DATE	DRAWN BY:	PROJECT:	TITLE:	DWG#	SHEET:	
				RW	NORPLEX OFFICE SERIES	NOO & NOC ELECTRICAL PLAN	NORPLEXO	E-102	
			06/18/08		SCALE: 3/16" = 1'-0"	SALES PERSON:			

JOE STEEDE, P.E.
 13999 GOLDMARK, SUITE 374
 DALLAS, TX 75250 PHONE 972-238-1611

NORTEX MODULAR SPACE
 555 JUBILEE LANE
 LEWISVILLE, TX 75056
 PHONE: 972-492-4040
 FAX: 972-492-2704

PANEL "5P-NOO"																			
WIRE	DESCRIPTION	VOLT S		PHASE		BREAKER		VOLT S = V R PLD S		#3 BARE 0 FOUND		POLE	BREAKER	DESCRIPTION	WIRE				
		125	240	1		100		240											
		BREAKER	POLE	CONNECTION LOAD				CIRCUIT NO.								CONNECTION LOAD			
				A(AMP S)	A(WATT S)	B(AMP S)	B(WATT S)									A(AMP S)	A(WATT S)	B(AMP S)	B(WATT S)
8	HVAC	60	2	47	6840	47	6840	1	A	2	4.5	640	5	720	1	20	J BOX CBLING	11	
8	HVAC	60						3	B	4					1	20	OUTLET 1-4	12	
12	LIGHT S	20	1	8.24	1104.8			6	A	6	10.8	1250			1	20	OUTLET 5-8	12	
12	WP B/C	20	1			1.6	180	7	B	3		0	0	0	1	20			
				0	0			8	A	10	0	0	0	0					
								11	B	12			0	0					
				0	0			13	A	14	0	0	0	0					
								16	B	18		0	0	0					
				0	0			17	A	18		0		0					
								19	B	20				0					
				0	0			21	A	22		0							
								23	B	24				0					
				0	0			25	A	26		0							
								27	B	28				0					
				0	0			29	A	30		0							
								31	B	32				0					
				0	0			33	A	34		0							
								36	B	36				0					
				0	0			37	A	38		0							
								39	B	40				0					
				0	0			41	A	42		0							
				68.24	5748.8	43.6	6820				16	1500	8	720					
								TOTAL A	564.8	WATT S	68.55%								
								TOTAL B	5640	WATT S	43.34%								
								1638.1	WATT S										
								82.9	AMP S										
								73.63%	20%										
								100	AMP S										

PANEL "SP-HOC"																
WIRE	DESCRIPTION	VOLT'S		FHA SE		BREAKER		VOLT'S ± V x 450'S		45 BASE GROUND		POLE	BREAKER	DESCRIPTION	WIRE	
		120	240	1		125		240								
		BREAKER	POLE	CONNECTION LOAD	CONNECTION LOAD	CONNECTION LOAD	CONNECTION LOAD	CIRCUIT NO.	CONNECTION LOAD	CONNECTION LOAD	CONNECTION LOAD					
				A(AMP'S)	A(WATT'S)	B(AMP'S)	B(WATT'S)									
8	HWAC	80	2	47	6540			1	A	2						
8	HWAC	80					6540	3	B	4	22.9	243	22.9	243	2	
10	SEMAX	30	2	22.9	2748			6	A	8				30	SEMAX	
10	SEMAX	30						6	B	8	10.5			20	OUTLET 1-18	
12	BFCI 1-4	20	1	4.5	640			7	B	8				20	OUTLET 1-10	
								9	A	16	5	593	5	720	1	
								11	B	12				1	20	
				0	0		0	13	A	14		0	0			
							0	15	B	16	0	0	0	0		
				0			0	17	A	18		0	0	0		
							0	19	B	20		0	0	0		
				0			0	21	A	22		0		0		
							0	23	B	24				0		
				0		0	0	25	A	26		0		0		
							0	27	B	28				0		
				0			0	29	A	30		0		0		
							0	31	B	32				0		
				0			0	33	A	34		0		0		
							0	35	B	36				0		
				0		0	0	37	A	38		0		0		
							0	39	B	40				0		
				0			0	41	A	42		0		0		
				74.1	2825	88.8	2353				SEP	4733	22.9	3463		
								TOTAL A	12718	WATT'S	61.54%					
								TOTAL B	11069	WATT'S	48.25%					
								26672	WATT'S							
								108.66	AMP'S							
								132.157%	20%							
								105	125	AMP'S						

10-25-94
10-25-94

Q-11-OT

STATE OF TEXAS

JOSEPH W. STEEDE, JR.

19689

REGISTERED

PROFESSIONAL ENGINEER



C:\OffNAS-002files\NORPLEXO\NORPLEXO.dwg, 8/27/2008 10:26:09 AM, DWGx ePlot (XPS Compatible).pc3

THESE PLAN ARE FOR UNITS NOA, NOR, NOO, NOC.


EACH UNIT IS 825SF. THEY CAN BE CONSTRUCTED WITH THE NOA AND THE NOR BEING THE UNITS WITH EXTERIOR WALLS AND THE NOO AND NOC BEING THE CENTER UNIT. COMCHECK WILL BE USED ON 2-FLEX UNIT, THE VARIOUS COMBINATIONS WILL FALL UNDER LOCAL JURSDICTION.

TYPE	SF	OCCUPANTS	HVAC	KW HEAT	VENTILATION OCCUPANCY	OUTSIDE CFM REQUIRED
2 FLEX	1650	16	6 TONS	20	12	240
3 FLEX	2475	24	9 TONS	28	17	340
4 FLEX	3300	33	12 TONS	36	23	460
5 FLEX	4125	41	15 TONS	41	29	580
6 FLEX	4950	49	18 TONS	49	35	700
7 FLEX	5775	57	21 TONS	57	40	800
8 FLEX	6600	66	24 TONS	65	46	920

NOTE:


THE HEAT STRIPS ARE SIZED FOR THE REDUCTION IN HEAT IF UNITS ARE CONNECTED TO 208VOLT SUPPLY.

SUPPLY	1-1/2" R-6 DUCT BOARD
RETURN	1-1/2" R-6 DUCT BOARD
EXH	90 CFM EXHAUST FAN
SA1	24"X24" GRILL W/6" FLEX
SA2	24"X24" GRILL W/8" FLEX
RA1	24"X24" GRILL W/6" FLEX
RA2	24"X24" GRILL W/8" FLEX
RA3	24"X24" GRILL W/12" FLEX
T	PROGRAMABLE THERMOSTAT



NOR

NOA



SEP 22 2008

Approved
PFS Corp.
INCEBA 7

JOE STEEDE, P.E.
13999 GOLDMARK, SUITE 374
DALLAS, TX 75250 PHONE 972-238-1611

NORTEX MODULAR SPACE

555 JUBILEE LANE
LEWISVILLE, TX 75056
PHONE: 972-492-4040
FAX: 972-492-2704


LTR	REVISION	BY	DATE	DRAWN BY: RW	PROJECT: NORPLEX OFFICE SERIES	TITLE: 2-PLEX MECHANICAL PLAN
				DATE: 06/18/08	SCALE: 3/16" = 1'-0"	DWG# NORPLEXO
					SALES PERSON:	SHEET: M-101

THESE PLAN ARE FOR UNITS NOA, NOR, NOO, NOC.

EACH UNIT IS 825SF. THEY CAN BE CONSTRUCTED WITH THE NOA AND THE NOR BEING THE UNITS WITH EXTERIOR WALLS AND THE NOO AND NOC BEING THE CENTER UNIT.
COMCHECK WILL BE USED ON 2-FLEX UNIT, THE VARIOUS COMBINATIONS WILL FALL UNDER LOCAL JURISDICTION.


TYPE	SF	OCCUPANTS	HVAC	KW HEAT	VENTILATION OCCUPANCY	OUTSIDE CFM REQUIRED
2 FLEX	1650	16	6 TONS	20	12	240
3 FLEX	2475	24	9 TONS	28	17	340
4 FLEX	3300	33	12 TONS	36	23	460
5 FLEX	4125	41	15 TONS	41	29	580
6 FLEX	4950	49	18 TONS	49	35	700
7 FLEX	5775	57	21 TONS	57	40	800
8 FLEX	6600	66	24 TONS	65	46	920

SUPPLY	1-1/2" R-6 DUCT BOARD
RETURN	1-1/2" R-6 DUCT BOARD
EXH	90 CFM EXHAUST FAN
SA1	24"X24" GRILL W/6" FLEX
SA2	24"X24" GRILL W/8" FLEX
RA1	24"X24" GRILL W/6" FLEX
RA2	24"X24" GRILL W/8" FLEX
RA3	24"X24" GRILL W/12" FLEX
T	PROGRAMABLE THERMOSTAT



3 TON
W/BKW

NOO



3 TON
W/SKW

NOC




Approved
PFS Corp.
IHDPRA 7

SEP 22 2008

JOE STEEDE, P.E.
13999 GOLDMARK, SUITE 374
DALLAS, TX 75250 PHONE 972-238-1611

NORTEX MODULAR SPACE
555 JUBILEE LAKE
LEWISVILLE, TX 75056
PHONE: 972-492-4040
FAX: 972-492-2704



LTR	REVISION	BY	DATE	DRAWN BY: RW	PROJECT: NORPLEX OFFICE SERIES	TITLE: NOO & NOC MECHANICAL PLAN
				DATE: 06/18/08	SCALE: 3/16" = 1'-0"	DWG# NORPLEXO
					SALES PERSON:	SHEET: M-102




3
Q-18

ALL SUPPLY LINES ARE 1/2"
EXCEPT AS NOTED
ALL STUB-OUTS ARE 3/8"
EXCEPT AS NOTED

NOTE: ALL SUPPLY LINES OVER
3/4" IN SIZE SHALL BE COPPER



Approved
Professional Engineer
SEP 22 2008
NORTEX MODULAR SPACE



EVERYTHING BELOW DASHED LINE INSTALLED IN THE FIELD BY OTHERS PER
LOCAL CODES AND INSPECTED BY LOCAL OFFICIALS..


DWV RISER
ALL MATERIAL SCHEDULE 40
PVC

WHEN MULTI UNITS USE NOR AND NOC, THE PLUMBING
HARNESSES AND WATER SUPPLY SHALL BE CONNECTED
TO EACH OTHER IN THE FIELD, BY OTHERS.

LTR	REVISION	BY	DATE	DRAWN BY: RW	PROJECT: NORTEX OFFICE SERIES	TITLE: PLUMBING RISERS	DWG# NORPLEXO	SHEET: P-101	
				DATE: 07/30/08	SCALE: NTS	SALES PERSON:			

JOE STEEDE, P.E.
13999 GOLDMARK, SUITE 374
DALLAS, TX 75250 PHONE 972-238-1611

NORTEX MODULAR SPACE
555 JUBILEE LANE
LEWISVILLE, TX 75056
PHONE: 972-492-4040
FAX: 972-492-2704



THIS END WALL TO HAVE 3/8" SMART PANEL NAILED AT 4" AT EDGE AND 12" IN THE FIELD.

THIS END WALL TO HAVE 3/8" SMART PANEL NAILED AT 6" AT EDGE AND 12" IN THE FIELD.


THIS END WALL TO HAVE 3/8" SMART PANEL NAILED AT 4" AT EDGE AND 12" IN THE FIELD.


THIS END WALL TO HAVE 3/8" SMART PANEL NAILED AT 6" AT EDGE AND 12" IN THE FIELD.

SW(SHEARWALL)
 SW1=2X4 WALL, 5/8" GYPSUM GLUED TO INSIDE, 3/8" SMART PANEL NAILED 6"/12" WITH .90 X 2 1/8"
 SW2=2X4 WALL WITH 5/8" GYPSUM GLUED EACH SIDE.
 SW3=2X4 WALL, 5/8" GYPSUM GLUED TO INSIDE, 3/8" OSB NAILED 6"/12" WITH .90 X 2 1/8"
 ALL EXTERIOR OPENINGS OVER 28" (IE: DOORS) TO HAVE (2) KING STUDS.

ALL WALLS ARE 10'-1 1/8" HIGH. EXCEPT AS NOTED
 ALL STUDS ARE 2X4 #2SYP 16" OC., EXCEPT WET WALLS BETWEEN RESTROOMS=2X6
 ALL EXTERIOR HEADERS ARE #2SYP 2X6 WITH FILLER.
 INTERIOR HEADERS MAY BE 2X6 ANY GRADE WITH FILLER.

INDICATES PRE-GYPED SIDE

LTR				REVISION		BY	DATE	DRAWN BY: RW	PROJECT: NORPLEX OFFICE SERIES	TITLE: UNIT WALL LOCATION PLANS			NORTEX MODULAR SPACE 555 JUBILEE LANE LEWISVILLE, TX 75056 PHONE: 972-492-4040 FAX: 972-492-2704	
C:\OFFICE\002\files\NORPLEX\NORPLEXO.dwg, 8/27/2008 10:28:10 AM				DATE: 8/27/2008 10:28:10 AM	SCALE: 1"=10'-0"	SALES PERSON:	DWG# NORPLEXO	SHEET: SF-101						



SW(SHEARWALL)
 SW1=2X4 WALL, 5/8" GYPSUM GLUED TO INSIDE, 3/8" SMART PANEL NAILED 6"/12" WITH .90 X 2 1/8"
 SW2=2X4 WALL WITH 5/8" GYPSUM GLUED EACH SIDE.
 SW3=2X4 WALL, 5/8" GYPSUM GLUED TO INSIDE, 3/8" OSB NAILED 6"/12" WITH .90 X 2 1/8"



ALL EXTERIOR OPENINGS OVER 28" (IE: DOORS) TO HAVE (2) KING STUDS.

ALL WALLS ARE 10'-1 1/8" HIGH. EXCEPT AS NOTED
 ALL STUDS ARE 2X4 #2SYP 16" OC., EXCEPT WET WALLS BETWEEN RESTROOMS=2X6
 ALL EXTERIOR HEADERS ARE #2SYP 2X6 WITH FILLER.
 INTERIOR HEADERS MAY BE 2X6 ANY GRADE WITH FILLER.


INDICATES PRE-GYPED SIDE

LTR	REVISION	BY	DATE	DRAWN BY:	PROJECT:	TITLE:	DWG#	SHEET:	DATE
				RW	NORPLEX OFFICE SERIES	UNIT WALL LOCATION PLANS	NORPLEXO	SF-102	
				DATE:	SCALE:	SALES PERSON:			
				06/18/08	3/16" = 1'-0"				

JOE STEEDE, P.E.
 13999 GOLDMARK, SUITE 374
 DALLAS, TX 75250 PHONE 972-238-1611
NORTEX MODULAR SPACE
 555 JUBILEE LANE
 LEWISVILLE, TX 75056
 PHONE: 972-492-4040
 FAX: 972-492-2704



(5) .131X3" NAILS
FOR FLOOR JOIST TO
RIM JOIST
CONNECTION.




ALL LUMBER IS #2 SYP FOR JOIST AND RIMS.
INSIDE RIM SHALL ACT AS A NAILER FOR THE OUTSIDE RIM, AT
JOINTS THERE SHALL BE (5) NAILS EACH SIDE PER DESIGN
MANUAL. USING THE OTHER RIM AS A NAILER. JOIST AT RIMS
SHALL BE NO LESS THAN 4' APART FROM OTHER RIM JOINT.

JOE STEEDE, P.E.
13999 GOLDMARK, SUITE 374
DALLAS, TX 75250 PHONE 972-238-1611

NORTEX MODULAR SPACE

555 JUBILEE LANE
LEWISVILLE, TX 75056
PHONE: 972-492-4040
FAX: 972-492-2704

LTR	REVISION	BY	DATE	DRAWN BY:	PROJECT:	TITLE:	DWG#	SHEET:
				RW	NORPLEX OFFICE SERIES	UNIT FLOOR JOIST PLANS	NORPLEXO	SF-103
				DATE:	SCALE:	SALES PERSON:		
				06/18/08	3/16" = 1'-0"			





NOR

NOO

ALL LUMBER IS #2 SYP FOR JOIST AND RIMS.
INSIDE RIM SHALL ACT AS A NAILER FOR THE OUTSIDE RIM, AT
JOINTS THERE SHALL BE (5) NAILS EACH SIDE PER DESIGN
MANUAL. USING THE OTHER RIM AS A NAILER. JOIST AT RIMS
SHALL BE NO LESS THAN 4' APART FROM OTHER RIM JOINT.

(5) .131X3" NAILS
FOR FLOOR JOIST TO
RIM JOIST
CONNECTION.



JOE STEEDE, P.E.
13999 GOLDMARK, SUITE 374
DALLAS, TX 75250 PHONE 972-238-1611

NORTEX MODULAR SPACE

555 JUBILEE LANE
LEWISVILLE, TX 75056
PHONE: 972-492-4040
FAX: 972-492-2704




LTR	REVISION	BY	DATE	DRAWN BY:	PROJECT:	TITLE:
				RW	NORPLEX OFFICE SERIES	UNIT FLOOR JOIST PLANS
				DATE:	SCALE:	DWG#
					SALES PERSON:	SHEET:



C:\OINAS-002\files\NORPLEX\NORPLEX.dwg, 8/27/2008 10:29:10 AM, DWG, Plot (PFS Compatible), pc3 = 1'-0"




NORPLEXO

SF-104




ALL JOIST ARE #2SYP 2X8 16" O.C.
LVL ARE 1.9e MIN.
SPICE BLOCKS TO BE USED ON THE
INSIDE, JOINTS ARE SHOWN ON
TRUSS PROFILE S-101

LTR	REVISION	BY	DATE	DRAWN BY:	PROJECT:	TITLE:	DWG#	SHEET:	JOE STEEDE, P.E.
				RW	NORPLEX OFFICE SERIES	UNIT ROOF JOIST PLANS			13999 GOLDMARK, SUITE 374
				DATE:	SCALE:	SALES PERSON:			DALLAS, TX 75250 PHONE 972-238-1611
				06/18/08	3/16" = 1'-0"		NORPLEX	SF-105	NORTEX MODULAR SPACE
C:\OffNAS-002\files\NORPLEX\NORPLEX.dwg, 8/27/2008 10:29:29 AM, DWFx ePlot (XPS Compatible).pc3									555 JUBILEE LANE LEWISVILLE, TX 75056 PHONE: 972-492-4040 FAX: 972-492-2704



NOR

[Handwritten Signature]



NOO

ALL JOIST ARE #2SYP 2X8 16" O.C.
LVL ARE 1.9e MIN.
SPICE BLOCKS TO BE USED ON THE
INSIDE, JOINTS ARE SHOWN ON
TRUSS PROFILE S-101


LTR	REVISION	BY	DATE	DRAWN BY:	PROJECT:	TITLE:	DWG#	SHEET:
				RW	NORPLEX OFFICE SERIES	UNIT ROOF JOIST PLANS	NORPLEXO	SF-106
				DATE:	SCALE:	SALES PERSON:		
				06/18/08	3/16" = 1'-0"			





JOE STEEDE, P.E.
13999 GOLDMARK, SUITE 374
DALLAS, TX 75250 PHONE 972-238-1611

NORTEX MODULAR SPACE


555 JUBILEE LANE
LEWISVILLE, TX 75056
PHONE: 972-492-4040
FAX: 972-492-2704



LVL MATELINE PROFILE 1



- NOTES:
1. SOIL ASSUMED AT 2500PSI
 2. PAD SPACING SHOWN IS FOR 50PSF FLOOR LOADS. SPACING OF PADS CHANGES TO 5' O.C. FOR 100PSF FLOOR LOADS.
 3. ANY ADDITIONAL TIE STRAPS REQUIRED BY LOCAL AUTHORITIES WILL BE FRAME TIE STRAPS.
 4. STRAPS MAY BE +/- 1'-0"
 5. FRAMES TIES TO BE (6) PER EACH 60' SIDE AND (1) ON EACH 27'-6" SIDE FOR A DOUBLE WIDE. ADD (1) TIE EACH SMALL END FOR ADDITIONAL MODULES ADDED FOR LARGER COMPLEXES.





JOE STEEDE, P.E.
13999 GOLDMARK, SUITE 374
DALLAS, TX 75250 PHONE 972-238-1611

NORTEX MODULAR SPACE

555 JUBILEE LANE
LEWISVILLE, TX 75056
PHONE: 972-492-4040
FAX: 972-492-2704

LTR	REVISION	BY	DATE	DRAWN BY:	PROJECT:	TITLE:	DWG#	SHEET:
				RW	NORPLEX OFFICE SERIES	BLOCKING NOA, NOR	NORPLEXO	S-101
				DATE:	SCALE:	SALES PERSON:		
			06/18/08		3/16" = 1'-0"			



- NOTES;**
1. SOIL ASSUMED AT 2500PSI
 2. PAD SPACING SHOWN IS FOR 50PSF FLOOR LOADS. SPACING OF PADS CHANGES TO 5' O.C. FOR 100PSF FLOOR LOADS.
 3. ANY ADDITIONAL TIE STRAPS REQUIRED BY LOCAL AUTHORITIES WILL BE FRAME TIE STRAPS.
 4. STRAPS MAY BE +/- 1'-0"

FOR INFORMATION NOT SHOWN SEE SHEET S-101

SEP 22 2008

Approved PFS Corp. IHDR 7

JOSEPH W. STEEDE, JR.

19689

REGISTERED PROFESSIONAL ENGINEER

STATE OF TEXAS

JOE STEEDE, P.E.
13999 GOLDMARK, SUITE 374
DALLAS, TX 75250 PHONE 972-238-1611

NORTEX MODULAR SPACE

555 JUBILEE LANE
LEWISVILLE, TX 75056
PHONE: 972-492-4040
FAX: 972-492-2704

LTR	REVISION	BY	DATE	DRAWN BY:	PROJECT:	TITLE:
				RW	NORPLEX OFFICE SERIES	BLOCKING NOO, NOC
				DATE:	SCALE:	DWG#
				06/18/08	3/16" = 1'-0"	NORPLEXO
					SALES PERSON:	SHEET:
						S-102