Status	Finished
Started	Wednesday, 21 October 2026, 7:53 AM
Completed	Wednesday, 21 October 2026, 7:57 AM
Duration	4 mins 13 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which method can be used to read all lines of a file into a list?

a. readlist()
b. read()
c. readline()
d. readlines() ✓

The correct answer is: readlines()

Question **2**

Correct

Mark 1.00 out of 1.00

What does the flush() method do in file handling?

a. Flushes the internal buffer to the file ✓
b. Deletes the file content
c. Closes the file
d. Moves the file cursor to the beginning

The correct answer is: Flushes the internal buffer to the file

Question **3**

Correct

Mark 1.00 out of 1.00

What is the difference between r+ and w+ modes in file handling?

a. r+ is for read and append, w+ is for read and write
b. r+ is for read and write without truncating, w+ is for read and write with truncating ✓
c. r+ is for binary read and write, w+ is for text read and write
d. r+ is for read and write, w+ is for append only

The correct answer is: r+ is for read and write without truncating, w+ is for read and write with truncating

Question **4**

Correct

Mark 1.00 out of 1.00

Which method is used to write data to a file?

a. insert()
b. append()
c. write() ✓
d. read()

The correct answer is: write()

Question **5**

Correct

Mark 1.00 out of 1.00

Which method is used to truncate a file to a specific size?

a. truncate() ✓
b. resize()
c. reduce()
d. shrink()

The correct answer is: truncate()

Question **6**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for appending data, we use _____

a. outfile = open(file = “c:\scores.txt”, “w”)
b. outfile = open(“c:\\scores.txt”, “rw”)
c. outfile = open(file = “c:\\scores.txt”, “w”)
d. outfile = open(“c:\\scores.txt”, “a”) ✓

The correct answer is:
outfile = open(“c:\\scores.txt”, “a”)

Question **7**

Correct

Mark 1.00 out of 1.00

The readlines() method returns _____

a. str

b. a list of lines ✓

c. a list of integers

d. a list of single characters

The correct answer is:
a list of lines

Question **8**

Correct

Mark 1.00 out of 1.00

What does the seek() method do in file handling?

a. Moves the file cursor to the specified position ✓

b. Deletes the file

c. Writes data to the file

d. Reads the file line by line

The correct answer is: Moves the file cursor to the specified position

Question **9**

Correct

Mark 1.00 out of 1.00

Select the correct output of the following code

```
fp.seek(5, 1)
```

a. Move file pointer five characters ahead from the beginning

b.
- Move file pointer five characters behind from the current position.

c.
- Move file pointer five characters ahead from the current position. ✓

d.
- Move file pointer five characters behind ahead from the end of a file.

The correct answer is:

- Move file pointer five characters ahead from the current position.

Question **10**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for writing, we use ____

a. outfile = open(file = “c:\scores.txt”, “w”)

b. outfile = open(“c:\scores.txt”, “w”)

c. outfile = open(“c:\\scores.txt”, “w”) ✓

d. outfile = open(file = “c:\\scores.txt”, “w”)

The correct answer is:
outfile = open(“c:\\scores.txt”, “w”)

Question **11**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in read mode ('r') that does not exist?

a. The operation is ignored
b. An empty file object is returned
c. A new file is created
d. An error is raised ✓

The correct answer is: An error is raised

Question **12**

Correct

Mark 1.00 out of 1.00

Select the incorrect file access mode

a. wb+
b. rw+ ✓
c. r
d. ab+

The correct answer is: rw+

Question **13**

Correct

Mark 1.00 out of 1.00

Which method is used to write a list of strings to a file?

a. writelines() ✓
b. write_list()
c. write()
d. write_all()

The correct answer is: writelines()

Question **14**

Correct

Mark 1.00 out of 1.00

How can you read a file line by line efficiently in Python?

a. Using the readlines() method
b. Using a for loop ✓
c. Using the readline() method
d. Using the read() method

The correct answer is: Using a for loop

Question **15**

Correct

Mark 1.00 out of 1.00

f.seek(5,1) means

a. moves the file pointer to the end of a file

b. move the file pointer five characters behind from the current position
c. move the file pointer to beginning of the file
d. move the file pointer five characters ahead from the current position ✓

The correct answer is:
move the file pointer five characters ahead from the current position