Status	Finished
Started	Saturday, 10 October 2026, 7:10 PM
Completed	Saturday, 10 October 2026, 7:13 PM
Duration	3 mins 35 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

a. {2,5,3,1}

b. {2,5,1}

c. {3} ✓

d. {}

Question **2**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

t = (58, 47, 36, 25, 14, 3)

x = t[2:-1]

print(x)

a. (36, 25, 14) ✓

b. Error

c. (58,47,36,25)

d. (3,14,25)

Question **3**

Correct

Mark 1.00 out of 1.00

What will the below Python code do?

```
set1={2,3}

set2={3,2}

set3={2,1}

if(set1==set2):

    print("yes")

else:

    print("no")

if(set1==set3):

    print("yes")

else:

    print("no")
```

a. Yes, Yes

b. Yes, No ✓

c. "==" is not supported for set in Python

d. No, No

Question **4**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
list1=[1,3,4,2]

x=list1.pop(2)

print(set([x]))
```

a. {4} ✓

b. {1,3,2}

c. {2}

d. {1,3,4}

Question **5**

Correct

Mark 1.00 out of 1.00

Choose the correct option.

a. In Python, a tuple can contain only integers as its elements.

b. In Python, a tuple can contain only strings as its elements.

c. In Python, a tuple can contain both integers and strings as its elements. ✓

d. In Python, a tuple can contain either string or integer but not both at a time.

Question **6**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
>>>t = (1, 2, 4, 3, 8, 9)
>>>[t[i] for i in range(0, len(t), 2)]
```

a. [1, 4, 8] ✓

b. [1, 2, 4, 3, 8, 9]

c. [2, 3, 9]

d. (1, 4, 8)

Question **7**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t = (11, 3)
x = 3 * t
print(x)
```

a. (11,3,11,11,3,11,11,11,3)

b. [11,11,11,3,3,3]

c. (11,3)(11,3)(11,3)

d. (11, 3, 11, 3, 11, 3) ✓

Question **8**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={0,0,9}

print(set1)
```

a. {9}

b. {0,9} ✓

c. It will throw an error as there are two 0 while creating the set.

d. {0,0,9}

Question **9**

Correct

Mark 1.00 out of 1.00

What will be the output of the below Python code?

t1=(55,12,78,64,25)

t1.pop(12)

print(tuple1)

a. Error ✓

b. 12

c. (12)

d. (55,78,64,25)

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following Python code will create a set?

(i) set1=set((0,9,0))
(ii) set1=set([0,2,9])
(iii) set1={}

a. All of the above

b. ii

c. i,ii ✓

d. iii

Question **11**

Correct

Mark 1.00 out of 1.00

Select which is true for Python tuple?

- a. A tuple maintains the order of items ✓
- b. We can change the tuple once created
- c. None of these
- d. A tuple is unordered

Question **12**

Correct

Mark 1.00 out of 1.00

Select all the correct options to remove "ECE" from the set.

```
sampleSet = {"ECE", "R&A", "MCT"}
```

- a. del.sampleSet("ECE")
- b. sampleSet.delete("ECE")
- c. remove.sampleSet("ECE")
- d. sampleSet.discard("ECE") ✓

Question **13**

Correct

Mark 1.00 out of 1.00

What will be printed when the following code executes?

```
a = ("Python Programming")
```

```
print type(a)
```

```

```

- a. <class 'int'>
- b. <class 'str'> ✓
- c. str
- d. <class 'tuple'>

Question **14**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

a. {'rec', 1, ('cse', 'ece')} ✓

b. Error

c. {'rec', 1, ('cse', 'ece'),True}

d. {'rec', True, ('cse', 'ece')}

Question **15**

Correct

Mark 1.00 out of 1.00

Write the Output of the following Code?

t = (15,83,83,52,60,45,52,85,100)

print(min(t)+max(t)+t.count(52))

a. 100

b. 117 ✓

c. 2

d. Error