Table of Contents

Table of Contents	1
LearnPlus	2
Libraries	2
Bootstrap 4	2
Material Design Kit	2
sidebar-style-guide	2
Get Help	2
Demos	2
Run demo locally	3
Install dependencies	3
Build	3
Install dev dependencies	3
Building the demo	3
Watch mode	3
Changelog	4
LearnPlus v2.0.0	4
Packages	4
Fixes	4
Improvements	5
LearnPlus v1.0.1	5
Fixes	5
LearnPlus v1.0.0	5

LearnPlus

Learning Management Application

LearnPlus is a beautifully crafted user interface for modern Learning web applications. LearnPlus includes examples for all the website pages possibly needed for a LMS application, covering the most important roles in any learning application: the student and the instructor.

Libraries

LearnPlus is built on top of the following libraries.

Bootstrap 4

Bootstrap is the most popular HTML, CSS, and JS framework in the world for building responsive, mobile-first projects on the web. See Bootstrap 4 website http://v4-alpha.getbootstrap.com

Material Design Kit

Interactive web components inspired from Material Design, using vanilla CSS, JavaScript and HTML. Specifically, LearnPlus uses the Drawer and Drawer Layout components for navigation and layout. See MDK on Github https://github.com/themekit/material-design-kit

sidebar-style-guide

A style guide (CSS and Sass) providing a convenient base for styling common sidebar/drawer elements like menus, brand, etc. This package complements the drawer component from material-design-kit. See sidebar-style-guide on Github https://github.com/themekit/sidebar-style-guide

Get Help

Get help directly from our team via our Slack channel.Request invite http://themekit-slack-invite.stamplayapp.com/

Demos

See LearnPlus demos http://choose.learnplus.themekit.io. You can find the static files from our online demo in the dist/ directory of the download package.

Run demo locally

Install dependencies

The download package does not include any vendor libraries. To install all the dependencies, run:

npm install

Build

Install dev dependencies

Before you can build the demo, make sure gulp is installed globally:

npm install -g gulp

Building the demo

To build the dist run:

gulp

Watch mode

You can experiment and tweek the demo source files directly from the src/ directory. In order to automatically rebuild your changes as you make them, run:

gulp watch

Changelog

LearnPlus v2.0.0

11 November, 2016

Packages

- update bootstrap https://github.com/twbs/bootstrap/tree/v4.0.0-alpha.5 to v4.0.0-alpha.5 (see details https://github.com/twbs/bootstrap/issues/20630)
- remove adminplus https://github.com/themekit/adminplus
- remove bootstrap-layout https://github.com/themekit/bootstrap-layout
- add material-design-kit (replaces bootstrap-layout)
- add dom-factory https://github.com/themekit/dom-factory (component system to enhance HTML elements using plain JavaScript objects)
- add sidebar-collapse https://github.com/themekit/sidebar-collapse (simple collapsible sidebar submenus)
- add sidebar-style-guide https://github.com/themekit/sidebar-style-guide (sidebar navigation style guide CSS and Sass)

Fixes

- remove sidebar menu icon (bootstrap v1.0.0-alpha.5 adds the icon using a background SVG)
- replace .img-circle class with .rounded-circle (bootstrap v1.0.0-alpha.5)
- replace .img-rounded class with .rounded (bootstrap v1.0.0-alpha.5)
- add breadcrumb—item class to breadcrumb list items (bootstrap v1.0.0-alpha.5)
- replace spacing helper classes (m|p)-([a-z])-([0-9+]) with .\$1\$2-\$3 (i.e. .m-b-0 with .mb-0, etc) (bootstrap v1.0.0-alpha.5)
- replace .label classes (i.e. .label with .tag , .label-default with .tag-default , .label-pill with .tag-pill , etc) (bootstrap v1.0.0-alpha.5)
- replace column ordering helper classes $_{col-([a-z]+)-(push|pull|offset)-([0-9])}$ with $_{s2-$1-$3}$ (i.e. $_{col-md-offset-3}$ with $_{offset-md-3}$) (bootstrap v4.0.0-alpha.5)
- replace p-a-([0-9]+) helper classes with p-\$1 (bootstrap v4.0.0-alpha.5)
- replace -m-a-([0-9]+) helper classes with -m-\$1 (bootstrap v4.0.0-alpha.5)
- update bootstrap css helper classes in fullcalendar. is example (bootstrap v4.0.0-alpha.5)
- update bootstrap forms and custom forms (bootstrap v4.0.0-alpha.5)
- replace bootstrap's •pull-([a-z]+)-([a-z]+) helper classes with •float-\$1-\$2 (bootstrap v4.0.0-alpha.5)
- reset .list-group z-index (fixes overlapping .active.list-group-item) (bootstrap v4.0.0-alpha.5)
- reset input-group z-index (fixes overlapping form-control) (bootstrap v4.0.0-alpha.5)
- reset .custom-file z-index (fixes overlapping .custom-file-control) (bootstrap v4.0.0-alpha.5)
- remove navbar line-height
- fix instructor navbar stats color
- fix missing Raphael dependency for morris charts (gulpfile)
- fix instructor menu link to account settings
- fix reply box on messages (student and instructor)
- fix modal header color when using _bg-primary
- remove summernote border when directly a child of a _card

Improvements

- add fixed layout variant for all pages
- add footer margin on fixed layout
- add <u>chart</u> class for chart containers (resets <u>z-index</u> to fix overlapping tooltip) (i.e. when using morris + drawer with scrim enabled)
- improve formatting of JS & Sass examples
- cleanup Sass (general)
- upgrade layouts, sidebars & navbars to material-design-kit
- improve formatting of HTML source files
- improve gulpfile
- add lite-server (npm start or npm run serve)
- run gulp automatically on npm start

LearnPlus v1.0.1

18 March, 2016

Fixes

- bump adminplus https://github.com/themekit/adminplus to v1.0.0-alpha.10
- bump bootstrap-layout https://github.com/themekit/bootstrap-layout to v1.0.0-alpha.4 (see details https://github.com/themekit/bootstrap-layout/releases/tag/v1.0.0-alpha.4)

LearnPlus v1.0.0

Initial Release