R98 | Evidence And Expected-Cost Method

One predeclared full18 R98 expected-cost context bank; no SGD, fine-tuning, VAL grid or task-wise assembly.

Official frozen TabICLRegressor: each legal method predicts the mean of raw FP64 relative gap (c-cmin)/cmin.

Every nonconstant method fits all 81,000 historical TRAIN rows in natural order/frequency, sequentially; exact constants alone skip fitting.

Decisions and Top-k use argmin RAW predicted mean gap, with ascending global-ID exact ties. Negative predictions are NOT clipped.

Normalized exp(-predicted gap/0.01) is formal descriptive output only: NOT calibrated probabilities and NEVER the ranking rule.

Fixed n_estimators=1, batch_size=1, norm_methods=[none], kv_cache=False, GPU-only/no CPU offload, Flash attention only.

Input-only canonical R92 357 statistics; immutable R97 task-TRAIN-constant drop. No query labels/costs/winners enter forward.

TRAIN self-context accuracy, epochs, SGD curves and training loss: N/A. Historical TRAIN outcomes are authorized context only.

SBS is fixed on R84 full 81,000 TRAIN rows. Oracle is the per-instance minimum over the unchanged legal candidate pool.

ALL is equal-problem macro across full18. Mixed raw mean_cost is descriptive, never a pooled optimization objective.

vs_SBS / vs_Oracle = 100*(ratio of mean costs - 1); actual regret = mean_i[100*(selected_i-oracle_i)/oracle_i].

NSS reuses saved R79 historical70,114 TRAIN weights; not a new81,000 retrain. Missing stays missing; incompatible evidence fails.

R89B is the main historical control; R84A is secondary. External public pretraining is NOT matched compute.

Old VAL/TEST members informed development. These results are NOT a wholly independent blind TEST.

Fixed36 recovery must include rescued/lost true winners, new false picks, net recovery and cost/regret, not just fewer zero groups.

Timing includes K sequential full-context fits/mean calls. Nested per-method times are breakdowns, NOT added twice to the enclosing call.

Context/target loading and cached-query fingerprint verification are separate. Fresh raw-graph-to-statistics/cache-build latency is excluded for VAL/TEST.

LIB native_input_to_statistics includes input loading/geometry/357 statistics, without opening labels before prediction. Recorded sums are not end-to-end latency.

Package: tabicl==2.0.2 | source: ba4bdbc6bb46b9307da3dbc1685109371ec5085f
Public regressor: 0db9cb538f114e79026bf08f45f41ad8dd7ad2de2aaca9a5ca8cd3bd9748ae7a
Bank: 8b96a234b1b0a97f36128317c1c00b62daeffec8b2153f6a8033763e4ca95df4

R98 | VAL | ALL And Full18

Task	n	Top1 %	Top2 %	Top3 %	mean_cost	SBS cost	Oracle	vs_SBS %	vs_Oracle %	Actual regret %
ALL	81000	71.055556	90.275309	95.829630	11.416108	11.427978	11.371692	-0.201463	0.386023	0.393104
TSP	4500	45.488889	69.622222	84.377778	8.023554	8.045354	7.990533	-0.270965	0.413248	0.401609
CVRP	4500	47.844444	66.422222	77.444444	18.146278	18.269377	18.064087	-0.673802	0.454994	0.586960
ATSP	4500	77.955556	95.488889	98.688889	1.637715	1.676905	1.632471	-2.337028	0.321253	0.318342
OVRP	4500	41.666667	72.911111	92.533333	7.459614	7.469579	7.415777	-0.133409	0.591137	0.601848
VRPB	4500	80.888889	96.888889	100.000000	9.354878	9.354876	9.318750	0.000023	0.387699	0.396120
VRPL	4500	36.155556	64.777778	82.511111	12.431675	12.437959	12.383444	-0.050529	0.389477	0.396544
VRPTW	4500	80.111111	98.466667	99.111111	18.819021	18.819431	18.766139	-0.002177	0.281798	0.298417
OVRPTW	4500	83.755556	99.177778	99.666667	10.143753	10.143730	10.116859	0.000225	0.265827	0.262634
OVRPB	4500	88.511111	96.533333	100.000000	6.357254	6.357254	6.341078	0.000000	0.255104	0.265013
OVRPL	4500	42.022222	73.955556	91.755556	7.436053	7.445709	7.390416	-0.129688	0.617522	0.629409
VRPBL	4500	78.644444	96.377778	100.000000	9.370116	9.371523	9.328366	-0.015012	0.447555	0.451822
VRPBTW	4500	78.355556	99.822222	100.000000	19.950619	19.950430	19.851084	0.000949	0.501413	0.476837
VRPLTW	4500	78.733333	98.422222	99.288889	18.765557	18.765871	18.707843	-0.001673	0.308505	0.323737
OVRPBL	4500	89.200000	97.022222	100.000000	6.369902	6.370093	6.352824	-0.003005	0.268823	0.279289
OVRPBTW	4500	83.466667	100.000000	100.000000	10.660808	10.661098	10.623245	-0.002726	0.353590	0.328107
OVRPLTW	4500	83.444444	99.200000	99.555556	10.157488	10.157423	10.129818	0.000644	0.273156	0.276084
VRPBLTW	4500	79.444444	99.866667	100.000000	19.796011	19.797044	19.706420	-0.005216	0.454629	0.442948
OVRPBLTW	4500	83.311111	100.000000	100.000000	10.609643	10.609955	10.571302	-0.002948	0.362686	0.340155

Native/FP64 ind. Same bank on VAL/TEST/LIB. Raw predicted mean-gap ranking, no calibration.

SBS: R84 full81000 TRAIN. ALL: equal-problem macro; mixed raw costs descriptive.

vs_* use ratios of means; actual regret averages per-instance relative regrets.

R98 | TEST | ALL And Full18

Task	n	Top1 %	Top2 %	Top3 %	mean_cost	SBS cost	Oracle	vs_SBS %	vs_Oracle %	Actual regret %
ALL	81000	71.216049	90.272840	95.722222	11.373265	11.385299	11.329932	-0.202978	0.380106	0.386229
TSP	4500	46.111111	69.244444	84.466667	7.969327	7.989621	7.937593	-0.254011	0.399783	0.392775
CVRP	4500	48.022222	67.755556	77.666667	17.999160	18.124983	17.918509	-0.694197	0.450102	0.581560
ATSP	4500	77.688889	95.666667	98.711111	1.634959	1.674207	1.629441	-2.344286	0.338620	0.336843
OVRP	4500	40.266667	72.244444	91.888889	7.445255	7.455750	7.400487	-0.140761	0.604927	0.613092
VRPB	4500	80.400000	96.911111	100.000000	9.351294	9.351810	9.315298	-0.005514	0.386420	0.389834
VRPL	4500	37.422222	64.155556	81.288889	12.347781	12.356138	12.300958	-0.067634	0.380643	0.387112
VRPTW	4500	80.755556	98.688889	99.155556	18.691252	18.690545	18.637408	0.003780	0.288900	0.299563
OVRPTW	4500	83.888889	98.977778	99.444444	10.093168	10.093063	10.068135	0.001045	0.248637	0.239591
OVRPB	4500	88.133333	96.511111	100.000000	6.371035	6.370826	6.352225	0.003288	0.296112	0.303819
OVRPL	4500	41.288889	73.755556	91.644444	7.462453	7.472542	7.418033	-0.135011	0.598807	0.604881
VRPBL	4500	79.400000	96.688889	100.000000	9.396103	9.396379	9.355967	-0.002936	0.428990	0.432601
VRPBTW	4500	78.866667	99.822222	100.000000	19.665472	19.665725	19.577666	-0.001285	0.448504	0.444593
VRPLTW	4500	79.288889	98.600000	99.222222	18.802478	18.803136	18.745143	-0.003497	0.305870	0.319739
OVRPBL	4500	89.333333	96.911111	100.000000	6.375431	6.375741	6.359310	-0.004860	0.253503	0.263993
OVRPBTW	4500	84.844444	100.000000	100.000000	10.659524	10.659591	10.624748	-0.000635	0.327305	0.299216
OVRPLTW	4500	82.844444	99.111111	99.511111	10.085940	10.086112	10.059001	-0.001703	0.267812	0.268407
VRPBLTW	4500	79.733333	99.866667	100.000000	19.705960	19.707068	19.613284	-0.005623	0.472516	0.452579
OVRPBLTW	4500	83.600000	100.000000	100.000000	10.662174	10.662149	10.625574	0.000241	0.344459	0.321924

Native/FP64 ind. Same bank on VAL/TEST/LIB. Raw predicted mean-gap ranking, no calibration.

SBS: R84 full81000 TRAIN. ALL: equal-problem macro; mixed raw costs descriptive.

vs_* use ratios of means; actual regret averages per-instance relative regrets.

R98 | Native LIB Metrics

Dataset	n	Top1 %	Top2 %	Top3 %	mean_cost	SBS cost	Oracle	vs_SBS %	vs_Oracle %	Actual regret %
TSPLIB	49	24.489796	42.857143	65.306122	8.215202	8.240435	8.142167	-0.306213	0.896996	0.986103
CVRPLIB	100	56.000000	80.000000	89.000000	67.403215	67.245364	66.945093	0.234738	0.684324	0.598571

Same full18 bank; no per-dataset tuning; native/FP64 winner labels.

R98 | NSS Four-Dataset Historical Comparison

Dataset	Status	n	NSS Top1 %	R98 Top1 %	NSS cost	R98 cost
TSP TEST	complete	4500	45.888889	46.111111	7.970401	7.969327
CVRP TEST	complete	4500	45.977778	48.022222	18.004802	17.999160
TSPLIB	complete	49	20.408163	24.489796	8.217907	8.215202
CVRPLIB	complete	100	70.000000	56.000000	67.101112	67.403215

NSS saved R79 historical70114 TRAIN weights, not a new81000 retrain. Same current R98 bank for all four.

Rows/costs/winner labels align by instance/candidate; missing is explicit, incompatible evidence fails.

R98 | Full18 TEST vs R89B

Status	Corrected	Harmed	Net correct	Top1 delta pp	Cost delta	Regret delta pp
complete	1843	2008	-165	-0.203704	-0.000206	-0.003417

R89B is main; R84A secondary. Historical, not newly compute-matched controls.

Positive cost/regret delta is worse; ALL equal-problem macro. Fixed36: complete

R98 | Fixed36 TEST Recovery vs R89B

Task / Method	Winners	Rescued	Lost	Net	New false	Recall %	Regret delta pp
TSP/DIFUSCO	334	0	0	0	0	0.000000	-0.002097
TSP/DIFUSCO500	42	0	0	0	0	0.000000	0.001413
TSP/LEHD	762	0	4	-4	1	0.000000	0.002669
TSP/OMNI	28	0	0	0	0	0.000000	-0.000132
CVRP/RouteFinder	67	0	0	0	2	0.000000	-0.001404
ATSP/GLOP	11	0	0	0	0	0.000000	-0.002683
ATSP/MATPOENET	370	26	0	26	30	7.027027	-0.021463
OVRP/MTPOMO	44	0	0	0	0	0.000000	-0.000432
OVRP/MVMOE	24	0	0	0	0	0.000000	0.000358
OVRP/reld_mt	310	0	6	-6	0	0.000000	0.001203
VRPL/MTPOMO	149	0	0	0	0	0.000000	0.001224
VRPL/MVMOE	155	0	0	0	0	0.000000	-0.001443
VRPTW/MoSES_CaDA	42	1	1	0	0	2.380952	0.000162
VRPTW/MoSES_RF	5	0	0	0	0	0.000000	0.002330
VRPTW/RouteFinder	13	0	0	0	0	0.000000	0.000000
OVRPTW/MoSES_CaDA	26	0	1	-1	0	0.000000	0.002423
OVRPTW/MoSES_RF	6	0	0	0	0	0.000000	0.000000
OVRPTW/RouteFinder	10	0	0	0	0	0.000000	0.000000

Fixed36 R84A VAL targets, never redefined from current TEST picks.

CSV includes precision/total false/new-false regret; contributions normalized by whole task n.

R98 | Fixed36 TEST Recovery vs R89B

Task / Method	Winners	Rescued	Lost	Net	New false	Recall %	Regret delta pp
OVRPB/MTPOMO	256	0	6	-6	0	0.000000	0.013004
OVRPB/MVMOE	278	0	6	-6	0	0.000000	0.017817
OVRPL/MTPOMO	58	0	0	0	0	0.000000	-0.001103
OVRPL/MVMOE	34	0	0	0	0	0.000000	-0.000660
VRPBL/MTPOMO	229	0	2	-2	0	0.000000	0.018461
VRPBTW/MTPOMO	8	0	0	0	0	0.000000	0.000000
VRPLTW/MTPOMO	0	0	0	0	0	N/A	0.000000
VRPLTW/MoSES_CaDA	53	0	1	-1	0	1.886792	0.001001
VRPLTW/MoSES_RF	9	0	0	0	0	0.000000	0.000000
VRPLTW/RouteFinder	19	0	0	0	0	0.000000	0.000000
OVRPBL/MTPOMO	219	1	1	0	0	0.913242	-0.001144
OVRPBL/MVMOE	263	0	5	-5	0	0.000000	0.004660
OVRPBTW/MTPOMO	0	0	0	0	0	N/A	0.000000
OVRPLTW/MVMOE	725	0	7	-7	2	0.275862	0.007261
OVRPLTW/MoSES_CaDA	30	0	1	-1	0	0.000000	0.000388
OVRPLTW/MoSES_RF	5	0	0	0	0	0.000000	0.000000
OVRPLTW/RouteFinder	11	0	0	0	0	0.000000	0.000000
VRPBLTW/MTPOMO	3	0	0	0	0	0.000000	0.000000

Fixed36 R84A VAL targets, never redefined from current TEST picks.

CSV includes precision/total false/new-false regret; contributions normalized by whole task n.

R98 | Full18 TEST vs R84A

Status	Corrected	Harmed	Net correct	Top1 delta pp	Cost delta	Regret delta pp
complete	1879	1895	-16	-0.019753	-0.000578	-0.008618

R89B is main; R84A secondary. Historical, not newly compute-matched controls.

Positive cost/regret delta is worse; ALL equal-problem macro. Fixed36: complete

R98 | Fixed36 TEST Recovery vs R84A

Task / Method	Winners	Rescued	Lost	Net	New false	Recall %	Regret delta pp
TSP/DIFUSCO	334	0	0	0	0	0.000000	-0.000550
TSP/DIFUSCO500	42	0	0	0	0	0.000000	0.001719
TSP/LEHD	762	0	0	0	1	0.000000	0.000835
TSP/OMNI	28	0	0	0	0	0.000000	-0.000053
CVRP/RouteFinder	67	0	0	0	2	0.000000	-0.001467
ATSP/GLOP	11	0	0	0	0	0.000000	-0.002683
ATSP/MATPOENET	370	26	0	26	30	7.027027	-0.024489
OVRP/MTPOMO	44	0	0	0	0	0.000000	-0.000672
OVRP/MVMOE	24	0	0	0	0	0.000000	0.000446
OVRP/reld_mt	310	0	1	-1	0	0.000000	0.002131
VRPL/MTPOMO	149	0	0	0	0	0.000000	0.001162
VRPL/MVMOE	155	0	0	0	0	0.000000	-0.001521
VRPTW/MoSES_CaDA	42	1	1	0	0	2.380952	0.000162
VRPTW/MoSES_RF	5	0	0	0	0	0.000000	0.000000
VRPTW/RouteFinder	13	0	0	0	0	0.000000	0.000000
OVRPTW/MoSES_CaDA	26	0	0	0	0	0.000000	0.000000
OVRPTW/MoSES_RF	6	0	0	0	0	0.000000	0.000000
OVRPTW/RouteFinder	10	0	0	0	0	0.000000	0.000000

Fixed36 R84A VAL targets, never redefined from current TEST picks.

CSV includes precision/total false/new-false regret; contributions normalized by whole task n.

R98 | Fixed36 TEST Recovery vs R84A

Task / Method	Winners	Rescued	Lost	Net	New false	Recall %	Regret delta pp
OVRPB/MTPOMO	256	0	1	-1	0	0.000000	0.002484
OVRPB/MVMOE	278	0	1	-1	0	0.000000	0.003196
OVRPL/MTPOMO	58	0	0	0	0	0.000000	-0.000483
OVRPL/MVMOE	34	0	0	0	0	0.000000	-0.000947
VRPBL/MTPOMO	229	0	0	0	1	0.000000	0.003427
VRPBTW/MTPOMO	8	0	0	0	0	0.000000	0.000000
VRPLTW/MTPOMO	0	0	0	0	0	N/A	0.000000
VRPLTW/MoSES_CaDA	53	1	0	1	0	1.886792	-0.000981
VRPLTW/MoSES_RF	9	0	0	0	0	0.000000	0.000000
VRPLTW/RouteFinder	19	0	0	0	0	0.000000	0.000000
OVRPBL/MTPOMO	219	1	1	0	0	0.913242	0.000157
OVRPBL/MVMOE	263	0	2	-2	0	0.000000	0.002967
OVRPBTW/MTPOMO	0	0	0	0	0	N/A	0.000000
OVRPLTW/MVMOE	725	0	2	-2	2	0.275862	0.001901
OVRPLTW/MoSES_CaDA	30	0	1	-1	0	0.000000	0.000388
OVRPLTW/MoSES_RF	5	0	0	0	0	0.000000	0.000000
OVRPLTW/RouteFinder	11	0	0	0	0	0.000000	0.000000
VRPBLTW/MTPOMO	3	0	0	0	0	0.000000	0.000000

Fixed36 R84A VAL targets, never redefined from current TEST picks.

CSV includes precision/total false/new-false regret; contributions normalized by whole task n.

R98 | Sequential Full-Context Resource Cost

Task	TRAIN n	Methods	Fits	Mean calls	Load s	Fit s	Mean s	Outer call s	Recorded sum s
TSP	81000	8	24	24	0.369481	35.540829	84.198474	127.668336	129.488298
CVRP	81000	10	30	30	0.382090	46.871031	109.951864	164.475506	165.632772
ATSP	81000	5	10	10	0.170389	9.179183	26.701306	38.434846	38.855994
OVRP	81000	6	12	12	0.259261	18.586351	44.116380	65.921671	66.435961
VRPB	81000	3	6	6	0.248123	9.530732	22.106666	33.266773	33.760708
VRPL	81000	6	12	12	0.262746	18.765917	45.012393	66.984852	67.491423
VRPTW	81000	6	12	12	0.307765	21.575431	50.707709	75.572772	76.128923
OVRPTW	81000	6	12	12	0.307844	21.423773	51.012206	75.717615	76.273133
OVRPB	81000	3	6	6	0.248875	9.292781	22.106583	32.937861	33.428302
OVRPL	81000	6	12	12	0.266735	18.672276	45.455494	67.267264	67.777561
VRPBL	81000	3	6	6	0.249753	9.419437	22.314176	33.263566	33.760722
VRPBTW	81000	3	6	6	0.295495	11.102664	25.250990	38.037859	38.579309
VRPLTW	81000	6	12	12	0.310062	21.867004	51.764349	76.919367	77.473698
OVRPBL	81000	3	6	6	0.254850	9.385924	22.334787	33.269095	33.769809
OVRPBTW	81000	3	6	6	0.294491	10.919575	25.249392	37.821027	38.366258
OVRPLTW	81000	6	12	12	0.310108	21.598655	51.303330	76.184505	76.739241
VRPBLTW	81000	3	6	6	0.297211	10.864159	25.526396	38.040969	38.579768
OVRPBLTW	81000	3	6	6	0.298897	11.467349	25.423198	38.628220	39.171726


Fit/mean breakdowns are nested in outer calls: do NOT add them twice. Exact constants alone skip fitting.


Recorded sum = context/target load + cached or native query inputs + all sequential fits/mean calls.

VAL/TEST exclude fresh statistics/cache build; LIB includes native loading/geometry/statistics. Not end-to-end.

R98 | TSP | Frozen Expected-Cost Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 8b96a234b1b0a97f36128317c1c00b62daeffec8b2153f6a8033763e4ca95df4







Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; argmin RAW predicted mean gap, global-ID ties; LIB original native data.

Formal exp(-gap/0.01) is descriptive only, not calibrated. No report-time inference or reselection.

R98 | CVRP | Frozen Expected-Cost Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 8b96a234b1b0a97f36128317c1c00b62daeffec8b2153f6a8033763e4ca95df4






Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; argmin RAW predicted mean gap, global-ID ties; LIB original native data.

Formal exp(-gap/0.01) is descriptive only, not calibrated. No report-time inference or reselection.

R98 | ATSP | Frozen Expected-Cost Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 8b96a234b1b0a97f36128317c1c00b62daeffec8b2153f6a8033763e4ca95df4




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; argmin RAW predicted mean gap, global-ID ties; LIB original native data.

Formal exp(-gap/0.01) is descriptive only, not calibrated. No report-time inference or reselection.

R98 | OVRP | Frozen Expected-Cost Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 8b96a234b1b0a97f36128317c1c00b62daeffec8b2153f6a8033763e4ca95df4




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; argmin RAW predicted mean gap, global-ID ties; LIB original native data.

Formal exp(-gap/0.01) is descriptive only, not calibrated. No report-time inference or reselection.

R98 | VRPB | Frozen Expected-Cost Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 8b96a234b1b0a97f36128317c1c1c00b62daeffec8b2153f6a8033763e4ca95df4




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; argmin RAW predicted mean gap, global-ID ties; LIB original native data.

Formal exp(-gap/0.01) is descriptive only, not calibrated. No report-time inference or reselection.

R98 | VRPL | Frozen Expected-Cost Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 8b96a234b1b0a97f36128317c1c00b62daeffec8b2153f6a8033763e4ca95df4




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; argmin RAW predicted mean gap, global-ID ties; LIB original native data.

Formal exp(-gap/0.01) is descriptive only, not calibrated. No report-time inference or reselection.

R98 | VRPTW | Frozen Expected-Cost Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 8b96a234b1b0a97f36128317c1c00b62daeffec8b2153f6a8033763e4ca95df4




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; argmin RAW predicted mean gap, global-ID ties; LIB original native data.

Formal exp(-gap/0.01) is descriptive only, not calibrated. No report-time inference or reselection.

R98 | OVRPTW | Frozen Expected-Cost Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 8b96a234b1b0a97f36128317c1c1c00b62daeffec8b2153f6a8033763e4ca95df4




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; argmin RAW predicted mean gap, global-ID ties; LIB original native data.

Formal exp(-gap/0.01) is descriptive only, not calibrated. No report-time inference or reselection.

R98 | OVRPB | Frozen Expected-Cost Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 8b96a234b1b0a97f36128317c1c00b62daeffec8b2153f6a8033763e4ca95df4




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; argmin RAW predicted mean gap, global-ID ties; LIB original native data.

Formal exp(-gap/0.01) is descriptive only, not calibrated. No report-time inference or reselection.

R98 | OVRPL | Frozen Expected-Cost Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 8b96a234b1b0a97f36128317c1c00b62daeffec8b2153f6a8033763e4ca95df4




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; argmin RAW predicted mean gap, global-ID ties; LIB original native data.

Formal exp(-gap/0.01) is descriptive only, not calibrated. No report-time inference or reselection.

R98 | VRPBL | Frozen Expected-Cost Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 8b96a234b1b0a97f36128317c1c1c00b62daeffec8b2153f6a8033763e4ca95df4




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; argmin RAW predicted mean gap, global-ID ties; LIB original native data.

Formal exp(-gap/0.01) is descriptive only, not calibrated. No report-time inference or reselection.

R98 | VRPBTW | Frozen Expected-Cost Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 8b96a234b1b0a97f36128317c1c00b62daeffec8b2153f6a8033763e4ca95df4




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; argmin RAW predicted mean gap, global-ID ties; LIB original native data.

Formal exp(-gap/0.01) is descriptive only, not calibrated. No report-time inference or reselection.

R98 | VRPLTW | Frozen Expected-Cost Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 8b96a234b1b0a97f36128317c1c00b62daeffec8b2153f6a8033763e4ca95df4




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; argmin RAW predicted mean gap, global-ID ties; LIB original native data.

Formal exp(-gap/0.01) is descriptive only, not calibrated. No report-time inference or reselection.

R98 | OVRPBL | Frozen Expected-Cost Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 8b96a234b1b0a97f36128317c1c00b62daeffec8b2153f6a8033763e4ca95df4




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; argmin RAW predicted mean gap, global-ID ties; LIB original native data.

Formal exp(-gap/0.01) is descriptive only, not calibrated. No report-time inference or reselection.

R98 | OVRPBTW | Frozen Expected-Cost Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 8b96a234b1b0a97f36128317c1c1c00b62daeffec8b2153f6a8033763e4ca95df4




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; argmin RAW predicted mean gap, global-ID ties; LIB original native data.

Formal exp(-gap/0.01) is descriptive only, not calibrated. No report-time inference or reselection.

R98 | OVRPLTW | Frozen Expected-Cost Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 8b96a234b1b0a97f36128317c1c1c00b62daeffec8b2153f6a8033763e4ca95df4




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; argmin RAW predicted mean gap, global-ID ties; LIB original native data.

Formal exp(-gap/0.01) is descriptive only, not calibrated. No report-time inference or reselection.

R98 | VRPBLTW | Frozen Expected-Cost Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 8b96a234b1b0a97f36128317c1c1c00b62daeffec8b2153f6a8033763e4ca95df4




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; argmin RAW predicted mean gap, global-ID ties; LIB original native data.

Formal exp(-gap/0.01) is descriptive only, not calibrated. No report-time inference or reselection.

R98 | OVRPBLTW | Frozen Expected-Cost Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 8b96a234b1b0a97f36128317c1c1c00b62daeffec8b2153f6a8033763e4ca95df4



Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; argmin RAW predicted mean gap, global-ID ties; LIB original native data.

Formal exp(-gap/0.01) is descriptive only, not calibrated. No report-time inference or reselection.