R120 阶段结果 | 最新完整 validation: update 5,760


问题	例数	模型Top1(%)	固定SBS Top1(%)	差值(pp)	选择方法数	模型目标	SBS目标	Oracle目标
MIS	1000	73.70000	73.70000	0.00000	1	74.16500	74.16500	75.20000
JSSP	1000	58.80000	58.80000	0.00000	1	1665.87600	1665.87600	1643.77500
FJSP	1000	29.90000	14.80000	15.10000	1	384.03600	375.32400	355.99000
BPP	1000	98.10000	98.10000	0.00000	1	104.47600	104.47600	104.45700
MKP	1350	93.55600	93.55600	0.00000	1	119673.56700	119673.56700	119701.34700
SMTWTP	3750	91.06700	91.06700	0.00000	1	105745.63800	105745.63800	105565.35800

不是最终选定模型，也不是 TEST 成绩。新六题 Top1=选择任一原生 exact-best；SBS 只由 TRAIN 的平均目标选定。
MIS/MKP 目标越大越好，其余越小越好；不同任务的原生目标不能求混合平均。
状态采样: 2026-10-29T13:05:19.540692+00:00; 训练更新: 5,784; 若跑满预算预计剩余 5.71 小时，早停可能提前；另预留 10–20 分钟完成 TEST/LIB/PDF。


已完成的完整验证；当前最好不等于最终锁定

更新	原18题 native Top1	新增6题 any-best Top1	全部24题 any-best Top1
1440	66.98272	74.18704	68.92454
2880	68.44198	74.18704	70.01343
4320	68.12346	74.18704	69.75509
5760	68.87407	74.18704	70.31713


按预先固定规则，当前最好为 update 5,760；训练仍在继续，未锁定最终 TEST。
新增六题中 6 题固定选择一个部署，其中 5 题等于 TRAIN-SBS。
FJSP 固定选择另一个 DAN 权重，Top1 更高但平均 makespan 更差，不能解释为实例选择收益。




Data: routing_new90k_nonrouting_v2_supplement_20261029
Top1: any native exact best; display: first exact best in fixed candidate order; not a unique label; ties=226




Data: routing_new90k_nonrouting_v2_supplement_20261029
Top1: any native exact best; display: first exact best in fixed candidate order; not a unique label; ties=27




Data: routing_new90k_nonrouting_v2_supplement_20261029
Top1: any native exact best; display: first exact best in fixed candidate order; not a unique label; ties=76




Data: routing_new90k_nonrouting_v2_supplement_20261029
Top1: any native exact best; display: first exact best in fixed candidate order; not a unique label; ties=123



Data: routing_new90k_nonrouting_v2_supplement_20261029
Top1: any native exact best; display: first exact best in fixed candidate order; not a unique label; ties=4



Data: routing_new90k_nonrouting_v2_supplement_20261029
Top1: any native exact best; display: first exact best in fixed candidate order; not a unique label; ties=505


R120 已完成 validation；不读取 TEST 预测，不重新选型
Validation Top1 (%)
74
73
72
71
70
69
68
67
2000
3000
4000
5000
成功更新次数
ROUTING18 / native
NONROUTING6 / any-best
ALL24 / any-best
固定 TRAIN 尺度的超额损失
0.016
0.014
0.012
0.010
0.008
0.006
2000
3000
4000
5000
成功更新次数
ROUTING18 / native
NONROUTING6 / any-best
ALL24 / any-best