R105/B_input_gate | Dense experts and actual latency

Complete standalone model; synchronized GPU-resident inputs; no sparse-compute claim.

Problem	Instances	Milliseconds / instance
TSP	128	0.461242
CVRP	128	0.543400
ATSP	128	0.097747
OVRP	128	0.095546
VRPB	128	0.095764
VRPL	128	0.095605
VRPTW	128	0.095848
OVRPTW	128	0.095306
OVRPB	128	0.095290
OVRPL	128	0.095734
VRPBL	128	0.096952
VRPBTW	128	0.097419
VRPLTW	128	0.096130
OVRPBL	128	0.095196
OVRPBTW	128	0.097245
OVRPLTW	128	0.097002
VRPBLTW	128	0.096482
OVRPBLTW	128	0.095697

Total parameters: 3,425,561; inactive gate feature W: 0

R105 replaces only the four instance FFNs with four dense FF experts per layer. A learns input-independent bias-softmax mixing through zero router inputs; it is not fixed uniform after initialization. B routes from current post-attention node representations. Both start with exactly the same complete fresh tensors and uniform gates, and both compute all four experts. Each has3,425,561 total parameters; A has2,048 intentionally inactive zero-gradient router feature weights, so active functional freedom is not matched. No sparse-compute or equal-FLOPs claim. Original R88B physical TSP node0 role, methodID+34, geometry/distance, score MLP/maximin and original CE/comparison/risk/two-forward R-Drop remain. No teacher, source vectors, context labels, new targets, routing calibration, quota or auxiliary loss. R89A AdamW, R89B Muon and R84A are saved historical references, not rerun or newly parameter/FLOP-matched controls. Fixed36 rescues, losses, false picks and aligned net costs are separate from choice frequency. Native/FP64 ind and legal pools; TRAIN-fitted SBS; ALL task-equal. TEST is development-exposed; one whole-model full18 VAL checkpoint; no TEST/LIB reselection. First128 VAL/task routing is input-only post-lock descriptive evidence, not efficacy or proof against coarse shortcuts. Actual standalone GPU-resident input timing excludes dataset I/O, CPU transfer and solvers. No online W&B equality/availability is asserted.

R105/B_input_gate | Same selected model: full TRAIN

Diagnostic only; TRAIN was never used to select the checkpoint; full TRAIN-fitted SBS.

Problem	Top1 (%)	SBS Top1 (%)	mean_cost	SBS cost	Oracle cost	vs_SBS (%)	vs_Oracle (%)	actual regret (%)
ALL	71.4150	66.0332	11.388512	11.400702	11.345073	-0.2027	+0.3822	0.3898
TSP	46.1852	32.8617	8.003578	8.023959	7.970215	-0.2540	+0.4186	0.4135
CVRP	47.7654	18.1284	18.036322	18.151987	17.946816	-0.6372	+0.4987	0.6487
ATSP	76.7617	46.9210	1.640099	1.678679	1.633938	-2.2982	+0.3771	0.3800
OVRP	41.7012	34.2420	7.443383	7.453531	7.397676	-0.1361	+0.6179	0.6302
VRPB	80.7049	80.2765	9.355205	9.357264	9.319342	-0.0220	+0.3848	0.3919
VRPL	38.0975	31.5309	12.392630	12.400882	12.344503	-0.0665	+0.3899	0.3964
VRPTW	80.4272	80.2407	18.812275	18.813703	18.757954	-0.0076	+0.2896	0.3030
OVRPTW	83.9321	83.8025	10.117784	10.118640	10.093220	-0.0085	+0.2434	0.2377
OVRPB	88.4284	88.3580	6.362849	6.363230	6.346658	-0.0060	+0.2551	0.2624
OVRPL	42.3259	34.4716	7.443777	7.453219	7.398483	-0.1267	+0.6122	0.6228
VRPBL	79.9086	79.4593	9.401186	9.403115	9.363196	-0.0205	+0.4057	0.4073
VRPBTW	79.6864	79.4914	19.730548	19.733549	19.642712	-0.0152	+0.4472	0.4319
VRPLTW	80.5457	80.3827	18.768175	18.769959	18.714366	-0.0095	+0.2875	0.3016
OVRPBL	88.5926	88.5556	6.358749	6.358857	6.342513	-0.0017	+0.2560	0.2637
OVRPBTW	83.3457	83.2432	10.623448	10.624446	10.586225	-0.0094	+0.3516	0.3262
OVRPLTW	83.8296	83.7321	10.110705	10.111265	10.085768	-0.0055	+0.2472	0.2434
VRPBLTW	79.7889	79.5630	19.767965	19.770814	19.680364	-0.0144	+0.4451	0.4280
OVRPBLTW	83.4420	83.3370	10.624541	10.625544	10.587365	-0.0094	+0.3511	0.3270

ALL task-equal; ratios of mean costs differ from per-instance actual regret.

R105/B_input_gate | Fixed target36 vs R89A

True rescues/losses, false picks and aligned net cost; fixed targets, no reselection.

Split	Winners	Rescued	Lost	New false	Net cost delta
TRAIN	83279	231	112	203	-0.000600464
VAL	4625	13	3	18	-0.000291899
TEST	4598	7	3	14	-0.000168001

Split	Top1 delta pp	Corrected	Harmed	Cost delta	Regret delta pp
TRAIN	0.170439	22156	19671	-0.000600464	-0.004955
VAL	0.035802	1158	1129	-0.000291899	-0.003039
TEST	0.107407	1191	1104	-0.000168001	-0.001264

Historical only, not retrained/matched; R89A AdamW, R89B Muon, R84A AdamW.

R105/B_input_gate | Fixed target36 vs R89B

True rescues/losses, false picks and aligned net cost; fixed targets, no reselection.

Split	Winners	Rescued	Lost	New false	Net cost delta
TRAIN	83279	77	651	138	0.000435862
VAL	4625	4	31	12	0.000246081
TEST	4598	4	29	10	0.000147034

Split	Top1 delta pp	Corrected	Harmed	Cost delta	Regret delta pp
TRAIN	-0.276200	20546	24573	0.000435862	0.006112
VAL	-0.161728	1165	1296	0.000246081	0.001966
TEST	-0.080247	1231	1296	0.000147034	0.003326

Historical only, not retrained/matched; R89A AdamW, R89B Muon, R84A AdamW.

R105/B_input_gate | Fixed target36 vs R84A

True rescues/losses, false picks and aligned net cost; fixed targets, no reselection.

Split	Winners	Rescued	Lost	New false	Net cost delta
TRAIN	83279	232	79	197	-0.000648121
VAL	4625	15	1	18	-0.000071113
TEST	4598	10	3	17	-0.000225558

Split	Top1 delta pp	Corrected	Harmed	Cost delta	Regret delta pp
TRAIN	0.171056	21297	18803	-0.000648121	-0.005452
VAL	0.001235	1123	1122	-0.000071113	-0.000852
TEST	0.103704	1166	1082	-0.000225558	-0.001875

Historical only, not retrained/matched; R89A AdamW, R89B Muon, R84A AdamW.

R105/B_input_gate | Input-only routing: TSP

First128 VAL after lock; entropy of graph-mean mixture, not mean node entropy.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
51	1	0	0.2241/0.3717/0.2668/0.1374	1.32825	0/1/0/0	n=1: unavailable
59	1	0	0.1916/0.3552/0.3155/0.1377	1.32122	0/1/0/0	n=1: unavailable
70	2	0	0.2016/0.3269/0.3296/0.1419	1.33035	0/1/1/0	0.032834
71	1	0	0.2191/0.3303/0.3080/0.1426	1.33902	0/1/0/0	n=1: unavailable
76	2	0	0.2209/0.3253/0.2968/0.1569	1.34886	0/1/1/0	0.04495
77	1	0	0.2356/0.3126/0.3016/0.1502	1.35033	0/1/0/0	n=1: unavailable
78	1	0	0.2374/0.3392/0.2627/0.1607	1.35307	0/1/0/0	n=1: unavailable
82	1	0	0.2141/0.2926/0.3382/0.1550	1.34526	0/0/1/0	n=1: unavailable
83	2	0	0.2276/0.3187/0.2915/0.1622	1.35387	0/1/1/0	0.0487
84	1	0	0.2187/0.3015/0.3345/0.1453	1.34051	0/0/1/0	n=1: unavailable
86	1	0	0.1636/0.3511/0.3206/0.1648	1.32545	0/1/0/0	n=1: unavailable
88	2	0	0.2082/0.3278/0.3023/0.1616	1.34807	0/2/0/0	0.026481
97	1	0	0.2314/0.3047/0.2749/0.1890	1.37066	0/1/0/0	n=1: unavailable
99	1	0	0.2374/0.3135/0.2652/0.1839	1.36843	0/1/0/0	n=1: unavailable
101	1	0	0.1957/0.3268/0.3014/0.1761	1.35200	0/1/0/0	n=1: unavailable
105	1	0	0.2238/0.2711/0.3405/0.1646	1.35269	0/0/1/0	n=1: unavailable
108	1	0	0.2154/0.2860/0.3224/0.1762	1.35956	0/0/1/0	n=1: unavailable
115	1	0	0.2332/0.2639/0.3229/0.1799	1.36472	0/0/1/0	n=1: unavailable
117	1	0	0.1861/0.2784/0.3812/0.1543	1.32496	0/0/1/0	n=1: unavailable
118	1	0	0.1723/0.2910/0.3781/0.1586	1.32198	0/0/1/0	n=1: unavailable
119	1	0	0.2020/0.2966/0.3216/0.1798	1.35695	0/0/1/0	n=1: unavailable
124	1	0	0.1825/0.2848/0.3738/0.1589	1.32825	0/0/1/0	n=1: unavailable
128	1	0	0.1581/0.2872/0.3845/0.1701	1.31880	0/0/1/0	n=1: unavailable
129	1	0	0.2434/0.2501/0.3265/0.1799	1.36465	0/0/1/0	n=1: unavailable
135	1	0	0.2176/0.2910/0.3210/0.1704	1.35740	0/0/1/0	n=1: unavailable
137	2	0	0.1894/0.3013/0.3355/0.1738	1.34377	0/0/2/0	0.060956
138	2	0	0.2033/0.2680/0.3522/0.1766	1.34772	0/0/2/0	0.057456
141	1	0	0.2140/0.2775/0.3241/0.1844	1.36260	0/0/1/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: TSP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
144	1	0	0.2021/0.2410/0.3787/0.1782	1.34117	0/0/1/0	n=1: unavailable
145	1	0	0.1964/0.2461/0.3850/0.1725	1.33534	0/0/1/0	n=1: unavailable
152	1	0	0.1811/0.2649/0.3674/0.1865	1.34245	0/0/1/0	n=1: unavailable
158	1	0	0.2219/0.2627/0.3248/0.1906	1.36643	0/0/1/0	n=1: unavailable
159	1	0	0.1948/0.2828/0.3405/0.1820	1.35271	0/0/1/0	n=1: unavailable
161	1	0	0.1629/0.2746/0.3966/0.1659	1.31529	0/0/1/0	n=1: unavailable
168	1	0	0.2783/0.2062/0.3159/0.1996	1.36718	0/0/1/0	n=1: unavailable
169	1	0	0.2265/0.2585/0.3305/0.1845	1.36379	0/0/1/0	n=1: unavailable
178	1	0	0.2443/0.2252/0.3328/0.1976	1.36663	0/0/1/0	n=1: unavailable
182	1	0	0.2036/0.2494/0.3575/0.1895	1.35332	0/0/1/0	n=1: unavailable
183	1	0	0.2091/0.2317/0.3647/0.1945	1.35237	0/0/1/0	n=1: unavailable
184	2	0	0.2187/0.2281/0.3536/0.1996	1.35833	0/0/2/0	0.028633
186	1	0	0.1806/0.2428/0.3895/0.1871	1.33364	0/0/1/0	n=1: unavailable
195	1	0	0.2257/0.2400/0.3351/0.1992	1.36626	0/0/1/0	n=1: unavailable
196	1	0	0.2090/0.2559/0.3309/0.2041	1.36629	0/0/1/0	n=1: unavailable
199	1	0	0.1488/0.2013/0.4867/0.1633	1.25248	0/0/1/0	n=1: unavailable
201	1	0	0.2264/0.2114/0.3678/0.1944	1.35109	0/0/1/0	n=1: unavailable
204	1	0	0.1901/0.2650/0.3576/0.1872	1.34897	0/0/1/0	n=1: unavailable
212	1	0	0.2198/0.2337/0.3522/0.1942	1.35857	0/0/1/0	n=1: unavailable
214	1	0	0.1917/0.2524/0.3408/0.2152	1.36155	0/0/1/0	n=1: unavailable
216	1	0	0.2145/0.2486/0.3338/0.2030	1.36623	0/0/1/0	n=1: unavailable
221	1	0	0.1768/0.2452/0.3956/0.1824	1.32823	0/0/1/0	n=1: unavailable
224	1	0	0.1953/0.2600/0.3502/0.1945	1.35512	0/0/1/0	n=1: unavailable
228	2	0	0.1939/0.2359/0.3843/0.1859	1.33748	0/0/2/0	0.042982
231	1	0	0.2235/0.2479/0.3243/0.2043	1.37029	0/0/1/0	n=1: unavailable
251	1	0	0.1851/0.2238/0.4008/0.1903	1.32942	0/0/1/0	n=1: unavailable
252	2	0	0.2214/0.2295/0.3432/0.2059	1.36305	0/0/2/0	0.033274
253	1	0	0.1593/0.2449/0.4137/0.1821	1.31248	0/0/1/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: TSP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
260	2	0	0.1538/0.2443/0.4166/0.1853	1.30938	0/0/2/0	0.0044281
263	1	0	0.2333/0.2298/0.3228/0.2141	1.37249	0/0/1/0	n=1: unavailable
265	2	0	0.2214/0.2060/0.3560/0.2166	1.35826	0/0/2/0	0.0037635
267	1	0	0.1795/0.2285/0.4013/0.1907	1.32805	0/0/1/0	n=1: unavailable
268	1	0	0.2144/0.2325/0.3496/0.2034	1.36074	0/0/1/0	n=1: unavailable
269	1	0	0.1745/0.2477/0.3891/0.1887	1.33229	0/0/1/0	n=1: unavailable
276	1	0	0.2065/0.2307/0.3678/0.1949	1.35072	0/0/1/0	n=1: unavailable
284	1	0	0.2187/0.2263/0.3402/0.2148	1.36588	0/0/1/0	n=1: unavailable
286	1	0	0.1907/0.2341/0.3650/0.2102	1.35164	0/0/1/0	n=1: unavailable
291	1	0	0.2098/0.2156/0.3746/0.2000	1.34814	0/0/1/0	n=1: unavailable
292	1	0	0.2482/0.2092/0.3271/0.2155	1.36945	0/0/1/0	n=1: unavailable
294	1	0	0.2249/0.2139/0.3500/0.2112	1.36129	0/0/1/0	n=1: unavailable
295	1	0	0.1932/0.2222/0.3811/0.2035	1.34350	0/0/1/0	n=1: unavailable
296	1	0	0.2379/0.2174/0.3516/0.1931	1.35841	0/0/1/0	n=1: unavailable
303	2	0	0.2071/0.2229/0.3613/0.2087	1.35472	0/0/2/0	0.025376
306	2	0	0.2345/0.2203/0.3371/0.2082	1.36536	0/0/2/0	0.034976
307	1	0	0.1872/0.2406/0.3713/0.2009	1.34672	0/0/1/0	n=1: unavailable
315	1	0	0.1971/0.1984/0.4054/0.1990	1.32835	0/0/1/0	n=1: unavailable
318	1	0	0.2023/0.2127/0.3687/0.2162	1.35155	0/0/1/0	n=1: unavailable
321	1	0	0.2145/0.2197/0.3442/0.2217	1.36420	0/0/1/0	n=1: unavailable
327	1	0	0.2102/0.2101/0.3833/0.1965	1.34289	0/0/1/0	n=1: unavailable
329	1	0	0.2104/0.2013/0.3707/0.2176	1.35037	0/0/1/0	n=1: unavailable
331	1	0	0.2302/0.1983/0.3586/0.2129	1.35608	0/0/1/0	n=1: unavailable
332	1	0	0.1624/0.2175/0.4360/0.1841	1.30045	0/0/1/0	n=1: unavailable
339	2	0	0.2227/0.2057/0.3739/0.1976	1.34790	0/0/2/0	0.0088174
346	2	0	0.2050/0.1962/0.3929/0.2059	1.33655	0/0/2/0	0.017449
357	1	0	0.2159/0.1947/0.3680/0.2213	1.35123	0/0/1/0	n=1: unavailable
359	1	0	0.1845/0.2168/0.4025/0.1961	1.32907	0/0/1/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: TSP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
366	1	0	0.2150/0.1975/0.3616/0.2259	1.35473	0/0/1/0	n=1: unavailable
367	1	0	0.2084/0.2004/0.3630/0.2282	1.35398	0/0/1/0	n=1: unavailable
368	1	0	0.2320/0.2142/0.3336/0.2203	1.36847	0/0/1/0	n=1: unavailable
372	1	0	0.1895/0.1960/0.4204/0.1941	1.31708	0/0/1/0	n=1: unavailable
373	1	0	0.1812/0.1951/0.4139/0.2099	1.32113	0/0/1/0	n=1: unavailable
374	2	0	0.1802/0.2136/0.4045/0.2017	1.32355	0/0/2/0	0.073351
375	1	0	0.1939/0.2115/0.3918/0.2028	1.33732	0/0/1/0	n=1: unavailable
376	1	0	0.2255/0.2045/0.3713/0.1987	1.34938	0/0/1/0	n=1: unavailable
380	2	0	0.1850/0.1954/0.4283/0.1913	1.31053	0/0/2/0	0.01329
381	1	0	0.1746/0.1938/0.4458/0.1858	1.29557	0/0/1/0	n=1: unavailable
390	1	0	0.2107/0.2101/0.3761/0.2030	1.34746	0/0/1/0	n=1: unavailable
394	1	0	0.2180/0.1902/0.3665/0.2253	1.35139	0/0/1/0	n=1: unavailable
395	2	0	0.2057/0.2238/0.3634/0.2071	1.35375	0/0/2/0	0.028921
396	2	0	0.2038/0.1965/0.3929/0.2068	1.33419	0/0/2/0	0.044483
398	2	0	0.1920/0.2108/0.3963/0.2008	1.33303	0/0/2/0	0.035031
400	1	0	0.1765/0.2417/0.3745/0.2072	1.34336	0/0/1/0	n=1: unavailable
402	1	0	0.2013/0.2117/0.3754/0.2115	1.34778	0/0/1/0	n=1: unavailable
418	1	0	0.2230/0.1965/0.3852/0.1953	1.34082	0/0/1/0	n=1: unavailable
421	1	0	0.1812/0.2250/0.4017/0.1921	1.32840	0/0/1/0	n=1: unavailable
428	1	0	0.1943/0.2013/0.3980/0.2063	1.33335	0/0/1/0	n=1: unavailable
435	2	0	0.1903/0.2172/0.3773/0.2153	1.34573	0/0/2/0	0.0045792
436	1	0	0.2084/0.2231/0.3704/0.1981	1.35010	0/0/1/0	n=1: unavailable
438	1	0	0.1914/0.2048/0.3966/0.2072	1.33416	0/0/1/0	n=1: unavailable
51	1	1	0.5110/0.0584/0.0150/0.4157	0.93676	1/0/0/0	n=1: unavailable
59	1	1	0.3502/0.0600/0.0138/0.5760	0.91313	0/0/0/1	n=1: unavailable
70	2	1	0.3594/0.0713/0.0178/0.5515	0.94788	0/0/0/2	0.086817
71	1	1	0.3152/0.1008/0.0178/0.5662	0.98897	0/0/0/1	n=1: unavailable
76	2	1	0.4018/0.0909/0.0261/0.4812	1.02639	0/0/0/2	0.09403

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: TSP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
77	1	1	0.3783/0.1360/0.0223/0.4634	1.08018	0/0/0/1	n=1: unavailable
78	1	1	0.3790/0.1352/0.0276/0.4582	1.09506	0/0/0/1	n=1: unavailable
82	1	1	0.2452/0.1248/0.0330/0.5970	1.02499	0/0/0/1	n=1: unavailable
83	2	1	0.4185/0.0955/0.0349/0.4511	1.03020	1/0/0/1	0.24275
84	1	1	0.2973/0.1264/0.0191/0.5572	1.02342	0/0/0/1	n=1: unavailable
86	1	1	0.5203/0.0400/0.0260/0.4137	0.92873	1/0/0/0	n=1: unavailable
88	2	1	0.3902/0.0819/0.0251/0.5028	0.99052	1/0/0/1	0.19128
97	1	1	0.4344/0.1260/0.0474/0.3922	1.13489	1/0/0/0	n=1: unavailable
99	1	1	0.5149/0.1180/0.0314/0.3358	1.06903	1/0/0/0	n=1: unavailable
101	1	1	0.5453/0.0436/0.0299/0.3813	0.93971	1/0/0/0	n=1: unavailable
105	1	1	0.2423/0.1913/0.0292/0.5372	1.09678	0/0/0/1	n=1: unavailable
108	1	1	0.3871/0.1451/0.0930/0.3748	1.23617	1/0/0/0	n=1: unavailable
115	1	1	0.2551/0.1720/0.0466/0.5262	1.13205	0/0/0/1	n=1: unavailable
117	1	1	0.1925/0.1237/0.0301/0.6537	0.95906	0/0/0/1	n=1: unavailable
118	1	1	0.2502/0.0893/0.0277/0.6329	0.95121	0/0/0/1	n=1: unavailable
119	1	1	0.3634/0.1337/0.0454/0.4575	1.13506	0/0/0/1	n=1: unavailable
124	1	1	0.2401/0.1037/0.0320/0.6243	0.98185	0/0/0/1	n=1: unavailable
128	1	1	0.3181/0.0664/0.0341/0.5814	0.97485	0/0/0/1	n=1: unavailable
129	1	1	0.2064/0.2332/0.0607/0.4998	1.18182	0/0/0/1	n=1: unavailable
135	1	1	0.3224/0.1479/0.0789/0.4508	1.20723	0/0/0/1	n=1: unavailable
137	2	1	0.4307/0.1030/0.0520/0.4142	1.10717	2/0/0/0	0.074878
138	2	1	0.2597/0.1643/0.0469/0.5291	1.08619	0/0/0/2	0.22656
141	1	1	0.3936/0.1158/0.0694/0.4211	1.16613	0/0/0/1	n=1: unavailable
144	1	1	0.1970/0.1531/0.0567/0.5933	1.07971	0/0/0/1	n=1: unavailable
145	1	1	0.1667/0.1805/0.0480/0.6048	1.05761	0/0/0/1	n=1: unavailable
152	1	1	0.3700/0.0855/0.0792/0.4653	1.13491	0/0/0/1	n=1: unavailable
158	1	1	0.3038/0.1932/0.0598/0.4432	1.20861	0/0/0/1	n=1: unavailable
159	1	1	0.3312/0.1164/0.0562/0.4962	1.12583	0/0/0/1	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: TSP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
161	1	1	0.2773/0.1107/0.0595/0.5526	1.09493	0/0/0/1	n=1: unavailable
168	1	1	0.2170/0.2323/0.1884/0.3623	1.35294	0/0/0/1	n=1: unavailable
169	1	1	0.2728/0.2316/0.0785/0.4171	1.25759	0/0/0/1	n=1: unavailable
178	1	1	0.1898/0.2661/0.1148/0.4292	1.27924	0/0/0/1	n=1: unavailable
182	1	1	0.2540/0.2159/0.0702/0.4598	1.22287	0/0/0/1	n=1: unavailable
183	1	1	0.1977/0.2198/0.0947/0.4879	1.22676	0/0/0/1	n=1: unavailable
184	2	1	0.1916/0.2556/0.0957/0.4571	1.24414	0/0/0/2	0.073093
186	1	1	0.2247/0.1373/0.0812/0.5567	1.13813	0/0/0/1	n=1: unavailable
195	1	1	0.3017/0.2124/0.1462/0.3398	1.33845	0/0/0/1	n=1: unavailable
196	1	1	0.3568/0.1213/0.1081/0.4138	1.22927	0/0/0/1	n=1: unavailable
199	1	1	0.0676/0.1760/0.0772/0.6793	0.94820	0/0/0/1	n=1: unavailable
201	1	1	0.1300/0.3078/0.1119/0.4504	1.23215	0/0/0/1	n=1: unavailable
204	1	1	0.3017/0.1277/0.0795/0.4911	1.17491	0/0/0/1	n=1: unavailable
212	1	1	0.2163/0.2144/0.1296/0.4398	1.28735	0/0/0/1	n=1: unavailable
214	1	1	0.4928/0.0996/0.1021/0.3055	1.17371	1/0/0/0	n=1: unavailable
216	1	1	0.3305/0.1435/0.1445/0.3815	1.29164	0/0/0/1	n=1: unavailable
221	1	1	0.2420/0.1515/0.0862/0.5203	1.18054	0/0/0/1	n=1: unavailable
224	1	1	0.3750/0.1205/0.1467/0.3577	1.27220	1/0/0/0	n=1: unavailable
228	2	1	0.2512/0.1500/0.1486/0.4502	1.26553	0/0/0/2	0.10769
231	1	1	0.3489/0.2046/0.1409/0.3056	1.33043	1/0/0/0	n=1: unavailable
251	1	1	0.1481/0.2069/0.1370/0.5080	1.22526	0/0/0/1	n=1: unavailable
252	2	1	0.2476/0.2029/0.1775/0.3720	1.32134	0/0/0/2	0.14626
253	1	1	0.2830/0.1062/0.1492/0.4615	1.23614	0/0/0/1	n=1: unavailable
260	2	1	0.2728/0.1049/0.1449/0.4774	1.21915	0/0/0/2	0.060242
263	1	1	0.3332/0.1649/0.1941/0.3078	1.34431	1/0/0/0	n=1: unavailable
265	2	1	0.1524/0.2789/0.2026/0.3660	1.32971	0/0/0/2	0.065374
267	1	1	0.2162/0.1850/0.1545/0.4443	1.29230	0/0/0/1	n=1: unavailable
268	1	1	0.2648/0.1522/0.2226/0.3605	1.34057	0/0/0/1	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: TSP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
269	1	1	0.3550/0.1251/0.1913/0.3287	1.30974	1/0/0/0	n=1: unavailable
276	1	1	0.2263/0.1727/0.1742/0.4268	1.30736	0/0/0/1	n=1: unavailable
284	1	1	0.2766/0.1720/0.2210/0.3304	1.35778	0/0/0/1	n=1: unavailable
286	1	1	0.3720/0.0995/0.1827/0.3458	1.27524	1/0/0/0	n=1: unavailable
291	1	1	0.2046/0.2336/0.2057/0.3560	1.35736	0/0/0/1	n=1: unavailable
292	1	1	0.2164/0.2730/0.2448/0.2658	1.38236	0/1/0/0	n=1: unavailable
294	1	1	0.2444/0.2246/0.2040/0.3270	1.36957	0/0/0/1	n=1: unavailable
295	1	1	0.2265/0.1927/0.2039/0.3770	1.34562	0/0/0/1	n=1: unavailable
296	1	1	0.1749/0.2475/0.2407/0.3369	1.35991	0/0/0/1	n=1: unavailable
303	2	1	0.2384/0.1942/0.2475/0.3200	1.35534	1/0/0/1	0.13181
306	2	1	0.2780/0.2424/0.2180/0.2617	1.37411	1/1/0/0	0.10767
307	1	1	0.3344/0.1136/0.2221/0.3298	1.31345	1/0/0/0	n=1: unavailable
315	1	1	0.1389/0.2545/0.2282/0.3784	1.32740	0/0/0/1	n=1: unavailable
318	1	1	0.1887/0.2085/0.2780/0.3249	1.36267	0/0/0/1	n=1: unavailable
321	1	1	0.2772/0.1474/0.2856/0.2898	1.35472	0/0/0/1	n=1: unavailable
327	1	1	0.2095/0.2305/0.2443/0.3157	1.37400	0/0/0/1	n=1: unavailable
329	1	1	0.1416/0.3034/0.2186/0.3364	1.33758	0/0/0/1	n=1: unavailable
331	1	1	0.2225/0.2529/0.2682/0.2564	1.38398	0/0/1/0	n=1: unavailable
332	1	1	0.1649/0.1484/0.2915/0.3953	1.30652	0/0/0/1	n=1: unavailable
339	2	1	0.1705/0.2349/0.2814/0.3131	1.36115	0/0/0/2	0.036546
346	2	1	0.1239/0.2713/0.2692/0.3355	1.33128	0/0/0/2	0.033417
357	1	1	0.1331/0.3092/0.2458/0.3119	1.33964	0/0/0/1	n=1: unavailable
359	1	1	0.2395/0.1522/0.2922/0.3161	1.35235	0/0/0/1	n=1: unavailable
366	1	1	0.1503/0.2932/0.2594/0.2972	1.35514	0/0/0/1	n=1: unavailable
367	1	1	0.1316/0.2333/0.3444/0.2908	1.33266	0/0/1/0	n=1: unavailable
368	1	1	0.2750/0.1709/0.3274/0.2267	1.35896	0/0/1/0	n=1: unavailable
372	1	1	0.1845/0.1939/0.3746/0.2470	1.34311	0/0/1/0	n=1: unavailable
373	1	1	0.1155/0.2197/0.3169/0.3479	1.31372	0/0/0/1	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: TSP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
374	2	1	0.1803/0.1767/0.2949/0.3481	1.32984	0/0/1/1	0.14404
375	1	1	0.1977/0.1539/0.3202/0.3281	1.33882	0/0/0/1	n=1: unavailable
376	1	1	0.1585/0.2333/0.3363/0.2719	1.35210	0/0/1/0	n=1: unavailable
380	2	1	0.1154/0.2360/0.2969/0.3517	1.31672	0/0/0/2	0.040445
381	1	1	0.0967/0.2127/0.3240/0.3665	1.28823	0/0/0/1	n=1: unavailable
390	1	1	0.2532/0.1873/0.3229/0.2366	1.36758	0/0/1/0	n=1: unavailable
394	1	1	0.1290/0.3070/0.2799/0.2841	1.34062	0/1/0/0	n=1: unavailable
395	2	1	0.3430/0.1365/0.3310/0.1895	1.31402	1/0/1/0	0.077054
396	2	1	0.1454/0.2663/0.3440/0.2444	1.32169	0/1/1/0	0.12594
398	2	1	0.1822/0.1859/0.3198/0.3121	1.34708	0/0/1/1	0.059566
400	1	1	0.3978/0.0832/0.2536/0.2654	1.27356	1/0/0/0	n=1: unavailable
402	1	1	0.1921/0.1918/0.3134/0.3027	1.35899	0/0/1/0	n=1: unavailable
418	1	1	0.1611/0.2614/0.3317/0.2458	1.35579	0/0/1/0	n=1: unavailable
421	1	1	0.2452/0.1074/0.3731/0.2743	1.30691	0/0/1/0	n=1: unavailable
428	1	1	0.1434/0.1866/0.3831/0.2869	1.31759	0/0/1/0	n=1: unavailable
435	2	1	0.2566/0.1197/0.3521/0.2716	1.32371	0/0/2/0	0.021067
436	1	1	0.2547/0.1594/0.3685/0.2173	1.34067	0/0/1/0	n=1: unavailable
438	1	1	0.1878/0.1937/0.3623/0.2562	1.34873	0/0/1/0	n=1: unavailable
51	1	2	0.4618/0.1009/0.0142/0.4231	1.01257	1/0/0/0	n=1: unavailable
59	1	2	0.2444/0.2130/0.0214/0.5213	1.09547	0/0/0/1	n=1: unavailable
70	2	2	0.2314/0.2400/0.0236/0.5049	1.07866	0/0/0/2	0.21434
71	1	2	0.2296/0.1992/0.0194/0.5517	1.06392	0/0/0/1	n=1: unavailable
76	2	2	0.3741/0.2477/0.0189/0.3593	1.11101	0/1/0/1	0.24898
77	1	2	0.1862/0.1443/0.0176/0.6519	0.94246	0/0/0/1	n=1: unavailable
78	1	2	0.3953/0.4381/0.0211/0.1456	1.09044	0/1/0/0	n=1: unavailable
82	1	2	0.2832/0.3202/0.0252/0.3714	1.18256	0/0/0/1	n=1: unavailable
83	2	2	0.3060/0.1835/0.0193/0.4913	1.02562	1/0/0/1	0.34935
84	1	2	0.1527/0.1871/0.0199/0.6403	0.96388	0/0/0/1	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: TSP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
86	1	2	0.2921/0.1748/0.0135/0.5196	1.06262	0/0/0/1	n=1: unavailable
88	2	2	0.3066/0.3229/0.0203/0.3501	1.12475	0/1/0/1	0.27055
97	1	2	0.3636/0.2324/0.0232/0.3808	1.16194	0/0/0/1	n=1: unavailable
99	1	2	0.3458/0.2205/0.0242/0.4095	1.15628	0/0/0/1	n=1: unavailable
101	1	2	0.4600/0.2124/0.0179/0.3097	1.12136	1/0/0/0	n=1: unavailable
105	1	2	0.0840/0.2939/0.0249/0.5972	0.96789	0/0/0/1	n=1: unavailable
108	1	2	0.6427/0.1927/0.0273/0.1373	0.97245	1/0/0/0	n=1: unavailable
115	1	2	0.1986/0.5277/0.0213/0.2524	1.08785	0/1/0/0	n=1: unavailable
117	1	2	0.1220/0.5087/0.0328/0.3364	1.07913	0/1/0/0	n=1: unavailable
118	1	2	0.0823/0.3883/0.0205/0.5089	0.99636	0/0/0/1	n=1: unavailable
119	1	2	0.2605/0.1378/0.0214/0.5803	1.02166	0/0/0/1	n=1: unavailable
124	1	2	0.1641/0.4532/0.0376/0.3451	1.14580	0/1/0/0	n=1: unavailable
128	1	2	0.1280/0.3749/0.0246/0.4726	1.07626	0/0/0/1	n=1: unavailable
129	1	2	0.1100/0.5435/0.0270/0.3195	1.03634	0/1/0/0	n=1: unavailable
135	1	2	0.2664/0.3247/0.0227/0.3861	1.17109	0/0/0/1	n=1: unavailable
137	2	2	0.4234/0.3245/0.0216/0.2304	1.12872	2/0/0/0	0.17269
138	2	2	0.1142/0.3236/0.0289/0.5334	1.00466	0/0/0/2	0.17095
141	1	2	0.3681/0.4846/0.0181/0.1292	1.05597	0/1/0/0	n=1: unavailable
144	1	2	0.1601/0.4597/0.0310/0.3492	1.12564	0/1/0/0	n=1: unavailable
145	1	2	0.0392/0.3322/0.0396/0.5890	0.93261	0/0/0/1	n=1: unavailable
152	1	2	0.1816/0.2837/0.0285/0.5063	1.11316	0/0/0/1	n=1: unavailable
158	1	2	0.1457/0.3489/0.0313/0.4741	1.11030	0/0/0/1	n=1: unavailable
159	1	2	0.1227/0.3890/0.0273/0.4609	1.08012	0/0/0/1	n=1: unavailable
161	1	2	0.1438/0.4245/0.0319/0.3999	1.11893	0/1/0/0	n=1: unavailable
168	1	2	0.3258/0.6209/0.0337/0.0196	0.85249	0/1/0/0	n=1: unavailable
169	1	2	0.1201/0.5153/0.0293/0.3353	1.06607	0/1/0/0	n=1: unavailable
178	1	2	0.0948/0.6420/0.0305/0.2327	0.95358	0/1/0/0	n=1: unavailable
182	1	2	0.0757/0.3852/0.0299/0.5092	1.01144	0/0/0/1	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: TSP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
183	1	2	0.0303/0.3649/0.0411/0.5637	0.92815	0/0/0/1	n=1: unavailable
184	2	2	0.0420/0.3987/0.0405/0.5188	0.96910	0/0/0/2	0.017376
186	1	2	0.0847/0.5612/0.0356/0.3185	1.01646	0/1/0/0	n=1: unavailable
195	1	2	0.2597/0.5002/0.0375/0.2026	1.14316	0/1/0/0	n=1: unavailable
196	1	2	0.1260/0.2782/0.0317/0.5641	1.04937	0/0/0/1	n=1: unavailable
199	1	2	0.0289/0.6118/0.0648/0.2945	0.94027	0/1/0/0	n=1: unavailable
201	1	2	0.0292/0.4712/0.0532/0.4465	0.97363	0/1/0/0	n=1: unavailable
204	1	2	0.1828/0.3924/0.0376/0.3872	1.16849	0/1/0/0	n=1: unavailable
212	1	2	0.1295/0.4757/0.0317/0.3631	1.09543	0/1/0/0	n=1: unavailable
214	1	2	0.3870/0.3537/0.0270/0.2323	1.17151	1/0/0/0	n=1: unavailable
216	1	2	0.2572/0.4039/0.0304/0.3085	1.18437	0/1/0/0	n=1: unavailable
221	1	2	0.1054/0.5463/0.0411/0.3071	1.06126	0/1/0/0	n=1: unavailable
224	1	2	0.3763/0.3980/0.0430/0.1827	1.18036	0/1/0/0	n=1: unavailable
228	2	2	0.1960/0.4666/0.0503/0.2870	1.12386	0/1/0/1	0.29929
231	1	2	0.1732/0.5422/0.0374/0.2472	1.10394	0/1/0/0	n=1: unavailable
251	1	2	0.0601/0.5448/0.0438/0.3513	1.00426	0/1/0/0	n=1: unavailable
252	2	2	0.1227/0.5519/0.0438/0.2816	1.02679	0/1/0/1	0.30738
253	1	2	0.1890/0.4203/0.0493/0.3414	1.19449	0/1/0/0	n=1: unavailable
260	2	2	0.1310/0.2957/0.0471/0.5262	1.08121	0/0/0/2	0.2213
263	1	2	0.2928/0.5488/0.0352/0.1232	1.06475	0/1/0/0	n=1: unavailable
265	2	2	0.0381/0.5322/0.0640/0.3657	0.99705	0/2/0/0	0.10918
267	1	2	0.0776/0.4648/0.0482/0.4094	1.06643	0/1/0/0	n=1: unavailable
268	1	2	0.1973/0.5286/0.0355/0.2386	1.11758	0/1/0/0	n=1: unavailable
269	1	2	0.2114/0.4492/0.0525/0.2869	1.20100	0/1/0/0	n=1: unavailable
276	1	2	0.1446/0.5746/0.0482/0.2326	1.08338	0/1/0/0	n=1: unavailable
284	1	2	0.1250/0.5324/0.0564/0.2862	1.11570	0/1/0/0	n=1: unavailable
286	1	2	0.3776/0.4502/0.0450/0.1272	1.12886	0/1/0/0	n=1: unavailable
291	1	2	0.0743/0.6321/0.0422/0.2514	0.96371	0/1/0/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: TSP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
292	1	2	0.1628/0.6481/0.0431/0.1460	0.99297	0/1/0/0	n=1: unavailable
294	1	2	0.0969/0.6164/0.0527/0.2339	1.01950	0/1/0/0	n=1: unavailable
295	1	2	0.0763/0.4857/0.0477/0.3903	1.05942	0/1/0/0	n=1: unavailable
296	1	2	0.1026/0.6361/0.0444/0.2169	0.99129	0/1/0/0	n=1: unavailable
303	2	2	0.1748/0.5308/0.0564/0.2380	1.04063	0/2/0/0	0.29389
306	2	2	0.1841/0.6426/0.0519/0.1214	0.98813	0/2/0/0	0.1384
307	1	2	0.2834/0.4266/0.0529/0.2371	1.21754	0/1/0/0	n=1: unavailable
315	1	2	0.0607/0.6134/0.0570/0.2689	0.98627	0/1/0/0	n=1: unavailable
318	1	2	0.0381/0.5591/0.0732/0.3297	1.00664	0/1/0/0	n=1: unavailable
321	1	2	0.1592/0.5401/0.0628/0.2379	1.14074	0/1/0/0	n=1: unavailable
327	1	2	0.1386/0.5898/0.0543/0.2173	1.07517	0/1/0/0	n=1: unavailable
329	1	2	0.0232/0.4962/0.0784/0.4022	1.00104	0/1/0/0	n=1: unavailable
331	1	2	0.1793/0.6162/0.0450/0.1596	1.03885	0/1/0/0	n=1: unavailable
332	1	2	0.1118/0.4795/0.1244/0.2844	1.21426	0/1/0/0	n=1: unavailable
339	2	2	0.1351/0.7073/0.0585/0.0991	0.89642	0/2/0/0	0.088963
346	2	2	0.0321/0.6312/0.0691/0.2676	0.91186	0/2/0/0	0.19261
357	1	2	0.0254/0.5318/0.0884/0.3544	1.01126	0/1/0/0	n=1: unavailable
359	1	2	0.2452/0.4822/0.0749/0.1978	1.21099	0/1/0/0	n=1: unavailable
366	1	2	0.0279/0.5135/0.0895/0.3690	1.02611	0/1/0/0	n=1: unavailable
367	1	2	0.0309/0.4768/0.1009/0.3913	1.05923	0/1/0/0	n=1: unavailable
368	1	2	0.2745/0.4455/0.0834/0.1966	1.24208	0/1/0/0	n=1: unavailable
372	1	2	0.2268/0.6282/0.0904/0.0546	1.00466	0/1/0/0	n=1: unavailable
373	1	2	0.0220/0.6061/0.0982/0.2737	0.96988	0/1/0/0	n=1: unavailable
374	2	2	0.0679/0.5208/0.1073/0.3040	1.10979	0/2/0/0	0.15852
375	1	2	0.1491/0.5103/0.0858/0.2548	1.18620	0/1/0/0	n=1: unavailable
376	1	2	0.0948/0.6923/0.0635/0.1494	0.93708	0/1/0/0	n=1: unavailable
380	2	2	0.0682/0.6624/0.0848/0.1847	0.97428	0/2/0/0	0.040528
381	1	2	0.0457/0.6503/0.1173/0.1867	0.98549	0/1/0/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: TSP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
390	1	2	0.2826/0.5774/0.0657/0.0743	1.04629	0/1/0/0	n=1: unavailable
394	1	2	0.0275/0.5545/0.0971/0.3209	1.01684	0/1/0/0	n=1: unavailable
395	2	2	0.4935/0.3741/0.0931/0.0393	1.03984	2/0/0/0	0.071924
396	2	2	0.1024/0.5971/0.1143/0.1862	1.03245	0/2/0/0	0.19367
398	2	2	0.0759/0.5423/0.1075/0.2743	1.11219	0/2/0/0	0.12159
400	1	2	0.4976/0.3380/0.0607/0.1037	1.11910	1/0/0/0	n=1: unavailable
402	1	2	0.0896/0.5903/0.0857/0.2344	1.07800	0/1/0/0	n=1: unavailable
418	1	2	0.1681/0.6824/0.0695/0.0800	0.94784	0/1/0/0	n=1: unavailable
421	1	2	0.3092/0.3506/0.1231/0.2172	1.31985	0/1/0/0	n=1: unavailable
428	1	2	0.0845/0.5760/0.0931/0.2464	1.09282	0/1/0/0	n=1: unavailable
435	2	2	0.2106/0.4757/0.1046/0.2091	1.23440	0/2/0/0	0.11383
436	1	2	0.3712/0.4405/0.1097/0.0787	1.17147	0/1/0/0	n=1: unavailable
438	1	2	0.1390/0.5953/0.0882/0.1775	1.10413	0/1/0/0	n=1: unavailable
51	1	3	0.8914/0.0057/0.0180/0.0848	0.41369	1/0/0/0	n=1: unavailable
59	1	3	0.8270/0.0129/0.0354/0.1247	0.59112	1/0/0/0	n=1: unavailable
70	2	3	0.6183/0.0399/0.0634/0.2783	0.90783	2/0/0/0	0.22263
71	1	3	0.6899/0.0171/0.0366/0.2564	0.79580	1/0/0/0	n=1: unavailable
76	2	3	0.7212/0.0527/0.0422/0.1838	0.83319	2/0/0/0	0.025569
77	1	3	0.4896/0.0201/0.0337/0.4566	0.90048	1/0/0/0	n=1: unavailable
78	1	3	0.7890/0.0496/0.1021/0.0594	0.73659	1/0/0/0	n=1: unavailable
82	1	3	0.6705/0.0723/0.0801/0.1771	0.96673	1/0/0/0	n=1: unavailable
83	2	3	0.3897/0.0973/0.0337/0.4793	0.93626	1/0/0/1	0.47892
84	1	3	0.4837/0.0232/0.0479/0.4453	0.94427	1/0/0/0	n=1: unavailable
86	1	3	0.3255/0.2473/0.0354/0.3918	1.19621	0/0/0/1	n=1: unavailable
88	2	3	0.5863/0.1053/0.0651/0.2432	1.00289	2/0/0/0	0.29014
97	1	3	0.5255/0.1237/0.0645/0.2863	1.13143	1/0/0/0	n=1: unavailable
99	1	3	0.3909/0.1942/0.0441/0.3709	1.19091	1/0/0/0	n=1: unavailable
101	1	3	0.5440/0.1827/0.0366/0.2367	1.10400	1/0/0/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: TSP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
105	1	3	0.2880/0.0467/0.0687/0.5967	0.99357	0/0/0/1	n=1: unavailable
108	1	3	0.6723/0.1330/0.1767/0.0180	0.91379	1/0/0/0	n=1: unavailable
115	1	3	0.3087/0.1691/0.1749/0.3472	1.33567	0/0/0/1	n=1: unavailable
117	1	3	0.3231/0.1695/0.1992/0.3082	1.35004	1/0/0/0	n=1: unavailable
118	1	3	0.1576/0.2224/0.1141/0.5060	1.21787	0/0/0/1	n=1: unavailable
119	1	3	0.2650/0.3078/0.0447/0.3825	1.22105	0/0/0/1	n=1: unavailable
124	1	3	0.1836/0.3028/0.0703/0.4432	1.22029	0/0/0/1	n=1: unavailable
128	1	3	0.2034/0.2761/0.1255/0.3949	1.30670	0/0/0/1	n=1: unavailable
129	1	3	0.2677/0.1728/0.0825/0.4769	1.21522	0/0/0/1	n=1: unavailable
135	1	3	0.1957/0.5304/0.1310/0.1429	1.19986	0/1/0/0	n=1: unavailable
137	2	3	0.3726/0.3721/0.0961/0.1593	1.22665	1/1/0/0	0.15099
138	2	3	0.1320/0.2092/0.0582/0.6006	0.98380	0/0/0/2	0.31757
141	1	3	0.2126/0.4777/0.1053/0.2044	1.24371	0/1/0/0	n=1: unavailable
144	1	3	0.1005/0.2575/0.1003/0.5417	1.14301	0/0/0/1	n=1: unavailable
145	1	3	0.0483/0.1450/0.0373/0.7694	0.75059	0/0/0/1	n=1: unavailable
152	1	3	0.1171/0.4174/0.0759/0.3895	1.17887	0/1/0/0	n=1: unavailable
158	1	3	0.1179/0.3177/0.0326/0.5318	1.06367	0/0/0/1	n=1: unavailable
159	1	3	0.1689/0.3107/0.0486/0.4718	1.16496	0/0/0/1	n=1: unavailable
161	1	3	0.1555/0.4338/0.1977/0.2130	1.30160	0/1/0/0	n=1: unavailable
168	1	3	0.3299/0.2415/0.3962/0.0324	1.18697	0/0/1/0	n=1: unavailable
169	1	3	0.0694/0.4025/0.0811/0.4470	1.11511	0/0/0/1	n=1: unavailable
178	1	3	0.1706/0.3051/0.1369/0.3874	1.30349	0/0/0/1	n=1: unavailable
182	1	3	0.0772/0.3237/0.1028/0.4962	1.14456	0/0/0/1	n=1: unavailable
183	1	3	0.0111/0.1580/0.0240/0.8069	0.60397	0/0/0/1	n=1: unavailable
184	2	3	0.0429/0.1541/0.0385/0.7645	0.73559	0/0/0/2	0.10615
186	1	3	0.0486/0.3456/0.1087/0.4971	1.10295	0/0/0/1	n=1: unavailable
195	1	3	0.1425/0.4578/0.1512/0.2485	1.26693	0/1/0/0	n=1: unavailable
196	1	3	0.0106/0.4227/0.0147/0.5520	0.80228	0/0/0/1	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: TSP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
199	1	3	0.0344/0.3043/0.1980/0.4632	1.15511	0/0/0/1	n=1: unavailable
201	1	3	0.0080/0.1790/0.0328/0.7801	0.65258	0/0/0/1	n=1: unavailable
204	1	3	0.0611/0.5499/0.0321/0.3569	0.97772	0/1/0/0	n=1: unavailable
212	1	3	0.0700/0.5151/0.0668/0.3481	1.07593	0/1/0/0	n=1: unavailable
214	1	3	0.0965/0.5902/0.1516/0.1616	1.11743	0/1/0/0	n=1: unavailable
216	1	3	0.0815/0.6494/0.0383/0.2307	0.94813	0/1/0/0	n=1: unavailable
221	1	3	0.0411/0.4853/0.0836/0.3899	1.05687	0/1/0/0	n=1: unavailable
224	1	3	0.1157/0.6723/0.0969/0.1151	0.99148	0/1/0/0	n=1: unavailable
228	2	3	0.0821/0.6101/0.1652/0.1427	1.06029	0/2/0/0	0.10664
231	1	3	0.0700/0.5678/0.1007/0.2615	1.08936	0/1/0/0	n=1: unavailable
251	1	3	0.0163/0.5217/0.0736/0.3883	0.96600	0/1/0/0	n=1: unavailable
252	2	3	0.0343/0.5507/0.0794/0.3355	0.99186	0/2/0/0	0.096773
253	1	3	0.0415/0.6595/0.1433/0.1557	0.97466	0/1/0/0	n=1: unavailable
260	2	3	0.0167/0.6255/0.0747/0.2831	0.90802	0/2/0/0	0.050892
263	1	3	0.0398/0.6627/0.0914/0.2061	0.94518	0/1/0/0	n=1: unavailable
265	2	3	0.0132/0.2981/0.0454/0.6433	0.83313	0/0/0/2	0.10753
267	1	3	0.0202/0.6062/0.0838/0.2898	0.94891	0/1/0/0	n=1: unavailable
268	1	3	0.0246/0.6605/0.0639/0.2510	0.88786	0/1/0/0	n=1: unavailable
269	1	3	0.0587/0.6292/0.2326/0.0794	0.99840	0/1/0/0	n=1: unavailable
276	1	3	0.0174/0.6531/0.0585/0.2710	0.86858	0/1/0/0	n=1: unavailable
284	1	3	0.0076/0.6146/0.0875/0.2904	0.90839	0/1/0/0	n=1: unavailable
286	1	3	0.0238/0.7230/0.1012/0.1521	0.84166	0/1/0/0	n=1: unavailable
291	1	3	0.0060/0.5297/0.0600/0.4043	0.90216	0/1/0/0	n=1: unavailable
292	1	3	0.0510/0.5108/0.2049/0.2334	1.15922	0/1/0/0	n=1: unavailable
294	1	3	0.0143/0.5369/0.0695/0.3793	0.94778	0/1/0/0	n=1: unavailable
295	1	3	0.0105/0.5821/0.1204/0.2869	0.97594	0/1/0/0	n=1: unavailable
296	1	3	0.0314/0.6590/0.1415/0.1681	0.95997	0/1/0/0	n=1: unavailable
303	2	3	0.0349/0.5038/0.1250/0.3363	0.88934	0/1/0/1	0.53337

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: TSP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
306	2	3	0.0264/0.5992/0.1536/0.2208	1.00058	0/2/0/0	0.17172
307	1	3	0.0584/0.7316/0.0718/0.1382	0.85715	0/1/0/0	n=1: unavailable
315	1	3	0.0042/0.4444/0.1683/0.3831	1.05088	0/1/0/0	n=1: unavailable
318	1	3	0.0063/0.5118/0.0769/0.4049	0.93822	0/1/0/0	n=1: unavailable
321	1	3	0.0127/0.6731/0.0484/0.2658	0.82078	0/1/0/0	n=1: unavailable
327	1	3	0.0168/0.5671/0.2379/0.1781	1.03937	0/1/0/0	n=1: unavailable
329	1	3	0.0081/0.2715/0.0503/0.6702	0.81154	0/0/0/1	n=1: unavailable
331	1	3	0.0371/0.5037/0.2932/0.1661	1.12546	0/1/0/0	n=1: unavailable
332	1	3	0.0228/0.7031/0.1486/0.1256	0.87766	0/1/0/0	n=1: unavailable
339	2	3	0.0311/0.5682/0.2691/0.1316	1.00970	0/2/0/0	0.16329
346	2	3	0.0035/0.3773/0.1121/0.5071	0.92966	0/1/0/1	0.2562
357	1	3	0.0065/0.2716/0.0589/0.6630	0.82580	0/0/0/1	n=1: unavailable
359	1	3	0.0252/0.6931/0.2011/0.0806	0.87239	0/1/0/0	n=1: unavailable
366	1	3	0.0058/0.2913/0.0500/0.6529	0.81719	0/0/0/1	n=1: unavailable
367	1	3	0.0011/0.4042/0.0244/0.5703	0.78436	0/0/0/1	n=1: unavailable
368	1	3	0.0106/0.6823/0.2063/0.1008	0.86589	0/1/0/0	n=1: unavailable
372	1	3	0.0435/0.3853/0.4843/0.0870	1.06734	0/0/1/0	n=1: unavailable
373	1	3	0.0024/0.3984/0.1189/0.4804	0.98648	0/0/0/1	n=1: unavailable
374	2	3	0.0044/0.5622/0.0516/0.3818	0.86700	0/2/0/0	0.024546
375	1	3	0.0076/0.7012/0.0964/0.1948	0.83017	0/1/0/0	n=1: unavailable
376	1	3	0.0460/0.5818/0.2820/0.0902	1.03075	0/1/0/0	n=1: unavailable
380	2	3	0.0070/0.5556/0.2143/0.2232	1.01672	0/2/0/0	0.1321
381	1	3	0.0158/0.6063/0.2905/0.0873	0.94105	0/1/0/0	n=1: unavailable
390	1	3	0.0449/0.5922/0.3242/0.0387	0.94068	0/1/0/0	n=1: unavailable
394	1	3	0.0059/0.3024/0.0796/0.6120	0.89414	0/0/0/1	n=1: unavailable
395	2	3	0.1058/0.5255/0.3459/0.0228	0.97172	0/1/1/0	0.31395
396	2	3	0.0140/0.3571/0.3047/0.3241	0.87970	0/0/1/1	0.57044
398	2	3	0.0087/0.6129/0.1499/0.2285	0.95734	0/2/0/0	0.069809

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: TSP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
400	1	3	0.0371/0.7449/0.1740/0.0440	0.78341	0/1/0/0	n=1: unavailable
402	1	3	0.0029/0.5870/0.0573/0.3528	0.86127	0/1/0/0	n=1: unavailable
418	1	3	0.0183/0.4862/0.3842/0.1113	1.03573	0/1/0/0	n=1: unavailable
421	1	3	0.0392/0.6702/0.2147/0.0758	0.92114	0/1/0/0	n=1: unavailable
428	1	3	0.0060/0.6395/0.1811/0.1735	0.92981	0/1/0/0	n=1: unavailable
435	2	3	0.0088/0.7094/0.0864/0.1954	0.81457	0/2/0/0	0.022076
436	1	3	0.1053/0.5736/0.2873/0.0338	1.02873	0/1/0/0	n=1: unavailable
438	1	3	0.0047/0.6252/0.1847/0.1855	0.94312	0/1/0/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Input-only routing: CVRP

First128 VAL after lock; entropy of graph-mean mixture, not mean node entropy.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
51	1	0	0.2072/0.3353/0.3451/0.1124	1.30537	0/0/1/0	n=1: unavailable
69	2	0	0.1804/0.3155/0.3920/0.1121	1.28460	0/0/2/0	0.027373
74	1	0	0.2519/0.2604/0.3728/0.1150	1.31419	0/0/1/0	n=1: unavailable
75	1	0	0.1892/0.2602/0.4129/0.1377	1.30362	0/0/1/0	n=1: unavailable
76	1	0	0.1814/0.3034/0.3866/0.1286	1.30270	0/0/1/0	n=1: unavailable
78	1	0	0.2437/0.2395/0.3898/0.1271	1.31574	0/0/1/0	n=1: unavailable
81	1	0	0.2372/0.2723/0.3337/0.1569	1.35232	0/0/1/0	n=1: unavailable
91	1	0	0.2311/0.2468/0.3960/0.1262	1.31185	0/0/1/0	n=1: unavailable
102	1	0	0.1724/0.2816/0.4099/0.1361	1.29694	0/0/1/0	n=1: unavailable
104	1	0	0.1824/0.2464/0.4227/0.1485	1.30276	0/0/1/0	n=1: unavailable
107	1	0	0.2720/0.2145/0.3879/0.1256	1.31224	0/0/1/0	n=1: unavailable
112	1	0	0.2321/0.2592/0.3532/0.1555	1.34598	0/0/1/0	n=1: unavailable
122	1	0	0.2301/0.2217/0.4083/0.1399	1.31295	0/0/1/0	n=1: unavailable
124	1	0	0.2310/0.2433/0.3788/0.1468	1.33180	0/0/1/0	n=1: unavailable
125	1	0	0.2040/0.2538/0.3937/0.1485	1.32250	0/0/1/0	n=1: unavailable
129	1	0	0.1958/0.2488/0.3937/0.1617	1.32703	0/0/1/0	n=1: unavailable
135	1	0	0.2163/0.2241/0.3906/0.1689	1.33396	0/0/1/0	n=1: unavailable
137	1	0	0.2147/0.2427/0.3770/0.1656	1.33954	0/0/1/0	n=1: unavailable
138	1	0	0.2591/0.2402/0.3411/0.1596	1.35226	0/0/1/0	n=1: unavailable
144	1	0	0.1970/0.2568/0.3860/0.1602	1.32998	0/0/1/0	n=1: unavailable
150	1	0	0.2028/0.2507/0.4011/0.1454	1.31721	0/0/1/0	n=1: unavailable
161	1	0	0.1944/0.2437/0.3911/0.1708	1.33146	0/0/1/0	n=1: unavailable
162	1	0	0.2337/0.2227/0.3820/0.1615	1.33632	0/0/1/0	n=1: unavailable
165	1	0	0.1556/0.2230/0.4604/0.1610	1.27528	0/0/1/0	n=1: unavailable
168	1	0	0.2295/0.2245/0.3718/0.1742	1.34546	0/0/1/0	n=1: unavailable
170	1	0	0.2274/0.2171/0.3584/0.1971	1.35623	0/0/1/0	n=1: unavailable
171	1	0	0.2427/0.2031/0.3799/0.1743	1.33956	0/0/1/0	n=1: unavailable
173	1	0	0.2124/0.2436/0.3787/0.1653	1.33833	0/0/1/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: CVRP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
191	1	0	0.1871/0.2150/0.4396/0.1583	1.29719	0/0/1/0	n=1: unavailable
193	1	0	0.2734/0.2271/0.3090/0.1906	1.36998	0/0/1/0	n=1: unavailable
194	1	0	0.2426/0.1942/0.4066/0.1566	1.31814	0/0/1/0	n=1: unavailable
196	1	0	0.2377/0.2023/0.3764/0.1837	1.34380	0/0/1/0	n=1: unavailable
197	1	0	0.2534/0.2081/0.3548/0.1837	1.35343	0/0/1/0	n=1: unavailable
203	1	0	0.2155/0.2273/0.3848/0.1724	1.33807	0/0/1/0	n=1: unavailable
206	1	0	0.2031/0.1921/0.4388/0.1660	1.30021	0/0/1/0	n=1: unavailable
207	1	0	0.2190/0.2284/0.3751/0.1774	1.34449	0/0/1/0	n=1: unavailable
212	2	0	0.1793/0.2066/0.4520/0.1620	1.28077	0/0/2/0	0.099852
215	1	0	0.2178/0.2073/0.4139/0.1610	1.31734	0/0/1/0	n=1: unavailable
219	1	0	0.2221/0.1795/0.4046/0.1938	1.32662	0/0/1/0	n=1: unavailable
224	1	0	0.2132/0.2383/0.3584/0.1900	1.35462	0/0/1/0	n=1: unavailable
226	1	0	0.1852/0.2065/0.4551/0.1532	1.28375	0/0/1/0	n=1: unavailable
230	1	0	0.1933/0.1999/0.4204/0.1864	1.31696	0/0/1/0	n=1: unavailable
232	1	0	0.2684/0.1990/0.3446/0.1880	1.35566	0/0/1/0	n=1: unavailable
234	1	0	0.2120/0.1948/0.4141/0.1791	1.32064	0/0/1/0	n=1: unavailable
237	1	0	0.2155/0.1950/0.4155/0.1740	1.31869	0/0/1/0	n=1: unavailable
242	1	0	0.1604/0.2214/0.4272/0.1911	1.30694	0/0/1/0	n=1: unavailable
251	1	0	0.2268/0.1925/0.3890/0.1917	1.33759	0/0/1/0	n=1: unavailable
254	1	0	0.2733/0.1945/0.3534/0.1788	1.34839	0/0/1/0	n=1: unavailable
258	1	0	0.2614/0.1945/0.3456/0.1986	1.35736	0/0/1/0	n=1: unavailable
259	1	0	0.1965/0.2042/0.4217/0.1776	1.31517	0/0/1/0	n=1: unavailable
261	1	0	0.1957/0.1919/0.4216/0.1908	1.31618	0/0/1/0	n=1: unavailable
273	1	0	0.2270/0.2105/0.3824/0.1801	1.34097	0/0/1/0	n=1: unavailable
274	1	0	0.1863/0.1847/0.4488/0.1802	1.29336	0/0/1/0	n=1: unavailable
275	1	0	0.2242/0.1879/0.4045/0.1834	1.32656	0/0/1/0	n=1: unavailable
278	1	0	0.1812/0.2131/0.4341/0.1715	1.30363	0/0/1/0	n=1: unavailable
279	1	0	0.1955/0.2074/0.4172/0.1799	1.31865	0/0/1/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: CVRP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
282	1	0	0.1875/0.1934/0.4273/0.1918	1.31164	0/0/1/0	n=1: unavailable
286	1	0	0.2373/0.1771/0.4083/0.1773	1.32036	0/0/1/0	n=1: unavailable
294	1	0	0.2106/0.1783/0.4447/0.1664	1.29432	0/0/1/0	n=1: unavailable
295	2	0	0.2455/0.1919/0.3686/0.1941	1.34144	0/0/2/0	0.10068
301	1	0	0.2137/0.1942/0.4003/0.1917	1.33121	0/0/1/0	n=1: unavailable
305	3	0	0.2198/0.1970/0.3948/0.1884	1.33158	0/0/3/0	0.083414
311	1	0	0.2690/0.1889/0.3476/0.1946	1.35381	0/0/1/0	n=1: unavailable
316	1	0	0.2024/0.1979/0.4118/0.1879	1.32345	0/0/1/0	n=1: unavailable
317	1	0	0.1948/0.2132/0.4078/0.1842	1.32557	0/0/1/0	n=1: unavailable
324	1	0	0.1657/0.2187/0.4365/0.1790	1.30011	0/0/1/0	n=1: unavailable
325	1	0	0.2121/0.2037/0.3913/0.1928	1.33756	0/0/1/0	n=1: unavailable
326	1	0	0.2057/0.2038/0.3984/0.1921	1.33303	0/0/1/0	n=1: unavailable
327	1	0	0.2308/0.1824/0.3868/0.1999	1.33804	0/0/1/0	n=1: unavailable
328	1	0	0.2150/0.2122/0.3814/0.1914	1.34352	0/0/1/0	n=1: unavailable
330	1	0	0.1965/0.2078/0.4088/0.1869	1.32535	0/0/1/0	n=1: unavailable
331	2	0	0.2461/0.1782/0.4000/0.1757	1.32295	0/0/2/0	0.03547
332	1	0	0.2166/0.1943/0.4120/0.1771	1.32157	0/0/1/0	n=1: unavailable
337	1	0	0.2280/0.1833/0.3847/0.2040	1.33985	0/0/1/0	n=1: unavailable
340	1	0	0.2409/0.1808/0.3822/0.1961	1.33920	0/0/1/0	n=1: unavailable
343	1	0	0.1993/0.1900/0.3900/0.2207	1.33771	0/0/1/0	n=1: unavailable
345	1	0	0.1651/0.1990/0.4648/0.1710	1.27683	0/0/1/0	n=1: unavailable
351	1	0	0.2487/0.1960/0.3762/0.1792	1.34130	0/0/1/0	n=1: unavailable
354	1	0	0.2296/0.1808/0.3881/0.2015	1.33718	0/0/1/0	n=1: unavailable
360	1	0	0.2075/0.2200/0.3782/0.1942	1.34546	0/0/1/0	n=1: unavailable
364	1	0	0.1923/0.2094/0.3866/0.2117	1.34056	0/0/1/0	n=1: unavailable
375	1	0	0.1910/0.1833/0.4262/0.1995	1.31222	0/0/1/0	n=1: unavailable
376	1	0	0.2224/0.2056/0.3729/0.1991	1.34872	0/0/1/0	n=1: unavailable
378	1	0	0.2061/0.2006/0.3968/0.1965	1.33425	0/0/1/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: CVRP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
387	1	0	0.1862/0.1895/0.4534/0.1709	1.28879	0/0/1/0	n=1: unavailable
388	1	0	0.2152/0.2198/0.3655/0.1996	1.35307	0/0/1/0	n=1: unavailable
391	1	0	0.1765/0.1980/0.4144/0.2111	1.32020	0/0/1/0	n=1: unavailable
392	1	0	0.1687/0.1819/0.4787/0.1707	1.26465	0/0/1/0	n=1: unavailable
407	2	0	0.1942/0.2007/0.4120/0.1932	1.30436	0/0/2/0	0.17128
417	1	0	0.1729/0.2468/0.3977/0.1826	1.32597	0/0/1/0	n=1: unavailable
422	1	0	0.1925/0.2067/0.4048/0.1960	1.32853	0/0/1/0	n=1: unavailable
426	2	0	0.2005/0.1802/0.4258/0.1935	1.31215	0/0/2/0	0.016699
429	1	0	0.2098/0.1849/0.3963/0.2090	1.33373	0/0/1/0	n=1: unavailable
432	1	0	0.1607/0.1914/0.4833/0.1646	1.25860	0/0/1/0	n=1: unavailable
433	2	0	0.1989/0.1915/0.4292/0.1804	1.30967	0/0/2/0	0.0073262
442	2	0	0.2094/0.1779/0.4285/0.1842	1.30711	0/0/2/0	0.051905
449	1	0	0.1815/0.1963/0.4247/0.1974	1.31336	0/0/1/0	n=1: unavailable
453	1	0	0.1504/0.2134/0.4704/0.1658	1.26721	0/0/1/0	n=1: unavailable
454	1	0	0.2150/0.1976/0.3951/0.1923	1.33485	0/0/1/0	n=1: unavailable
456	1	0	0.1814/0.1893/0.4476/0.1816	1.29437	0/0/1/0	n=1: unavailable
457	1	0	0.2190/0.1980/0.3806/0.2024	1.34425	0/0/1/0	n=1: unavailable
460	1	0	0.1952/0.1781/0.4517/0.1749	1.29016	0/0/1/0	n=1: unavailable
462	1	0	0.2334/0.1850/0.3529/0.2286	1.35677	0/0/1/0	n=1: unavailable
464	1	0	0.2413/0.2013/0.3630/0.1944	1.35198	0/0/1/0	n=1: unavailable
467	1	0	0.2083/0.1748/0.4192/0.1978	1.31659	0/0/1/0	n=1: unavailable
469	1	0	0.1857/0.2003/0.4243/0.1898	1.31386	0/0/1/0	n=1: unavailable
470	1	0	0.1855/0.1915/0.4416/0.1814	1.29966	0/0/1/0	n=1: unavailable
472	1	0	0.2273/0.2106/0.3398/0.2224	1.36587	0/0/1/0	n=1: unavailable
474	1	0	0.2077/0.1956/0.4020/0.1946	1.33053	0/0/1/0	n=1: unavailable
477	2	0	0.2030/0.1904/0.4256/0.1810	1.31210	0/0/2/0	0.019769
478	1	0	0.1903/0.1833/0.4156/0.2108	1.31980	0/0/1/0	n=1: unavailable
484	2	0	0.2307/0.1892/0.3929/0.1871	1.33197	0/0/2/0	0.057938

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: CVRP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
485	1	0	0.1650/0.1923/0.4579/0.1848	1.28407	0/0/1/0	n=1: unavailable
486	1	0	0.2278/0.1990/0.3617/0.2115	1.35464	0/0/1/0	n=1: unavailable
490	1	0	0.2176/0.1797/0.3795/0.2231	1.34273	0/0/1/0	n=1: unavailable
494	1	0	0.1857/0.1951/0.4095/0.2096	1.32466	0/0/1/0	n=1: unavailable
51	1	1	0.5585/0.0601/0.0131/0.3683	0.91897	1/0/0/0	n=1: unavailable
69	2	1	0.3971/0.0723/0.0189/0.5117	0.97205	0/0/0/2	0.066329
74	1	1	0.2831/0.1358/0.0159/0.5652	1.01683	0/0/0/1	n=1: unavailable
75	1	1	0.2743/0.1996/0.0304/0.4958	1.13054	0/0/0/1	n=1: unavailable
76	1	1	0.4746/0.0840/0.0295/0.4119	1.03098	1/0/0/0	n=1: unavailable
78	1	1	0.2304/0.1850/0.0257/0.5589	1.06952	0/0/0/1	n=1: unavailable
81	1	1	0.5328/0.0907/0.0268/0.3496	1.01773	1/0/0/0	n=1: unavailable
91	1	1	0.3138/0.1259/0.0192/0.5411	1.03285	0/0/0/1	n=1: unavailable
102	1	1	0.4442/0.0789/0.0272/0.4497	1.01835	0/0/0/1	n=1: unavailable
104	1	1	0.2526/0.2122/0.0567/0.4784	1.19205	0/0/0/1	n=1: unavailable
107	1	1	0.1645/0.1413/0.0244/0.6698	0.93246	0/0/0/1	n=1: unavailable
112	1	1	0.5085/0.1005/0.0355/0.3555	1.06094	1/0/0/0	n=1: unavailable
122	1	1	0.2264/0.1863/0.0309/0.5564	1.08302	0/0/0/1	n=1: unavailable
124	1	1	0.2702/0.1416/0.0336/0.5546	1.07124	0/0/0/1	n=1: unavailable
125	1	1	0.2962/0.1092/0.0345/0.5601	1.04299	0/0/0/1	n=1: unavailable
129	1	1	0.4928/0.1061/0.0392/0.3618	1.08164	1/0/0/0	n=1: unavailable
135	1	1	0.1991/0.2550/0.0530/0.4929	1.17424	0/0/0/1	n=1: unavailable
137	1	1	0.2608/0.2131/0.0714/0.4546	1.22688	0/0/0/1	n=1: unavailable
138	1	1	0.3842/0.1244/0.0491/0.4423	1.13559	0/0/0/1	n=1: unavailable
144	1	1	0.4117/0.0804/0.0525/0.4554	1.08089	0/0/0/1	n=1: unavailable
150	1	1	0.3406/0.0977/0.0440/0.5177	1.07233	0/0/0/1	n=1: unavailable
161	1	1	0.4075/0.1221/0.1020/0.3685	1.22322	1/0/0/0	n=1: unavailable
162	1	1	0.3152/0.1633/0.0644/0.4571	1.19436	0/0/0/1	n=1: unavailable
165	1	1	0.2207/0.1554/0.1043/0.5196	1.19873	0/0/0/1	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: CVRP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
168	1	1	0.3016/0.2044/0.1079/0.3861	1.29373	0/0/0/1	n=1: unavailable
170	1	1	0.2256/0.2975/0.1450/0.3320	1.34261	0/0/0/1	n=1: unavailable
171	1	1	0.1855/0.2651/0.0716/0.4777	1.20626	0/0/0/1	n=1: unavailable
173	1	1	0.2953/0.1298/0.0626/0.5123	1.14130	0/0/0/1	n=1: unavailable
191	1	1	0.2746/0.1604/0.0653/0.4998	1.17320	0/0/0/1	n=1: unavailable
193	1	1	0.4407/0.1980/0.1077/0.2536	1.26967	1/0/0/0	n=1: unavailable
194	1	1	0.1926/0.2339/0.0872/0.4863	1.22033	0/0/0/1	n=1: unavailable
196	1	1	0.1807/0.2710/0.0912/0.4570	1.23931	0/0/0/1	n=1: unavailable
197	1	1	0.2137/0.2970/0.1053/0.3841	1.29487	0/0/0/1	n=1: unavailable
203	1	1	0.3021/0.1510/0.0989/0.4480	1.23560	0/0/0/1	n=1: unavailable
206	1	1	0.0821/0.2032/0.0918/0.6229	1.04316	0/0/0/1	n=1: unavailable
207	1	1	0.3835/0.1279/0.1075/0.3811	1.23797	1/0/0/0	n=1: unavailable
212	2	1	0.1864/0.2029/0.1780/0.4327	1.29531	0/0/0/2	0.13407
215	1	1	0.1497/0.2224/0.1030/0.5249	1.19107	0/0/0/1	n=1: unavailable
219	1	1	0.0742/0.3624/0.1951/0.3683	1.24755	0/0/0/1	n=1: unavailable
224	1	1	0.4477/0.1080/0.1079/0.3363	1.20693	1/0/0/0	n=1: unavailable
226	1	1	0.2606/0.1670/0.1025/0.4699	1.23773	0/0/0/1	n=1: unavailable
230	1	1	0.1344/0.2826/0.2039/0.3791	1.31882	0/0/0/1	n=1: unavailable
232	1	1	0.2136/0.2436/0.1824/0.3604	1.35191	0/0/0/1	n=1: unavailable
234	1	1	0.1498/0.2199/0.1267/0.5036	1.22463	0/0/0/1	n=1: unavailable
237	1	1	0.1880/0.2584/0.1060/0.4476	1.26158	0/0/0/1	n=1: unavailable
242	1	1	0.3485/0.1517/0.2235/0.2763	1.34371	1/0/0/0	n=1: unavailable
251	1	1	0.1520/0.2863/0.1442/0.4175	1.28836	0/0/0/1	n=1: unavailable
254	1	1	0.2341/0.2058/0.2462/0.3139	1.37403	0/0/0/1	n=1: unavailable
258	1	1	0.2725/0.2324/0.2119/0.2832	1.37950	0/0/0/1	n=1: unavailable
259	1	1	0.2243/0.1487/0.1556/0.4714	1.26265	0/0/0/1	n=1: unavailable
261	1	1	0.1084/0.2970/0.1927/0.4019	1.28506	0/0/0/1	n=1: unavailable
273	1	1	0.3687/0.1540/0.1930/0.2842	1.33107	1/0/0/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: CVRP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
274	1	1	0.1132/0.2921/0.1902/0.4045	1.28782	0/0/0/1	n=1: unavailable
275	1	1	0.1747/0.2393/0.2323/0.3536	1.35374	0/0/0/1	n=1: unavailable
278	1	1	0.3430/0.1264/0.1985/0.3321	1.31549	1/0/0/0	n=1: unavailable
279	1	1	0.2667/0.1570/0.2010/0.3753	1.33344	0/0/0/1	n=1: unavailable
282	1	1	0.2683/0.2074/0.3193/0.2051	1.36866	0/0/1/0	n=1: unavailable
286	1	1	0.1426/0.3165/0.1841/0.3568	1.32110	0/0/0/1	n=1: unavailable
294	1	1	0.1454/0.2449/0.2209/0.3887	1.32582	0/0/0/1	n=1: unavailable
295	2	1	0.1867/0.2514/0.2503/0.3116	1.32282	1/0/0/1	0.23685
301	1	1	0.1977/0.2501/0.3487/0.2035	1.35846	0/0/1/0	n=1: unavailable
305	3	1	0.2480/0.2072/0.2341/0.3108	1.34898	1/1/0/1	0.22965
311	1	1	0.2084/0.2790/0.2626/0.2500	1.38069	0/1/0/0	n=1: unavailable
316	1	1	0.2014/0.2769/0.2762/0.2455	1.37847	0/1/0/0	n=1: unavailable
317	1	1	0.3359/0.1448/0.2264/0.2929	1.34219	1/0/0/0	n=1: unavailable
324	1	1	0.3558/0.1289/0.2892/0.2262	1.32671	1/0/0/0	n=1: unavailable
325	1	1	0.3237/0.1940/0.2297/0.2526	1.36871	1/0/0/0	n=1: unavailable
326	1	1	0.2682/0.1417/0.2616/0.3285	1.34636	0/0/0/1	n=1: unavailable
327	1	1	0.1305/0.3077/0.2095/0.3522	1.32343	0/0/0/1	n=1: unavailable
328	1	1	0.2927/0.1629/0.2136/0.3307	1.35094	0/0/0/1	n=1: unavailable
330	1	1	0.3821/0.1535/0.2566/0.2078	1.33081	1/0/0/0	n=1: unavailable
331	2	1	0.1739/0.2272/0.2104/0.3884	1.29864	0/0/1/1	0.22238
332	1	1	0.2028/0.2122/0.2510/0.3340	1.36577	0/0/0/1	n=1: unavailable
337	1	1	0.1475/0.3007/0.2192/0.3327	1.34244	0/0/0/1	n=1: unavailable
340	1	1	0.1624/0.2466/0.3018/0.2892	1.36076	0/0/1/0	n=1: unavailable
343	1	1	0.1048/0.2397/0.4169/0.2386	1.28538	0/0/1/0	n=1: unavailable
345	1	1	0.2246/0.1273/0.2928/0.3553	1.32514	0/0/0/1	n=1: unavailable
351	1	1	0.1994/0.2590/0.2460/0.2957	1.37664	0/0/0/1	n=1: unavailable
354	1	1	0.1285/0.3127/0.2197/0.3391	1.32687	0/0/0/1	n=1: unavailable
360	1	1	0.3702/0.0762/0.3128/0.2409	1.27038	1/0/0/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: CVRP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
364	1	1	0.2635/0.1338/0.3768/0.2259	1.32435	0/0/1/0	n=1: unavailable
375	1	1	0.1791/0.2275/0.4015/0.1919	1.32801	0/0/1/0	n=1: unavailable
376	1	1	0.2639/0.2132/0.3090/0.2139	1.37385	0/0/1/0	n=1: unavailable
378	1	1	0.1944/0.1798/0.3231/0.3027	1.35367	0/0/1/0	n=1: unavailable
387	1	1	0.2033/0.1829/0.3436/0.2703	1.35523	0/0/1/0	n=1: unavailable
388	1	1	0.3233/0.1482/0.2901/0.2385	1.34886	1/0/0/0	n=1: unavailable
391	1	1	0.1395/0.2214/0.4266/0.2124	1.30115	0/0/1/0	n=1: unavailable
392	1	1	0.0934/0.2014/0.2803/0.4249	1.26437	0/0/0/1	n=1: unavailable
407	2	1	0.2521/0.1630/0.3717/0.2132	1.33149	0/0/2/0	0.11227
417	1	1	0.4035/0.1201/0.3031/0.1732	1.28629	1/0/0/0	n=1: unavailable
422	1	1	0.2273/0.1986/0.3404/0.2338	1.36434	0/0/1/0	n=1: unavailable
426	2	1	0.1020/0.2413/0.3306/0.3261	1.30384	0/0/1/1	0.045736
429	1	1	0.1321/0.2709/0.4001/0.1969	1.30768	0/0/1/0	n=1: unavailable
432	1	1	0.2139/0.1548/0.3364/0.2948	1.34530	0/0/1/0	n=1: unavailable
433	2	1	0.1905/0.2020/0.3049/0.3025	1.35955	0/0/1/1	0.055436
442	2	1	0.1233/0.2463/0.4015/0.2288	1.30517	0/0/2/0	0.048865
449	1	1	0.1748/0.1927/0.4047/0.2278	1.32525	0/0/1/0	n=1: unavailable
453	1	1	0.2414/0.1264/0.3202/0.3120	1.33262	0/0/1/0	n=1: unavailable
454	1	1	0.2075/0.1877/0.3663/0.2385	1.35008	0/0/1/0	n=1: unavailable
456	1	1	0.1820/0.2100/0.3148/0.2932	1.36142	0/0/1/0	n=1: unavailable
457	1	1	0.2914/0.1432/0.3904/0.1749	1.30984	0/0/1/0	n=1: unavailable
460	1	1	0.1164/0.2457/0.3383/0.2996	1.32295	0/0/1/0	n=1: unavailable
462	1	1	0.1594/0.2334/0.4789/0.1283	1.24835	0/0/1/0	n=1: unavailable
464	1	1	0.2662/0.1668/0.4244/0.1427	1.29256	0/0/1/0	n=1: unavailable
467	1	1	0.0768/0.2388/0.4187/0.2656	1.25583	0/0/1/0	n=1: unavailable
469	1	1	0.2231/0.1911/0.4266/0.1592	1.30693	0/0/1/0	n=1: unavailable
470	1	1	0.1852/0.2165/0.3507/0.2476	1.35670	0/0/1/0	n=1: unavailable
472	1	1	0.3207/0.1704/0.4288/0.0802	1.23164	0/0/1/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: CVRP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
474	1	1	0.2407/0.2169/0.3357/0.2068	1.36662	0/0/1/0	n=1: unavailable
477	2	1	0.2105/0.1953/0.3656/0.2286	1.34613	0/0/2/0	0.086744
478	1	1	0.0868/0.2484/0.4194/0.2455	1.26727	0/0/1/0	n=1: unavailable
484	2	1	0.1954/0.1891/0.3490/0.2665	1.33564	0/0/1/1	0.10804
485	1	1	0.1492/0.2028/0.4531/0.1948	1.28480	0/0/1/0	n=1: unavailable
486	1	1	0.2444/0.1645/0.3919/0.1992	1.32975	0/0/1/0	n=1: unavailable
490	1	1	0.1143/0.3011/0.3816/0.2030	1.30067	0/0/1/0	n=1: unavailable
494	1	1	0.1744/0.2003/0.4336/0.1916	1.30561	0/0/1/0	n=1: unavailable
51	1	2	0.3187/0.1465/0.0213/0.5135	1.07018	0/0/0/1	n=1: unavailable
69	2	2	0.2372/0.2485/0.0301/0.4842	1.12428	0/0/0/2	0.16363
74	1	2	0.2744/0.3698/0.0342/0.3216	1.20308	0/1/0/0	n=1: unavailable
75	1	2	0.0869/0.5143/0.0423/0.3565	1.05579	0/1/0/0	n=1: unavailable
76	1	2	0.1821/0.2690/0.0205/0.5283	1.08023	0/0/0/1	n=1: unavailable
78	1	2	0.2553/0.3186/0.0424/0.3837	1.21456	0/0/0/1	n=1: unavailable
81	1	2	0.3793/0.2680/0.0258/0.3269	1.18057	1/0/0/0	n=1: unavailable
91	1	2	0.0917/0.1846/0.0298/0.6939	0.88923	0/0/0/1	n=1: unavailable
102	1	2	0.2531/0.3293/0.0317/0.3859	1.19042	0/0/0/1	n=1: unavailable
104	1	2	0.0678/0.6308/0.0372/0.2642	0.94725	0/1/0/0	n=1: unavailable
107	1	2	0.1948/0.1709/0.1251/0.5092	1.22426	0/0/0/1	n=1: unavailable
112	1	2	0.5332/0.3833/0.0264/0.0571	0.96224	1/0/0/0	n=1: unavailable
122	1	2	0.1655/0.4912/0.0310/0.3124	1.11797	0/1/0/0	n=1: unavailable
124	1	2	0.1783/0.3490/0.0379/0.4348	1.16094	0/0/0/1	n=1: unavailable
125	1	2	0.1456/0.1802/0.0319/0.6423	0.98357	0/0/0/1	n=1: unavailable
129	1	2	0.2600/0.3263/0.0491/0.3646	1.23161	0/0/0/1	n=1: unavailable
135	1	2	0.0569/0.3160/0.0334/0.5937	0.95017	0/0/0/1	n=1: unavailable
137	1	2	0.0702/0.4768/0.0310/0.4219	1.01148	0/1/0/0	n=1: unavailable
138	1	2	0.3166/0.3715/0.0533/0.2586	1.23799	0/1/0/0	n=1: unavailable
144	1	2	0.1618/0.3551/0.0501/0.4330	1.17464	0/0/0/1	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: CVRP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
150	1	2	0.2038/0.2827/0.0515/0.4621	1.19074	0/0/0/1	n=1: unavailable
161	1	2	0.2967/0.5361/0.0325/0.1346	1.07613	0/1/0/0	n=1: unavailable
162	1	2	0.2403/0.3187/0.0531/0.3879	1.23026	0/0/0/1	n=1: unavailable
165	1	2	0.0702/0.5476/0.0378/0.3444	1.00723	0/1/0/0	n=1: unavailable
168	1	2	0.1602/0.7045/0.0322/0.1032	0.88515	0/1/0/0	n=1: unavailable
170	1	2	0.0383/0.6107/0.0471/0.3039	0.93198	0/1/0/0	n=1: unavailable
171	1	2	0.0751/0.3084/0.0668/0.5497	1.06699	0/0/0/1	n=1: unavailable
173	1	2	0.1302/0.1904/0.0556/0.6239	1.03622	0/0/0/1	n=1: unavailable
191	1	2	0.1458/0.5398/0.0675/0.2469	1.14092	0/1/0/0	n=1: unavailable
193	1	2	0.2922/0.3751/0.0603/0.2724	1.25097	0/1/0/0	n=1: unavailable
194	1	2	0.2294/0.5482/0.0614/0.1610	1.13261	0/1/0/0	n=1: unavailable
196	1	2	0.0777/0.3605/0.0746/0.4872	1.11030	0/0/0/1	n=1: unavailable
197	1	2	0.0810/0.5436/0.0497/0.3256	1.04960	0/1/0/0	n=1: unavailable
203	1	2	0.1627/0.2632/0.0768/0.4973	1.19122	0/0/0/1	n=1: unavailable
206	1	2	0.0556/0.4151/0.1113/0.4179	1.13466	0/0/0/1	n=1: unavailable
207	1	2	0.2838/0.2393/0.0628/0.4141	1.23855	0/0/0/1	n=1: unavailable
212	2	2	0.1045/0.5960/0.0468/0.2528	1.00998	0/2/0/0	0.18267
215	1	2	0.1137/0.5157/0.0731/0.2975	1.14054	0/1/0/0	n=1: unavailable
219	1	2	0.0301/0.6942/0.0650/0.2107	0.86455	0/1/0/0	n=1: unavailable
224	1	2	0.3315/0.3285/0.0607/0.2793	1.25800	1/0/0/0	n=1: unavailable
226	1	2	0.1961/0.5166/0.0742/0.2130	1.18312	0/1/0/0	n=1: unavailable
230	1	2	0.0181/0.5501/0.0648/0.3669	0.94655	0/1/0/0	n=1: unavailable
232	1	2	0.2111/0.3735/0.0755/0.3399	1.25796	0/1/0/0	n=1: unavailable
234	1	2	0.0438/0.3615/0.0963/0.4984	1.07724	0/0/0/1	n=1: unavailable
237	1	2	0.1061/0.5197/0.0578/0.3164	1.10707	0/1/0/0	n=1: unavailable
242	1	2	0.1162/0.4672/0.0667/0.3499	1.15375	0/1/0/0	n=1: unavailable
251	1	2	0.0747/0.3616/0.0974/0.4663	1.14430	0/0/0/1	n=1: unavailable
254	1	2	0.3281/0.4340/0.0670/0.1708	1.21090	0/1/0/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: CVRP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
258	1	2	0.2434/0.4841/0.1022/0.1703	1.22972	0/1/0/0	n=1: unavailable
259	1	2	0.1249/0.3598/0.1075/0.4078	1.23318	0/0/0/1	n=1: unavailable
261	1	2	0.0135/0.4467/0.0850/0.4548	0.98593	0/0/0/1	n=1: unavailable
273	1	2	0.3847/0.4190/0.0809/0.1154	1.18469	0/1/0/0	n=1: unavailable
274	1	2	0.0462/0.6319/0.0651/0.2568	0.95903	0/1/0/0	n=1: unavailable
275	1	2	0.2235/0.5328/0.0525/0.1913	1.14137	0/1/0/0	n=1: unavailable
278	1	2	0.2846/0.4075/0.1121/0.1957	1.28809	0/1/0/0	n=1: unavailable
279	1	2	0.1788/0.4486/0.1064/0.2662	1.25813	0/1/0/0	n=1: unavailable
282	1	2	0.2295/0.6140/0.0506/0.1060	1.02603	0/1/0/0	n=1: unavailable
286	1	2	0.1319/0.6976/0.0695/0.1010	0.93531	0/1/0/0	n=1: unavailable
294	1	2	0.1637/0.6120/0.0920/0.1322	1.08383	0/1/0/0	n=1: unavailable
295	2	2	0.1437/0.4578/0.1089/0.2896	1.21241	0/2/0/0	0.14
301	1	2	0.0622/0.6230/0.0787/0.2361	1.00842	0/1/0/0	n=1: unavailable
305	3	2	0.1946/0.5271/0.0893/0.1889	1.15546	0/3/0/0	0.20783
311	1	2	0.1703/0.5696/0.0941/0.1660	1.14255	0/1/0/0	n=1: unavailable
316	1	2	0.0839/0.6615/0.1074/0.1472	1.00298	0/1/0/0	n=1: unavailable
317	1	2	0.2764/0.3889/0.1393/0.1954	1.31631	0/1/0/0	n=1: unavailable
324	1	2	0.4118/0.4167/0.1006/0.0709	1.14887	0/1/0/0	n=1: unavailable
325	1	2	0.2500/0.4471/0.1039/0.1990	1.26299	0/1/0/0	n=1: unavailable
326	1	2	0.2619/0.3904/0.1293/0.2184	1.31484	0/1/0/0	n=1: unavailable
327	1	2	0.0696/0.4257/0.1276/0.3770	1.17957	0/1/0/0	n=1: unavailable
328	1	2	0.2387/0.4544/0.1037/0.2032	1.25916	0/1/0/0	n=1: unavailable
330	1	2	0.4944/0.4093/0.0754/0.0209	0.98969	1/0/0/0	n=1: unavailable
331	2	2	0.2090/0.4362/0.1961/0.1587	1.23013	0/2/0/0	0.23512
332	1	2	0.1972/0.5450/0.0810/0.1768	1.16088	0/1/0/0	n=1: unavailable
337	1	2	0.0721/0.4301/0.1333/0.3645	1.18901	0/1/0/0	n=1: unavailable
340	1	2	0.1438/0.5393/0.1088/0.2081	1.17985	0/1/0/0	n=1: unavailable
343	1	2	0.0307/0.4974/0.1204/0.3515	1.07682	0/1/0/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: CVRP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
345	1	2	0.1370/0.4922/0.1542/0.2167	1.24084	0/1/0/0	n=1: unavailable
351	1	2	0.1315/0.6420/0.1066/0.1200	1.04434	0/1/0/0	n=1: unavailable
354	1	2	0.0657/0.4678/0.1306/0.3358	1.16669	0/1/0/0	n=1: unavailable
360	1	2	0.4552/0.3181/0.0996/0.1272	1.21456	1/0/0/0	n=1: unavailable
364	1	2	0.2504/0.4625/0.0941/0.1930	1.24330	0/1/0/0	n=1: unavailable
375	1	2	0.1419/0.6906/0.0758/0.0917	0.94735	0/1/0/0	n=1: unavailable
376	1	2	0.2476/0.5233/0.1034/0.1257	1.17987	0/1/0/0	n=1: unavailable
378	1	2	0.1213/0.4313/0.1667/0.2808	1.27382	0/1/0/0	n=1: unavailable
387	1	2	0.2527/0.5024/0.1468/0.0980	1.20279	0/1/0/0	n=1: unavailable
388	1	2	0.3290/0.3943/0.1348/0.1420	1.27993	0/1/0/0	n=1: unavailable
391	1	2	0.0232/0.4024/0.1337/0.4407	1.08370	0/0/0/1	n=1: unavailable
392	1	2	0.0604/0.4552/0.1912/0.2931	1.20389	0/1/0/0	n=1: unavailable
407	2	2	0.2514/0.4550/0.1344/0.1593	1.22966	0/2/0/0	0.22607
417	1	2	0.4246/0.1911/0.1336/0.2507	1.29574	1/0/0/0	n=1: unavailable
422	1	2	0.1317/0.4818/0.1650/0.2215	1.24996	0/1/0/0	n=1: unavailable
426	2	2	0.0655/0.4675/0.1827/0.2842	1.19045	0/2/0/0	0.092848
429	1	2	0.0618/0.6646/0.1188/0.1549	0.98548	0/1/0/0	n=1: unavailable
432	1	2	0.2153/0.4422/0.1824/0.1600	1.29511	0/1/0/0	n=1: unavailable
433	2	2	0.1563/0.5021/0.1803/0.1612	1.22538	0/2/0/0	0.1497
442	2	2	0.1124/0.6262/0.1442/0.1172	1.04982	0/2/0/0	0.1468
449	1	2	0.1015/0.5389/0.1615/0.1981	1.18051	0/1/0/0	n=1: unavailable
453	1	2	0.2078/0.4059/0.2099/0.1763	1.32619	0/1/0/0	n=1: unavailable
454	1	2	0.1878/0.4873/0.1749/0.1500	1.25388	0/1/0/0	n=1: unavailable
456	1	2	0.1316/0.5285/0.1766/0.1633	1.20610	0/1/0/0	n=1: unavailable
457	1	2	0.4002/0.3790/0.1350/0.0857	1.21515	1/0/0/0	n=1: unavailable
460	1	2	0.0979/0.5768/0.1221/0.2032	1.12546	0/1/0/0	n=1: unavailable
462	1	2	0.0489/0.6514/0.1278/0.1719	0.99244	0/1/0/0	n=1: unavailable
464	1	2	0.4101/0.3172/0.1483/0.1244	1.27201	1/0/0/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: CVRP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
467	1	2	0.0466/0.4928/0.2304/0.2302	1.16786	0/1/0/0	n=1: unavailable
469	1	2	0.2288/0.5307/0.1471/0.0934	1.17707	0/1/0/0	n=1: unavailable
470	1	2	0.1276/0.5017/0.2099/0.1608	1.23028	0/1/0/0	n=1: unavailable
472	1	2	0.2850/0.4676/0.1297/0.1177	1.22997	0/1/0/0	n=1: unavailable
474	1	2	0.2034/0.5243/0.1750/0.0973	1.19418	0/1/0/0	n=1: unavailable
477	2	2	0.2471/0.4962/0.1589/0.0978	1.20629	0/2/0/0	0.083372
478	1	2	0.0239/0.4699/0.1889/0.3174	1.12308	0/1/0/0	n=1: unavailable
484	2	2	0.2124/0.3889/0.2541/0.1446	1.31273	0/2/0/0	0.094767
485	1	2	0.0802/0.5478/0.1702/0.2018	1.15642	0/1/0/0	n=1: unavailable
486	1	2	0.2353/0.4150/0.1875/0.1622	1.31431	0/1/0/0	n=1: unavailable
490	1	2	0.0317/0.5335/0.1566/0.2782	1.09090	0/1/0/0	n=1: unavailable
494	1	2	0.0955/0.5366/0.1946/0.1732	1.18057	0/1/0/0	n=1: unavailable
51	1	3	0.8300/0.0137/0.0212/0.1350	0.56573	1/0/0/0	n=1: unavailable
69	2	3	0.5869/0.1379/0.0419/0.2334	0.96102	1/0/0/1	0.40138
74	1	3	0.7628/0.1081/0.0455/0.0836	0.79521	1/0/0/0	n=1: unavailable
75	1	3	0.4093/0.1014/0.1413/0.3480	1.24147	1/0/0/0	n=1: unavailable
76	1	3	0.4268/0.1599/0.0317/0.3815	1.13362	1/0/0/0	n=1: unavailable
78	1	3	0.6262/0.2024/0.0833/0.0881	1.03756	1/0/0/0	n=1: unavailable
81	1	3	0.4742/0.2089/0.0427/0.2743	1.17041	1/0/0/0	n=1: unavailable
91	1	3	0.2453/0.3244/0.0449/0.3854	1.21666	0/0/0/1	n=1: unavailable
102	1	3	0.3453/0.4130/0.0862/0.1554	1.23303	0/1/0/0	n=1: unavailable
104	1	3	0.1919/0.2696/0.1144/0.4241	1.28205	0/0/0/1	n=1: unavailable
107	1	3	0.2041/0.5597/0.0899/0.1462	1.14695	0/1/0/0	n=1: unavailable
112	1	3	0.5029/0.2884/0.1626/0.0461	1.14153	1/0/0/0	n=1: unavailable
122	1	3	0.1615/0.5417/0.0440/0.2527	1.11165	0/1/0/0	n=1: unavailable
124	1	3	0.1220/0.6236/0.0312/0.2232	0.99404	0/1/0/0	n=1: unavailable
125	1	3	0.0608/0.5799/0.0203/0.3390	0.93212	0/1/0/0	n=1: unavailable
129	1	3	0.1638/0.5688/0.1344/0.1331	1.15538	0/1/0/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: CVRP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
135	1	3	0.0167/0.3553/0.0185/0.6095	0.81179	0/0/0/1	n=1: unavailable
137	1	3	0.0224/0.4276/0.0261/0.5238	0.88225	0/0/0/1	n=1: unavailable
138	1	3	0.0906/0.6896/0.0466/0.1732	0.92045	0/1/0/0	n=1: unavailable
144	1	3	0.0837/0.6419/0.0453/0.2291	0.97011	0/1/0/0	n=1: unavailable
150	1	3	0.0572/0.7241/0.0278/0.1909	0.81311	0/1/0/0	n=1: unavailable
161	1	3	0.1468/0.6131/0.0729/0.1673	1.07159	0/1/0/0	n=1: unavailable
162	1	3	0.0657/0.7162/0.0421/0.1761	0.85705	0/1/0/0	n=1: unavailable
165	1	3	0.0161/0.4190/0.0628/0.5021	0.95061	0/0/0/1	n=1: unavailable
168	1	3	0.0455/0.5830/0.0869/0.2846	1.02519	0/1/0/0	n=1: unavailable
170	1	3	0.0110/0.2558/0.0286/0.7045	0.74698	0/0/0/1	n=1: unavailable
171	1	3	0.0086/0.7230/0.0177/0.2506	0.69372	0/1/0/0	n=1: unavailable
173	1	3	0.0168/0.7899/0.0155/0.1778	0.62662	0/1/0/0	n=1: unavailable
191	1	3	0.0482/0.7274/0.1067/0.1177	0.86825	0/1/0/0	n=1: unavailable
193	1	3	0.0625/0.7627/0.0806/0.0942	0.80546	0/1/0/0	n=1: unavailable
194	1	3	0.0507/0.7290/0.0574/0.1629	0.84134	0/1/0/0	n=1: unavailable
196	1	3	0.0061/0.7054/0.0169/0.2715	0.70033	0/1/0/0	n=1: unavailable
197	1	3	0.0182/0.7068/0.0303/0.2447	0.76869	0/1/0/0	n=1: unavailable
203	1	3	0.0119/0.8113/0.0177/0.1591	0.58632	0/1/0/0	n=1: unavailable
206	1	3	0.0141/0.7671/0.0500/0.1688	0.71357	0/1/0/0	n=1: unavailable
207	1	3	0.0320/0.8272/0.0435/0.0974	0.63006	0/1/0/0	n=1: unavailable
212	2	3	0.0349/0.4882/0.0855/0.3914	0.93961	0/1/0/1	0.43658
215	1	3	0.0134/0.8143/0.0334/0.1389	0.61267	0/1/0/0	n=1: unavailable
219	1	3	0.0068/0.4285/0.0543/0.5104	0.89854	0/0/0/1	n=1: unavailable
224	1	3	0.0373/0.8219/0.0668/0.0740	0.65727	0/1/0/0	n=1: unavailable
226	1	3	0.0615/0.7259/0.1393/0.0733	0.87018	0/1/0/0	n=1: unavailable
230	1	3	0.0059/0.3244/0.0356/0.6341	0.80317	0/0/0/1	n=1: unavailable
232	1	3	0.0104/0.8244/0.0278/0.1375	0.57893	0/1/0/0	n=1: unavailable
234	1	3	0.0034/0.7757/0.0210/0.1998	0.61942	0/1/0/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: CVRP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
237	1	3	0.0116/0.7623/0.0564/0.1698	0.72171	0/1/0/0	n=1: unavailable
242	1	3	0.0188/0.4885/0.1507/0.3420	1.07677	0/1/0/0	n=1: unavailable
251	1	3	0.0039/0.7021/0.0233/0.2707	0.71111	0/1/0/0	n=1: unavailable
254	1	3	0.0686/0.6616/0.2153/0.0545	0.94625	0/1/0/0	n=1: unavailable
258	1	3	0.0221/0.7861/0.0478/0.1440	0.69785	0/1/0/0	n=1: unavailable
259	1	3	0.0167/0.7971/0.0794/0.1068	0.68911	0/1/0/0	n=1: unavailable
261	1	3	0.0021/0.3918/0.0235/0.5825	0.78308	0/0/0/1	n=1: unavailable
273	1	3	0.0841/0.7718/0.1156/0.0285	0.75901	0/1/0/0	n=1: unavailable
274	1	3	0.0036/0.4285/0.0836/0.4844	0.94175	0/0/0/1	n=1: unavailable
275	1	3	0.0187/0.7403/0.0859/0.1551	0.79687	0/1/0/0	n=1: unavailable
278	1	3	0.0623/0.7682/0.1075/0.0620	0.78776	0/1/0/0	n=1: unavailable
279	1	3	0.0193/0.8058/0.0681/0.1069	0.67201	0/1/0/0	n=1: unavailable
282	1	3	0.0544/0.2503/0.4883/0.2071	1.18117	0/0/1/0	n=1: unavailable
286	1	3	0.0210/0.7366/0.1377/0.1047	0.81547	0/1/0/0	n=1: unavailable
294	1	3	0.0339/0.7071/0.1943/0.0648	0.85531	0/1/0/0	n=1: unavailable
295	2	3	0.0149/0.7733/0.0941/0.1177	0.72401	0/2/0/0	0.069639
301	1	3	0.0268/0.5235/0.3446/0.1052	1.03974	0/1/0/0	n=1: unavailable
305	3	3	0.0216/0.7367/0.1387/0.1030	0.77620	0/3/0/0	0.22172
311	1	3	0.0230/0.7795/0.1168/0.0808	0.73486	0/1/0/0	n=1: unavailable
316	1	3	0.0265/0.5494/0.2862/0.1380	1.05648	0/1/0/0	n=1: unavailable
317	1	3	0.0339/0.8096/0.0880/0.0685	0.68329	0/1/0/0	n=1: unavailable
324	1	3	0.1985/0.5445/0.2116/0.0454	1.12099	0/1/0/0	n=1: unavailable
325	1	3	0.0316/0.7034/0.2099/0.0550	0.84399	0/1/0/0	n=1: unavailable
326	1	3	0.0125/0.8545/0.0479/0.0851	0.54428	0/1/0/0	n=1: unavailable
327	1	3	0.0036/0.6897/0.0308/0.2759	0.73889	0/1/0/0	n=1: unavailable
328	1	3	0.0101/0.8528/0.0526/0.0846	0.54598	0/1/0/0	n=1: unavailable
330	1	3	0.0886/0.5178/0.3790/0.0146	0.98493	0/1/0/0	n=1: unavailable
331	2	3	0.0346/0.7217/0.1892/0.0546	0.81856	0/2/0/0	0.06424

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: CVRP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
332	1	3	0.0163/0.8343/0.0639/0.0854	0.60425	0/1/0/0	n=1: unavailable
337	1	3	0.0038/0.6815/0.0404/0.2742	0.76716	0/1/0/0	n=1: unavailable
340	1	3	0.0100/0.7435/0.1410/0.1055	0.77976	0/1/0/0	n=1: unavailable
343	1	3	0.0029/0.3630/0.0578/0.5763	0.86736	0/0/0/1	n=1: unavailable
345	1	3	0.0318/0.7366/0.0943/0.1373	0.83012	0/1/0/0	n=1: unavailable
351	1	3	0.0115/0.7997/0.1320/0.0567	0.66024	0/1/0/0	n=1: unavailable
354	1	3	0.0043/0.6708/0.0479/0.2771	0.79232	0/1/0/0	n=1: unavailable
360	1	3	0.0364/0.8707/0.0549/0.0379	0.52469	0/1/0/0	n=1: unavailable
364	1	3	0.0114/0.6306/0.0970/0.2610	0.91870	0/1/0/0	n=1: unavailable
375	1	3	0.0392/0.2804/0.4684/0.2120	1.16751	0/0/1/0	n=1: unavailable
376	1	3	0.0222/0.6594/0.2475/0.0708	0.89232	0/1/0/0	n=1: unavailable
378	1	3	0.0071/0.8165/0.0538/0.1226	0.61512	0/1/0/0	n=1: unavailable
387	1	3	0.0736/0.5937/0.3135/0.0193	0.94129	0/1/0/0	n=1: unavailable
388	1	3	0.0152/0.8321/0.0739/0.0787	0.60938	0/1/0/0	n=1: unavailable
391	1	3	0.0036/0.4310/0.0603/0.5050	0.89753	0/0/0/1	n=1: unavailable
392	1	3	0.0079/0.7257/0.0766/0.1897	0.78320	0/1/0/0	n=1: unavailable
407	2	3	0.0453/0.6299/0.2436/0.0812	0.91427	0/2/0/0	0.31106
417	1	3	0.0578/0.7622/0.1147/0.0653	0.79831	0/1/0/0	n=1: unavailable
422	1	3	0.0092/0.7299/0.0983/0.1626	0.79634	0/1/0/0	n=1: unavailable
426	2	3	0.0042/0.7337/0.0718/0.1904	0.74028	0/2/0/0	0.10077
429	1	3	0.0107/0.4420/0.2095/0.3378	1.10355	0/1/0/0	n=1: unavailable
432	1	3	0.0845/0.5375/0.3427/0.0353	1.02760	0/1/0/0	n=1: unavailable
433	2	3	0.0124/0.7875/0.1231/0.0770	0.68511	0/2/0/0	0.075724
442	2	3	0.0380/0.4682/0.4319/0.0619	0.94405	0/1/1/0	0.36242
449	1	3	0.0086/0.6214/0.1839/0.1861	0.96074	0/1/0/0	n=1: unavailable
453	1	3	0.0625/0.7045/0.1463/0.0867	0.91315	0/1/0/0	n=1: unavailable
454	1	3	0.0116/0.8123/0.1120/0.0640	0.64191	0/1/0/0	n=1: unavailable
456	1	3	0.0102/0.7312/0.1758/0.0828	0.78755	0/1/0/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: CVRP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
457	1	3	0.0378/0.6305/0.3054/0.0263	0.87261	0/1/0/0	n=1: unavailable
460	1	3	0.0101/0.6127/0.3154/0.0618	0.88249	0/1/0/0	n=1: unavailable
462	1	3	0.0148/0.3501/0.4074/0.2277	1.13243	0/0/1/0	n=1: unavailable
464	1	3	0.0558/0.5099/0.4242/0.0101	0.91465	0/1/0/0	n=1: unavailable
467	1	3	0.0117/0.6977/0.1706/0.1200	0.85918	0/1/0/0	n=1: unavailable
469	1	3	0.0812/0.4373/0.4298/0.0518	1.08184	0/1/0/0	n=1: unavailable
470	1	3	0.0186/0.6488/0.2687/0.0639	0.88358	0/1/0/0	n=1: unavailable
472	1	3	0.0636/0.5006/0.3850/0.0508	1.04059	0/1/0/0	n=1: unavailable
474	1	3	0.0154/0.6255/0.3121/0.0470	0.86489	0/1/0/0	n=1: unavailable
477	2	3	0.0446/0.5431/0.3853/0.0269	0.92507	0/2/0/0	0.049145
478	1	3	0.0032/0.4185/0.0813/0.4970	0.93433	0/0/0/1	n=1: unavailable
484	2	3	0.0288/0.7625/0.1748/0.0338	0.72211	0/2/0/0	0.066084
485	1	3	0.0411/0.4022/0.3786/0.1780	1.17258	0/1/0/0	n=1: unavailable
486	1	3	0.0103/0.7722/0.1498/0.0677	0.71351	0/1/0/0	n=1: unavailable
490	1	3	0.0064/0.3495/0.1464/0.4978	1.02826	0/0/0/1	n=1: unavailable
494	1	3	0.0152/0.5116/0.2467/0.2265	1.08813	0/1/0/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Input-only routing: ATSP

First128 VAL after lock; entropy of graph-mean mixture, not mean node entropy.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
20	1	0	0.1855/0.3046/0.3118/0.1981	1.35872	0/0/1/0	n=1: unavailable
21	1	0	0.1793/0.3041/0.3261/0.1905	1.35143	0/0/1/0	n=1: unavailable
22	1	0	0.1838/0.3011/0.3157/0.1993	1.35826	0/0/1/0	n=1: unavailable
23	3	0	0.1799/0.2999/0.3247/0.1955	1.35412	0/0/3/0	0.0040945
24	1	0	0.1803/0.2987/0.3243/0.1967	1.35484	0/0/1/0	n=1: unavailable
25	1	0	0.1797/0.2972/0.3254/0.1976	1.35483	0/0/1/0	n=1: unavailable
26	2	0	0.1784/0.2962/0.3294/0.1961	1.35311	0/0/2/0	0.0027264
27	2	0	0.1779/0.2944/0.3312/0.1965	1.35283	0/0/2/0	0.0031967
29	2	0	0.1753/0.2895/0.3380/0.1972	1.35090	0/0/2/0	0.0025513
30	5	0	0.1731/0.2887/0.3435/0.1946	1.34786	0/0/5/0	0.006615
31	3	0	0.1709/0.2856/0.3503/0.1932	1.34482	0/0/3/0	0.012136
32	3	0	0.1718/0.2840/0.3486/0.1956	1.34656	0/0/3/0	0.013007
33	2	0	0.1711/0.2841/0.3495/0.1953	1.34600	0/0/2/0	0.00254
34	1	0	0.1681/0.2805/0.3581/0.1934	1.34177	0/0/1/0	n=1: unavailable
35	1	0	0.1654/0.2764/0.3671/0.1911	1.33717	0/0/1/0	n=1: unavailable
36	2	0	0.1677/0.2785/0.3599/0.1940	1.34135	0/0/2/0	0.0020939
37	1	0	0.1652/0.2706/0.3701/0.1941	1.33724	0/0/1/0	n=1: unavailable
38	2	0	0.1661/0.2730/0.3654/0.1955	1.33949	0/0/2/0	0.0097676
39	1	0	0.1657/0.2711/0.3671/0.1961	1.33907	0/0/1/0	n=1: unavailable
41	2	0	0.1622/0.2686/0.3780/0.1912	1.33218	0/0/2/0	0.0039213
42	1	0	0.1620/0.2655/0.3798/0.1927	1.33196	0/0/1/0	n=1: unavailable
43	1	0	0.1609/0.2647/0.3821/0.1922	1.33043	0/0/1/0	n=1: unavailable
44	1	0	0.1607/0.2602/0.3844/0.1947	1.33019	0/0/1/0	n=1: unavailable
46	3	0	0.1600/0.2584/0.3872/0.1944	1.32865	0/0/3/0	0.0033162
47	1	0	0.1589/0.2576/0.3901/0.1935	1.32668	0/0/1/0	n=1: unavailable
48	1	0	0.1599/0.2571/0.3870/0.1960	1.32917	0/0/1/0	n=1: unavailable
49	2	0	0.1579/0.2519/0.3962/0.1940	1.32369	0/0/2/0	0.0037067
50	3	0	0.1577/0.2526/0.3950/0.1947	1.32430	0/0/3/0	0.0038542

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: ATSP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
52	1	0	0.1572/0.2483/0.3983/0.1963	1.32300	0/0/1/0	n=1: unavailable
54	1	0	0.1554/0.2456/0.4057/0.1933	1.31786	0/0/1/0	n=1: unavailable
55	4	0	0.1564/0.2431/0.4053/0.1952	1.31894	0/0/4/0	0.0045589
56	3	0	0.1560/0.2408/0.4093/0.1940	1.31639	0/0/3/0	0.0014753
57	2	0	0.1552/0.2397/0.4087/0.1964	1.31689	0/0/2/0	0.0055898
59	1	0	0.1550/0.2362/0.4125/0.1964	1.31473	0/0/1/0	n=1: unavailable
60	5	0	0.1551/0.2352/0.4122/0.1975	1.31507	0/0/5/0	0.0051046
62	3	0	0.1557/0.2324/0.4149/0.1970	1.31374	0/0/3/0	0.0017184
63	1	0	0.1562/0.2316/0.4132/0.1990	1.31525	0/0/1/0	n=1: unavailable
64	2	0	0.1544/0.2297/0.4173/0.1986	1.31204	0/0/2/0	0.001628
65	3	0	0.1553/0.2291/0.4160/0.1995	1.31330	0/0/3/0	0.0053206
66	1	0	0.1551/0.2284/0.4166/0.1999	1.31290	0/0/1/0	n=1: unavailable
67	6	0	0.1550/0.2266/0.4190/0.1994	1.31139	0/0/6/0	0.0046043
68	1	0	0.1545/0.2244/0.4206/0.2004	1.31029	0/0/1/0	n=1: unavailable
69	2	0	0.1549/0.2251/0.4199/0.2000	1.31084	0/0/2/0	0.0014373
70	3	0	0.1568/0.2234/0.4185/0.2013	1.31256	0/0/3/0	0.0021941
71	3	0	0.1568/0.2228/0.4185/0.2020	1.31261	0/0/3/0	0.0038929
72	2	0	0.1565/0.2216/0.4211/0.2008	1.31077	0/0/2/0	0.0030927
73	2	0	0.1567/0.2198/0.4208/0.2028	1.31119	0/0/2/0	0.0065549
74	5	0	0.1571/0.2189/0.4215/0.2026	1.31087	0/0/5/0	0.0033022
76	2	0	0.1599/0.2179/0.4180/0.2042	1.31411	0/0/2/0	0.0075422
77	1	0	0.1577/0.2163/0.4214/0.2046	1.31125	0/0/1/0	n=1: unavailable
79	2	0	0.1590/0.2143/0.4210/0.2057	1.31194	0/0/2/0	0.0019222
80	1	0	0.1596/0.2145/0.4204/0.2055	1.31253	0/0/1/0	n=1: unavailable
81	1	0	0.1580/0.2135/0.4223/0.2061	1.31080	0/0/1/0	n=1: unavailable
82	1	0	0.1606/0.2140/0.4189/0.2065	1.31389	0/0/1/0	n=1: unavailable
83	1	0	0.1604/0.2117/0.4202/0.2077	1.31300	0/0/1/0	n=1: unavailable
84	1	0	0.1604/0.2100/0.4217/0.2079	1.31192	0/0/1/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: ATSP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
86	2	0	0.1612/0.2098/0.4201/0.2089	1.31328	0/0/2/0	0.0037001
87	1	0	0.1617/0.2099/0.4192/0.2092	1.31407	0/0/1/0	n=1: unavailable
89	1	0	0.1617/0.2087/0.4198/0.2098	1.31359	0/0/1/0	n=1: unavailable
90	1	0	0.1637/0.2094/0.4163/0.2106	1.31658	0/0/1/0	n=1: unavailable
91	1	0	0.1621/0.2064/0.4207/0.2108	1.31305	0/0/1/0	n=1: unavailable
92	2	0	0.1624/0.2069/0.4193/0.2115	1.31413	0/0/2/0	0.0053003
93	2	0	0.1634/0.2074/0.4177/0.2115	1.31545	0/0/2/0	0.00137
96	1	0	0.1653/0.2062/0.4152/0.2132	1.31764	0/0/1/0	n=1: unavailable
97	2	0	0.1668/0.2062/0.4130/0.2140	1.31947	0/0/2/0	0.00080383
98	1	0	0.1651/0.2033/0.4174/0.2142	1.31596	0/0/1/0	n=1: unavailable
99	3	0	0.1665/0.2034/0.4153/0.2149	1.31775	0/0/3/0	0.0024806
20	1	1	0.6298/0.0649/0.0506/0.2547	0.96805	1/0/0/0	n=1: unavailable
21	1	1	0.6239/0.0549/0.0478/0.2734	0.95356	1/0/0/0	n=1: unavailable
22	1	1	0.6128/0.0680/0.0531/0.2661	0.99108	1/0/0/0	n=1: unavailable
23	3	1	0.6067/0.0638/0.0526/0.2769	0.98926	3/0/0/0	0.012267
24	1	1	0.5989/0.0662/0.0536/0.2813	1.00032	1/0/0/0	n=1: unavailable
25	1	1	0.5939/0.0693/0.0558/0.2810	1.01218	1/0/0/0	n=1: unavailable
26	2	1	0.5982/0.0661/0.0549/0.2808	1.00284	2/0/0/0	0.0090587
27	2	1	0.5946/0.0677/0.0562/0.2815	1.00996	2/0/0/0	0.0089294
29	2	1	0.5715/0.0710/0.0598/0.2977	1.03654	2/0/0/0	0.0070062
30	5	1	0.5629/0.0675/0.0584/0.3112	1.03447	5/0/0/0	0.0071688
31	3	1	0.5560/0.0658/0.0591/0.3192	1.03666	3/0/0/0	0.023719
32	3	1	0.5515/0.0710/0.0621/0.3153	1.05207	3/0/0/0	0.027563
33	2	1	0.5442/0.0704/0.0610/0.3244	1.05374	2/0/0/0	0.0060785
34	1	1	0.5351/0.0682/0.0622/0.3345	1.05680	1/0/0/0	n=1: unavailable
35	1	1	0.5178/0.0667/0.0641/0.3515	1.06485	1/0/0/0	n=1: unavailable
36	2	1	0.5264/0.0715/0.0645/0.3376	1.06985	2/0/0/0	0.01392
37	1	1	0.4808/0.0758/0.0706/0.3728	1.10267	1/0/0/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: ATSP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
38	2	1	0.4962/0.0763/0.0682/0.3593	1.09466	2/0/0/0	0.014459
39	1	1	0.5016/0.0776/0.0703/0.3505	1.09854	1/0/0/0	n=1: unavailable
41	2	1	0.4944/0.0695/0.0685/0.3677	1.08439	2/0/0/0	0.024641
42	1	1	0.4800/0.0738/0.0720/0.3742	1.10196	1/0/0/0	n=1: unavailable
43	1	1	0.4788/0.0725/0.0716/0.3772	1.09933	1/0/0/0	n=1: unavailable
44	1	1	0.4403/0.0811/0.0773/0.4012	1.12930	1/0/0/0	n=1: unavailable
46	3	1	0.4469/0.0826/0.0811/0.3893	1.13678	3/0/0/0	0.021921
47	1	1	0.4436/0.0788/0.0777/0.3999	1.12587	1/0/0/0	n=1: unavailable
48	1	1	0.4530/0.0858/0.0816/0.3796	1.14165	1/0/0/0	n=1: unavailable
49	2	1	0.4150/0.0848/0.0875/0.4127	1.15217	1/0/0/1	0.027061
50	3	1	0.4249/0.0849/0.0839/0.4064	1.14670	3/0/0/0	0.0064709
52	1	1	0.4005/0.0913/0.0900/0.4182	1.16628	0/0/0/1	n=1: unavailable
54	1	1	0.3840/0.0882/0.0944/0.4334	1.16686	0/0/0/1	n=1: unavailable
55	4	1	0.3775/0.0958/0.1042/0.4224	1.19185	0/0/0/4	0.024746
56	3	1	0.3630/0.0926/0.1061/0.4382	1.18738	0/0/0/3	0.028809
57	2	1	0.3498/0.0992/0.1028/0.4482	1.18998	0/0/0/2	0.011813
59	1	1	0.3453/0.1032/0.1148/0.4367	1.21186	0/0/0/1	n=1: unavailable
60	5	1	0.3299/0.1102/0.1182/0.4417	1.22152	0/0/0/5	0.040245
62	3	1	0.3156/0.1133/0.1335/0.4376	1.24111	0/0/0/3	0.01083
63	1	1	0.2952/0.1285/0.1446/0.4317	1.26603	0/0/0/1	n=1: unavailable
64	2	1	0.2983/0.1215/0.1342/0.4460	1.24649	0/0/0/2	0.012414
65	3	1	0.2914/0.1299/0.1456/0.4331	1.26682	0/0/0/3	0.031108
66	1	1	0.2819/0.1351/0.1488/0.4342	1.27312	0/0/0/1	n=1: unavailable
67	6	1	0.2761/0.1335/0.1539/0.4366	1.27342	0/0/0/6	0.029055
68	1	1	0.2541/0.1403/0.1571/0.4485	1.27406	0/0/0/1	n=1: unavailable
69	2	1	0.2709/0.1398/0.1613/0.4280	1.28632	0/0/0/2	0.0094582
70	3	1	0.2349/0.1531/0.1825/0.4295	1.30056	0/0/0/3	0.030757
71	3	1	0.2384/0.1568/0.1865/0.4182	1.30984	0/0/0/3	0.025486

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: ATSP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
72	2	1	0.2266/0.1523/0.1865/0.4345	1.29804	0/0/0/2	0.018675
73	2	1	0.2064/0.1639/0.1932/0.4366	1.29974	0/0/0/2	0.053987
74	5	1	0.2024/0.1675/0.2054/0.4247	1.31113	0/0/0/5	0.022139
76	2	1	0.1851/0.1788/0.2301/0.4060	1.32370	0/0/0/2	0.02215
77	1	1	0.1911/0.1837/0.2272/0.3980	1.33089	0/0/0/1	n=1: unavailable
79	2	1	0.1727/0.1905/0.2411/0.3957	1.32877	0/0/0/2	0.01489
80	1	1	0.1709/0.1908/0.2468/0.3915	1.33043	0/0/0/1	n=1: unavailable
81	1	1	0.1665/0.1993/0.2421/0.3921	1.33047	0/0/0/1	n=1: unavailable
82	1	1	0.1701/0.1963/0.2567/0.3770	1.33771	0/0/0/1	n=1: unavailable
83	1	1	0.1500/0.2096/0.2696/0.3708	1.33333	0/0/0/1	n=1: unavailable
84	1	1	0.1357/0.2124/0.2718/0.3800	1.32192	0/0/0/1	n=1: unavailable
86	2	1	0.1393/0.2169/0.2797/0.3641	1.32990	0/0/0/2	0.019096
87	1	1	0.1321/0.2245/0.2890/0.3544	1.32915	0/0/0/1	n=1: unavailable
89	1	1	0.1291/0.2272/0.2918/0.3519	1.32795	0/0/0/1	n=1: unavailable
90	1	1	0.1324/0.2283/0.3023/0.3369	1.33314	0/0/0/1	n=1: unavailable
91	1	1	0.1136/0.2362/0.3051/0.3452	1.31724	0/0/0/1	n=1: unavailable
92	2	1	0.1194/0.2388/0.3030/0.3388	1.32392	0/0/0/2	0.013909
93	2	1	0.1223/0.2392/0.3115/0.3269	1.32793	0/0/0/2	0.0088564
96	1	1	0.1099/0.2459/0.3255/0.3187	1.31735	0/0/1/0	n=1: unavailable
97	2	1	0.1116/0.2475/0.3325/0.3084	1.31920	0/0/2/0	0.006887
98	1	1	0.0958/0.2580/0.3386/0.3076	1.30353	0/0/1/0	n=1: unavailable
99	3	1	0.0934/0.2576/0.3431/0.3059	1.29968	0/0/3/0	0.018035
20	1	2	0.8826/0.0404/0.0186/0.0585	0.47991	1/0/0/0	n=1: unavailable
21	1	2	0.9123/0.0239/0.0153/0.0484	0.38359	1/0/0/0	n=1: unavailable
22	1	2	0.8703/0.0464/0.0201/0.0632	0.51635	1/0/0/0	n=1: unavailable
23	3	2	0.8811/0.0390/0.0187/0.0613	0.48333	3/0/0/0	0.0080978
24	1	2	0.8735/0.0431/0.0197/0.0637	0.50653	1/0/0/0	n=1: unavailable
25	1	2	0.8588/0.0504/0.0207/0.0700	0.54797	1/0/0/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: ATSP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
26	2	2	0.8723/0.0433/0.0195/0.0648	0.50933	2/0/0/0	0.0011486
27	2	2	0.8645/0.0472/0.0205/0.0678	0.53189	2/0/0/0	0.012142
29	2	2	0.8523/0.0534/0.0218/0.0724	0.56611	2/0/0/0	0.014739
30	5	2	0.8633/0.0456/0.0212/0.0700	0.53494	5/0/0/0	0.026983
31	3	2	0.8705/0.0417/0.0204/0.0674	0.51260	3/0/0/0	0.043739
32	3	2	0.8492/0.0537/0.0225/0.0745	0.57232	3/0/0/0	0.050274
33	2	2	0.8499/0.0516/0.0233/0.0752	0.57326	2/0/0/0	0.0079224
34	1	2	0.8579/0.0458/0.0224/0.0739	0.55044	1/0/0/0	n=1: unavailable
35	1	2	0.8647/0.0404/0.0208/0.0741	0.52860	1/0/0/0	n=1: unavailable
36	2	2	0.8421/0.0538/0.0238/0.0802	0.59341	2/0/0/0	0.0015494
37	1	2	0.8074/0.0682/0.0289/0.0955	0.68248	1/0/0/0	n=1: unavailable
38	2	2	0.8157/0.0673/0.0278/0.0892	0.65999	2/0/0/0	0.05418
39	1	2	0.8138/0.0688/0.0278/0.0896	0.66767	1/0/0/0	n=1: unavailable
41	2	2	0.8465/0.0491/0.0235/0.0810	0.57567	2/0/0/0	0.065333
42	1	2	0.8304/0.0557/0.0262/0.0877	0.62414	1/0/0/0	n=1: unavailable
43	1	2	0.8373/0.0515/0.0251/0.0860	0.60500	1/0/0/0	n=1: unavailable
44	1	2	0.7757/0.0823/0.0343/0.1076	0.75824	1/0/0/0	n=1: unavailable
46	3	2	0.7722/0.0857/0.0320/0.1101	0.76121	3/0/0/0	0.056209
47	1	2	0.7961/0.0695/0.0310/0.1034	0.70906	1/0/0/0	n=1: unavailable
48	1	2	0.7596/0.0939/0.0344/0.1121	0.79212	1/0/0/0	n=1: unavailable
49	2	2	0.7355/0.0955/0.0362/0.1327	0.83706	2/0/0/0	0.045929
50	3	2	0.7492/0.0932/0.0363/0.1213	0.81280	3/0/0/0	0.039784
52	1	2	0.7088/0.1182/0.0415/0.1314	0.89518	1/0/0/0	n=1: unavailable
54	1	2	0.6938/0.1093/0.0391/0.1577	0.91370	1/0/0/0	n=1: unavailable
55	4	2	0.6515/0.1432/0.0428/0.1625	0.98512	4/0/0/0	0.073978
56	3	2	0.6504/0.1222/0.0464/0.1809	0.98535	3/0/0/0	0.084961
57	2	2	0.6068/0.1586/0.0532/0.1815	1.05603	2/0/0/0	0.070632
59	1	2	0.5931/0.1695/0.0507/0.1867	1.07519	1/0/0/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: ATSP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
60	5	2	0.5152/0.2165/0.0575/0.2109	1.15860	5/0/0/0	0.13772
62	3	2	0.4977/0.2034/0.0615/0.2374	1.18312	3/0/0/0	0.038514
63	1	2	0.3869/0.2982/0.0663/0.2486	1.25416	1/0/0/0	n=1: unavailable
64	2	2	0.4207/0.2655/0.0660/0.2479	1.23975	2/0/0/0	0.046911
65	3	2	0.3802/0.3037/0.0684/0.2477	1.25357	2/1/0/0	0.10715
66	1	2	0.3220/0.3482/0.0686/0.2612	1.26672	0/1/0/0	n=1: unavailable
67	6	2	0.3403/0.3077/0.0722/0.2798	1.27097	4/2/0/0	0.11089
68	1	2	0.2826/0.3516/0.0764/0.2895	1.27992	0/1/0/0	n=1: unavailable
69	2	2	0.3016/0.3384/0.0753/0.2847	1.27810	1/1/0/0	0.065026
70	3	2	0.2348/0.3577/0.0920/0.3155	1.28842	0/2/0/1	0.070706
71	3	2	0.2283/0.3854/0.0872/0.2991	1.27802	0/3/0/0	0.031764
72	2	2	0.2217/0.3381/0.0955/0.3447	1.28579	0/1/0/1	0.10513
73	2	2	0.1680/0.3911/0.1117/0.3292	1.27262	0/2/0/0	0.08579
74	5	2	0.1601/0.3835/0.1046/0.3518	1.26323	0/4/0/1	0.047158
76	2	2	0.1399/0.3743/0.1238/0.3620	1.26624	0/1/0/1	0.070645
77	1	2	0.1219/0.4376/0.1058/0.3347	1.22211	0/1/0/0	n=1: unavailable
79	2	2	0.1032/0.4097/0.1340/0.3531	1.23492	0/2/0/0	0.046925
80	1	2	0.1081/0.4039/0.1252/0.3628	1.23462	0/1/0/0	n=1: unavailable
81	1	2	0.0831/0.4705/0.1214/0.3251	1.18268	0/1/0/0	n=1: unavailable
82	1	2	0.1070/0.4053/0.1314/0.3563	1.23951	0/1/0/0	n=1: unavailable
83	1	2	0.0721/0.4448/0.1376/0.3456	1.19002	0/1/0/0	n=1: unavailable
84	1	2	0.0598/0.4237/0.1574/0.3591	1.19105	0/1/0/0	n=1: unavailable
86	2	2	0.0604/0.4389/0.1561/0.3446	1.18619	0/2/0/0	0.027602
87	1	2	0.0579/0.4582/0.1473/0.3366	1.17128	0/1/0/0	n=1: unavailable
89	1	2	0.0503/0.4580/0.1579/0.3339	1.16569	0/1/0/0	n=1: unavailable
90	1	2	0.0614/0.4362/0.1619/0.3405	1.19481	0/1/0/0	n=1: unavailable
91	1	2	0.0344/0.4536/0.1735/0.3385	1.14514	0/1/0/0	n=1: unavailable
92	2	2	0.0405/0.4769/0.1662/0.3164	1.14247	0/2/0/0	0.065591

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: ATSP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
93	2	2	0.0445/0.4608/0.1668/0.3279	1.15837	0/2/0/0	0.039468
96	1	2	0.0424/0.4558/0.1729/0.3289	1.16127	0/1/0/0	n=1: unavailable
97	2	2	0.0462/0.4283/0.1938/0.3317	1.18889	0/2/0/0	0.029259
98	1	2	0.0261/0.4599/0.1915/0.3225	1.13372	0/1/0/0	n=1: unavailable
99	3	2	0.0288/0.4389/0.2030/0.3293	1.14906	0/3/0/0	0.10368
20	1	3	0.9640/0.0028/0.0250/0.0082	0.18321	1/0/0/0	n=1: unavailable
21	1	3	0.9758/0.0018/0.0177/0.0046	0.13188	1/0/0/0	n=1: unavailable
22	1	3	0.9591/0.0032/0.0279/0.0098	0.20368	1/0/0/0	n=1: unavailable
23	3	3	0.9640/0.0029/0.0246/0.0085	0.18379	3/0/0/0	0.0036697
24	1	3	0.9607/0.0031/0.0267/0.0095	0.19748	1/0/0/0	n=1: unavailable
25	1	3	0.9530/0.0040/0.0302/0.0128	0.22933	1/0/0/0	n=1: unavailable
26	2	3	0.9596/0.0034/0.0267/0.0103	0.20275	2/0/0/0	0.00055081
27	2	3	0.9560/0.0037/0.0288/0.0116	0.21715	2/0/0/0	0.0057203
29	2	3	0.9478/0.0046/0.0329/0.0148	0.24956	2/0/0/0	0.010486
30	5	3	0.9543/0.0039/0.0299/0.0119	0.22362	5/0/0/0	0.01402
31	3	3	0.9566/0.0038/0.0284/0.0112	0.21381	3/0/0/0	0.022151
32	3	3	0.9449/0.0050/0.0342/0.0159	0.25975	3/0/0/0	0.026489
33	2	3	0.9469/0.0045/0.0343/0.0142	0.25213	2/0/0/0	0.003031
34	1	3	0.9505/0.0043/0.0321/0.0130	0.23877	1/0/0/0	n=1: unavailable
35	1	3	0.9538/0.0044/0.0296/0.0122	0.22698	1/0/0/0	n=1: unavailable
36	2	3	0.9416/0.0053/0.0365/0.0166	0.27325	2/0/0/0	0.0017933
37	1	3	0.9274/0.0072/0.0450/0.0204	0.32436	1/0/0/0	n=1: unavailable
38	2	3	0.9268/0.0066/0.0455/0.0210	0.32365	2/0/0/0	0.030684
39	1	3	0.9241/0.0070/0.0467/0.0222	0.33531	1/0/0/0	n=1: unavailable
41	2	3	0.9430/0.0060/0.0342/0.0168	0.26635	2/0/0/0	0.037882
42	1	3	0.9343/0.0069/0.0402/0.0186	0.30110	1/0/0/0	n=1: unavailable
43	1	3	0.9376/0.0065/0.0383/0.0175	0.28908	1/0/0/0	n=1: unavailable
44	1	3	0.9068/0.0102/0.0553/0.0277	0.39512	1/0/0/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: ATSP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
46	3	3	0.9017/0.0114/0.0537/0.0331	0.41265	3/0/0/0	0.038716
47	1	3	0.9143/0.0095/0.0503/0.0259	0.37105	1/0/0/0	n=1: unavailable
48	1	3	0.8926/0.0114/0.0607/0.0353	0.44042	1/0/0/0	n=1: unavailable
49	2	3	0.8856/0.0160/0.0603/0.0381	0.46683	2/0/0/0	0.018638
50	3	3	0.8915/0.0128/0.0611/0.0347	0.44478	3/0/0/0	0.023281
52	1	3	0.8621/0.0169/0.0721/0.0488	0.53399	1/0/0/0	n=1: unavailable
54	1	3	0.8641/0.0215/0.0657/0.0487	0.53471	1/0/0/0	n=1: unavailable
55	4	3	0.8248/0.0284/0.0752/0.0717	0.64171	4/0/0/0	0.037912
56	3	3	0.8225/0.0337/0.0823/0.0615	0.64874	3/0/0/0	0.069271
57	2	3	0.8083/0.0304/0.0933/0.0681	0.68037	2/0/0/0	0.033991
59	1	3	0.7779/0.0383/0.0882/0.0957	0.75889	1/0/0/0	n=1: unavailable
60	5	3	0.7261/0.0478/0.1063/0.1198	0.86571	5/0/0/0	0.10354
62	3	3	0.6875/0.0608/0.1176/0.1340	0.94845	3/0/0/0	0.029487
63	1	3	0.5851/0.0702/0.1252/0.2194	1.09308	1/0/0/0	n=1: unavailable
64	2	3	0.6320/0.0688/0.1240/0.1752	1.03646	2/0/0/0	0.044181
65	3	3	0.5736/0.0744/0.1265/0.2254	1.10523	3/0/0/0	0.086169
66	1	3	0.5053/0.0872/0.1347/0.2728	1.18205	1/0/0/0	n=1: unavailable
67	6	3	0.5274/0.0908/0.1389/0.2429	1.16802	6/0/0/0	0.12111
68	1	3	0.4534/0.1083/0.1496/0.2888	1.24223	1/0/0/0	n=1: unavailable
69	2	3	0.4806/0.0999/0.1414/0.2781	1.21319	2/0/0/0	0.049146
70	3	3	0.3828/0.1203/0.1629/0.3340	1.28159	2/0/0/1	0.080204
71	3	3	0.3772/0.1208/0.1506/0.3514	1.27506	2/0/0/1	0.034593
72	2	3	0.3638/0.1356/0.1743/0.3264	1.30738	2/0/0/0	0.046761
73	2	3	0.2655/0.1645/0.1912/0.3787	1.32739	0/0/0/2	0.091247
74	5	3	0.2675/0.1584/0.1856/0.3885	1.32245	0/0/0/5	0.069274
76	2	3	0.2053/0.1918/0.1782/0.4247	1.31158	0/0/0/2	0.03668
77	1	3	0.1820/0.1794/0.1665/0.4720	1.27121	0/0/0/1	n=1: unavailable
79	2	3	0.1401/0.2244/0.1791/0.4564	1.27567	0/0/0/2	0.023233

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: ATSP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
80	1	3	0.1521/0.2038/0.1749/0.4693	1.27054	0/0/0/1	n=1: unavailable
81	1	3	0.1058/0.2194/0.1577/0.5171	1.20274	0/0/0/1	n=1: unavailable
82	1	3	0.1355/0.2288/0.1527/0.4831	1.24667	0/0/0/1	n=1: unavailable
83	1	3	0.0727/0.2474/0.1402/0.5396	1.14456	0/0/0/1	n=1: unavailable
84	1	3	0.0587/0.2564/0.1532/0.5317	1.13869	0/0/0/1	n=1: unavailable
86	2	3	0.0569/0.2771/0.1329/0.5331	1.12033	0/0/0/2	0.029247
87	1	3	0.0405/0.2544/0.1165/0.5885	1.04066	0/0/0/1	n=1: unavailable
89	1	3	0.0354/0.2762/0.1091/0.5794	1.03142	0/0/0/1	n=1: unavailable
90	1	3	0.0458/0.2911/0.1057/0.5574	1.06376	0/0/0/1	n=1: unavailable
91	1	3	0.0225/0.2966/0.1041/0.5767	0.99889	0/0/0/1	n=1: unavailable
92	2	3	0.0280/0.2963/0.0999/0.5758	1.00681	0/0/0/2	0.043587
93	2	3	0.0280/0.3048/0.0872/0.5799	0.99022	0/0/0/2	0.025077
96	1	3	0.0268/0.3077/0.0892/0.5763	0.99276	0/0/0/1	n=1: unavailable
97	2	3	0.0246/0.3420/0.0813/0.5521	0.98991	0/0/0/2	0.014823
98	1	3	0.0124/0.3152/0.0784/0.5940	0.92725	0/0/0/1	n=1: unavailable
99	3	3	0.0136/0.3314/0.0826/0.5724	0.94549	0/0/0/3	0.095631

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Input-only routing: OVRP

First128 VAL after lock; entropy of graph-mean mixture, not mean node entropy.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
51	1	0	0.2098/0.2987/0.3655/0.1260	1.31743	0/0/1/0	n=1: unavailable
52	2	0	0.2790/0.2889/0.3075/0.1246	1.32922	1/0/1/0	0.09063
53	2	0	0.2578/0.2948/0.3309/0.1166	1.32275	0/1/1/0	0.074188
54	2	0	0.2423/0.2634/0.3649/0.1294	1.32361	0/0/2/0	0.066934
55	4	0	0.2572/0.2863/0.3394/0.1172	1.31670	1/0/3/0	0.12677
56	1	0	0.2675/0.2926/0.2917/0.1483	1.35468	0/1/0/0	n=1: unavailable
57	4	0	0.2364/0.2900/0.3578/0.1158	1.31541	0/0/4/0	0.046178
58	2	0	0.2854/0.2289/0.3563/0.1294	1.30913	1/0/1/0	0.1718
59	3	0	0.2538/0.2725/0.3434/0.1303	1.33174	0/0/3/0	0.073339
60	4	0	0.2603/0.2636/0.3670/0.1091	1.31113	0/0/4/0	0.020765
61	2	0	0.2362/0.2886/0.3474/0.1278	1.32762	0/0/2/0	0.047895
62	1	0	0.1981/0.2592/0.4291/0.1136	1.28085	0/0/1/0	n=1: unavailable
63	6	0	0.2369/0.2888/0.3357/0.1386	1.33016	0/2/4/0	0.11113
64	3	0	0.2368/0.2680/0.3738/0.1213	1.31627	0/0/3/0	0.044495
65	1	0	0.2354/0.2572/0.3684/0.1389	1.33186	0/0/1/0	n=1: unavailable
66	1	0	0.2396/0.2577/0.3905/0.1122	1.30443	0/0/1/0	n=1: unavailable
67	4	0	0.2471/0.2628/0.3648/0.1253	1.32032	0/0/4/0	0.090157
68	3	0	0.2333/0.2573/0.3919/0.1175	1.30571	0/0/3/0	0.057933
69	2	0	0.3214/0.2334/0.3035/0.1417	1.33225	1/0/1/0	0.1049
70	1	0	0.2479/0.2630/0.3673/0.1218	1.32135	0/0/1/0	n=1: unavailable
71	2	0	0.2742/0.2571/0.3194/0.1492	1.33465	1/0/1/0	0.16218
72	2	0	0.2470/0.2431/0.3888/0.1211	1.31195	0/0/2/0	0.017662
74	4	0	0.2681/0.2669/0.3264/0.1386	1.34131	0/1/3/0	0.083503
75	3	0	0.2521/0.2585/0.3568/0.1326	1.33069	0/0/3/0	0.05744
76	1	0	0.2448/0.2582/0.3715/0.1256	1.32250	0/0/1/0	n=1: unavailable
77	3	0	0.2579/0.2469/0.3654/0.1298	1.32747	0/0/3/0	0.020628
78	2	0	0.2659/0.2646/0.3123/0.1572	1.35803	0/0/2/0	0.015797
79	6	0	0.2627/0.2462/0.3488/0.1423	1.33801	0/0/6/0	0.072582

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
80	4	0	0.2435/0.2278/0.3984/0.1302	1.30702	0/0/4/0	0.13413
81	1	0	0.2656/0.2418/0.3580/0.1346	1.33308	0/0/1/0	n=1: unavailable
82	5	0	0.2084/0.2623/0.3948/0.1345	1.30475	0/0/5/0	0.15941
83	2	0	0.2311/0.2456/0.3834/0.1399	1.32505	0/0/2/0	0.036638
84	2	0	0.2548/0.2400/0.3656/0.1395	1.33345	0/0/2/0	0.012169
85	5	0	0.2456/0.2557/0.3576/0.1411	1.33458	0/0/5/0	0.071047
87	1	0	0.2474/0.2361/0.3878/0.1286	1.31755	0/0/1/0	n=1: unavailable
88	3	0	0.2361/0.2455/0.3609/0.1575	1.34334	0/0/3/0	0.036249
89	4	0	0.2309/0.2242/0.4047/0.1402	1.30758	0/0/4/0	0.1224
90	2	0	0.2360/0.2306/0.3871/0.1463	1.32672	0/0/2/0	0.029986
91	3	0	0.2154/0.2354/0.4094/0.1398	1.30761	0/0/3/0	0.077054
92	2	0	0.2617/0.2546/0.3249/0.1589	1.35244	0/0/2/0	0.080543
93	3	0	0.2635/0.2186/0.3713/0.1465	1.33159	0/0/3/0	0.040887
94	3	0	0.2328/0.2412/0.3774/0.1486	1.32839	0/0/3/0	0.10502
95	6	0	0.2658/0.2244/0.3617/0.1481	1.33731	0/0/6/0	0.049038
96	1	0	0.2466/0.2246/0.3823/0.1465	1.32967	0/0/1/0	n=1: unavailable
97	6	0	0.2647/0.2292/0.3547/0.1513	1.34197	0/0/6/0	0.04592
99	1	0	0.2534/0.2199/0.3786/0.1482	1.33156	0/0/1/0	n=1: unavailable
100	1	0	0.2445/0.2209/0.3892/0.1454	1.32560	0/0/1/0	n=1: unavailable
101	1	0	0.3315/0.2446/0.2586/0.1653	1.35776	1/0/0/0	n=1: unavailable
51	1	1	0.3699/0.0267/0.0118/0.5916	0.82754	0/0/0/1	n=1: unavailable
52	2	1	0.4071/0.0691/0.0515/0.4723	0.99273	1/0/0/1	0.32379
53	2	1	0.3785/0.0579/0.0133/0.5503	0.91821	0/0/0/2	0.011002
54	2	1	0.2797/0.0884/0.0484/0.5835	1.01925	0/0/0/2	0.15439
55	4	1	0.3090/0.0574/0.0226/0.6110	0.89907	0/0/0/4	0.18836
56	1	1	0.5100/0.0492/0.0218/0.4190	0.93948	1/0/0/0	n=1: unavailable
57	4	1	0.3243/0.0592/0.0206/0.5960	0.90755	0/0/0/4	0.18264
58	2	1	0.1593/0.1198/0.0451/0.6758	0.87419	0/0/0/2	0.3416

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
59	3	1	0.3046/0.0848/0.0239/0.5867	0.92742	0/0/0/3	0.31253
60	4	1	0.2854/0.0803/0.0122/0.6220	0.90757	0/0/0/4	0.057167
61	2	1	0.3595/0.0501/0.0152/0.5751	0.87953	0/0/0/2	0.17323
62	1	1	0.2361/0.0489/0.0237/0.6913	0.83235	0/0/0/1	n=1: unavailable
63	6	1	0.5024/0.0540/0.0359/0.4077	0.86715	3/0/0/3	0.58951
64	3	1	0.2786/0.0809/0.0249/0.6155	0.93938	0/0/0/3	0.11492
65	1	1	0.2902/0.1014/0.0742/0.5341	1.11916	0/0/0/1	n=1: unavailable
66	1	1	0.2073/0.0824/0.0132/0.6971	0.84047	0/0/0/1	n=1: unavailable
67	4	1	0.2502/0.0760/0.0255/0.6484	0.90140	0/0/0/4	0.17182
68	3	1	0.2431/0.0782/0.0207/0.6581	0.88930	0/0/0/3	0.10788
69	2	1	0.2470/0.1480/0.0555/0.5495	1.07283	0/0/0/2	0.24044
70	1	1	0.2920/0.0780/0.0154/0.6146	0.92172	0/0/0/1	n=1: unavailable
71	2	1	0.4370/0.0755/0.0383/0.4493	0.91347	1/0/0/1	0.45619
72	2	1	0.1868/0.1076/0.0150/0.6906	0.87026	0/0/0/2	0.034049
74	4	1	0.3280/0.1006/0.0363/0.5350	0.95757	1/0/0/3	0.45967
75	3	1	0.2850/0.1101/0.0235/0.5814	0.96537	1/0/0/2	0.28798
76	1	1	0.2102/0.0936/0.0149/0.6813	0.87363	0/0/0/1	n=1: unavailable
77	3	1	0.2008/0.1097/0.0188/0.6707	0.90553	0/0/0/3	0.040347
78	2	1	0.4719/0.0906/0.0687/0.3687	1.12246	2/0/0/0	0.028519
79	6	1	0.3214/0.1046/0.0419/0.5321	1.00161	2/0/0/4	0.39602
80	4	1	0.1746/0.1240/0.0263/0.6752	0.91409	0/0/0/4	0.13017
81	1	1	0.1773/0.1303/0.0224/0.6700	0.92561	0/0/0/1	n=1: unavailable
82	5	1	0.3174/0.0582/0.0580/0.5665	0.96750	1/0/0/4	0.40002
83	2	1	0.2400/0.1109/0.0488/0.6002	1.02520	0/0/0/2	0.15419
84	2	1	0.1853/0.1316/0.0261/0.6570	0.94935	0/0/0/2	0.042901
85	5	1	0.2707/0.1018/0.0342/0.5934	0.98885	0/0/0/5	0.18451
87	1	1	0.1523/0.0999/0.0175/0.7303	0.81718	0/0/0/1	n=1: unavailable
88	3	1	0.3626/0.1039/0.0527/0.4807	1.04884	1/0/0/2	0.35567

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
89	4	1	0.1628/0.1242/0.0445/0.6685	0.94840	0/0/0/4	0.1047
90	2	1	0.2136/0.1167/0.0734/0.5964	1.05732	0/0/0/2	0.15176
91	3	1	0.2155/0.0726/0.0484/0.6636	0.92515	0/0/0/3	0.089353
92	2	1	0.3725/0.1193/0.0405/0.4677	0.99504	1/0/0/1	0.4256
93	3	1	0.1742/0.1720/0.0612/0.5926	1.04983	0/0/0/3	0.19989
94	3	1	0.2934/0.1068/0.0529/0.5470	1.04059	1/0/0/2	0.24985
95	6	1	0.1811/0.1654/0.0667/0.5867	1.07349	0/0/0/6	0.23367
96	1	1	0.1874/0.1901/0.0639/0.5585	1.13060	0/0/0/1	n=1: unavailable
97	6	1	0.2030/0.1525/0.0735/0.5711	1.09032	0/0/0/6	0.29074
99	1	1	0.1576/0.1537/0.0349/0.6538	0.97399	0/0/0/1	n=1: unavailable
100	1	1	0.1507/0.1495/0.0321/0.6677	0.94940	0/0/0/1	n=1: unavailable
101	1	1	0.3519/0.1664/0.1826/0.2992	1.33742	1/0/0/0	n=1: unavailable
51	1	2	0.4875/0.0665/0.0237/0.4223	0.98323	1/0/0/0	n=1: unavailable
52	2	2	0.6047/0.0154/0.0170/0.3630	0.71911	1/0/0/1	0.38668
53	2	2	0.4783/0.0284/0.0184/0.4749	0.85539	1/0/0/1	0.22503
54	2	2	0.6416/0.2153/0.0548/0.0883	0.96933	2/0/0/0	0.12846
55	4	2	0.5527/0.0506/0.0258/0.3709	0.82113	2/0/0/2	0.5192
56	1	2	0.7499/0.0220/0.0202/0.2079	0.70523	1/0/0/0	n=1: unavailable
57	4	2	0.5347/0.0740/0.0223/0.3690	0.82004	2/0/0/2	0.46882
58	2	2	0.6261/0.2007/0.0617/0.1115	0.87705	2/0/0/0	0.51374
59	3	2	0.4771/0.0903/0.0265/0.4061	0.92713	2/0/0/1	0.49391
60	4	2	0.3312/0.0295/0.0152/0.6241	0.82638	0/0/0/4	0.019939
61	2	2	0.4254/0.0302/0.0144/0.5300	0.82747	1/0/0/1	0.27243
62	1	2	0.5685/0.2013/0.0591/0.1711	1.11309	1/0/0/0	n=1: unavailable
63	6	2	0.6907/0.0339/0.0178/0.2577	0.59210	4/0/0/2	0.67188
64	3	2	0.4055/0.0911/0.0273/0.4761	0.82844	1/0/0/2	0.6486
65	1	2	0.8204/0.0121/0.0310/0.1365	0.59515	1/0/0/0	n=1: unavailable
66	1	2	0.2404/0.0468/0.0226/0.6902	0.82752	0/0/0/1	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
67	4	2	0.4056/0.0495/0.0226/0.5223	0.84944	1/0/0/3	0.49888
68	3	2	0.3757/0.0598/0.0267/0.5378	0.89597	1/0/0/2	0.38924
69	2	2	0.5569/0.0753/0.0282/0.3397	0.73775	1/0/0/1	0.61887
70	1	2	0.2406/0.0242/0.0165/0.7188	0.73779	0/0/0/1	n=1: unavailable
71	2	2	0.5729/0.0231/0.0140/0.3900	0.52620	1/0/0/1	0.71777
72	2	2	0.2085/0.0653/0.0281/0.6981	0.85236	0/0/0/2	0.046982
74	4	2	0.4164/0.0885/0.0232/0.4719	0.87824	2/0/0/2	0.54516
75	3	2	0.3783/0.0779/0.0285/0.5153	0.86034	1/0/0/2	0.53953
76	1	2	0.1956/0.0852/0.0236/0.6956	0.86991	0/0/0/1	n=1: unavailable
77	3	2	0.1899/0.0767/0.0288/0.7045	0.85793	0/0/0/3	0.06748
78	2	2	0.7219/0.0624/0.0242/0.1915	0.78624	2/0/0/0	0.11737
79	6	2	0.4368/0.1270/0.0378/0.3984	0.94798	4/0/0/2	0.60656
80	4	2	0.1818/0.1835/0.0593/0.5754	0.94760	0/1/0/3	0.54139
81	1	2	0.1690/0.1058/0.0329/0.6924	0.90492	0/0/0/1	n=1: unavailable
82	5	2	0.5817/0.1233/0.0445/0.2505	0.97780	4/0/0/1	0.40251
83	2	2	0.3232/0.0342/0.0297/0.6129	0.83987	0/0/0/2	0.26671
84	2	2	0.1744/0.0946/0.0309/0.7002	0.88245	0/0/0/2	0.052712
85	5	2	0.3744/0.0709/0.0419/0.5128	0.94778	2/0/0/3	0.51053
87	1	2	0.1614/0.1092/0.0448/0.6846	0.93477	0/0/0/1	n=1: unavailable
88	3	2	0.5371/0.1201/0.0308/0.3121	0.81602	2/0/0/1	0.76945
89	4	2	0.2949/0.0809/0.0439/0.5803	0.95786	1/0/0/3	0.3001
90	2	2	0.3417/0.0943/0.0489/0.5151	0.97488	1/0/0/1	0.42486
91	3	2	0.4438/0.1108/0.0543/0.3911	0.98216	2/0/0/1	0.54272
92	2	2	0.4013/0.0913/0.0345/0.4729	0.87323	1/0/0/1	0.56844
93	3	2	0.3474/0.2027/0.0651/0.3848	1.01994	1/1/0/1	0.52356
94	3	2	0.4163/0.1369/0.0555/0.3912	1.03717	2/0/0/1	0.55246
95	6	2	0.3115/0.1471/0.0531/0.4883	0.93341	2/0/0/4	0.66301
96	1	2	0.4141/0.1056/0.0695/0.4108	1.15333	1/0/0/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
97	6	2	0.3648/0.1375/0.0560/0.4417	0.97218	3/0/0/3	0.69666
99	1	2	0.1245/0.1788/0.0530/0.6436	1.00659	0/0/0/1	n=1: unavailable
100	1	2	0.1215/0.1211/0.0465/0.7110	0.89689	0/0/0/1	n=1: unavailable
101	1	2	0.6562/0.0739/0.0524/0.2175	0.95520	1/0/0/0	n=1: unavailable
51	1	3	0.9562/0.0099/0.0211/0.0128	0.22562	1/0/0/0	n=1: unavailable
52	2	3	0.9404/0.0075/0.0459/0.0062	0.25452	2/0/0/0	0.055233
53	2	3	0.9570/0.0083/0.0213/0.0134	0.21812	2/0/0/0	0.011419
54	2	3	0.9214/0.0142/0.0617/0.0026	0.32303	2/0/0/0	0.0071868
55	4	3	0.9494/0.0132/0.0265/0.0109	0.24136	4/0/0/0	0.042335
56	1	3	0.9126/0.0481/0.0239/0.0154	0.38289	1/0/0/0	n=1: unavailable
57	4	3	0.9426/0.0171/0.0286/0.0118	0.26879	4/0/0/0	0.043446
58	2	3	0.8421/0.0327/0.1221/0.0031	0.52200	2/0/0/0	0.094319
59	3	3	0.8864/0.0569/0.0358/0.0209	0.43818	3/0/0/0	0.12853
60	4	3	0.9322/0.0127/0.0241/0.0311	0.31576	4/0/0/0	0.034111
61	2	3	0.8705/0.0689/0.0198/0.0407	0.49179	2/0/0/0	0.099679
62	1	3	0.9123/0.0369/0.0465/0.0042	0.37136	1/0/0/0	n=1: unavailable
63	6	3	0.6442/0.2913/0.0371/0.0274	0.66714	4/2/0/0	0.66543
64	3	3	0.8524/0.0385/0.0480/0.0611	0.55242	3/0/0/0	0.10925
65	1	3	0.7183/0.1857/0.0907/0.0053	0.79598	1/0/0/0	n=1: unavailable
66	1	3	0.8251/0.0652/0.0394/0.0703	0.65062	1/0/0/0	n=1: unavailable
67	4	3	0.7674/0.1402/0.0352/0.0572	0.73325	4/0/0/0	0.11016
68	3	3	0.8017/0.0993/0.0349/0.0641	0.67204	3/0/0/0	0.1199
69	2	3	0.6090/0.2345/0.1047/0.0518	0.98458	2/0/0/0	0.14104
70	1	3	0.6078/0.2230/0.0308/0.1385	1.01807	1/0/0/0	n=1: unavailable
71	2	3	0.5034/0.3749/0.0339/0.0877	0.97639	1/1/0/0	0.32187
72	2	3	0.4746/0.3417/0.0411/0.1425	1.12883	2/0/0/0	0.018938
74	4	3	0.4404/0.4508/0.0372/0.0716	0.99682	1/3/0/0	0.17734
75	3	3	0.3749/0.4744/0.0475/0.1032	1.06286	1/2/0/0	0.19829

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRP (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
76	1	3	0.2254/0.5638/0.0461/0.1647	1.09777	0/1/0/0	n=1: unavailable
77	3	3	0.1954/0.6380/0.0282/0.1384	0.97234	0/3/0/0	0.083996
78	2	3	0.3504/0.5528/0.0759/0.0209	0.93203	1/1/0/0	0.23855
79	6	3	0.2847/0.6126/0.0445/0.0582	0.88877	2/4/0/0	0.33834
80	4	3	0.1389/0.6970/0.0690/0.0951	0.86725	0/4/0/0	0.26366
81	1	3	0.0838/0.7683/0.0235/0.1245	0.75771	0/1/0/0	n=1: unavailable
82	5	3	0.4193/0.5040/0.0626/0.0141	0.92077	2/3/0/0	0.20559
83	2	3	0.1148/0.7588/0.0713/0.0551	0.73680	0/2/0/0	0.18038
84	2	3	0.0463/0.8375/0.0193/0.0969	0.59241	0/2/0/0	0.021269
85	5	3	0.1448/0.7748/0.0294/0.0510	0.67360	0/5/0/0	0.26677
87	1	3	0.0373/0.8538/0.0141/0.0948	0.54115	0/1/0/0	n=1: unavailable
88	3	3	0.1194/0.7828/0.0596/0.0382	0.67604	0/3/0/0	0.21239
89	4	3	0.0676/0.8280/0.0474/0.0570	0.59042	0/4/0/0	0.20155
90	2	3	0.1386/0.7288/0.0973/0.0353	0.70128	0/2/0/0	0.36053
91	3	3	0.1060/0.8079/0.0449/0.0413	0.63082	0/3/0/0	0.18258
92	2	3	0.0817/0.8363/0.0409/0.0411	0.56116	0/2/0/0	0.16815
93	3	3	0.1282/0.7320/0.1097/0.0301	0.73551	0/3/0/0	0.35923
94	3	3	0.1996/0.7270/0.0410/0.0323	0.68327	0/3/0/0	0.37549
95	6	3	0.0721/0.8052/0.0742/0.0485	0.56806	0/6/0/0	0.42026
96	1	3	0.0984/0.7898/0.0886/0.0231	0.71644	0/1/0/0	n=1: unavailable
97	6	3	0.0626/0.8334/0.0700/0.0340	0.51940	0/6/0/0	0.3075
99	1	3	0.0078/0.9233/0.0079/0.0610	0.32037	0/1/0/0	n=1: unavailable
100	1	3	0.0086/0.9187/0.0080/0.0647	0.33470	0/1/0/0	n=1: unavailable
101	1	3	0.2126/0.6736/0.1037/0.0101	0.87671	0/1/0/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Input-only routing: VRPB

First128 VAL after lock; entropy of graph-mean mixture, not mean node entropy.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
51	2	0	0.2462/0.2765/0.3693/0.1080	1.30868	0/0/2/0	0.011041
52	2	0	0.2664/0.2929/0.3125/0.1281	1.33199	0/1/1/0	0.099369
53	2	0	0.2138/0.2857/0.3512/0.1493	1.32498	0/0/2/0	0.13449
54	1	0	0.2455/0.2625/0.3789/0.1132	1.31015	0/0/1/0	n=1: unavailable
55	1	0	0.2426/0.2783/0.3627/0.1164	1.31772	0/0/1/0	n=1: unavailable
56	4	0	0.2398/0.2628/0.3760/0.1214	1.31549	0/0/4/0	0.047912
57	2	0	0.2269/0.2730/0.3861/0.1140	1.30568	0/0/2/0	0.017995
58	1	0	0.2496/0.2711/0.3604/0.1188	1.32122	0/0/1/0	n=1: unavailable
59	4	0	0.2561/0.2650/0.3517/0.1271	1.32947	0/0/4/0	0.043342
60	4	0	0.2495/0.2651/0.3549/0.1305	1.32989	0/0/4/0	0.063111
61	3	0	0.2668/0.2538/0.3423/0.1371	1.32979	1/0/2/0	0.11997
62	2	0	0.2238/0.2568/0.3959/0.1236	1.30527	0/0/2/0	0.076419
65	3	0	0.2454/0.2819/0.3209/0.1518	1.34633	0/1/2/0	0.11163
66	1	0	0.2346/0.2670/0.3676/0.1308	1.32669	0/0/1/0	n=1: unavailable
67	3	0	0.2200/0.2409/0.4024/0.1366	1.30143	0/0/3/0	0.12928
68	1	0	0.2001/0.2359/0.4075/0.1565	1.31878	0/0/1/0	n=1: unavailable
69	3	0	0.2600/0.2545/0.3498/0.1356	1.33239	1/0/2/0	0.10253
70	3	0	0.2602/0.2482/0.3531/0.1385	1.33679	0/0/3/0	0.033121
71	3	0	0.2346/0.2540/0.3508/0.1606	1.34766	0/0/3/0	0.038995
72	5	0	0.2259/0.2416/0.3880/0.1445	1.32093	0/0/5/0	0.08193
73	2	0	0.3292/0.2086/0.3020/0.1602	1.32029	1/0/1/0	0.17651
74	2	0	0.2497/0.2413/0.3727/0.1363	1.32899	0/0/2/0	0.0039464
75	5	0	0.2297/0.2440/0.3785/0.1478	1.32325	0/0/5/0	0.1748
76	1	0	0.3375/0.2307/0.2633/0.1685	1.35636	1/0/0/0	n=1: unavailable
77	4	0	0.2446/0.2474/0.3625/0.1456	1.33752	0/0/4/0	0.036631
78	4	0	0.2545/0.2390/0.3545/0.1520	1.33851	1/0/3/0	0.099367
80	1	0	0.2298/0.2436/0.3774/0.1492	1.33353	0/0/1/0	n=1: unavailable
81	6	0	0.2231/0.2564/0.3658/0.1547	1.32853	0/2/4/0	0.20119

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPB (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
83	2	0	0.2201/0.2461/0.3852/0.1486	1.32873	0/0/2/0	0.017583
84	2	0	0.2371/0.2358/0.3712/0.1559	1.33481	0/0/2/0	0.062836
85	3	0	0.2438/0.2352/0.3713/0.1498	1.33610	0/0/3/0	0.03876
86	1	0	0.1645/0.2541/0.4501/0.1314	1.27098	0/0/1/0	n=1: unavailable
87	4	0	0.2540/0.2365/0.3508/0.1586	1.34449	1/0/3/0	0.087185
88	2	0	0.2467/0.2261/0.3642/0.1630	1.34404	0/0/2/0	0.022906
89	5	0	0.2281/0.2310/0.3905/0.1503	1.32514	0/0/5/0	0.085204
90	3	0	0.2452/0.2291/0.3690/0.1567	1.34031	0/0/3/0	0.022371
91	3	0	0.2289/0.2493/0.3577/0.1642	1.34591	0/0/3/0	0.055654
92	1	0	0.2652/0.2221/0.3435/0.1691	1.35382	0/0/1/0	n=1: unavailable
93	2	0	0.2109/0.2325/0.3999/0.1566	1.31921	0/0/2/0	0.075489
94	3	0	0.2583/0.2246/0.3531/0.1640	1.34305	0/0/3/0	0.10929
95	2	0	0.2220/0.2601/0.3239/0.1941	1.36668	0/0/2/0	0.032625
96	5	0	0.2450/0.2373/0.3574/0.1603	1.34599	0/0/5/0	0.043474
97	2	0	0.2545/0.2293/0.3550/0.1612	1.34746	0/0/2/0	0.021845
98	1	0	0.2596/0.2157/0.3589/0.1657	1.34663	0/0/1/0	n=1: unavailable
99	2	0	0.2478/0.2207/0.3702/0.1613	1.34117	0/0/2/0	0.015916
100	6	0	0.2443/0.2213/0.3672/0.1672	1.33306	1/0/5/0	0.22397
101	4	0	0.2413/0.2324/0.3493/0.1770	1.35255	0/0/4/0	0.073948
51	2	1	0.2957/0.0770/0.0110/0.6162	0.90421	0/0/0/2	0.048218
52	2	1	0.5207/0.0657/0.0211/0.3924	0.88863	1/0/0/1	0.36808
53	2	1	0.4893/0.0252/0.0305/0.4551	0.82670	1/0/0/1	0.3931
54	1	1	0.2637/0.1188/0.0130/0.6046	0.96518	0/0/0/1	n=1: unavailable
55	1	1	0.3196/0.0964/0.0124/0.5716	0.96426	0/0/0/1	n=1: unavailable
56	4	1	0.3257/0.1038/0.0188/0.5517	0.98402	1/0/0/3	0.21042
57	2	1	0.2308/0.0807/0.0125/0.6759	0.86114	0/0/0/2	0.0055758
58	1	1	0.2777/0.0800/0.0128/0.6295	0.90504	0/0/0/1	n=1: unavailable
59	4	1	0.2713/0.1235/0.0200/0.5852	0.99969	0/0/0/4	0.061422

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPB (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
60	4	1	0.2743/0.1179/0.0271/0.5807	1.00573	0/0/0/4	0.15188
61	3	1	0.3024/0.1064/0.0343/0.5570	0.99986	1/0/0/2	0.28393
62	2	1	0.1861/0.0914/0.0182/0.7043	0.84089	0/0/0/2	0.12736
65	3	1	0.4389/0.0688/0.0313/0.4610	0.90949	1/0/0/2	0.49805
66	1	1	0.2491/0.1088/0.0229/0.6193	0.97069	0/0/0/1	n=1: unavailable
67	3	1	0.1956/0.1135/0.0456/0.6453	0.95599	0/0/0/3	0.18707
68	1	1	0.3249/0.1113/0.0974/0.4664	1.19226	0/0/0/1	n=1: unavailable
69	3	1	0.2401/0.1463/0.0443/0.5693	1.05904	0/0/0/3	0.20193
70	3	1	0.2132/0.1663/0.0257/0.5949	1.02228	0/0/0/3	0.12572
71	3	1	0.3747/0.1023/0.0432/0.4798	1.04590	1/0/0/2	0.30842
72	5	1	0.2365/0.1270/0.0487/0.5879	1.00988	0/0/0/5	0.28563
73	2	1	0.1836/0.2935/0.1052/0.4177	1.12501	0/1/0/1	0.45787
74	2	1	0.2011/0.1603/0.0245/0.6141	1.00496	0/0/0/2	0.047719
75	5	1	0.2891/0.1168/0.0476/0.5465	1.01691	1/0/0/4	0.3996
76	1	1	0.2693/0.2728/0.1899/0.2680	1.37603	0/1/0/0	n=1: unavailable
77	4	1	0.2317/0.1561/0.0333/0.5789	1.05227	0/0/0/4	0.10534
78	4	1	0.2571/0.1519/0.0660/0.5250	1.10513	1/0/0/3	0.32675
80	1	1	0.1859/0.1473/0.0333/0.6335	0.99750	0/0/0/1	n=1: unavailable
81	6	1	0.3763/0.0933/0.0496/0.4808	0.89240	2/0/0/4	0.64563
83	2	1	0.2512/0.0975/0.0279/0.6233	0.95822	0/0/0/2	0.12159
84	2	1	0.2069/0.1538/0.1077/0.5316	1.16521	0/0/0/2	0.19955
85	3	1	0.1801/0.1595/0.0367/0.6237	1.01474	0/0/0/3	0.049268
86	1	1	0.2050/0.0433/0.0489/0.7027	0.85634	0/0/0/1	n=1: unavailable
87	4	1	0.2431/0.1828/0.0780/0.4961	1.15560	1/0/0/3	0.3103
88	2	1	0.2813/0.1603/0.0518/0.5066	1.10905	0/0/0/2	0.21534
89	5	1	0.1942/0.1417/0.0403/0.6238	1.01089	0/0/0/5	0.098851
90	3	1	0.1771/0.1908/0.0405/0.5916	1.06157	0/0/0/3	0.041932
91	3	1	0.2770/0.1151/0.0505/0.5574	1.04948	0/0/0/3	0.1581

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPB (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
92	1	1	0.2282/0.2006/0.0889/0.4823	1.22628	0/0/0/1	n=1: unavailable
93	2	1	0.2413/0.1388/0.0526/0.5673	1.05606	0/0/0/2	0.17622
94	3	1	0.2458/0.2295/0.0597/0.4649	1.07528	1/0/0/2	0.45725
95	2	1	0.5871/0.0446/0.0765/0.2917	1.00709	2/0/0/0	0.025263
96	5	1	0.2194/0.1681/0.0605/0.5520	1.10997	0/0/0/5	0.17304
97	2	1	0.2046/0.2033/0.0858/0.5063	1.18280	0/0/0/2	0.11082
98	1	1	0.1692/0.2316/0.0523/0.5469	1.12380	0/0/0/1	n=1: unavailable
99	2	1	0.1632/0.1993/0.0490/0.5885	1.07531	0/0/0/2	0.050154
100	6	1	0.1955/0.1815/0.0806/0.5424	1.12688	1/0/0/5	0.32909
101	4	1	0.3121/0.1687/0.0730/0.4462	1.02673	1/0/0/3	0.63101
51	2	2	0.2310/0.0856/0.0124/0.6710	0.87054	0/0/0/2	0.028755
52	2	2	0.5071/0.0495/0.0088/0.4345	0.79826	1/0/0/1	0.42856
53	2	2	0.4562/0.0153/0.0072/0.5213	0.67073	1/0/0/1	0.49081
54	1	2	0.2095/0.1548/0.0180/0.6177	0.98622	0/0/0/1	n=1: unavailable
55	1	2	0.2410/0.1012/0.0110/0.6468	0.90606	0/0/0/1	n=1: unavailable
56	4	2	0.2905/0.1681/0.0198/0.5217	0.97284	1/0/0/3	0.50893
57	2	2	0.1673/0.1263/0.0190/0.6874	0.88459	0/0/0/2	0.080023
58	1	2	0.1692/0.0870/0.0196/0.7242	0.82368	0/0/0/1	n=1: unavailable
59	4	2	0.2707/0.1809/0.0173/0.5310	0.93313	1/0/0/3	0.59225
60	4	2	0.2916/0.1348/0.0170/0.5566	0.95729	1/0/0/3	0.38118
61	3	2	0.3621/0.1404/0.0204/0.4771	0.82504	1/0/0/2	0.69546
62	2	2	0.1794/0.1658/0.0183/0.6365	0.95474	0/0/0/2	0.112
65	3	2	0.5424/0.1511/0.0186/0.2879	0.74537	2/0/0/1	0.74567
66	1	2	0.1367/0.1007/0.0157/0.7469	0.78635	0/0/0/1	n=1: unavailable
67	3	2	0.2611/0.1327/0.0317/0.5744	1.00387	1/0/0/2	0.29452
68	1	2	0.4475/0.4644/0.0775/0.0105	0.96217	0/1/0/0	n=1: unavailable
69	3	2	0.2617/0.2016/0.0251/0.5116	0.96074	1/0/0/2	0.56063
70	3	2	0.1454/0.1528/0.0205/0.6814	0.90336	0/0/0/3	0.10004

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPB (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
71	3	2	0.3497/0.2659/0.0269/0.3575	1.04311	1/0/0/2	0.55449
72	5	2	0.4049/0.2236/0.0375/0.3340	1.06132	3/0/0/2	0.51479
73	2	2	0.2598/0.3419/0.0465/0.3518	0.93436	0/1/0/1	0.66801
74	2	2	0.1284/0.1389/0.0216/0.7111	0.86194	0/0/0/2	0.025684
75	5	2	0.3132/0.2416/0.0292/0.4160	0.97269	2/1/0/2	0.69052
76	1	2	0.5809/0.2318/0.0360/0.1513	1.05984	1/0/0/0	n=1: unavailable
77	4	2	0.1822/0.1548/0.0197/0.6433	0.91659	0/0/0/4	0.29567
78	4	2	0.3795/0.1620/0.0273/0.4311	0.96225	2/0/0/2	0.65793
80	1	2	0.0796/0.1716/0.0229/0.7258	0.82308	0/0/0/1	n=1: unavailable
81	6	2	0.4382/0.2140/0.0312/0.3166	0.87016	2/2/0/2	0.78108
83	2	2	0.1705/0.2708/0.0252/0.5335	0.98915	0/1/0/1	0.42108
84	2	2	0.3922/0.2705/0.0344/0.3029	1.17579	2/0/0/0	0.16907
85	3	2	0.1022/0.1783/0.0262/0.6932	0.88444	0/0/0/3	0.073159
86	1	2	0.3473/0.1715/0.0427/0.4385	1.16575	0/0/0/1	n=1: unavailable
87	4	2	0.3087/0.1927/0.0368/0.4618	1.01140	1/0/0/3	0.56565
88	2	2	0.2565/0.3172/0.0307/0.3956	1.04293	1/0/0/1	0.45833
89	5	2	0.1467/0.3045/0.0378/0.5110	0.99858	0/2/0/3	0.45877
90	3	2	0.0885/0.1976/0.0285/0.6854	0.89314	0/0/0/3	0.045315
91	3	2	0.2444/0.2779/0.0400/0.4377	1.11096	1/0/0/2	0.38033
92	1	2	0.3534/0.3964/0.0383/0.2119	1.18808	0/1/0/0	n=1: unavailable
93	2	2	0.2173/0.3123/0.0399/0.4305	1.07522	1/0/0/1	0.41311
94	3	2	0.2660/0.3671/0.0541/0.3128	0.94537	1/1/0/1	0.62861
95	2	2	0.3908/0.1394/0.0198/0.4500	0.78013	1/0/0/1	0.7093
96	5	2	0.2331/0.2357/0.0354/0.4959	0.99180	1/1/0/3	0.52834
97	2	2	0.2663/0.2494/0.0376/0.4467	1.05109	1/0/0/1	0.41068
98	1	2	0.0880/0.2145/0.0454/0.6521	0.96337	0/0/0/1	n=1: unavailable
99	2	2	0.0844/0.2296/0.0379/0.6480	0.95008	0/0/0/2	0.053535
100	6	2	0.1988/0.3120/0.0503/0.4389	1.03214	1/1/0/4	0.61424

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPB (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
101	4	2	0.2716/0.1731/0.0342/0.5211	0.83352	1/0/0/3	0.77585
51	2	3	0.7208/0.0100/0.0409/0.2283	0.74927	2/0/0/0	0.035532
52	2	3	0.8473/0.0307/0.0300/0.0920	0.55556	2/0/0/0	0.070909
53	2	3	0.4965/0.2550/0.0293/0.2191	1.12248	2/0/0/0	0.1203
54	1	3	0.6566/0.0144/0.0785/0.2505	0.88390	1/0/0/0	n=1: unavailable
55	1	3	0.7103/0.0202/0.0426/0.2269	0.79287	1/0/0/0	n=1: unavailable
56	4	3	0.6842/0.0552/0.0717/0.1889	0.86854	4/0/0/0	0.20553
57	2	3	0.5643/0.0245/0.0766/0.3346	0.97417	2/0/0/0	0.036209
58	1	3	0.4254/0.0368/0.0517/0.4862	0.98870	0/0/0/1	n=1: unavailable
59	4	3	0.5703/0.0532/0.0487/0.3278	0.93380	4/0/0/0	0.33628
60	4	3	0.5852/0.0724/0.0814/0.2610	0.98805	4/0/0/0	0.36195
61	3	3	0.4839/0.1020/0.0705/0.3435	0.98949	2/0/0/1	0.54176
62	2	3	0.4529/0.0915/0.0771/0.3785	1.08138	1/0/0/1	0.32957
65	3	3	0.4636/0.2585/0.0473/0.2306	0.90713	1/1/0/1	0.60175
66	1	3	0.1741/0.0770/0.0316/0.7173	0.84922	0/0/0/1	n=1: unavailable
67	3	3	0.3965/0.2635/0.1025/0.2376	1.08144	1/1/0/1	0.54862
68	1	3	0.6481/0.0668/0.2780/0.0072	0.85306	1/0/0/0	n=1: unavailable
69	3	3	0.3384/0.1271/0.1148/0.4197	1.01819	1/0/0/2	0.62032
70	3	3	0.1894/0.1630/0.0462/0.6014	1.04285	0/0/0/3	0.14762
71	3	3	0.2454/0.3480/0.0787/0.3278	1.17398	0/2/0/1	0.48145
72	5	3	0.4188/0.3110/0.1420/0.1282	1.10887	2/1/1/1	0.44154
73	2	3	0.1916/0.1382/0.3222/0.3481	0.93142	0/0/1/1	0.67429
74	2	3	0.1301/0.2184/0.0400/0.6114	1.02204	0/0/0/2	0.057409
75	5	3	0.2476/0.3516/0.1199/0.2809	1.05847	1/2/0/2	0.65959
76	1	3	0.4867/0.1222/0.3835/0.0075	1.01177	1/0/0/0	n=1: unavailable
77	4	3	0.1387/0.3225/0.0387/0.5001	1.02049	0/1/0/3	0.47063
78	4	3	0.2617/0.3950/0.1129/0.2304	1.09578	1/2/0/1	0.58988
80	1	3	0.0490/0.2866/0.0274/0.6370	0.89179	0/0/0/1	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPB (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
81	6	3	0.2407/0.4680/0.0820/0.2093	1.01738	1/3/0/2	0.51421
83	2	3	0.1135/0.4647/0.0576/0.3642	1.05063	0/1/0/1	0.35376
84	2	3	0.2568/0.4816/0.2353/0.0263	1.10916	0/2/0/0	0.19303
85	3	3	0.0372/0.3694/0.0303/0.5631	0.91166	0/0/0/3	0.09266
86	1	3	0.3259/0.5531/0.0708/0.0502	1.03056	0/1/0/0	n=1: unavailable
87	4	3	0.1491/0.4575/0.1073/0.2862	1.01090	0/2/0/2	0.53188
88	2	3	0.0878/0.4555/0.1279/0.3287	1.03805	0/1/0/1	0.48661
89	5	3	0.0750/0.4943/0.0814/0.3493	1.01900	0/3/0/2	0.4152
90	3	3	0.0248/0.4117/0.0236/0.5399	0.87719	0/0/0/3	0.027387
91	3	3	0.1059/0.6160/0.0495/0.2286	0.92556	0/2/0/1	0.40003
92	1	3	0.1356/0.6301/0.0824/0.1518	1.05392	0/1/0/0	n=1: unavailable
93	2	3	0.1017/0.5099/0.0940/0.2944	0.95772	0/1/0/1	0.49611
94	3	3	0.1232/0.4162/0.2555/0.2051	0.91557	0/1/1/1	0.65793
95	2	3	0.0954/0.5971/0.0690/0.2385	0.90768	0/2/0/0	0.3816
96	5	3	0.0807/0.5555/0.0477/0.3160	0.85914	0/2/0/3	0.50884
97	2	3	0.1700/0.4807/0.0660/0.2833	0.95210	0/1/0/1	0.51272
98	1	3	0.0183/0.4974/0.0273/0.4571	0.87662	0/1/0/0	n=1: unavailable
99	2	3	0.0127/0.4926/0.0228/0.4719	0.84087	0/1/0/1	0.072978
100	6	3	0.0965/0.5200/0.1088/0.2747	0.92197	0/5/1/0	0.43781
101	4	3	0.0453/0.5480/0.0192/0.3875	0.79926	0/2/0/2	0.49109

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Input-only routing: VRPL

First128 VAL after lock; entropy of graph-mean mixture, not mean node entropy.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
51	2	0	0.2391/0.3021/0.2950/0.1638	1.36016	0/2/0/0	0.0067781
53	3	0	0.2149/0.2980/0.3172/0.1699	1.35427	0/0/3/0	0.058429
54	3	0	0.2329/0.2934/0.3072/0.1666	1.36005	0/0/3/0	0.015993
55	2	0	0.2411/0.2814/0.2836/0.1939	1.37068	1/0/1/0	0.073456
57	2	0	0.2318/0.2889/0.3085/0.1708	1.36200	0/0/2/0	0.016677
59	4	0	0.2278/0.2896/0.3054/0.1772	1.36333	0/0/4/0	0.051327
60	1	0	0.1795/0.2820/0.3585/0.1800	1.34173	0/0/1/0	n=1: unavailable
61	6	0	0.2169/0.2845/0.3135/0.1851	1.36234	0/1/5/0	0.061534
62	2	0	0.2336/0.2786/0.3029/0.1849	1.36939	0/0/2/0	0.018927
63	4	0	0.2239/0.2716/0.3122/0.1923	1.36793	0/0/4/0	0.047191
64	4	0	0.2304/0.2759/0.3119/0.1818	1.36646	0/0/4/0	0.024082
65	1	0	0.2282/0.2664/0.3216/0.1838	1.36573	0/0/1/0	n=1: unavailable
66	2	0	0.2200/0.2806/0.3051/0.1943	1.36948	0/0/2/0	0.023559
67	3	0	0.2248/0.2660/0.3201/0.1892	1.36664	0/0/3/0	0.028972
68	1	0	0.2336/0.2712/0.3060/0.1892	1.37094	0/0/1/0	n=1: unavailable
69	2	0	0.2239/0.2741/0.3107/0.1913	1.36893	0/0/2/0	0.024966
70	2	0	0.2537/0.2605/0.2821/0.2037	1.37574	1/0/1/0	0.072496
71	2	0	0.2495/0.2527/0.2873/0.2105	1.37917	0/0/2/0	0.033945
72	1	0	0.2282/0.2736/0.3022/0.1960	1.37284	0/0/1/0	n=1: unavailable
73	3	0	0.2334/0.2624/0.3105/0.1937	1.37145	0/0/3/0	0.024966
74	1	0	0.2152/0.2546/0.3164/0.2138	1.37283	0/0/1/0	n=1: unavailable
75	1	0	0.2338/0.2631/0.3016/0.2015	1.37538	0/0/1/0	n=1: unavailable
76	2	0	0.2346/0.2770/0.2689/0.2196	1.38101	0/1/1/0	0.033536
77	4	0	0.2325/0.2683/0.2955/0.2038	1.37544	0/0/4/0	0.042817
78	5	0	0.2169/0.2563/0.3184/0.2084	1.36781	0/0/5/0	0.084745
80	3	0	0.2296/0.2475/0.2955/0.2275	1.37979	0/0/3/0	0.026802
81	2	0	0.2342/0.2682/0.2670/0.2306	1.38335	0/1/1/0	0.024895
82	3	0	0.2306/0.2589/0.3000/0.2106	1.37551	0/0/3/0	0.040617

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPL (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
83	4	0	0.2260/0.2482/0.3134/0.2124	1.37336	0/0/4/0	0.049643
84	1	0	0.2337/0.2530/0.3034/0.2100	1.37702	0/0/1/0	n=1: unavailable
85	2	0	0.2457/0.2440/0.2886/0.2217	1.38023	0/0/2/0	0.037348
86	1	0	0.2333/0.2499/0.3007/0.2162	1.37850	0/0/1/0	n=1: unavailable
87	4	0	0.2279/0.2544/0.3069/0.2109	1.37530	0/0/4/0	0.032174
88	2	0	0.2152/0.2464/0.3311/0.2072	1.36531	0/0/2/0	0.058241
89	2	0	0.2346/0.2761/0.2668/0.2225	1.38166	0/2/0/0	0.026365
90	2	0	0.2325/0.2574/0.2969/0.2132	1.37840	0/0/2/0	0.013754
91	3	0	0.2310/0.2589/0.2887/0.2214	1.37813	0/1/2/0	0.072373
92	6	0	0.2274/0.2522/0.3009/0.2196	1.37781	0/0/6/0	0.036104
93	2	0	0.2049/0.2503/0.3365/0.2083	1.36068	0/0/2/0	0.063926
94	9	0	0.2299/0.2482/0.3042/0.2177	1.37736	0/0/9/0	0.035587
95	2	0	0.2381/0.2423/0.2895/0.2302	1.38146	0/0/2/0	0.025398
96	3	0	0.2329/0.2554/0.2859/0.2258	1.37846	1/0/2/0	0.066951
97	5	0	0.2155/0.2502/0.3141/0.2202	1.37314	0/0/5/0	0.04677
98	5	0	0.2186/0.2486/0.3174/0.2154	1.37168	0/0/5/0	0.049351
99	1	0	0.2302/0.2579/0.2804/0.2315	1.38288	0/0/1/0	n=1: unavailable
100	2	0	0.2252/0.2358/0.3048/0.2342	1.37815	0/0/2/0	0.01529
101	1	0	0.2323/0.2392/0.3055/0.2229	1.37814	0/0/1/0	n=1: unavailable
51	2	1	0.3041/0.0697/0.0186/0.6077	0.92317	0/0/0/2	0.022349
53	3	1	0.2631/0.0578/0.0309/0.6482	0.88898	0/0/0/3	0.075963
54	3	1	0.2605/0.0754/0.0174/0.6468	0.89532	0/0/0/3	0.048385
55	2	1	0.2875/0.1093/0.0699/0.5333	1.08583	0/0/0/2	0.1584
57	2	1	0.2294/0.0761/0.0174/0.6771	0.86762	0/0/0/2	0.03055
59	4	1	0.2414/0.0886/0.0292/0.6408	0.93898	0/0/0/4	0.076295
60	1	1	0.2364/0.0281/0.0639/0.6716	0.88425	0/0/0/1	n=1: unavailable
61	6	1	0.1977/0.0686/0.0310/0.7027	0.83864	0/0/0/6	0.18684
62	2	1	0.2403/0.1025/0.0313/0.6258	0.97324	0/0/0/2	0.064717

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPL (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
63	4	1	0.1927/0.1007/0.0467/0.6600	0.94388	0/0/0/4	0.1378
64	4	1	0.2024/0.0968/0.0373/0.6635	0.93782	0/0/0/4	0.047673
65	1	1	0.1891/0.1156/0.0253/0.6700	0.92573	0/0/0/1	n=1: unavailable
66	2	1	0.2289/0.0759/0.0300/0.6653	0.90194	0/0/0/2	0.079251
67	3	1	0.1717/0.0922/0.0358/0.7003	0.88238	0/0/0/3	0.0886
68	1	1	0.2052/0.1085/0.0294/0.6568	0.94588	0/0/0/1	n=1: unavailable
69	2	1	0.1958/0.0940/0.0413/0.6689	0.93515	0/0/0/2	0.060227
70	2	1	0.2515/0.1350/0.0831/0.5304	1.09913	0/0/0/2	0.31769
71	2	1	0.1580/0.1788/0.1038/0.5593	1.13196	0/0/0/2	0.1278
72	1	1	0.1603/0.1048/0.0297/0.7052	0.88060	0/0/0/1	n=1: unavailable
73	3	1	0.1572/0.1294/0.0335/0.6799	0.92985	0/0/0/3	0.055734
74	1	1	0.1644/0.1100/0.1355/0.5901	1.12176	0/0/0/1	n=1: unavailable
75	1	1	0.1545/0.1184/0.0334/0.6937	0.90837	0/0/0/1	n=1: unavailable
76	2	1	0.4328/0.0604/0.1286/0.3781	1.07694	1/0/0/1	0.36194
77	4	1	0.1903/0.1482/0.0567/0.6047	1.04359	0/0/0/4	0.16389
78	5	1	0.1908/0.0993/0.1164/0.5936	1.06254	0/0/0/5	0.24169
80	3	1	0.2505/0.0975/0.1476/0.5043	1.18111	0/0/0/3	0.18064
81	2	1	0.3209/0.0853/0.1272/0.4666	1.16391	0/0/0/2	0.15191
82	3	1	0.1339/0.1547/0.0972/0.6142	1.05612	0/0/0/3	0.14053
83	4	1	0.1228/0.1486/0.0692/0.6595	0.98951	0/0/0/4	0.08337
84	1	1	0.1455/0.1869/0.0557/0.6120	1.05520	0/0/0/1	n=1: unavailable
85	2	1	0.1258/0.2126/0.0855/0.5761	1.08449	0/0/0/2	0.20056
86	1	1	0.1232/0.1565/0.0564/0.6639	0.98243	0/0/0/1	n=1: unavailable
87	4	1	0.1509/0.1437/0.0745/0.6310	1.02891	0/0/0/4	0.11558
88	2	1	0.1097/0.1418/0.0578/0.6907	0.92058	0/0/0/2	0.16137
89	2	1	0.3413/0.0714/0.2074/0.3799	1.23463	1/0/0/1	0.11985
90	2	1	0.1811/0.1220/0.1466/0.5504	1.11643	0/0/0/2	0.16002
91	3	1	0.2602/0.1131/0.1180/0.5086	1.05053	1/0/0/2	0.49298

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPL (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
92	6	1	0.1654/0.1559/0.1046/0.5741	1.10375	0/0/0/6	0.23973
93	2	1	0.1105/0.1315/0.1022/0.6558	0.98702	0/0/0/2	0.15055
94	9	1	0.1421/0.1656/0.0993/0.5930	1.08689	0/0/0/9	0.17376
95	2	1	0.1059/0.2011/0.1051/0.5880	1.09467	0/0/0/2	0.13795
96	3	1	0.1998/0.1385/0.1813/0.4803	1.13588	0/0/1/2	0.45163
97	5	1	0.1749/0.1496/0.1081/0.5674	1.10045	0/0/0/5	0.19219
98	5	1	0.1175/0.1500/0.1037/0.6288	1.02684	0/0/0/5	0.17033
99	1	1	0.2365/0.1412/0.2042/0.4181	1.30640	0/0/0/1	n=1: unavailable
100	2	1	0.1324/0.1818/0.1126/0.5732	1.13462	0/0/0/2	0.08507
101	1	1	0.1126/0.2191/0.0715/0.5968	1.07515	0/0/0/1	n=1: unavailable
51	2	2	0.3082/0.0427/0.0096/0.6395	0.82700	0/0/0/2	0.023772
53	3	2	0.3099/0.0375/0.0181/0.6345	0.83727	0/0/0/3	0.06493
54	3	2	0.2791/0.0791/0.0171/0.6247	0.91774	0/0/0/3	0.074666
55	2	2	0.5364/0.2111/0.0244/0.2281	1.01519	2/0/0/0	0.36857
57	2	2	0.2156/0.0846/0.0192/0.6807	0.87482	0/0/0/2	0.0621
59	4	2	0.2915/0.0760/0.0181/0.6144	0.89758	0/0/0/4	0.24344
60	1	2	0.3694/0.0756/0.0360/0.5189	1.02324	0/0/0/1	n=1: unavailable
61	6	2	0.2152/0.0688/0.0188/0.6972	0.78994	0/0/0/6	0.40724
62	2	2	0.3395/0.2321/0.0321/0.3963	1.06753	1/0/0/1	0.45145
63	4	2	0.2275/0.0945/0.0213/0.6567	0.89195	0/0/0/4	0.20259
64	4	2	0.2962/0.0997/0.0252/0.5789	0.87010	1/0/0/3	0.57576
65	1	2	0.1590/0.1178/0.0168/0.7064	0.85844	0/0/0/1	n=1: unavailable
66	2	2	0.1756/0.2090/0.0226/0.5927	1.00737	0/0/0/2	0.18779
67	3	2	0.1848/0.2315/0.0370/0.5466	0.88997	0/1/0/2	0.64249
68	1	2	0.1845/0.1036/0.0130/0.6988	0.85369	0/0/0/1	n=1: unavailable
69	2	2	0.2586/0.1471/0.0321/0.5622	1.03177	0/0/0/2	0.25554
70	2	2	0.3226/0.1006/0.0235/0.5532	0.93379	1/0/0/1	0.35077
71	2	2	0.3416/0.2138/0.0393/0.4054	1.02540	1/0/0/1	0.53525

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPL (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
72	1	2	0.1041/0.1007/0.0198/0.7754	0.74169	0/0/0/1	n=1: unavailable
73	3	2	0.1231/0.1254/0.0215/0.7300	0.82536	0/0/0/3	0.066889
74	1	2	0.4163/0.3396/0.0482/0.1959	1.19713	1/0/0/0	n=1: unavailable
75	1	2	0.1208/0.1973/0.0202/0.6617	0.92757	0/0/0/1	n=1: unavailable
76	2	2	0.6450/0.1570/0.0253/0.1727	0.85801	2/0/0/0	0.34229
77	4	2	0.1671/0.1664/0.0199/0.6467	0.88655	0/0/0/4	0.38847
78	5	2	0.3633/0.2021/0.0414/0.3931	0.95301	2/1/0/2	0.69973
80	3	2	0.4729/0.3989/0.0545/0.0736	1.03873	2/1/0/0	0.13431
81	2	2	0.5101/0.0409/0.0196/0.4294	0.85755	1/0/0/1	0.33184
82	3	2	0.2704/0.2512/0.0418/0.4366	1.09199	2/0/0/1	0.46423
83	4	2	0.1151/0.2687/0.0538/0.5623	0.89759	0/1/0/3	0.6868
84	1	2	0.0853/0.1646/0.0235/0.7267	0.82693	0/0/0/1	n=1: unavailable
85	2	2	0.1156/0.2981/0.0453/0.5411	0.93463	0/1/0/1	0.51196
86	1	2	0.0863/0.1734/0.0299/0.7104	0.86316	0/0/0/1	n=1: unavailable
87	4	2	0.1710/0.1780/0.0353/0.6156	0.93178	1/0/0/3	0.45338
88	2	2	0.1008/0.2938/0.0550/0.5504	1.06070	0/0/0/2	0.15123
89	2	2	0.6535/0.0892/0.0289/0.2284	0.88418	2/0/0/0	0.22922
90	2	2	0.3935/0.1342/0.0364/0.4359	0.84310	1/0/0/1	0.66916
91	3	2	0.3542/0.0997/0.0242/0.5219	0.66642	1/0/0/2	0.81674
92	6	2	0.2478/0.2741/0.0446/0.4335	0.99674	2/1/0/3	0.64457
93	2	2	0.2024/0.2529/0.0815/0.4632	1.10907	1/0/0/1	0.44919
94	9	2	0.1741/0.2684/0.0451/0.5124	0.96574	1/2/0/6	0.62804
95	2	2	0.1202/0.2247/0.0448/0.6103	1.00857	0/0/0/2	0.15559
96	3	2	0.3015/0.2349/0.0353/0.4284	1.02232	1/0/0/2	0.53433
97	5	2	0.1809/0.2385/0.0453/0.5352	0.94945	0/1/0/4	0.58134
98	5	2	0.1575/0.2325/0.0618/0.5482	1.03399	1/1/0/3	0.36171
99	1	2	0.5813/0.2099/0.0539/0.1549	1.08927	1/0/0/0	n=1: unavailable
100	2	2	0.0620/0.3120/0.0496/0.5764	0.96854	0/0/0/2	0.22947

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPL (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
101	1	2	0.0727/0.2284/0.0409/0.6580	0.93396	0/0/0/1	n=1: unavailable
51	2	3	0.9014/0.0036/0.0272/0.0678	0.39342	2/0/0/0	0.027277
53	3	3	0.8358/0.0686/0.0285/0.0671	0.55120	3/0/0/0	0.19156
54	3	3	0.8926/0.0048/0.0320/0.0707	0.42354	3/0/0/0	0.022136
55	2	3	0.8885/0.0281/0.0522/0.0312	0.45435	2/0/0/0	0.044033
57	2	3	0.8292/0.0077/0.0386/0.1244	0.57748	2/0/0/0	0.016819
59	4	3	0.7927/0.0357/0.0359/0.1357	0.65274	4/0/0/0	0.19091
60	1	3	0.7084/0.2355/0.0363/0.0198	0.78277	1/0/0/0	n=1: unavailable
61	6	3	0.6412/0.1360/0.0368/0.1859	0.89207	6/0/0/0	0.33442
62	2	3	0.7947/0.0322/0.0555/0.1175	0.65709	2/0/0/0	0.18763
63	4	3	0.5966/0.1360/0.0620/0.2054	0.91502	3/1/0/0	0.3884
64	4	3	0.6581/0.0628/0.0422/0.2369	0.84733	4/0/0/0	0.35023
65	1	3	0.5294/0.0567/0.0382/0.3757	0.99194	1/0/0/0	n=1: unavailable
66	2	3	0.5143/0.1888/0.0605/0.2364	1.10984	2/0/0/0	0.23369
67	3	3	0.4922/0.1119/0.1087/0.2872	1.04206	2/0/0/1	0.4739
68	1	3	0.3877/0.1505/0.0366/0.4252	1.13701	0/0/0/1	n=1: unavailable
69	2	3	0.5538/0.2019/0.0413/0.2030	1.00943	2/0/0/0	0.33104
70	2	3	0.2899/0.3591/0.0569/0.2941	1.19390	1/1/0/0	0.29165
71	2	3	0.4036/0.2444/0.1369/0.2151	1.14767	1/0/0/1	0.40901
72	1	3	0.1695/0.2412/0.0406/0.5487	1.10328	0/0/0/1	n=1: unavailable
73	3	3	0.2306/0.2789/0.0359/0.4546	1.16906	0/0/0/3	0.08848
74	1	3	0.5295/0.3466/0.1015/0.0225	1.02141	1/0/0/0	n=1: unavailable
75	1	3	0.2344/0.4056/0.0341/0.3259	1.18656	0/1/0/0	n=1: unavailable
76	2	3	0.3759/0.5259/0.0255/0.0728	0.95494	1/1/0/0	0.24803
77	4	3	0.2014/0.4631/0.0539/0.2816	1.10860	0/2/0/2	0.34346
78	5	3	0.3353/0.4755/0.0846/0.1045	0.94742	2/3/0/0	0.60209
80	3	3	0.3242/0.4845/0.1357/0.0556	1.10129	0/3/0/0	0.17976
81	2	3	0.1597/0.6996/0.0354/0.1053	0.82652	0/2/0/0	0.21414

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPL (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
82	3	3	0.3090/0.4384/0.1048/0.1478	1.02434	1/2/0/0	0.44951
83	4	3	0.1043/0.5259/0.0845/0.2853	0.97387	0/4/0/0	0.33448
84	1	3	0.0477/0.5200/0.0175/0.4149	0.92090	0/1/0/0	n=1: unavailable
85	2	3	0.1083/0.6159/0.0688/0.2070	0.95492	0/2/0/0	0.23725
86	1	3	0.0240/0.6606/0.0118/0.3035	0.77775	0/1/0/0	n=1: unavailable
87	4	3	0.1056/0.6170/0.0291/0.2483	0.85839	0/4/0/0	0.32947
88	2	3	0.0817/0.6654/0.0717/0.1813	0.90748	0/2/0/0	0.22338
89	2	3	0.2447/0.6969/0.0331/0.0254	0.79542	0/2/0/0	0.067335
90	2	3	0.1139/0.6697/0.0383/0.1780	0.80995	0/2/0/0	0.31912
91	3	3	0.0725/0.6822/0.0291/0.2162	0.77291	0/3/0/0	0.2926
92	6	3	0.1145/0.6333/0.0611/0.1910	0.88146	0/6/0/0	0.35509
93	2	3	0.1205/0.6671/0.0455/0.1668	0.81841	0/2/0/0	0.30334
94	9	3	0.0964/0.6356/0.0550/0.2130	0.82130	1/8/0/0	0.45103
95	2	3	0.0117/0.7889/0.0213/0.1781	0.61385	0/2/0/0	0.11786
96	3	3	0.1031/0.7227/0.0521/0.1221	0.76326	0/3/0/0	0.27856
97	5	3	0.0756/0.6988/0.0456/0.1800	0.78006	0/5/0/0	0.311
98	5	3	0.0673/0.7132/0.0451/0.1745	0.75378	0/5/0/0	0.265
99	1	3	0.1039/0.7478/0.1380/0.0103	0.77307	0/1/0/0	n=1: unavailable
100	2	3	0.0123/0.7539/0.0448/0.1891	0.68561	0/2/0/0	0.17607
101	1	3	0.0120/0.7011/0.0183/0.2686	0.72833	0/1/0/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Input-only routing: VRPTW

First128 VAL after lock; entropy of graph-mean mixture, not mean node entropy.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
51	3	0	0.2507/0.3360/0.2441/0.1693	1.35763	0/3/0/0	0.027887
52	3	0	0.2744/0.3091/0.2366/0.1799	1.36593	1/2/0/0	0.039444
53	3	0	0.2463/0.3381/0.2314/0.1842	1.36087	0/3/0/0	0.038178
54	2	0	0.2510/0.3196/0.2426/0.1868	1.36756	0/2/0/0	0.027818
55	4	0	0.2606/0.3067/0.2553/0.1774	1.36755	0/4/0/0	0.032107
56	2	0	0.2616/0.3090/0.2486/0.1809	1.36886	0/2/0/0	0.0094279
57	2	0	0.2508/0.3107/0.2536/0.1849	1.36942	0/2/0/0	0.024973
58	2	0	0.2589/0.3114/0.2362/0.1936	1.37105	0/2/0/0	0.027842
59	4	0	0.2554/0.3084/0.2521/0.1842	1.37012	0/4/0/0	0.016121
60	2	0	0.2589/0.2991/0.2580/0.1840	1.37186	0/2/0/0	0.0056567
62	2	0	0.2600/0.2949/0.2509/0.1943	1.37527	0/2/0/0	0.016215
63	3	0	0.2571/0.3063/0.2461/0.1905	1.37228	0/3/0/0	0.016277
64	1	0	0.2316/0.2620/0.3165/0.1899	1.36929	0/0/1/0	n=1: unavailable
65	3	0	0.2640/0.2971/0.2392/0.1997	1.37086	1/2/0/0	0.077405
66	2	0	0.2663/0.2969/0.2375/0.1993	1.37570	0/2/0/0	0.0099137
67	3	0	0.2479/0.3093/0.2449/0.1979	1.37215	0/3/0/0	0.051294
68	3	0	0.2576/0.2936/0.2428/0.2060	1.37742	0/3/0/0	0.033883
69	5	0	0.2622/0.2941/0.2457/0.1980	1.37594	0/5/0/0	0.024862
70	2	0	0.2236/0.3034/0.2792/0.1938	1.36696	0/1/1/0	0.067031
71	1	0	0.2517/0.2912/0.2455/0.2116	1.37992	0/1/0/0	n=1: unavailable
72	1	0	0.2004/0.3414/0.2715/0.1868	1.35637	0/1/0/0	n=1: unavailable
73	3	0	0.2576/0.2831/0.2530/0.2063	1.37921	0/3/0/0	0.037108
74	2	0	0.2355/0.3026/0.2687/0.1933	1.36719	0/2/0/0	0.075296
75	2	0	0.2792/0.2893/0.2176/0.2139	1.37315	1/1/0/0	0.066585
77	5	0	0.2668/0.2892/0.2377/0.2063	1.37581	1/4/0/0	0.067191
78	3	0	0.2719/0.2766/0.2296/0.2219	1.38111	1/2/0/0	0.023143
79	2	0	0.2682/0.2891/0.2326/0.2102	1.37807	0/2/0/0	0.027239
81	5	0	0.2518/0.2763/0.2573/0.2145	1.38144	0/5/0/0	0.042505

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
82	1	0	0.2358/0.2694/0.2643/0.2305	1.38397	0/1/0/0	n=1: unavailable
83	4	0	0.2444/0.2859/0.2493/0.2203	1.38070	0/4/0/0	0.037735
84	3	0	0.2494/0.2851/0.2582/0.2073	1.37756	0/3/0/0	0.047304
85	2	0	0.2617/0.2695/0.2497/0.2191	1.38297	1/1/0/0	0.02004
86	5	0	0.2601/0.2700/0.2488/0.2212	1.38340	1/4/0/0	0.020243
87	5	0	0.2513/0.2782/0.2551/0.2155	1.38090	1/4/0/0	0.043026
88	2	0	0.2689/0.2667/0.2465/0.2179	1.38279	1/1/0/0	0.007493
89	4	0	0.2587/0.2697/0.2500/0.2216	1.38354	1/3/0/0	0.019263
90	1	0	0.2647/0.2668/0.2396/0.2289	1.38417	0/1/0/0	n=1: unavailable
91	3	0	0.2541/0.2827/0.2468/0.2164	1.37509	1/1/1/0	0.10162
92	2	0	0.2702/0.2725/0.2321/0.2251	1.38125	1/1/0/0	0.037278
94	2	0	0.2533/0.2682/0.2432/0.2353	1.38449	0/2/0/0	0.025402
96	3	0	0.2460/0.2628/0.2618/0.2294	1.38422	0/2/1/0	0.031009
97	3	0	0.2595/0.2672/0.2508/0.2225	1.38221	1/2/0/0	0.049306
98	6	0	0.2576/0.2644/0.2586/0.2194	1.38156	2/3/1/0	0.067681
99	2	0	0.2433/0.2698/0.2599/0.2270	1.38356	0/1/1/0	0.026717
100	1	0	0.2483/0.2939/0.2473/0.2105	1.37933	0/1/0/0	n=1: unavailable
101	4	0	0.2663/0.2648/0.2315/0.2374	1.38334	3/1/0/0	0.036198
51	3	1	0.2692/0.0671/0.0247/0.6390	0.90729	0/0/0/3	0.075456
52	3	1	0.2370/0.1250/0.0413/0.5967	1.02563	0/0/0/3	0.11271
53	3	1	0.3817/0.0621/0.0302/0.5261	0.95322	1/0/0/2	0.26902
54	2	1	0.3457/0.0615/0.0343/0.5585	0.96062	0/0/0/2	0.168
55	4	1	0.2075/0.0944/0.0350/0.6631	0.93184	0/0/0/4	0.081172
56	2	1	0.2319/0.0972/0.0297/0.6413	0.95372	0/0/0/2	0.020234
57	2	1	0.1670/0.1066/0.0311/0.6953	0.88391	0/0/0/2	0.093874
58	2	1	0.3435/0.0812/0.0533/0.5220	1.02435	1/0/0/1	0.22852
59	4	1	0.2163/0.1046/0.0301/0.6491	0.95167	0/0/0/4	0.036356
60	2	1	0.2012/0.1101/0.0296/0.6591	0.94445	0/0/0/2	0.011324

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
62	2	1	0.2231/0.1212/0.0418/0.6139	1.01438	0/0/0/2	0.11024
63	3	1	0.1933/0.1065/0.0322/0.6680	0.93427	0/0/0/3	0.037831
64	1	1	0.1746/0.1468/0.1176/0.5610	1.16241	0/0/0/1	n=1: unavailable
65	3	1	0.2552/0.1483/0.1057/0.4908	1.16764	0/0/0/3	0.22751
66	2	1	0.1802/0.1420/0.0489/0.6289	1.02432	0/0/0/2	0.037324
67	3	1	0.2511/0.1082/0.0497/0.5909	1.01283	0/0/0/3	0.21655
68	3	1	0.2525/0.1214/0.0572/0.5689	1.04975	0/0/0/3	0.232
69	5	1	0.1888/0.1373/0.0585/0.6154	1.04605	0/0/0/5	0.067023
70	2	1	0.2880/0.0877/0.0836/0.5406	1.06761	0/0/0/2	0.19685
71	1	1	0.1505/0.1437/0.0571/0.6487	1.00813	0/0/0/1	n=1: unavailable
72	1	1	0.2527/0.0404/0.0500/0.6569	0.90314	0/0/0/1	n=1: unavailable
73	3	1	0.1615/0.1362/0.0957/0.6066	1.07990	0/0/0/3	0.095442
74	2	1	0.2089/0.1013/0.0786/0.6113	1.03063	0/0/0/2	0.12894
75	2	1	0.2938/0.1239/0.1176/0.4647	1.13338	1/0/0/1	0.3758
77	5	1	0.1924/0.1552/0.0888/0.5635	1.11718	0/0/0/5	0.24349
78	3	1	0.2320/0.1696/0.1503/0.4482	1.27844	0/0/0/3	0.087741
79	2	1	0.2006/0.1594/0.1081/0.5319	1.16347	0/0/0/2	0.15837
81	5	1	0.1682/0.1629/0.0800/0.5889	1.08648	0/0/0/5	0.16551
82	1	1	0.3335/0.0849/0.1684/0.4132	1.24075	0/0/0/1	n=1: unavailable
83	4	1	0.2295/0.1234/0.1314/0.5157	1.18681	0/0/0/4	0.13084
84	3	1	0.1573/0.1530/0.1016/0.5881	1.11161	0/0/0/3	0.11694
85	2	1	0.1521/0.1871/0.0866/0.5741	1.12324	0/0/0/2	0.10353
86	5	1	0.1303/0.1974/0.0870/0.5853	1.10967	0/0/0/5	0.081828
87	5	1	0.1793/0.1614/0.1031/0.5562	1.14081	0/0/0/5	0.19144
88	2	1	0.1503/0.2053/0.0920/0.5524	1.15576	0/0/0/2	0.041677
89	4	1	0.1403/0.1946/0.0922/0.5729	1.13116	0/0/0/4	0.049375
90	1	1	0.1119/0.2130/0.1043/0.5709	1.13023	0/0/0/1	n=1: unavailable
91	3	1	0.1738/0.1390/0.2028/0.4844	1.21250	0/0/0/3	0.30668

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
92	2	1	0.2571/0.1276/0.2195/0.3957	1.16842	1/0/0/1	0.42341
94	2	1	0.2713/0.1344/0.1642/0.4301	1.17685	1/0/0/1	0.31371
96	3	1	0.1784/0.1790/0.1929/0.4496	1.26649	0/0/0/3	0.1722
97	3	1	0.1376/0.1806/0.1695/0.5123	1.19653	0/0/0/3	0.19785
98	6	1	0.1465/0.1926/0.1630/0.4980	1.22527	0/0/0/6	0.15001
99	2	1	0.1300/0.1674/0.1472/0.5554	1.15569	0/0/0/2	0.11987
100	1	1	0.2939/0.1054/0.1549/0.4458	1.24600	0/0/0/1	n=1: unavailable
101	4	1	0.2112/0.1840/0.1864/0.4184	1.25191	1/0/0/3	0.29065
51	3	2	0.2207/0.3067/0.0276/0.4449	1.01086	0/1/0/2	0.54857
52	3	2	0.1475/0.3541/0.0209/0.4775	1.01640	0/1/0/2	0.38641
53	3	2	0.3573/0.2071/0.0204/0.4152	1.07132	2/0/0/1	0.38752
54	2	2	0.1286/0.1226/0.0105/0.7382	0.76094	0/0/0/2	0.17361
55	4	2	0.1917/0.3802/0.0284/0.3998	1.07066	0/2/0/2	0.4563
56	2	2	0.1223/0.2469/0.0244/0.6064	0.99143	0/0/0/2	0.061236
57	2	2	0.1068/0.3151/0.0250/0.5531	0.99414	0/0/0/2	0.20559
58	2	2	0.1886/0.2783/0.0201/0.5130	1.05990	0/0/0/2	0.18626
59	4	2	0.0906/0.2856/0.0190/0.6047	0.95120	0/0/0/4	0.091667
60	2	2	0.0926/0.3192/0.0203/0.5679	0.98401	0/0/0/2	0.04392
62	2	2	0.1045/0.4944/0.0236/0.3774	0.96953	0/1/0/1	0.34311
63	3	2	0.0773/0.2975/0.0203/0.6050	0.93340	0/0/0/3	0.12344
64	1	2	0.1768/0.7612/0.0438/0.0182	0.72413	0/1/0/0	n=1: unavailable
65	3	2	0.2325/0.5806/0.0286/0.1582	0.97712	0/3/0/0	0.28266
66	2	2	0.0347/0.3862/0.0205/0.5586	0.88832	0/0/0/2	0.03533
67	3	2	0.0997/0.2683/0.0237/0.6083	0.93222	0/0/0/3	0.2641
68	3	2	0.1609/0.4233/0.0233/0.3925	1.00083	0/1/0/2	0.37709
69	5	2	0.0815/0.4589/0.0246/0.4350	0.95943	0/1/0/4	0.36116
70	2	2	0.2262/0.4160/0.0330/0.3249	0.96551	0/1/0/1	0.57775
71	1	2	0.0216/0.3611/0.0233/0.5941	0.84748	0/0/0/1	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
72	1	2	0.2476/0.2066/0.0236/0.5221	1.09917	0/0/0/1	n=1: unavailable
73	3	2	0.0544/0.5014/0.0331/0.4111	0.86196	0/1/0/2	0.4916
74	2	2	0.1623/0.2653/0.0289/0.5435	0.97431	0/0/0/2	0.28312
75	2	2	0.1387/0.4584/0.0287/0.3742	1.01270	0/1/0/1	0.35213
77	5	2	0.0874/0.5053/0.0287/0.3786	0.92871	0/2/0/3	0.43412
78	3	2	0.0921/0.5669/0.0314/0.3095	0.92964	0/2/0/1	0.43745
79	2	2	0.0709/0.5359/0.0282/0.3650	0.93554	0/1/0/1	0.26212
81	5	2	0.0745/0.4881/0.0296/0.4078	0.93670	0/2/0/3	0.37244
82	1	2	0.2921/0.4813/0.0369/0.1897	1.14864	0/1/0/0	n=1: unavailable
83	4	2	0.1452/0.4848/0.0355/0.3345	1.05105	0/3/0/1	0.31237
84	3	2	0.0727/0.5626/0.0410/0.3237	0.98677	0/3/0/0	0.16484
85	2	2	0.0209/0.4658/0.0307/0.4826	0.89118	0/1/0/1	0.082402
86	5	2	0.0173/0.4859/0.0325/0.4644	0.88584	0/3/0/2	0.090265
87	5	2	0.0984/0.4692/0.0369/0.3955	0.99195	0/2/0/3	0.2894
88	2	2	0.0279/0.4303/0.0338/0.5080	0.92069	0/0/0/2	0.036457
89	4	2	0.0209/0.4425/0.0339/0.5027	0.89308	0/2/0/2	0.16153
90	1	2	0.0115/0.5288/0.0353/0.4243	0.87028	0/1/0/0	n=1: unavailable
91	3	2	0.0916/0.6395/0.0484/0.2204	0.95568	0/3/0/0	0.24458
92	2	2	0.2341/0.4225/0.0452/0.2983	1.00383	1/0/0/1	0.4286
94	2	2	0.2519/0.4190/0.0388/0.2902	0.99212	1/0/0/1	0.4524
96	3	2	0.1005/0.5793/0.0506/0.2697	0.97785	0/3/0/0	0.34476
97	3	2	0.0598/0.5996/0.0433/0.2974	0.94183	0/3/0/0	0.2309
98	6	2	0.0801/0.5791/0.0549/0.2859	0.91133	0/6/0/0	0.41873
99	2	2	0.0502/0.4541/0.0490/0.4467	1.00392	0/1/0/1	0.064184
100	1	2	0.3110/0.5005/0.0362/0.1523	1.11640	0/1/0/0	n=1: unavailable
101	4	2	0.1058/0.5761/0.0405/0.2777	0.95644	0/4/0/0	0.30884
51	3	3	0.3304/0.0271/0.1404/0.5021	0.94464	1/0/0/2	0.55905
52	3	3	0.2498/0.0083/0.2471/0.4947	0.93589	0/0/1/2	0.58213

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
53	3	3	0.3550/0.0360/0.1033/0.5056	1.01888	1/0/0/2	0.31692
54	2	3	0.1082/0.0107/0.0516/0.8294	0.55930	0/0/0/2	0.19558
55	4	3	0.3152/0.0293/0.2118/0.4437	0.99356	2/0/0/2	0.59194
56	2	3	0.1260/0.0098/0.0970/0.7672	0.73521	0/0/0/2	0.022366
57	2	3	0.1119/0.0175/0.1601/0.7105	0.81911	0/0/0/2	0.21978
58	2	3	0.1387/0.0220/0.0697/0.7696	0.73550	0/0/0/2	0.057702
59	4	3	0.0790/0.0104/0.0819/0.8287	0.60535	0/0/0/4	0.04252
60	2	3	0.1003/0.0127/0.0927/0.7943	0.68176	0/0/0/2	0.073735
62	2	3	0.0846/0.0141/0.2747/0.6266	0.82686	0/0/1/1	0.36008
63	3	3	0.0564/0.0144/0.0705/0.8587	0.53179	0/0/0/3	0.10554
64	1	3	0.2106/0.0064/0.7711/0.0120	0.61365	0/0/1/0	n=1: unavailable
65	3	3	0.2608/0.0650/0.4790/0.1951	1.14535	1/0/2/0	0.34272
66	2	3	0.0296/0.0104/0.0798/0.8802	0.46295	0/0/0/2	0.043577
67	3	3	0.0540/0.0346/0.0609/0.8505	0.56069	0/0/0/3	0.14701
68	3	3	0.0813/0.0609/0.1165/0.7413	0.78836	0/0/0/3	0.29103
69	5	3	0.0953/0.0234/0.1766/0.7047	0.57610	0/0/1/4	0.85781
70	2	3	0.1371/0.0671/0.3741/0.4217	0.80561	0/0/1/1	0.6957
71	1	3	0.0111/0.0116/0.0515/0.9259	0.32546	0/0/0/1	n=1: unavailable
72	1	3	0.1216/0.2058/0.1176/0.5550	1.16002	0/0/0/1	n=1: unavailable
73	3	3	0.0749/0.0526/0.2076/0.6649	0.67701	0/0/1/2	0.7288
74	2	3	0.0743/0.1353/0.0584/0.7320	0.76363	0/0/0/2	0.35314
75	2	3	0.0395/0.0819/0.1079/0.7707	0.71468	0/0/0/2	0.27782
77	5	3	0.0660/0.0690/0.1759/0.6891	0.73856	0/0/1/4	0.58835
78	3	3	0.0688/0.0570/0.3773/0.4969	0.87552	0/0/2/1	0.66446
79	2	3	0.0642/0.0886/0.1178/0.7295	0.77317	0/0/0/2	0.3718
81	5	3	0.0178/0.0494/0.1251/0.8076	0.52718	0/0/1/4	0.54275
82	1	3	0.0440/0.1384/0.3381/0.4796	1.13009	0/0/0/1	n=1: unavailable
83	4	3	0.0421/0.1543/0.2230/0.5807	0.93484	0/1/0/3	0.62897

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
84	3	3	0.0299/0.0796/0.2139/0.6765	0.73959	0/0/1/2	0.58893
85	2	3	0.0056/0.0359/0.0501/0.9083	0.38362	0/0/0/2	0.019384
86	5	3	0.0046/0.0478/0.0453/0.9023	0.40066	0/0/0/5	0.036836
87	5	3	0.0247/0.1333/0.0991/0.7429	0.70526	0/0/0/5	0.42637
88	2	3	0.0049/0.0381/0.0367/0.9202	0.34816	0/0/0/2	0.010446
89	4	3	0.0044/0.0525/0.0434/0.8997	0.40600	0/0/0/4	0.037926
90	1	3	0.0031/0.0508/0.0369/0.9091	0.37773	0/0/0/1	n=1: unavailable
91	3	3	0.1076/0.0957/0.3156/0.4811	0.89216	0/0/1/2	0.69169
92	2	3	0.0593/0.2212/0.0626/0.6569	0.76738	0/1/0/1	0.53151
94	2	3	0.0358/0.2163/0.1428/0.6051	0.86682	0/1/0/1	0.53826
96	3	3	0.0195/0.1508/0.3395/0.4903	0.81608	0/1/1/1	0.63985
97	3	3	0.0150/0.1605/0.2600/0.5644	0.90444	0/0/1/2	0.55909
98	6	3	0.0337/0.1303/0.2835/0.5526	0.73540	0/0/3/3	0.79336
99	2	3	0.0112/0.1495/0.0647/0.7745	0.69166	0/0/0/2	0.15042
100	1	3	0.0684/0.3550/0.3686/0.2080	1.24568	0/0/1/0	n=1: unavailable
101	4	3	0.0241/0.1463/0.1555/0.6742	0.80810	0/0/0/4	0.49613

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Input-only routing: OVRPTW

First128 VAL after lock; entropy of graph-mean mixture, not mean node entropy.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
51	3	0	0.2713/0.3132/0.2349/0.1807	1.36538	0/3/0/0	0.038072
52	3	0	0.2544/0.3227/0.2331/0.1898	1.36577	0/3/0/0	0.060024
53	2	0	0.2808/0.3082/0.2319/0.1791	1.36611	0/2/0/0	0.015606
54	4	0	0.2437/0.3311/0.2406/0.1846	1.35966	0/4/0/0	0.082997
55	2	0	0.2488/0.3100/0.2518/0.1894	1.36968	0/2/0/0	0.052568
56	4	0	0.2433/0.3081/0.2591/0.1894	1.36920	0/4/0/0	0.058666
57	1	0	0.2547/0.3110/0.2404/0.1939	1.37234	0/1/0/0	n=1: unavailable
58	4	0	0.2701/0.3020/0.2404/0.1875	1.37158	0/4/0/0	0.010446
59	3	0	0.2592/0.3086/0.2368/0.1953	1.37108	0/3/0/0	0.057705
61	2	0	0.2557/0.3077/0.2395/0.1970	1.37360	0/2/0/0	0.011998
62	4	0	0.2616/0.3094/0.2319/0.1971	1.37197	0/4/0/0	0.03944
63	6	0	0.2744/0.2953/0.2301/0.2001	1.37400	1/5/0/0	0.048762
64	2	0	0.2775/0.2916/0.2254/0.2056	1.37270	1/1/0/0	0.059625
65	1	0	0.2653/0.3105/0.2014/0.2227	1.37244	0/1/0/0	n=1: unavailable
66	1	0	0.2653/0.2969/0.2305/0.2073	1.37704	0/1/0/0	n=1: unavailable
67	2	0	0.2637/0.2952/0.2346/0.2065	1.37752	0/2/0/0	0.0058063
68	3	0	0.2460/0.2924/0.2598/0.2018	1.37473	0/3/0/0	0.060579
70	2	0	0.2660/0.2904/0.2334/0.2103	1.37873	0/2/0/0	0.0075291
72	2	0	0.2754/0.3028/0.2113/0.2106	1.37216	0/2/0/0	0.034621
73	3	0	0.2495/0.2916/0.2558/0.2032	1.37782	0/3/0/0	0.020025
74	2	0	0.2618/0.3045/0.2136/0.2201	1.37262	1/1/0/0	0.06905
75	3	0	0.2662/0.2914/0.2252/0.2173	1.37720	1/2/0/0	0.054098
76	6	0	0.2620/0.2900/0.2351/0.2129	1.37660	1/5/0/0	0.075311
77	1	0	0.2581/0.2798/0.2492/0.2129	1.38156	0/1/0/0	n=1: unavailable
78	4	0	0.2658/0.2822/0.2326/0.2194	1.38060	0/4/0/0	0.033936
79	3	0	0.2396/0.2981/0.2536/0.2087	1.37667	0/3/0/0	0.037199
80	1	0	0.2598/0.2821/0.2366/0.2215	1.38207	0/1/0/0	n=1: unavailable
81	6	0	0.2391/0.2971/0.2532/0.2107	1.37359	1/4/1/0	0.10809

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
82	4	0	0.2717/0.2767/0.2276/0.2240	1.38045	1/3/0/0	0.043425
83	2	0	0.2596/0.2816/0.2360/0.2228	1.38215	0/2/0/0	0.011628
84	1	0	0.2259/0.2888/0.2791/0.2062	1.37651	0/1/0/0	n=1: unavailable
85	1	0	0.2559/0.2758/0.2432/0.2251	1.38356	0/1/0/0	n=1: unavailable
86	2	0	0.2343/0.2896/0.2407/0.2354	1.38205	0/2/0/0	0.012005
87	2	0	0.2630/0.2760/0.2390/0.2220	1.38272	0/2/0/0	0.0064904
88	3	0	0.2714/0.2682/0.2342/0.2262	1.38036	1/1/1/0	0.056603
89	2	0	0.2742/0.2664/0.2283/0.2311	1.38234	1/1/0/0	0.027216
90	3	0	0.2749/0.2716/0.2241/0.2294	1.37983	1/2/0/0	0.065296
91	1	0	0.2702/0.2597/0.2446/0.2255	1.38402	1/0/0/0	n=1: unavailable
92	1	0	0.2589/0.2749/0.2313/0.2349	1.38376	0/1/0/0	n=1: unavailable
94	2	0	0.2586/0.2780/0.2415/0.2219	1.38231	0/2/0/0	0.02722
95	5	0	0.2551/0.2749/0.2400/0.2301	1.38287	0/5/0/0	0.052589
96	3	0	0.2686/0.2615/0.2395/0.2304	1.38425	3/0/0/0	0.01248
97	5	0	0.2605/0.2660/0.2419/0.2315	1.38423	2/3/0/0	0.03538
98	2	0	0.2741/0.2559/0.2365/0.2336	1.38408	2/0/0/0	0.012367
99	3	0	0.2501/0.2804/0.2422/0.2273	1.38142	0/3/0/0	0.049501
100	3	0	0.2639/0.2677/0.2472/0.2212	1.38154	2/0/1/0	0.054977
101	3	0	0.2479/0.2661/0.2547/0.2312	1.38333	1/1/1/0	0.047826
51	3	1	0.1948/0.0856/0.0469/0.6727	0.91569	0/0/0/3	0.085418
52	3	1	0.2755/0.0716/0.0590/0.5938	1.00639	0/0/0/3	0.14181
53	2	1	0.1965/0.0841/0.0330/0.6864	0.89583	0/0/0/2	0.034403
54	4	1	0.2829/0.0637/0.0423/0.6110	0.93377	0/0/0/4	0.26522
55	2	1	0.2540/0.0732/0.0617/0.6111	0.98449	0/0/0/2	0.13287
56	4	1	0.1615/0.0691/0.0631/0.7063	0.87895	0/0/0/4	0.19354
57	1	1	0.1988/0.0917/0.0343/0.6751	0.92131	0/0/0/1	n=1: unavailable
58	4	1	0.1813/0.1017/0.0394/0.6776	0.93179	0/0/0/4	0.062272
59	3	1	0.2206/0.0926/0.0532/0.6336	0.97687	0/0/0/3	0.16083

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
61	2	1	0.1460/0.0999/0.0414/0.7127	0.88374	0/0/0/2	0.027485
62	4	1	0.2160/0.0860/0.0664/0.6317	0.97015	0/0/0/4	0.28136
63	6	1	0.1805/0.1217/0.0699/0.6279	1.00825	0/0/0/6	0.35941
64	2	1	0.1521/0.1113/0.1173/0.6193	1.04520	0/0/0/2	0.19346
65	1	1	0.4836/0.0395/0.1784/0.2985	1.14727	1/0/0/0	n=1: unavailable
66	1	1	0.1524/0.1094/0.0619/0.6764	0.96535	0/0/0/1	n=1: unavailable
67	2	1	0.1389/0.1043/0.0565/0.7003	0.92123	0/0/0/2	0.023712
68	3	1	0.1727/0.1035/0.0994/0.6244	1.04495	0/0/0/3	0.16727
70	2	1	0.1312/0.1199/0.0599/0.6890	0.94581	0/0/0/2	0.020367
72	2	1	0.2874/0.1086/0.0889/0.5151	1.11542	1/0/0/1	0.23749
73	3	1	0.1400/0.0940/0.0743/0.6917	0.93734	0/0/0/3	0.079894
74	2	1	0.2711/0.1127/0.1876/0.4286	1.23337	0/0/0/2	0.18159
75	3	1	0.2318/0.1121/0.1422/0.5139	1.17335	0/0/0/3	0.19452
76	6	1	0.1625/0.1380/0.1126/0.5870	1.09371	0/0/0/6	0.2644
77	1	1	0.1189/0.1343/0.0691/0.6777	0.97112	0/0/0/1	n=1: unavailable
78	4	1	0.1517/0.1457/0.1031/0.5995	1.09165	0/0/0/4	0.14708
79	3	1	0.1572/0.0927/0.1055/0.6446	1.00582	0/0/0/3	0.13013
80	1	1	0.1107/0.1393/0.0907/0.6593	1.01050	0/0/0/1	n=1: unavailable
81	6	1	0.1775/0.0991/0.1614/0.5619	1.08512	0/0/0/6	0.40429
82	4	1	0.1741/0.1496/0.1342/0.5421	1.12114	1/0/0/3	0.39015
83	2	1	0.1212/0.1487/0.0896/0.6405	1.04019	0/0/0/2	0.015013
84	1	1	0.1586/0.1006/0.1689/0.5719	1.14301	0/0/0/1	n=1: unavailable
85	1	1	0.1101/0.1718/0.0969/0.6212	1.06740	0/0/0/1	n=1: unavailable
86	2	1	0.2389/0.0556/0.2010/0.5046	1.16673	0/0/0/2	0.061022
87	2	1	0.0997/0.1648/0.1739/0.5616	1.13747	0/0/0/2	0.13662
88	3	1	0.1968/0.1398/0.2459/0.4175	1.27363	0/0/0/3	0.18936
89	2	1	0.1724/0.1412/0.2481/0.4383	1.27723	0/0/0/2	0.079753
90	3	1	0.1787/0.1721/0.1696/0.4797	1.19671	0/0/0/3	0.28633

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
91	1	1	0.1182/0.1832/0.1057/0.5929	1.11079	0/0/0/1	n=1: unavailable
92	1	1	0.0969/0.1601/0.1325/0.6104	1.08866	0/0/0/1	n=1: unavailable
94	2	1	0.1175/0.1667/0.1546/0.5612	1.15112	0/0/0/2	0.1348
95	5	1	0.1427/0.1625/0.1360/0.5589	1.13851	0/0/0/5	0.18283
96	3	1	0.1039/0.2023/0.1275/0.5663	1.14253	0/0/0/3	0.022702
97	5	1	0.1285/0.1726/0.1658/0.5330	1.16014	0/0/0/5	0.2084
98	2	1	0.1178/0.1978/0.1908/0.4937	1.21449	0/0/0/2	0.18182
99	3	1	0.1625/0.1333/0.2217/0.4824	1.20997	0/0/0/3	0.1844
100	3	1	0.1662/0.1426/0.2630/0.4282	1.28340	0/0/0/3	0.084947
101	3	1	0.1059/0.1760/0.1940/0.5241	1.17504	0/0/0/3	0.18472
51	3	2	0.1627/0.3030/0.0291/0.5052	0.92298	0/1/0/2	0.56601
52	3	2	0.3103/0.4622/0.0301/0.1974	1.09697	0/3/0/0	0.27872
53	2	2	0.1617/0.2070/0.0296/0.6017	1.02904	0/0/0/2	0.043988
54	4	2	0.3215/0.1404/0.0195/0.5187	0.96583	1/0/0/3	0.42848
55	2	2	0.3150/0.2620/0.0302/0.3928	1.07771	1/0/0/1	0.39779
56	4	2	0.1832/0.3339/0.0386/0.4443	0.99193	0/1/0/3	0.66189
57	1	2	0.1097/0.2379/0.0244/0.6280	0.96687	0/0/0/1	n=1: unavailable
58	4	2	0.1340/0.2344/0.0277/0.6039	1.00930	0/0/0/4	0.091142
59	3	2	0.1778/0.3200/0.0314/0.4708	1.08335	0/1/0/2	0.32707
61	2	2	0.0785/0.2942/0.0226/0.6047	0.94819	0/0/0/2	0.026259
62	4	2	0.2132/0.2114/0.0266/0.5487	0.94381	1/0/0/3	0.52358
63	6	2	0.1116/0.3391/0.0278/0.5215	1.00773	0/1/0/5	0.39388
64	2	2	0.1734/0.4171/0.0339/0.3757	0.90855	0/1/0/1	0.63257
65	1	2	0.6159/0.1481/0.0300/0.2060	1.01192	1/0/0/0	n=1: unavailable
66	1	2	0.0733/0.2850/0.0304/0.6113	0.95627	0/0/0/1	n=1: unavailable
67	2	2	0.0604/0.2918/0.0303/0.6174	0.93263	0/0/0/2	0.0037993
68	3	2	0.1242/0.4963/0.0440/0.3355	0.97849	0/2/0/1	0.52661
70	2	2	0.0491/0.3281/0.0306/0.5923	0.93031	0/0/0/2	0.0051689

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
72	2	2	0.3003/0.2777/0.0257/0.3962	1.00832	1/0/0/1	0.48031
73	3	2	0.0987/0.2912/0.0372/0.5729	1.00003	0/0/0/3	0.26672
74	2	2	0.1572/0.2764/0.0246/0.5418	0.94964	0/1/0/1	0.40235
75	3	2	0.2077/0.3560/0.0349/0.4013	0.92666	0/1/0/2	0.61987
76	6	2	0.1262/0.3715/0.0378/0.4645	1.01968	0/1/0/5	0.5163
77	1	2	0.0622/0.3442/0.0341/0.5595	0.97999	0/0/0/1	n=1: unavailable
78	4	2	0.0835/0.3571/0.0376/0.5218	1.01169	0/0/0/4	0.15779
79	3	2	0.1252/0.3619/0.0353/0.4776	0.92711	0/1/0/2	0.57786
80	1	2	0.0316/0.3774/0.0372/0.5538	0.92656	0/0/0/1	n=1: unavailable
81	6	2	0.1716/0.3448/0.0396/0.4440	0.95245	0/2/0/4	0.75727
82	4	2	0.1123/0.4117/0.0395/0.4366	1.02048	0/1/0/3	0.39135
83	2	2	0.0405/0.3698/0.0374/0.5523	0.94800	0/0/0/2	0.028633
84	1	2	0.1122/0.6250/0.0490/0.2138	1.01679	0/1/0/0	n=1: unavailable
85	1	2	0.0308/0.3890/0.0382/0.5421	0.93110	0/0/0/1	n=1: unavailable
86	2	2	0.2021/0.2651/0.0447/0.4881	1.15256	0/0/0/2	0.15048
87	2	2	0.0463/0.5781/0.0457/0.3299	0.90069	0/1/0/1	0.32858
88	3	2	0.1366/0.5691/0.0601/0.2343	0.94795	0/2/0/1	0.52634
89	2	2	0.1910/0.6389/0.0472/0.1229	0.98883	0/2/0/0	0.13569
90	3	2	0.1388/0.5134/0.0415/0.3063	0.91930	1/1/0/1	0.5201
91	1	2	0.0355/0.3894/0.0466/0.5285	0.96584	0/0/0/1	n=1: unavailable
92	1	2	0.0254/0.4063/0.0456/0.5227	0.93924	0/0/0/1	n=1: unavailable
94	2	2	0.0533/0.5672/0.0541/0.3254	0.99458	0/2/0/0	0.099691
95	5	2	0.0731/0.3933/0.0444/0.4892	0.99319	0/2/0/3	0.26196
96	3	2	0.0304/0.4431/0.0468/0.4797	0.96199	0/0/0/3	0.029453
97	5	2	0.0928/0.4591/0.0524/0.3957	1.01537	0/2/0/3	0.32256
98	2	2	0.0548/0.6053/0.0460/0.2938	0.88664	0/2/0/0	0.33037
99	3	2	0.1966/0.4234/0.0557/0.3242	1.13414	0/3/0/0	0.3258
100	3	2	0.1712/0.5801/0.0622/0.1865	1.09640	0/3/0/0	0.098419

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
101	3	2	0.0776/0.3715/0.0779/0.4731	1.08078	0/0/0/3	0.15202
51	3	3	0.2206/0.0199/0.2777/0.4818	0.83091	0/0/1/2	0.73165
52	3	3	0.3396/0.0460/0.3432/0.2712	1.22236	2/0/1/0	0.10664
53	2	3	0.1576/0.0238/0.1272/0.6914	0.89731	0/0/0/2	0.012569
54	4	3	0.2305/0.0958/0.1246/0.5491	1.03129	1/0/0/3	0.53571
55	2	3	0.2007/0.0685/0.1822/0.5487	1.05831	0/0/0/2	0.39092
56	4	3	0.1761/0.0453/0.2887/0.4899	0.97059	0/0/1/3	0.66561
57	1	3	0.0824/0.0199/0.1237/0.7740	0.74039	0/0/0/1	n=1: unavailable
58	4	3	0.0893/0.0304/0.1102/0.7702	0.76153	0/0/0/4	0.059542
59	3	3	0.1182/0.0551/0.1840/0.6427	0.94893	0/0/0/3	0.33824
61	2	3	0.0526/0.0290/0.1140/0.8045	0.67826	0/0/0/2	0.02559
62	4	3	0.0764/0.1009/0.1369/0.6858	0.82957	0/1/0/3	0.55231
63	6	3	0.0847/0.0559/0.1963/0.6630	0.82155	0/0/1/5	0.70927
64	2	3	0.1549/0.0611/0.3112/0.4729	0.85968	0/0/1/1	0.72976
65	1	3	0.1456/0.2118/0.0608/0.5817	1.09480	0/0/0/1	n=1: unavailable
66	1	3	0.0468/0.0420/0.0927/0.8185	0.66085	0/0/0/1	n=1: unavailable
67	2	3	0.0280/0.0399/0.0776/0.8545	0.56126	0/0/0/2	0.0068928
68	3	3	0.1304/0.0431/0.3810/0.4455	0.81813	0/0/2/1	0.81479
70	2	3	0.0184/0.0413/0.0822/0.8582	0.54147	0/0/0/2	0.010525
72	2	3	0.1559/0.1548/0.1406/0.5487	0.96857	1/0/0/1	0.60871
73	3	3	0.0342/0.1618/0.1497/0.6544	0.84046	0/0/1/2	0.52017
74	2	3	0.0840/0.1924/0.2484/0.4752	0.99411	0/0/1/1	0.50766
75	3	3	0.0686/0.1561/0.2428/0.5325	0.86104	0/0/1/2	0.7226
76	6	3	0.0435/0.1646/0.2012/0.5907	0.90832	0/1/1/4	0.56606
77	1	3	0.0148/0.1076/0.0641/0.8135	0.64613	0/0/0/1	n=1: unavailable
78	4	3	0.0170/0.1279/0.0693/0.7859	0.68612	0/0/0/4	0.15736
79	3	3	0.0537/0.1585/0.2179/0.5700	0.89990	0/0/1/2	0.62335
80	1	3	0.0098/0.1102/0.0731/0.8068	0.65287	0/0/0/1	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
81	6	3	0.0845/0.2108/0.2494/0.4552	0.94655	0/0/2/4	0.71887
82	4	3	0.0176/0.1481/0.1493/0.6850	0.78085	0/0/1/3	0.52929
83	2	3	0.0058/0.0907/0.0596/0.8438	0.55405	0/0/0/2	0.046248
84	1	3	0.0532/0.1960/0.5809/0.1698	1.09214	0/0/1/0	n=1: unavailable
85	1	3	0.0053/0.0909/0.0643/0.8395	0.56924	0/0/0/1	n=1: unavailable
86	2	3	0.0236/0.2790/0.1264/0.5709	0.99756	0/0/0/2	0.19711
87	2	3	0.0291/0.2066/0.2746/0.4896	0.87965	0/0/1/1	0.66825
88	3	3	0.0411/0.1571/0.3792/0.4225	0.91953	0/0/1/2	0.68641
89	2	3	0.0505/0.2543/0.3461/0.3491	1.23167	0/0/1/1	0.051125
90	3	3	0.0418/0.1856/0.2728/0.4998	0.93489	0/0/1/2	0.58613
91	1	3	0.0055/0.1613/0.0847/0.7484	0.74911	0/0/0/1	n=1: unavailable
92	1	3	0.0040/0.1411/0.0452/0.8097	0.60923	0/0/0/1	n=1: unavailable
94	2	3	0.0127/0.2333/0.2449/0.5091	1.08084	0/0/0/2	0.050362
95	5	3	0.0096/0.2112/0.0697/0.7095	0.74741	0/1/0/4	0.40351
96	3	3	0.0037/0.1578/0.0713/0.7672	0.70180	0/0/0/3	0.049692
97	5	3	0.0101/0.2478/0.1387/0.6034	0.87419	0/1/1/3	0.47732
98	2	3	0.0200/0.1120/0.3576/0.5104	0.82645	0/0/1/1	0.55513
99	3	3	0.0381/0.3067/0.2269/0.4283	1.03645	0/2/0/1	0.5544
100	3	3	0.0382/0.2457/0.4699/0.2462	1.09316	0/0/2/1	0.34484
101	3	3	0.0108/0.2456/0.1306/0.6131	0.81279	0/1/0/2	0.54768

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Input-only routing: OVRPB

First128 VAL after lock; entropy of graph-mean mixture, not mean node entropy.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
51	2	0	0.2738/0.3137/0.2782/0.1343	1.34162	0/1/1/0	0.056241
52	2	0	0.2598/0.2835/0.3430/0.1137	1.32138	0/0/2/0	0.023329
53	1	0	0.2559/0.2969/0.3328/0.1144	1.32352	0/0/1/0	n=1: unavailable
54	2	0	0.2676/0.2903/0.3265/0.1156	1.32646	0/0/2/0	0.017132
55	4	0	0.2397/0.2845/0.3621/0.1137	1.31200	0/0/4/0	0.082951
56	3	0	0.2459/0.2950/0.3350/0.1241	1.32870	0/0/3/0	0.054677
57	3	0	0.3263/0.2858/0.2353/0.1527	1.34670	2/1/0/0	0.086059
58	2	0	0.2726/0.2636/0.3399/0.1238	1.33031	0/0/2/0	0.033636
59	3	0	0.2645/0.2837/0.3143/0.1375	1.34170	0/1/2/0	0.05776
60	2	0	0.2685/0.2736/0.3059/0.1520	1.34850	1/0/1/0	0.094457
61	1	0	0.2401/0.2843/0.3604/0.1152	1.31684	0/0/1/0	n=1: unavailable
62	1	0	0.2942/0.2941/0.2560/0.1557	1.35830	1/0/0/0	n=1: unavailable
63	1	0	0.2541/0.2945/0.2827/0.1687	1.36554	0/1/0/0	n=1: unavailable
65	4	0	0.2711/0.2641/0.3350/0.1298	1.33308	0/1/3/0	0.096613
66	2	0	0.2619/0.2644/0.3327/0.1411	1.34421	0/0/2/0	0.025632
67	3	0	0.2696/0.2524/0.3441/0.1340	1.33690	0/0/3/0	0.018484
68	3	0	0.2547/0.2553/0.3578/0.1322	1.33126	0/0/3/0	0.034968
69	2	0	0.2272/0.2486/0.3786/0.1455	1.32964	0/0/2/0	0.041044
70	4	0	0.2595/0.2557/0.3463/0.1385	1.33905	0/0/4/0	0.041611
72	4	0	0.2395/0.2447/0.3798/0.1360	1.31970	0/0/4/0	0.13039
73	3	0	0.3086/0.2409/0.2858/0.1646	1.35923	3/0/0/0	0.051748
74	2	0	0.1984/0.2634/0.3865/0.1518	1.32345	0/0/2/0	0.040062
75	6	0	0.2594/0.2443/0.3492/0.1471	1.33327	1/0/5/0	0.20457
76	1	0	0.2235/0.2629/0.3577/0.1559	1.34360	0/0/1/0	n=1: unavailable
77	4	0	0.2372/0.2674/0.3409/0.1545	1.34262	0/1/3/0	0.11894
78	1	0	0.2656/0.2977/0.2577/0.1790	1.37022	0/1/0/0	n=1: unavailable
79	3	0	0.2318/0.2439/0.3774/0.1468	1.32341	0/0/3/0	0.11692
80	2	0	0.2683/0.2414/0.3277/0.1626	1.35515	0/0/2/0	0.048369

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPB (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
81	3	0	0.2198/0.2629/0.3692/0.1481	1.33117	0/0/3/0	0.079346
82	3	0	0.2755/0.2694/0.2967/0.1584	1.35753	1/1/1/0	0.084769
83	4	0	0.2600/0.2448/0.3395/0.1557	1.34692	0/1/3/0	0.081651
85	3	0	0.2382/0.2373/0.3774/0.1471	1.33013	0/0/3/0	0.066903
86	5	0	0.2378/0.2385/0.3743/0.1494	1.33054	0/0/5/0	0.099859
87	1	0	0.1889/0.2994/0.3410/0.1707	1.34451	0/0/1/0	n=1: unavailable
88	3	0	0.2438/0.2269/0.3756/0.1537	1.33571	0/0/3/0	0.028018
89	1	0	0.2127/0.1947/0.4549/0.1377	1.27918	0/0/1/0	n=1: unavailable
90	3	0	0.2647/0.2333/0.3463/0.1557	1.34556	0/0/3/0	0.063351
91	5	0	0.2671/0.2303/0.3395/0.1632	1.34384	2/0/3/0	0.1786
92	2	0	0.2100/0.2610/0.3692/0.1599	1.33854	0/0/2/0	0.030349
93	1	0	0.1624/0.2568/0.4455/0.1352	1.27511	0/0/1/0	n=1: unavailable
94	3	0	0.2788/0.2286/0.3260/0.1666	1.35000	1/0/2/0	0.12191
95	2	0	0.2015/0.2720/0.3536/0.1729	1.34663	0/0/2/0	0.033517
96	4	0	0.2550/0.2271/0.3477/0.1703	1.35248	0/0/4/0	0.050886
97	3	0	0.2548/0.2327/0.3465/0.1659	1.34576	1/0/2/0	0.11353
98	3	0	0.2542/0.2268/0.3533/0.1657	1.34926	0/0/3/0	0.032994
99	1	0	0.2510/0.2201/0.3594/0.1695	1.34872	0/0/1/0	n=1: unavailable
100	3	0	0.2431/0.2215/0.3796/0.1559	1.33494	0/0/3/0	0.010975
101	4	0	0.2434/0.2333/0.3582/0.1651	1.33549	1/0/3/0	0.15756
51	2	1	0.3248/0.0882/0.0290/0.5580	0.99324	0/0/0/2	0.15768
52	2	1	0.3593/0.0653/0.0154/0.5599	0.93107	0/0/0/2	0.04249
53	1	1	0.2900/0.0744/0.0167/0.6189	0.91764	0/0/0/1	n=1: unavailable
54	2	1	0.3096/0.0790/0.0162/0.5951	0.93829	0/0/0/2	0.022186
55	4	1	0.2780/0.0676/0.0167/0.6377	0.88359	0/0/0/4	0.083968
56	3	1	0.2978/0.0672/0.0246/0.6104	0.91862	0/0/0/3	0.14735
57	3	1	0.4261/0.1353/0.0728/0.3659	1.16307	2/0/0/1	0.22746
58	2	1	0.2220/0.0951/0.0182/0.6647	0.90121	0/0/0/2	0.017896

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPB (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
59	3	1	0.3548/0.0858/0.0271/0.5324	0.95933	1/0/0/2	0.31684
60	2	1	0.2315/0.1347/0.0786/0.5552	1.10179	0/0/0/2	0.17845
61	1	1	0.2483/0.0588/0.0130/0.6800	0.83123	0/0/0/1	n=1: unavailable
62	1	1	0.4865/0.1038/0.0307/0.3791	1.06032	1/0/0/0	n=1: unavailable
63	1	1	0.5574/0.0459/0.0428/0.3539	0.96966	1/0/0/0	n=1: unavailable
65	4	1	0.2851/0.1058/0.0236/0.5855	0.97059	1/0/0/3	0.25442
66	2	1	0.3288/0.0954/0.0482/0.5276	1.05719	0/0/0/2	0.14985
67	3	1	0.2345/0.1258/0.0262/0.6135	0.99475	0/0/0/3	0.044605
68	3	1	0.2033/0.1107/0.0262/0.6597	0.92773	0/0/0/3	0.08968
69	2	1	0.1310/0.1329/0.0691/0.6670	0.97728	0/0/0/2	0.12311
70	4	1	0.2216/0.1296/0.0357/0.6131	1.00484	0/0/0/4	0.151
72	4	1	0.1877/0.1129/0.0280/0.6714	0.91425	0/0/0/4	0.14564
73	3	1	0.2957/0.1641/0.1390/0.4012	1.26574	0/0/0/3	0.2188
74	2	1	0.3041/0.0646/0.0575/0.5738	0.98699	0/0/0/2	0.2427
75	6	1	0.2631/0.1292/0.0627/0.5450	1.06901	1/0/0/5	0.36282
76	1	1	0.2844/0.1387/0.0812/0.4957	1.18338	0/0/0/1	n=1: unavailable
77	4	1	0.3915/0.0814/0.0534/0.4736	0.95059	2/0/0/2	0.54136
78	1	1	0.6287/0.0592/0.0662/0.2459	0.98392	1/0/0/0	n=1: unavailable
79	3	1	0.2635/0.0857/0.0841/0.5667	1.05960	0/0/0/3	0.24578
80	2	1	0.2802/0.1459/0.0906/0.4832	1.17405	0/0/0/2	0.17626
81	3	1	0.2794/0.0880/0.0434/0.5892	0.97459	0/0/0/3	0.25961
82	3	1	0.3302/0.1095/0.0720/0.4884	1.10463	1/0/0/2	0.28537
83	4	1	0.2736/0.1450/0.0466/0.5348	1.03377	1/0/0/3	0.39921
85	3	1	0.1761/0.1251/0.0378/0.6610	0.95659	0/0/0/3	0.091745
86	5	1	0.1721/0.1377/0.0413/0.6489	0.97279	0/0/0/5	0.16389
87	1	1	0.5478/0.0200/0.0621/0.3701	0.94826	1/0/0/0	n=1: unavailable
88	3	1	0.1608/0.1555/0.0688/0.6149	1.04803	0/0/0/3	0.1123
89	1	1	0.0945/0.1270/0.0642/0.7142	0.90174	0/0/0/1	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPB (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
90	3	1	0.2267/0.1299/0.0655/0.5778	1.07544	0/0/0/3	0.14538
91	5	1	0.2547/0.1366/0.0827/0.5260	1.04598	1/0/0/4	0.49824
92	2	1	0.3444/0.0685/0.0787/0.5085	1.08638	0/0/0/2	0.077275
93	1	1	0.1524/0.0311/0.0368/0.7796	0.71037	0/0/0/1	n=1: unavailable
94	3	1	0.2485/0.1860/0.0985/0.4670	1.16744	1/0/0/2	0.2854
95	2	1	0.4067/0.0300/0.0970/0.4663	1.03235	1/0/0/1	0.19711
96	4	1	0.2014/0.1493/0.0685/0.5808	1.07822	0/0/0/4	0.19091
97	3	1	0.2439/0.1410/0.1319/0.4832	1.20306	0/0/0/3	0.2522
98	3	1	0.2123/0.1575/0.1064/0.5239	1.14370	0/0/0/3	0.27941
99	1	1	0.1455/0.1730/0.0561/0.6254	1.03908	0/0/0/1	n=1: unavailable
100	3	1	0.1858/0.1568/0.0523/0.6050	1.05326	0/0/0/3	0.1009
101	4	1	0.2353/0.1454/0.0790/0.5403	1.11112	0/0/0/4	0.29643
51	2	2	0.6568/0.0775/0.0181/0.2476	0.88673	2/0/0/0	0.075764
52	2	2	0.3012/0.0589/0.0166/0.6234	0.87531	0/0/0/2	0.10711
53	1	2	0.2800/0.0685/0.0099/0.6416	0.87032	0/0/0/1	n=1: unavailable
54	2	2	0.2962/0.0658/0.0131/0.6250	0.88409	0/0/0/2	0.056435
55	4	2	0.3203/0.0540/0.0104/0.6154	0.85500	0/0/0/4	0.14224
56	3	2	0.4405/0.1680/0.0251/0.3664	1.04046	2/0/0/1	0.44436
57	3	2	0.6881/0.1248/0.0231/0.1640	0.88260	3/0/0/0	0.20478
58	2	2	0.2851/0.1626/0.0299/0.5224	1.07273	0/0/0/2	0.18712
59	3	2	0.3914/0.1665/0.0185/0.4236	0.87702	1/0/0/2	0.6574
60	2	2	0.3971/0.1467/0.0251/0.4311	1.00519	1/0/0/1	0.41471
61	1	2	0.2663/0.0518/0.0102/0.6717	0.81976	0/0/0/1	n=1: unavailable
62	1	2	0.4843/0.1952/0.0126/0.3080	1.08768	1/0/0/0	n=1: unavailable
63	1	2	0.7263/0.1100/0.0206/0.1431	0.83325	1/0/0/0	n=1: unavailable
65	4	2	0.3360/0.1418/0.0206/0.5016	0.97362	1/0/0/3	0.47113
66	2	2	0.4770/0.1380/0.0218/0.3633	0.87084	1/0/0/1	0.58579
67	3	2	0.2593/0.1847/0.0219/0.5342	1.00378	0/1/0/2	0.39547

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPB (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
68	3	2	0.2934/0.1810/0.0270/0.4986	1.03387	1/0/0/2	0.40781
69	2	2	0.3880/0.1997/0.0425/0.3698	1.12643	1/1/0/0	0.27229
70	4	2	0.2316/0.1631/0.0244/0.5809	0.98155	1/0/0/3	0.38462
72	4	2	0.1571/0.2320/0.0306/0.5802	0.95008	0/1/0/3	0.47384
73	3	2	0.6723/0.1501/0.0289/0.1487	0.89344	3/0/0/0	0.23428
74	2	2	0.3745/0.2859/0.0296/0.3100	1.04265	0/1/0/1	0.45809
75	6	2	0.3941/0.1952/0.0369/0.3738	1.00128	3/0/0/3	0.62523
76	1	2	0.4401/0.0420/0.0220/0.4958	0.92620	0/0/0/1	n=1: unavailable
77	4	2	0.4838/0.1383/0.0194/0.3584	0.76658	2/0/0/2	0.77754
78	1	2	0.8329/0.0157/0.0098/0.1416	0.53969	1/0/0/0	n=1: unavailable
79	3	2	0.5378/0.2544/0.0447/0.1632	1.02201	3/0/0/0	0.265
80	2	2	0.4337/0.1748/0.0328/0.3586	0.90229	1/0/0/1	0.59375
81	3	2	0.3818/0.1579/0.0298/0.4305	1.04777	2/0/0/1	0.43455
82	3	2	0.4309/0.1510/0.0234/0.3947	0.99097	2/0/0/1	0.49267
83	4	2	0.3205/0.1570/0.0232/0.4993	0.88579	1/0/0/3	0.70496
85	3	2	0.1595/0.1718/0.0292/0.6395	0.95496	0/0/0/3	0.21166
86	5	2	0.1640/0.1864/0.0336/0.6159	1.01011	0/0/0/5	0.16085
87	1	2	0.3277/0.0096/0.0113/0.6514	0.74003	0/0/0/1	n=1: unavailable
88	3	2	0.2422/0.1359/0.0358/0.5861	0.97796	1/0/0/2	0.33811
89	1	2	0.2387/0.5802/0.0990/0.0821	1.09200	0/1/0/0	n=1: unavailable
90	3	2	0.3110/0.1152/0.0276/0.5462	0.87881	1/0/0/2	0.5617
91	5	2	0.3683/0.2303/0.0418/0.3597	0.98017	2/1/0/2	0.6998
92	2	2	0.5617/0.2885/0.0500/0.0998	1.02552	2/0/0/0	0.23083
93	1	2	0.1942/0.1517/0.0491/0.6050	1.05640	0/0/0/1	n=1: unavailable
94	3	2	0.3969/0.2501/0.0350/0.3180	1.02433	2/0/0/1	0.58605
95	2	2	0.4226/0.0699/0.0317/0.4758	0.85233	1/0/0/1	0.53571
96	4	2	0.1918/0.1771/0.0350/0.5961	0.99588	1/0/0/3	0.33589
97	3	2	0.4226/0.1896/0.0392/0.3485	1.06334	2/0/0/1	0.47964

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPB (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
98	3	2	0.3365/0.1317/0.0374/0.4943	0.90163	1/0/0/2	0.61807
99	1	2	0.1530/0.1730/0.0318/0.6421	0.98496	0/0/0/1	n=1: unavailable
100	3	2	0.2036/0.2467/0.0389/0.5108	1.02313	0/1/0/2	0.50289
101	4	2	0.2874/0.2071/0.0405/0.4649	1.04547	2/0/0/2	0.49014
51	2	3	0.8818/0.0589/0.0475/0.0119	0.47054	2/0/0/0	0.043508
52	2	3	0.8690/0.0267/0.0361/0.0682	0.51454	2/0/0/0	0.042246
53	1	3	0.8742/0.0211/0.0319/0.0728	0.49980	1/0/0/0	n=1: unavailable
54	2	3	0.8616/0.0350/0.0296/0.0738	0.53942	2/0/0/0	0.037036
55	4	3	0.7922/0.1240/0.0325/0.0513	0.59833	4/0/0/0	0.38313
56	3	3	0.8527/0.0824/0.0458/0.0191	0.54388	3/0/0/0	0.10112
57	3	3	0.6766/0.1974/0.0967/0.0293	0.87087	3/0/0/0	0.21287
58	2	3	0.7847/0.0924/0.0634/0.0595	0.73266	2/0/0/0	0.15094
59	3	3	0.7451/0.1427/0.0459/0.0663	0.77354	3/0/0/0	0.21747
60	2	3	0.5358/0.2429/0.1895/0.0317	0.99863	2/0/0/0	0.33054
61	1	3	0.7293/0.1493/0.0280/0.0934	0.83568	1/0/0/0	n=1: unavailable
62	1	3	0.5003/0.3713/0.0674/0.0610	1.06682	1/0/0/0	n=1: unavailable
63	1	3	0.6549/0.2867/0.0459/0.0125	0.83169	1/0/0/0	n=1: unavailable
65	4	3	0.6180/0.2476/0.0501/0.0843	0.98512	4/0/0/0	0.18725
66	2	3	0.5606/0.3034/0.0569/0.0790	1.00708	2/0/0/0	0.13677
67	3	3	0.5518/0.2806/0.0591/0.1086	1.06420	3/0/0/0	0.19003
68	3	3	0.4796/0.3683/0.0660/0.0860	1.09162	2/1/0/0	0.1837
69	2	3	0.4014/0.4184/0.1688/0.0113	1.03049	1/1/0/0	0.30625
70	4	3	0.3758/0.4327/0.0685/0.1230	1.14241	1/3/0/0	0.13469
72	4	3	0.3134/0.4631/0.0947/0.1288	1.12336	1/3/0/0	0.3434
73	3	3	0.4401/0.3918/0.1499/0.0182	1.03083	2/1/0/0	0.26332
74	2	3	0.2836/0.5194/0.1481/0.0489	1.03086	1/1/0/0	0.38847
75	6	3	0.3137/0.5244/0.0890/0.0728	1.03950	2/4/0/0	0.2665
76	1	3	0.1833/0.6466/0.1527/0.0174	0.95037	0/1/0/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPB (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
77	4	3	0.1739/0.6847/0.0642/0.0772	0.88997	0/4/0/0	0.16364
78	1	3	0.2959/0.6282/0.0598/0.0161	0.88734	0/1/0/0	n=1: unavailable
79	3	3	0.2895/0.5867/0.1043/0.0195	0.96710	0/3/0/0	0.17347
80	2	3	0.2465/0.5562/0.0995/0.0978	1.02697	0/2/0/0	0.22609
81	3	3	0.1499/0.7380/0.0529/0.0592	0.78937	0/3/0/0	0.19071
82	3	3	0.2547/0.6517/0.0390/0.0546	0.84549	0/3/0/0	0.2906
83	4	3	0.1391/0.7231/0.0442/0.0936	0.81991	0/4/0/0	0.21536
85	3	3	0.0660/0.7997/0.0392/0.0951	0.69090	0/3/0/0	0.069479
86	5	3	0.0622/0.7816/0.0409/0.1153	0.72517	0/5/0/0	0.14703
87	1	3	0.0772/0.8291/0.0269/0.0668	0.63117	0/1/0/0	n=1: unavailable
88	3	3	0.0745/0.7560/0.0977/0.0718	0.75090	0/3/0/0	0.19756
89	1	3	0.2790/0.4444/0.2525/0.0241	1.15394	0/1/0/0	n=1: unavailable
90	3	3	0.0771/0.8180/0.0363/0.0687	0.63003	0/3/0/0	0.10664
91	5	3	0.1430/0.7279/0.0696/0.0595	0.76683	0/5/0/0	0.30718
92	2	3	0.1647/0.7346/0.0827/0.0180	0.79001	0/2/0/0	0.12187
93	1	3	0.0653/0.8706/0.0265/0.0376	0.51832	0/1/0/0	n=1: unavailable
94	3	3	0.1326/0.7421/0.0815/0.0438	0.77320	0/3/0/0	0.188
95	2	3	0.0501/0.8794/0.0126/0.0579	0.47057	0/2/0/0	0.067463
96	4	3	0.0415/0.8423/0.0234/0.0928	0.56996	0/4/0/0	0.091971
97	3	3	0.1798/0.6497/0.1394/0.0311	0.83304	0/3/0/0	0.44179
98	3	3	0.0332/0.7921/0.1184/0.0562	0.59089	0/3/0/0	0.3158
99	1	3	0.0152/0.8706/0.0187/0.0954	0.48302	0/1/0/0	n=1: unavailable
100	3	3	0.0330/0.8451/0.0276/0.0943	0.56213	0/3/0/0	0.066345
101	4	3	0.0439/0.8358/0.0567/0.0635	0.58094	0/4/0/0	0.12625

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Input-only routing: OVRPL

First128 VAL after lock; entropy of graph-mean mixture, not mean node entropy.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
51	1	0	0.2234/0.2730/0.3192/0.1844	1.36554	0/0/1/0	n=1: unavailable
52	2	0	0.2554/0.2811/0.2787/0.1847	1.36792	0/1/1/0	0.093531
53	4	0	0.2506/0.2813/0.2871/0.1810	1.36890	0/1/3/0	0.063789
54	1	0	0.2445/0.2715/0.2969/0.1872	1.37255	0/0/1/0	n=1: unavailable
55	2	0	0.2524/0.2820/0.2950/0.1706	1.36616	0/0/2/0	0.012036
56	2	0	0.2601/0.2725/0.2888/0.1787	1.37091	0/0/2/0	0.0039108
57	4	0	0.2541/0.2707/0.2886/0.1865	1.37292	0/0/4/0	0.03624
58	2	0	0.2339/0.2715/0.3068/0.1878	1.36984	0/0/2/0	0.019083
59	2	0	0.2493/0.2725/0.3011/0.1771	1.36851	0/0/2/0	0.00712
60	7	0	0.2452/0.2815/0.2783/0.1950	1.37503	0/4/3/0	0.045931
61	2	0	0.2476/0.2588/0.3092/0.1845	1.36974	0/0/2/0	0.019243
62	1	0	0.2565/0.2764/0.2836/0.1836	1.37298	0/0/1/0	n=1: unavailable
63	1	0	0.2179/0.2562/0.3071/0.2189	1.37597	0/0/1/0	n=1: unavailable
64	2	0	0.2447/0.2725/0.2851/0.1977	1.37649	0/0/2/0	0.022815
65	3	0	0.2529/0.2616/0.2878/0.1977	1.37325	1/0/2/0	0.081068
66	1	0	0.2639/0.2501/0.2662/0.2198	1.38350	0/0/1/0	n=1: unavailable
67	4	0	0.2499/0.2750/0.2762/0.1989	1.37579	1/1/2/0	0.057239
68	2	0	0.2485/0.2641/0.2922/0.1951	1.37552	0/0/2/0	0.026783
69	1	0	0.2386/0.2681/0.2835/0.2098	1.37983	0/0/1/0	n=1: unavailable
70	4	0	0.2364/0.2522/0.3165/0.1949	1.36969	0/0/4/0	0.046952
71	2	0	0.2527/0.2589/0.2808/0.2076	1.38025	0/0/2/0	0.014229
72	3	0	0.2233/0.2603/0.2899/0.2265	1.38011	0/0/3/0	0.019234
73	2	0	0.2416/0.2518/0.2920/0.2146	1.37888	0/0/2/0	0.038854
74	1	0	0.2478/0.2651/0.2851/0.2019	1.37853	0/0/1/0	n=1: unavailable
75	3	0	0.2315/0.2579/0.3081/0.2024	1.37279	0/0/3/0	0.047962
76	6	0	0.2395/0.2540/0.2932/0.2133	1.37882	0/0/6/0	0.035543
77	1	0	0.2438/0.2472/0.2735/0.2355	1.38471	0/0/1/0	n=1: unavailable
78	3	0	0.2338/0.2557/0.2939/0.2166	1.37913	0/0/3/0	0.02392

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPL (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
79	5	0	0.2396/0.2522/0.2969/0.2113	1.37854	0/0/5/0	0.018308
80	2	0	0.2352/0.2538/0.2976/0.2134	1.37415	1/0/1/0	0.067991
81	2	0	0.2437/0.2492/0.3002/0.2069	1.37751	0/0/2/0	0.0067069
82	2	0	0.2272/0.2521/0.3080/0.2126	1.37496	0/0/2/0	0.035981
83	3	0	0.2423/0.2543/0.2985/0.2049	1.37719	0/0/3/0	0.014486
84	5	0	0.2512/0.2501/0.2847/0.2140	1.37985	1/0/4/0	0.067071
85	2	0	0.2180/0.2413/0.3121/0.2286	1.37439	0/0/2/0	0.041772
86	3	0	0.2426/0.2458/0.2943/0.2173	1.38018	0/0/3/0	0.0071926
87	3	0	0.2324/0.2547/0.2999/0.2131	1.37718	0/0/3/0	0.038684
88	1	0	0.1928/0.2672/0.3350/0.2050	1.36125	0/0/1/0	n=1: unavailable
89	4	0	0.2308/0.2481/0.2980/0.2231	1.37893	0/0/4/0	0.033954
90	1	0	0.2458/0.2425/0.2906/0.2211	1.38128	0/0/1/0	n=1: unavailable
92	3	0	0.2436/0.2421/0.2891/0.2252	1.38152	0/0/3/0	0.026943
93	2	0	0.2167/0.2488/0.3099/0.2245	1.37557	0/0/2/0	0.025105
94	3	0	0.2332/0.2410/0.2991/0.2267	1.37945	0/0/3/0	0.023811
95	2	0	0.2369/0.2693/0.2707/0.2232	1.37833	1/0/1/0	0.070041
96	5	0	0.2265/0.2485/0.2987/0.2262	1.37650	0/0/5/0	0.070777
97	2	0	0.2360/0.2494/0.2885/0.2261	1.38162	0/0/2/0	0.020136
98	3	0	0.2420/0.2363/0.2975/0.2242	1.38013	0/0/3/0	0.0072869
99	3	0	0.2348/0.2516/0.2943/0.2193	1.37971	0/0/3/0	0.02547
100	2	0	0.2346/0.2384/0.2910/0.2360	1.38159	0/0/2/0	0.017991
101	1	0	0.1945/0.2627/0.3151/0.2277	1.37046	0/0/1/0	n=1: unavailable
51	1	1	0.2320/0.0465/0.0426/0.6789	0.87899	0/0/0/1	n=1: unavailable
52	2	1	0.3894/0.0553/0.0511/0.5041	0.97619	1/0/0/1	0.29141
53	4	1	0.3143/0.0542/0.0289/0.6026	0.88092	1/0/0/3	0.31274
54	1	1	0.2335/0.0808/0.0509/0.6348	0.98295	0/0/0/1	n=1: unavailable
55	2	1	0.2518/0.0522/0.0144/0.6817	0.82289	0/0/0/2	0.029686
56	2	1	0.2396/0.0917/0.0208/0.6480	0.92112	0/0/0/2	0.055014

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPL (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
57	4	1	0.1842/0.0938/0.0552/0.6667	0.91439	0/0/0/4	0.23017
58	2	1	0.2805/0.0664/0.0564/0.5967	1.00647	0/0/0/2	0.014671
59	2	1	0.2545/0.0625/0.0173/0.6656	0.86277	0/0/0/2	0.0063612
60	7	1	0.2639/0.0719/0.0539/0.6104	0.96978	0/0/0/7	0.256
61	2	1	0.1909/0.0745/0.0204/0.7142	0.82060	0/0/0/2	0.10316
62	1	1	0.2217/0.0695/0.0173/0.6915	0.84441	0/0/0/1	n=1: unavailable
63	1	1	0.2048/0.0987/0.1256/0.5710	1.13381	0/0/0/1	n=1: unavailable
64	2	1	0.2301/0.0656/0.0365/0.6679	0.89571	0/0/0/2	0.084152
65	3	1	0.1703/0.1095/0.0775/0.6428	0.93560	0/0/0/3	0.3235
66	1	1	0.2004/0.1769/0.1444/0.4783	1.26071	0/0/0/1	n=1: unavailable
67	4	1	0.2617/0.0875/0.0701/0.5807	1.01507	0/0/0/4	0.29907
68	2	1	0.1887/0.0816/0.0435/0.6862	0.89814	0/0/0/2	0.12922
69	1	1	0.3238/0.0489/0.0676/0.5597	1.01980	0/0/0/1	n=1: unavailable
70	4	1	0.1787/0.0939/0.0409/0.6865	0.90482	0/0/0/4	0.13269
71	2	1	0.1810/0.1238/0.1148/0.5805	1.07733	0/0/0/2	0.252
72	3	1	0.3540/0.0405/0.0865/0.5190	1.02784	1/0/0/2	0.22557
73	2	1	0.1262/0.1096/0.1028/0.6614	0.95769	0/0/0/2	0.19526
74	1	1	0.1601/0.0895/0.0255/0.7248	0.83622	0/0/0/1	n=1: unavailable
75	3	1	0.1779/0.0924/0.0533/0.6763	0.92838	0/0/0/3	0.099909
76	6	1	0.2082/0.0912/0.0738/0.6269	1.00231	0/0/0/6	0.20714
77	1	1	0.3120/0.0439/0.2014/0.4427	1.18407	0/0/0/1	n=1: unavailable
78	3	1	0.1617/0.0948/0.0662/0.6773	0.93250	0/0/0/3	0.12978
79	5	1	0.1548/0.0914/0.0596/0.6942	0.90671	0/0/0/5	0.15971
80	2	1	0.1590/0.1237/0.1701/0.5473	1.13637	0/0/0/2	0.19197
81	2	1	0.1382/0.1131/0.0318/0.7169	0.86570	0/0/0/2	0.062582
82	2	1	0.1633/0.0779/0.0418/0.7170	0.85376	0/0/0/2	0.091804
83	3	1	0.1585/0.0997/0.0431/0.6987	0.90064	0/0/0/3	0.090778
84	5	1	0.1745/0.1091/0.0737/0.6428	0.95758	1/0/0/4	0.38627

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPL (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
85	2	1	0.1053/0.1119/0.1769/0.6059	1.07665	0/0/0/2	0.12872
86	3	1	0.1233/0.1173/0.0401/0.7193	0.87503	0/0/0/3	0.019894
87	3	1	0.1874/0.1054/0.1062/0.6009	1.05771	0/0/0/3	0.13203
88	1	1	0.1590/0.0308/0.0672/0.7429	0.80194	0/0/0/1	n=1: unavailable
89	4	1	0.1248/0.1277/0.1280/0.6194	1.06436	0/0/0/4	0.15278
90	1	1	0.1123/0.1373/0.0500/0.7004	0.91728	0/0/0/1	n=1: unavailable
92	3	1	0.1486/0.1292/0.1097/0.6124	1.02860	0/0/0/3	0.2768
93	2	1	0.1709/0.0667/0.1230/0.6394	1.01716	0/0/0/2	0.10051
94	3	1	0.1895/0.1125/0.0954/0.6026	1.00390	0/0/0/3	0.33946
95	2	1	0.2992/0.0995/0.1527/0.4486	1.19431	0/0/0/2	0.16746
96	5	1	0.1951/0.1099/0.1536/0.5414	1.13072	0/0/0/5	0.20437
97	2	1	0.1744/0.1162/0.1006/0.6088	1.06399	0/0/0/2	0.14096
98	3	1	0.1004/0.1659/0.0552/0.6786	0.95006	0/0/0/3	0.048271
99	3	1	0.1972/0.1195/0.1422/0.5410	1.14471	0/0/0/3	0.19033
100	2	1	0.2019/0.1129/0.1264/0.5589	1.11388	0/0/0/2	0.15438
101	1	1	0.3760/0.0257/0.2148/0.3834	1.15991	0/0/0/1	n=1: unavailable
51	1	2	0.7053/0.1266/0.0290/0.1391	0.88498	1/0/0/0	n=1: unavailable
52	2	2	0.7129/0.1782/0.0523/0.0566	0.77234	2/0/0/0	0.32478
53	4	2	0.5044/0.0518/0.0167/0.4271	0.83142	2/0/0/2	0.47704
54	1	2	0.6747/0.1785/0.0448/0.1021	0.94502	1/0/0/0	n=1: unavailable
55	2	2	0.3580/0.0252/0.0191/0.5977	0.83884	0/0/0/2	0.091198
56	2	2	0.3866/0.0286/0.0177/0.5672	0.86135	0/0/0/2	0.033205
57	4	2	0.4186/0.0392/0.0234/0.5187	0.87141	1/0/0/3	0.36303
58	2	2	0.5172/0.3025/0.0541/0.1263	1.09024	2/0/0/0	0.20496
59	2	2	0.3122/0.0314/0.0127/0.6437	0.80958	0/0/0/2	0.02177
60	7	2	0.5613/0.0333/0.0176/0.3878	0.72928	4/0/0/3	0.62722
61	2	2	0.2640/0.0613/0.0320/0.6428	0.89671	0/0/0/2	0.10296
62	1	2	0.2911/0.0408/0.0151/0.6530	0.83134	0/0/0/1	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPL (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
63	1	2	0.5929/0.0088/0.0316/0.3666	0.82868	1/0/0/0	n=1: unavailable
64	2	2	0.4041/0.0482/0.0225/0.5253	0.86831	1/0/0/1	0.34416
65	3	2	0.3962/0.0564/0.0213/0.5261	0.80766	1/0/0/2	0.55109
66	1	2	0.5881/0.0440/0.0241/0.3438	0.90639	1/0/0/0	n=1: unavailable
67	4	2	0.5189/0.0289/0.0225/0.4297	0.80942	2/0/0/2	0.52511
68	2	2	0.3973/0.0796/0.0233/0.4998	0.88570	1/0/0/1	0.44498
69	1	2	0.6461/0.2561/0.0583/0.0395	0.92452	1/0/0/0	n=1: unavailable
70	4	2	0.2425/0.2289/0.0624/0.4662	1.04591	0/2/0/2	0.58201
71	2	2	0.4691/0.1102/0.0392/0.3815	0.82661	1/0/0/1	0.65715
72	3	2	0.6327/0.1554/0.0479/0.1639	0.95511	3/0/0/0	0.29162
73	2	2	0.3557/0.0598/0.0364/0.5482	0.87415	1/0/0/1	0.4443
74	1	2	0.1650/0.0746/0.0195/0.7409	0.78981	0/0/0/1	n=1: unavailable
75	3	2	0.2614/0.1422/0.0445/0.5519	0.95724	1/0/0/2	0.55369
76	6	2	0.4235/0.2075/0.0453/0.3237	1.00103	4/0/0/2	0.66669
77	1	2	0.7626/0.1246/0.0417/0.0712	0.78675	1/0/0/0	n=1: unavailable
78	3	2	0.3221/0.0698/0.0372/0.5709	0.94627	0/0/0/3	0.30695
79	5	2	0.2141/0.0895/0.0319/0.6645	0.83145	1/0/0/4	0.5575
80	2	2	0.5555/0.0951/0.0578/0.2916	1.03956	2/0/0/0	0.20496
81	2	2	0.1477/0.1053/0.0300/0.7169	0.85715	0/0/0/2	0.081574
82	2	2	0.1870/0.2325/0.0511/0.5294	1.04187	0/1/0/1	0.41579
83	3	2	0.2782/0.1363/0.0361/0.5495	0.94436	1/0/0/2	0.54478
84	5	2	0.2820/0.0943/0.0303/0.5934	0.79683	1/0/0/4	0.73782
85	2	2	0.5401/0.1008/0.0819/0.2772	1.06804	2/0/0/0	0.28455
86	3	2	0.1096/0.1282/0.0338/0.7284	0.84728	0/0/0/3	0.063437
87	3	2	0.3966/0.0913/0.0477/0.4645	0.98402	2/0/0/1	0.44251
88	1	2	0.2263/0.0244/0.0359/0.7134	0.78728	0/0/0/1	n=1: unavailable
89	4	2	0.3632/0.1445/0.0695/0.4228	1.04768	2/0/0/2	0.57333
90	1	2	0.1062/0.1175/0.0341/0.7423	0.82594	0/0/0/1	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPL (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
92	3	2	0.3181/0.1402/0.0521/0.4896	0.84909	1/0/0/2	0.71432
93	2	2	0.3222/0.3080/0.0764/0.2934	1.25100	1/1/0/0	0.20439
94	3	2	0.2738/0.1642/0.0491/0.5129	0.85900	1/0/0/2	0.7357
95	2	2	0.4817/0.1083/0.0323/0.3776	0.87516	1/0/0/1	0.53704
96	5	2	0.3889/0.2248/0.0804/0.3059	1.10627	4/0/0/1	0.66712
97	2	2	0.2928/0.1519/0.0550/0.5003	1.01053	1/0/0/1	0.49561
98	3	2	0.0894/0.1851/0.0455/0.6800	0.92665	0/0/0/3	0.08804
99	3	2	0.4329/0.1641/0.0586/0.3445	0.96256	2/0/0/1	0.61587
100	2	2	0.3265/0.1939/0.0642/0.4155	1.00864	1/0/0/1	0.60541
101	1	2	0.7612/0.0115/0.0475/0.1798	0.71232	1/0/0/0	n=1: unavailable
51	1	3	0.9651/0.0047/0.0288/0.0014	0.17079	1/0/0/0	n=1: unavailable
52	2	3	0.9188/0.0245/0.0511/0.0056	0.33184	2/0/0/0	0.049142
53	4	3	0.9240/0.0304/0.0287/0.0169	0.31274	4/0/0/0	0.13356
54	1	3	0.9578/0.0045/0.0360/0.0016	0.19571	1/0/0/0	n=1: unavailable
55	2	3	0.9485/0.0043/0.0244/0.0229	0.24839	2/0/0/0	0.023148
56	2	3	0.9427/0.0063/0.0287/0.0223	0.27324	2/0/0/0	0.020259
57	4	3	0.8998/0.0094/0.0746/0.0162	0.35274	4/0/0/0	0.19604
58	2	3	0.8969/0.0241/0.0728/0.0062	0.40078	2/0/0/0	0.07816
59	2	3	0.9206/0.0127/0.0245/0.0422	0.35580	2/0/0/0	0.013538
60	7	3	0.8782/0.0483/0.0475/0.0260	0.46328	7/0/0/0	0.16682
61	2	3	0.8820/0.0329/0.0464/0.0387	0.48259	2/0/0/0	0.038738
62	1	3	0.8817/0.0252/0.0233/0.0698	0.47708	1/0/0/0	n=1: unavailable
63	1	3	0.6700/0.2300/0.0877/0.0123	0.87392	1/0/0/0	n=1: unavailable
64	2	3	0.8810/0.0548/0.0240/0.0403	0.47725	2/0/0/0	0.05045
65	3	3	0.7956/0.0612/0.0956/0.0477	0.65630	3/0/0/0	0.20954
66	1	3	0.6857/0.1598/0.1401/0.0143	0.88804	1/0/0/0	n=1: unavailable
67	4	3	0.7084/0.1704/0.0715/0.0497	0.81668	4/0/0/0	0.21582
68	2	3	0.7547/0.1130/0.0641/0.0682	0.78494	2/0/0/0	0.11636

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPL (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
69	1	3	0.7633/0.1648/0.0589/0.0129	0.72642	1/0/0/0	n=1: unavailable
70	4	3	0.6135/0.1870/0.1188/0.0807	0.98184	4/0/0/0	0.22492
71	2	3	0.5759/0.2157/0.1494/0.0590	0.95894	2/0/0/0	0.26126
72	3	3	0.5082/0.4209/0.0477/0.0232	0.91197	2/1/0/0	0.253
73	2	3	0.4262/0.3176/0.1601/0.0961	1.14512	2/0/0/0	0.22189
74	1	3	0.2811/0.5080/0.0237/0.1872	1.10316	0/1/0/0	n=1: unavailable
75	3	3	0.3800/0.4116/0.0752/0.1332	1.06269	1/2/0/0	0.41842
76	6	3	0.3524/0.4808/0.0896/0.0772	1.06122	2/4/0/0	0.25469
77	1	3	0.2413/0.6879/0.0511/0.0197	0.82972	0/1/0/0	n=1: unavailable
78	3	3	0.1775/0.6889/0.0637/0.0699	0.86165	0/3/0/0	0.2083
79	5	3	0.1366/0.7140/0.0268/0.1226	0.82517	0/5/0/0	0.21051
80	2	3	0.3496/0.5219/0.1191/0.0094	0.97864	0/2/0/0	0.21162
81	2	3	0.0795/0.7759/0.0227/0.1219	0.74027	0/2/0/0	0.0060779
82	2	3	0.0686/0.8203/0.0408/0.0702	0.64451	0/2/0/0	0.054418
83	3	3	0.1803/0.7069/0.0379/0.0749	0.77310	0/3/0/0	0.34981
84	5	3	0.0717/0.8206/0.0246/0.0831	0.61902	0/5/0/0	0.14621
85	2	3	0.1591/0.7007/0.1252/0.0151	0.84092	0/2/0/0	0.15312
86	3	3	0.0256/0.8771/0.0141/0.0832	0.47492	0/3/0/0	0.02075
87	3	3	0.1593/0.7291/0.0692/0.0424	0.75588	0/3/0/0	0.25984
88	1	3	0.0727/0.8140/0.0777/0.0356	0.67530	0/1/0/0	n=1: unavailable
89	4	3	0.1483/0.7117/0.1176/0.0224	0.76354	0/4/0/0	0.42795
90	1	3	0.0144/0.9015/0.0096/0.0746	0.39246	0/1/0/0	n=1: unavailable
92	3	3	0.0988/0.8246/0.0321/0.0445	0.53791	0/3/0/0	0.25602
93	2	3	0.0601/0.8773/0.0385/0.0242	0.48892	0/2/0/0	0.05656
94	3	3	0.0629/0.8072/0.0851/0.0447	0.55598	0/3/0/0	0.34491
95	2	3	0.1463/0.7731/0.0609/0.0197	0.70602	0/2/0/0	0.13902
96	5	3	0.1261/0.7277/0.1292/0.0170	0.72161	0/5/0/0	0.44634
97	2	3	0.0475/0.8863/0.0282/0.0380	0.44644	0/2/0/0	0.0786

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPL (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
98	3	3	0.0087/0.9111/0.0142/0.0660	0.36430	0/3/0/0	0.027818
99	3	3	0.0931/0.8169/0.0626/0.0274	0.60351	0/3/0/0	0.16616
100	2	3	0.0428/0.8599/0.0583/0.0390	0.50493	0/2/0/0	0.11592
101	1	3	0.1497/0.8163/0.0238/0.0101	0.58559	0/1/0/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Input-only routing: VRPBL

First128 VAL after lock; entropy of graph-mean mixture, not mean node entropy.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
51	1	0	0.2399/0.2670/0.2909/0.2021	1.37743	0/0/1/0	n=1: unavailable
52	4	0	0.2185/0.2901/0.3041/0.1873	1.36495	0/1/3/0	0.063552
53	4	0	0.2288/0.2758/0.2956/0.1999	1.37090	0/1/3/0	0.069292
54	3	0	0.2299/0.2757/0.3164/0.1780	1.36450	0/0/3/0	0.0025129
56	2	0	0.2265/0.2770/0.3070/0.1895	1.36929	0/0/2/0	0.020686
57	2	0	0.2460/0.2834/0.2547/0.2159	1.38041	0/2/0/0	0.036816
58	2	0	0.2272/0.2844/0.2951/0.1933	1.37194	0/0/2/0	0.015946
59	2	0	0.2333/0.2739/0.2796/0.2132	1.37919	0/0/2/0	0.035417
60	2	0	0.2127/0.2820/0.3032/0.2021	1.36955	0/1/1/0	0.046986
61	4	0	0.2270/0.2707/0.3015/0.2007	1.37293	0/0/4/0	0.045409
62	1	0	0.2159/0.2659/0.3194/0.1988	1.36886	0/0/1/0	n=1: unavailable
64	7	0	0.2204/0.2583/0.3192/0.2022	1.36367	1/0/6/0	0.12922
65	5	0	0.2264/0.2718/0.3060/0.1958	1.37153	0/1/4/0	0.035369
66	2	0	0.2253/0.2685/0.2944/0.2118	1.37667	0/0/2/0	0.027665
67	2	0	0.2382/0.2536/0.3033/0.2049	1.37536	0/0/2/0	0.026685
68	5	0	0.2241/0.2565/0.3066/0.2128	1.37495	0/0/5/0	0.038049
69	3	0	0.2249/0.2638/0.3113/0.2000	1.37215	0/0/3/0	0.015838
70	2	0	0.2203/0.2553/0.3099/0.2145	1.37402	0/0/2/0	0.027968
71	3	0	0.2219/0.2630/0.2941/0.2211	1.37847	0/0/3/0	0.027692
72	4	0	0.2150/0.2590/0.3161/0.2098	1.36989	0/0/4/0	0.081694
73	2	0	0.2198/0.2573/0.3016/0.2213	1.37713	0/0/2/0	0.021692
74	1	0	0.2303/0.2584/0.3020/0.2093	1.37678	0/0/1/0	n=1: unavailable
75	3	0	0.2256/0.2554/0.3129/0.2061	1.37355	0/0/3/0	0.0050166
76	2	0	0.2006/0.2661/0.3115/0.2218	1.36916	0/0/2/0	0.059971
77	2	0	0.2496/0.2469/0.2800/0.2236	1.38078	1/0/1/0	0.051208
78	3	0	0.2173/0.2648/0.3080/0.2098	1.37291	0/0/3/0	0.033172
79	3	0	0.2089/0.2584/0.3147/0.2180	1.37105	0/0/3/0	0.050448
80	2	0	0.2228/0.2717/0.2916/0.2139	1.37505	0/0/2/0	0.045965

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPBL (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
81	2	0	0.2577/0.2323/0.2633/0.2467	1.37961	1/0/1/0	0.080779
82	2	0	0.2309/0.2483/0.3009/0.2198	1.37873	0/0/2/0	0.0080688
83	4	0	0.2210/0.2519/0.3092/0.2179	1.37574	0/0/4/0	0.016661
84	2	0	0.2323/0.2555/0.2894/0.2229	1.38069	0/0/2/0	0.024209
85	2	0	0.2186/0.2537/0.3028/0.2249	1.37745	0/0/2/0	0.014973
86	2	0	0.2116/0.2750/0.2813/0.2321	1.37871	0/1/1/0	0.030304
87	3	0	0.2206/0.2505/0.3070/0.2219	1.37651	0/0/3/0	0.02046
88	2	0	0.2267/0.2469/0.3041/0.2223	1.37807	0/0/2/0	0.0046475
89	5	0	0.2212/0.2461/0.3008/0.2320	1.37756	0/0/5/0	0.052802
90	3	0	0.2269/0.2491/0.3007/0.2233	1.37848	0/0/3/0	0.025409
91	2	0	0.2309/0.2477/0.2911/0.2302	1.38130	0/0/2/0	0.013439
92	4	0	0.2205/0.2527/0.3033/0.2234	1.37719	0/0/4/0	0.029704
93	2	0	0.2270/0.2627/0.2741/0.2362	1.38023	0/1/1/0	0.059829
94	2	0	0.2056/0.2522/0.2959/0.2463	1.37755	0/0/2/0	0.026742
95	2	0	0.2280/0.2317/0.3036/0.2367	1.37830	0/0/2/0	0.020688
97	4	0	0.2206/0.2495/0.2956/0.2342	1.37962	0/0/4/0	0.027017
99	3	0	0.2240/0.2501/0.2967/0.2292	1.37903	0/0/3/0	0.038502
100	2	0	0.2168/0.2352/0.3207/0.2272	1.37295	0/0/2/0	0.022153
101	2	0	0.2316/0.2355/0.2837/0.2491	1.38205	0/0/2/0	0.037076
51	1	1	0.2201/0.0753/0.0272/0.6774	0.88981	0/0/0/1	n=1: unavailable
52	4	1	0.3035/0.0550/0.0275/0.6140	0.89518	0/0/0/4	0.24544
53	4	1	0.2785/0.1063/0.0582/0.5571	1.04509	1/0/0/3	0.2685
54	3	1	0.2642/0.0946/0.0196/0.6215	0.94585	0/0/0/3	0.055509
56	2	1	0.2323/0.0945/0.0229/0.6503	0.92728	0/0/0/2	0.032916
57	2	1	0.3618/0.1284/0.1173/0.3925	1.18784	1/0/0/1	0.23016
58	2	1	0.2197/0.1064/0.0365/0.6374	0.97559	0/0/0/2	0.038713
59	2	1	0.2923/0.1133/0.1351/0.4593	1.20788	0/0/0/2	0.13498
60	2	1	0.2794/0.0769/0.0452/0.5985	0.98617	0/0/0/2	0.087305

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPBL (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
61	4	1	0.2376/0.0979/0.0366/0.6279	0.95823	0/0/0/4	0.19727
62	1	1	0.1626/0.1144/0.0379/0.6852	0.92637	0/0/0/1	n=1: unavailable
64	7	1	0.1874/0.1161/0.0846/0.6119	0.96913	0/1/0/6	0.61425
65	5	1	0.2031/0.1069/0.0499/0.6401	0.98223	0/0/0/5	0.15277
66	2	1	0.2785/0.0907/0.0534/0.5774	1.01678	0/0/0/2	0.12269
67	2	1	0.1780/0.1369/0.0646/0.6205	1.03595	0/0/0/2	0.09233
68	5	1	0.2282/0.1247/0.0648/0.5823	1.05024	0/0/0/5	0.23087
69	3	1	0.1954/0.1125/0.0319/0.6602	0.94722	0/0/0/3	0.048663
70	2	1	0.2213/0.0983/0.0741/0.6063	1.03133	0/0/0/2	0.15343
71	3	1	0.2142/0.1135/0.0999/0.5724	1.10139	0/0/0/3	0.11537
72	4	1	0.2253/0.1056/0.1088/0.5603	1.09924	0/0/0/4	0.20749
73	2	1	0.1263/0.1453/0.0691/0.6593	0.99128	0/0/0/2	0.073172
74	1	1	0.1808/0.1567/0.0408/0.6218	1.02555	0/0/0/1	n=1: unavailable
75	3	1	0.1670/0.1419/0.0375/0.6536	0.97676	0/0/0/3	0.022556
76	2	1	0.2779/0.0523/0.1119/0.5579	1.04290	0/0/0/2	0.26971
77	2	1	0.1591/0.1967/0.1831/0.4610	1.17169	0/0/1/1	0.40384
78	3	1	0.1994/0.0968/0.0927/0.6110	1.03931	0/0/0/3	0.12217
79	3	1	0.2135/0.1007/0.0772/0.6086	1.01043	0/0/0/3	0.21249
80	2	1	0.2514/0.1043/0.0891/0.5552	1.10856	0/0/0/2	0.10596
81	2	1	0.2667/0.2170/0.2737/0.2426	1.24203	1/1/0/0	0.31863
82	2	1	0.1328/0.1773/0.0536/0.6362	1.01868	0/0/0/2	0.032914
83	4	1	0.1467/0.1574/0.0556/0.6403	1.01646	0/0/0/4	0.055373
84	2	1	0.1801/0.1656/0.1500/0.5043	1.18436	0/0/0/2	0.28144
85	2	1	0.1866/0.1337/0.0701/0.6095	1.05333	0/0/0/2	0.12377
86	2	1	0.4011/0.0599/0.1422/0.3969	1.16632	1/0/0/1	0.10449
87	3	1	0.1604/0.1533/0.0836/0.6027	1.07555	0/0/0/3	0.1102
88	2	1	0.1310/0.1795/0.0597/0.6298	1.03277	0/0/0/2	0.045277
89	5	1	0.1949/0.1524/0.1387/0.5141	1.17107	0/0/0/5	0.29448

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPBL (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
90	3	1	0.1504/0.1509/0.1124/0.5863	1.09104	0/0/0/3	0.17592
91	2	1	0.2086/0.1542/0.1530/0.4843	1.21814	0/0/0/2	0.15972
92	4	1	0.1473/0.1571/0.1208/0.5748	1.12009	0/0/0/4	0.12728
93	2	1	0.3360/0.1267/0.1970/0.3403	1.30144	1/0/0/1	0.15169
94	2	1	0.3109/0.0577/0.2044/0.4270	1.19109	1/0/0/1	0.18486
95	2	1	0.0928/0.1939/0.1632/0.5501	1.12505	0/0/0/2	0.19026
97	4	1	0.1721/0.1412/0.1234/0.5633	1.11962	0/0/0/4	0.16199
99	3	1	0.1910/0.1589/0.0987/0.5514	1.12190	0/0/0/3	0.20403
100	2	1	0.1482/0.1958/0.1288/0.5272	1.18668	0/0/0/2	0.10008
101	2	1	0.1382/0.2081/0.1615/0.4923	1.21940	0/0/0/2	0.13764
51	1	2	0.3402/0.2301/0.0246/0.4051	1.16207	0/0/0/1	n=1: unavailable
52	4	2	0.4031/0.1713/0.0224/0.4033	1.02410	2/1/0/1	0.41076
53	4	2	0.4006/0.1187/0.0200/0.4608	0.87459	2/0/0/2	0.64006
54	3	2	0.2002/0.1142/0.0141/0.6715	0.88996	0/0/0/3	0.11535
56	2	2	0.1794/0.2478/0.0190/0.5539	1.01781	0/0/0/2	0.23067
57	2	2	0.5868/0.0807/0.0131/0.3194	0.91797	2/0/0/0	0.10246
58	2	2	0.2810/0.1728/0.0181/0.5281	0.96427	1/0/0/1	0.43763
59	2	2	0.5760/0.0786/0.0209/0.3245	0.92913	2/0/0/0	0.14966
60	2	2	0.3925/0.2540/0.0297/0.3238	1.18146	2/0/0/0	0.05989
61	4	2	0.1821/0.1871/0.0168/0.6139	0.92893	0/1/0/3	0.41032
62	1	2	0.2166/0.6296/0.0628/0.0910	1.01452	0/1/0/0	n=1: unavailable
64	7	2	0.2373/0.2522/0.0361/0.4745	0.91995	1/1/0/5	0.70476
65	5	2	0.2515/0.1851/0.0211/0.5423	0.94730	1/1/0/3	0.50698
66	2	2	0.3285/0.1506/0.0172/0.5037	0.99218	1/0/0/1	0.3378
67	2	2	0.2929/0.2617/0.0272/0.4182	0.95866	1/0/0/1	0.61742
68	5	2	0.2908/0.2653/0.0263/0.4176	0.99979	2/1/0/2	0.55744
69	3	2	0.1104/0.1414/0.0157/0.7325	0.80945	0/0/0/3	0.049005
70	2	2	0.2731/0.2816/0.0233/0.4221	0.94028	0/1/0/1	0.62931

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPBL (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
71	3	2	0.3755/0.2202/0.0349/0.3694	1.09765	2/0/0/1	0.39251
72	4	2	0.3373/0.2603/0.0359/0.3665	1.00305	1/1/0/2	0.58679
73	2	2	0.1781/0.1471/0.0231/0.6516	0.91606	0/0/0/2	0.20574
74	1	2	0.1264/0.1328/0.0128/0.7280	0.81634	0/0/0/1	n=1: unavailable
75	3	2	0.0879/0.1937/0.0210/0.6974	0.85811	0/0/0/3	0.099332
76	2	2	0.3419/0.1314/0.0187/0.5080	0.76930	1/0/0/1	0.70192
77	2	2	0.3005/0.2299/0.0299/0.4397	0.98168	1/0/0/1	0.55256
78	3	2	0.3577/0.1701/0.0370/0.4351	1.05776	2/0/0/1	0.47346
79	3	2	0.2519/0.1714/0.0379/0.5389	0.89258	1/0/0/2	0.60824
80	2	2	0.3639/0.1963/0.0324/0.4074	1.11368	1/0/0/1	0.30316
81	2	2	0.5049/0.4429/0.0424/0.0099	0.83250	1/1/0/0	0.31896
82	2	2	0.0709/0.2176/0.0242/0.6874	0.86689	0/0/0/2	0.011585
83	4	2	0.0975/0.2583/0.0282/0.6160	0.90699	0/1/0/3	0.43242
84	2	2	0.2865/0.1973/0.0207/0.4955	0.95060	1/0/0/1	0.46148
85	2	2	0.1773/0.2997/0.0252/0.4978	1.02314	0/1/0/1	0.37154
86	2	2	0.4378/0.2162/0.0307/0.3153	1.01264	1/0/0/1	0.40198
87	3	2	0.1699/0.2095/0.0314/0.5891	0.97010	0/0/0/3	0.33395
88	2	2	0.0783/0.2091/0.0266/0.6859	0.88142	0/0/0/2	0.02702
89	5	2	0.2728/0.3030/0.0400/0.3842	1.03815	1/1/0/3	0.64142
90	3	2	0.1824/0.2552/0.0417/0.5207	0.98995	1/0/0/2	0.49117
91	2	2	0.3258/0.2833/0.0257/0.3652	0.96321	1/0/0/1	0.54907
92	4	2	0.2499/0.2703/0.0520/0.4278	1.05060	1/1/0/2	0.56091
93	2	2	0.5182/0.1408/0.0420/0.2990	1.10185	2/0/0/0	0.0812
94	2	2	0.4635/0.3516/0.0613/0.1236	1.04302	1/1/0/0	0.35262
95	2	2	0.2298/0.3055/0.0403/0.4244	1.02882	1/0/0/1	0.51753
97	4	2	0.2157/0.2603/0.0402/0.4838	1.05220	1/0/0/3	0.40389
99	3	2	0.2289/0.2377/0.0361/0.4973	0.98293	1/0/0/2	0.5004
100	2	2	0.1672/0.4156/0.0469/0.3703	1.02126	0/1/0/1	0.50688

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPBL (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
101	2	2	0.1898/0.3254/0.0349/0.4500	1.04065	0/1/0/1	0.37847
51	1	3	0.7599/0.0274/0.0795/0.1332	0.77703	1/0/0/0	n=1: unavailable
52	4	3	0.8521/0.0233/0.0590/0.0656	0.52892	4/0/0/0	0.12836
53	4	3	0.7058/0.0469/0.0909/0.1564	0.79761	4/0/0/0	0.3207
54	3	3	0.6584/0.0127/0.0531/0.2758	0.82401	3/0/0/0	0.19567
56	2	3	0.6194/0.0252/0.0936/0.2619	0.95001	2/0/0/0	0.11444
57	2	3	0.7414/0.0681/0.1437/0.0467	0.75910	2/0/0/0	0.23056
58	2	3	0.6540/0.0290/0.0497/0.2674	0.69678	1/0/0/1	0.49356
59	2	3	0.8295/0.0487/0.1039/0.0179	0.58570	2/0/0/0	0.11195
60	2	3	0.8492/0.0627/0.0518/0.0363	0.57787	2/0/0/0	0.074468
61	4	3	0.4223/0.0892/0.0720/0.4164	1.06391	1/0/0/3	0.29862
62	1	3	0.6929/0.0428/0.2435/0.0208	0.81361	1/0/0/0	n=1: unavailable
64	7	3	0.4353/0.1444/0.1733/0.2470	0.97811	2/1/1/3	0.54991
65	5	3	0.5260/0.0689/0.0679/0.3372	0.87809	2/0/0/3	0.59451
66	2	3	0.4165/0.2016/0.0445/0.3373	1.06445	1/0/0/1	0.43044
67	2	3	0.5103/0.0570/0.1060/0.3268	0.82359	1/0/0/1	0.63038
68	5	3	0.4016/0.1350/0.1029/0.3606	1.04636	2/0/0/3	0.65242
69	3	3	0.2058/0.0977/0.0439/0.6525	0.96642	0/0/0/3	0.056573
70	2	3	0.3444/0.1692/0.1145/0.3719	1.07622	1/0/0/1	0.58929
71	3	3	0.5089/0.2501/0.1045/0.1366	1.08332	2/0/0/1	0.38647
72	4	3	0.4194/0.2570/0.1111/0.2125	1.05020	2/1/0/1	0.64025
73	2	3	0.1936/0.3042/0.1165/0.3857	1.14882	0/1/0/1	0.50918
74	1	3	0.1636/0.2005/0.0308/0.6050	1.02976	0/0/0/1	n=1: unavailable
75	3	3	0.1221/0.1848/0.0517/0.6414	1.00385	0/0/0/3	0.061982
76	2	3	0.1809/0.6117/0.0633/0.1441	1.03559	0/2/0/0	0.1455
77	2	3	0.2412/0.1293/0.2848/0.3447	0.89576	0/0/1/1	0.68266
78	3	3	0.4313/0.3048/0.0582/0.2057	0.94315	2/0/0/1	0.62838
79	3	3	0.2058/0.3132/0.0391/0.4419	0.92323	1/0/0/2	0.64816

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPBL (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
80	2	3	0.2850/0.4454/0.0474/0.2223	1.05090	0/2/0/0	0.37446
81	2	3	0.2905/0.2854/0.4099/0.0141	0.91391	0/1/1/0	0.60583
82	2	3	0.0456/0.2439/0.0297/0.6808	0.84664	0/0/0/2	0.075752
83	4	3	0.0776/0.3349/0.0526/0.5349	0.98860	0/1/0/3	0.39851
84	2	3	0.2667/0.2521/0.1611/0.3202	0.99960	1/0/0/1	0.59224
85	2	3	0.1559/0.4108/0.0745/0.3588	1.00179	0/1/0/1	0.56346
86	2	3	0.3063/0.5273/0.0541/0.1124	1.04432	0/2/0/0	0.19262
87	3	3	0.1564/0.3801/0.0491/0.4144	0.92941	0/1/0/2	0.59362
88	2	3	0.0277/0.3482/0.0384/0.5857	0.90450	0/0/0/2	0.029258
89	5	3	0.1476/0.4894/0.0962/0.2668	1.02184	0/3/0/2	0.58498
90	3	3	0.0858/0.4497/0.0513/0.4132	0.95503	0/1/0/2	0.46738
91	2	3	0.1797/0.4520/0.0503/0.3180	0.96805	0/1/0/1	0.53856
92	4	3	0.1531/0.4709/0.0824/0.2936	0.94353	0/2/0/2	0.557
93	2	3	0.2436/0.5555/0.0676/0.1333	1.03944	0/2/0/0	0.24824
94	2	3	0.2246/0.6338/0.1036/0.0379	0.94337	0/2/0/0	0.14451
95	2	3	0.1038/0.4072/0.1877/0.3013	0.98723	0/1/0/1	0.5494
97	4	3	0.0605/0.5831/0.0454/0.3110	0.85369	0/2/0/2	0.4757
99	3	3	0.0684/0.5453/0.0262/0.3601	0.81945	0/1/0/2	0.50105
100	2	3	0.1291/0.4251/0.1359/0.3099	1.04570	0/1/0/1	0.49655
101	2	3	0.0416/0.4907/0.0672/0.4005	0.85033	0/1/0/1	0.55775

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Input-only routing: VRPBTW

First128 VAL after lock; entropy of graph-mean mixture, not mean node entropy.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
51	3	0	0.2479/0.3268/0.2369/0.1884	1.36549	0/3/0/0	0.044663
52	3	0	0.2540/0.2839/0.2741/0.1880	1.37230	0/2/1/0	0.05403
53	2	0	0.2506/0.3094/0.2542/0.1858	1.37028	0/2/0/0	0.0196
54	2	0	0.2546/0.3129/0.2402/0.1923	1.37132	0/2/0/0	0.012256
55	3	0	0.2508/0.2889/0.2610/0.1992	1.37652	0/2/1/0	0.034602
56	1	0	0.2522/0.3111/0.2523/0.1845	1.36992	0/1/0/0	n=1: unavailable
57	2	0	0.2306/0.2951/0.2807/0.1936	1.37102	0/1/1/0	0.05231
58	3	0	0.2389/0.3400/0.2274/0.1937	1.36210	0/3/0/0	0.048886
59	3	0	0.2419/0.3156/0.2532/0.1893	1.36855	0/3/0/0	0.04802
60	3	0	0.2238/0.3330/0.2449/0.1983	1.36548	0/3/0/0	0.034361
61	1	0	0.2598/0.2925/0.2524/0.1953	1.37618	0/1/0/0	n=1: unavailable
62	5	0	0.2544/0.2945/0.2504/0.2007	1.37555	1/4/0/0	0.064647
63	4	0	0.2651/0.2756/0.2401/0.2191	1.38061	1/3/0/0	0.049942
64	3	0	0.2638/0.2947/0.2354/0.2061	1.37478	1/2/0/0	0.064659
65	1	0	0.2559/0.2866/0.2508/0.2067	1.37967	0/1/0/0	n=1: unavailable
66	3	0	0.2566/0.2865/0.2505/0.2065	1.37934	0/3/0/0	0.022415
67	4	0	0.2510/0.2733/0.2606/0.2151	1.37899	0/3/1/0	0.074538
68	3	0	0.2492/0.2920/0.2497/0.2090	1.37907	0/3/0/0	0.024794
69	4	0	0.2445/0.2921/0.2551/0.2082	1.37691	0/4/0/0	0.06291
70	4	0	0.2559/0.2878/0.2364/0.2199	1.37678	1/3/0/0	0.0805
71	4	0	0.2540/0.2823/0.2480/0.2157	1.38156	0/4/0/0	0.02037
72	5	0	0.2405/0.2871/0.2625/0.2099	1.37664	0/4/1/0	0.08124
73	1	0	0.2679/0.2887/0.2230/0.2204	1.37948	0/1/0/0	n=1: unavailable
74	5	0	0.2580/0.2778/0.2404/0.2238	1.38260	1/4/0/0	0.026365
75	1	0	0.1969/0.3025/0.2934/0.2072	1.36760	0/1/0/0	n=1: unavailable
76	4	0	0.2669/0.2784/0.2227/0.2321	1.37896	1/3/0/0	0.059366
77	2	0	0.2493/0.2833/0.2454/0.2221	1.38242	0/2/0/0	0.011193
78	3	0	0.2589/0.2757/0.2449/0.2205	1.38056	1/2/0/0	0.049857

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPBTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
79	3	0	0.2520/0.2709/0.2514/0.2257	1.38330	0/3/0/0	0.036062
80	2	0	0.2556/0.2685/0.2528/0.2232	1.38402	0/2/0/0	0.0067484
82	4	0	0.2565/0.2754/0.2406/0.2276	1.38314	0/4/0/0	0.037796
83	1	0	0.2467/0.2752/0.2539/0.2242	1.38363	0/1/0/0	n=1: unavailable
84	3	0	0.2478/0.2668/0.2605/0.2250	1.38350	0/2/1/0	0.038795
85	1	0	0.2563/0.2620/0.2521/0.2296	1.38507	0/1/0/0	n=1: unavailable
86	1	0	0.1870/0.3108/0.3005/0.2018	1.36097	0/1/0/0	n=1: unavailable
88	2	0	0.2428/0.2579/0.2789/0.2204	1.37885	0/1/1/0	0.075802
89	1	0	0.2166/0.2679/0.2790/0.2365	1.38134	0/0/1/0	n=1: unavailable
91	1	0	0.2311/0.2760/0.2792/0.2136	1.37982	0/0/1/0	n=1: unavailable
92	3	0	0.2560/0.2633/0.2454/0.2354	1.38531	0/3/0/0	0.012365
93	2	0	0.2616/0.2646/0.2361/0.2377	1.38419	1/1/0/0	0.029687
94	1	0	0.2845/0.2506/0.2047/0.2602	1.37944	1/0/0/0	n=1: unavailable
95	3	0	0.2262/0.2699/0.2627/0.2412	1.38265	0/2/1/0	0.03812
96	2	0	0.2543/0.2724/0.2331/0.2402	1.38232	0/1/1/0	0.055521
97	5	0	0.2580/0.2698/0.2322/0.2400	1.38105	2/3/0/0	0.087152
98	4	0	0.2297/0.2777/0.2632/0.2294	1.37787	0/3/1/0	0.080318
99	3	0	0.2576/0.2549/0.2448/0.2427	1.38573	2/1/0/0	0.016815
100	1	0	0.2234/0.2793/0.2535/0.2438	1.38307	0/1/0/0	n=1: unavailable
101	3	0	0.2380/0.2694/0.2500/0.2426	1.38411	0/2/1/0	0.042658
51	3	1	0.2505/0.0820/0.0379/0.6296	0.96190	0/0/0/3	0.061274
52	3	1	0.1761/0.1208/0.0440/0.6591	0.95357	0/0/0/3	0.15184
53	2	1	0.2363/0.1007/0.0315/0.6315	0.96511	0/0/0/2	0.099178
54	2	1	0.2214/0.0953/0.0317/0.6516	0.94605	0/0/0/2	0.013124
55	3	1	0.1871/0.1221/0.0616/0.6293	1.02471	0/0/0/3	0.073152
56	1	1	0.2193/0.0992/0.0367/0.6448	0.96627	0/0/0/1	n=1: unavailable
57	2	1	0.2342/0.1024/0.0651/0.5983	1.05296	0/0/0/2	0.050358
58	3	1	0.2980/0.0697/0.0533/0.5790	1.01135	0/0/0/3	0.1264

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPBTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
59	3	1	0.2233/0.0905/0.0402/0.6460	0.95050	0/0/0/3	0.11608
60	3	1	0.3261/0.0582/0.0539/0.5617	1.00869	0/0/0/3	0.079661
61	1	1	0.1932/0.1278/0.0427/0.6362	1.00300	0/0/0/1	n=1: unavailable
62	5	1	0.2003/0.1202/0.0701/0.6094	1.02862	0/0/0/5	0.23811
63	4	1	0.1384/0.1696/0.1188/0.5731	1.10927	0/0/0/4	0.24692
64	3	1	0.2281/0.1366/0.0795/0.5558	1.10759	0/0/0/3	0.16395
65	1	1	0.1526/0.1424/0.0523/0.6527	0.99724	0/0/0/1	n=1: unavailable
66	3	1	0.1685/0.1394/0.0524/0.6397	1.01062	0/0/0/3	0.083588
67	4	1	0.1291/0.1719/0.0634/0.6356	1.00788	0/0/0/4	0.13678
68	3	1	0.1573/0.1116/0.0681/0.6630	0.98262	0/0/0/3	0.081311
69	4	1	0.1947/0.1342/0.0816/0.5896	1.07368	0/0/0/4	0.18358
70	4	1	0.2548/0.1308/0.1171/0.4973	1.16250	1/0/0/3	0.32273
71	4	1	0.1467/0.1591/0.0664/0.6278	1.04520	0/0/0/4	0.030825
72	5	1	0.1736/0.1257/0.0819/0.6188	1.05203	0/0/0/5	0.15878
73	1	1	0.2202/0.1542/0.1654/0.4601	1.27636	0/0/0/1	n=1: unavailable
74	5	1	0.1972/0.1616/0.1046/0.5366	1.13621	0/0/0/5	0.27676
75	1	1	0.2070/0.0395/0.1496/0.6038	1.04261	0/0/0/1	n=1: unavailable
76	4	1	0.2616/0.1595/0.1286/0.4503	1.18260	1/0/0/3	0.39744
77	2	1	0.1359/0.1681/0.0761/0.6199	1.06273	0/0/0/2	0.03718
78	3	1	0.1712/0.1611/0.1686/0.4990	1.22807	0/0/0/3	0.11754
79	3	1	0.1322/0.1724/0.1223/0.5730	1.13738	0/0/0/3	0.097051
80	2	1	0.1304/0.1849/0.0830/0.6017	1.08972	0/0/0/2	0.013774
82	4	1	0.1542/0.1854/0.0953/0.5651	1.13757	0/0/0/4	0.125
83	1	1	0.1574/0.1657/0.0816/0.5953	1.10213	0/0/0/1	n=1: unavailable
84	3	1	0.1228/0.1748/0.1287/0.5736	1.13068	0/0/0/3	0.11756
85	1	1	0.1191/0.2137/0.0908/0.5763	1.11870	0/0/0/1	n=1: unavailable
86	1	1	0.2286/0.0340/0.1581/0.5793	1.06021	0/0/0/1	n=1: unavailable
88	2	1	0.1240/0.2000/0.1494/0.5265	1.18845	0/0/0/2	0.11413

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPBTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
89	1	1	0.0974/0.1224/0.2156/0.5646	1.13748	0/0/0/1	n=1: unavailable
91	1	1	0.1280/0.1462/0.1436/0.5822	1.13793	0/0/0/1	n=1: unavailable
92	3	1	0.1191/0.1976/0.1130/0.5703	1.13979	0/0/0/3	0.02772
93	2	1	0.1215/0.1881/0.1858/0.5047	1.20984	0/0/0/2	0.13319
94	1	1	0.0929/0.2652/0.3383/0.3036	1.30135	0/0/1/0	n=1: unavailable
95	3	1	0.1876/0.1037/0.2118/0.4968	1.21364	0/0/0/3	0.094741
96	2	1	0.2447/0.1703/0.1814/0.4036	1.23190	1/0/0/1	0.29482
97	5	1	0.1913/0.1629/0.2321/0.4136	1.25559	1/0/0/4	0.2821
98	4	1	0.1455/0.1507/0.2016/0.5022	1.18482	0/0/0/4	0.18055
99	3	1	0.0991/0.2313/0.1542/0.5154	1.19473	0/0/0/3	0.059371
100	1	1	0.2597/0.0772/0.2232/0.4398	1.24391	0/0/0/1	n=1: unavailable
101	3	1	0.2384/0.1214/0.2180/0.4222	1.24347	1/0/0/2	0.27364
51	3	2	0.2302/0.2661/0.0228/0.4810	1.11589	0/0/0/3	0.17196
52	3	2	0.1076/0.4212/0.0322/0.4390	0.93240	0/1/0/2	0.54428
53	2	2	0.1058/0.2351/0.0233/0.6359	0.94961	0/0/0/2	0.0722
54	2	2	0.0784/0.3406/0.0182/0.5629	0.96166	0/0/0/2	0.039653
55	3	2	0.0979/0.4767/0.0253/0.4000	0.90748	0/1/0/2	0.55555
56	1	2	0.0924/0.2397/0.0147/0.6531	0.90289	0/0/0/1	n=1: unavailable
57	2	2	0.1788/0.4559/0.0387/0.3266	0.91679	0/1/0/1	0.60007
58	3	2	0.2747/0.3414/0.0235/0.3604	1.16029	1/1/0/1	0.15882
59	3	2	0.1290/0.2705/0.0229/0.5776	0.95914	0/0/0/3	0.24359
60	3	2	0.3040/0.2060/0.0214/0.4687	1.10491	0/0/0/3	0.16088
61	1	2	0.0803/0.3432/0.0187/0.5578	0.96959	0/0/0/1	n=1: unavailable
62	5	2	0.1389/0.4308/0.0301/0.4001	0.92681	1/1/0/3	0.58145
63	4	2	0.0491/0.5208/0.0305/0.3997	0.92952	0/3/0/1	0.32455
64	3	2	0.1466/0.5024/0.0268/0.3241	1.01557	0/2/0/1	0.33418
65	1	2	0.0421/0.3519/0.0202/0.5859	0.89286	0/0/0/1	n=1: unavailable
66	3	2	0.0469/0.3721/0.0232/0.5578	0.91760	0/0/0/3	0.11476

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPBTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
67	4	2	0.0388/0.5061/0.0329/0.4222	0.82463	0/1/0/3	0.54369
68	3	2	0.0725/0.4270/0.0265/0.4740	0.92568	0/1/0/2	0.40398
69	4	2	0.1188/0.3936/0.0310/0.4566	1.04098	0/1/0/3	0.20625
70	4	2	0.1868/0.4165/0.0290/0.3677	1.07486	0/2/0/2	0.31242
71	4	2	0.0350/0.4062/0.0235/0.5353	0.89581	0/1/0/3	0.1632
72	5	2	0.1067/0.4835/0.0316/0.3782	1.01519	0/3/0/2	0.31477
73	1	2	0.1792/0.7489/0.0367/0.0351	0.76358	0/1/0/0	n=1: unavailable
74	5	2	0.1130/0.4788/0.0246/0.3836	0.93059	0/2/0/3	0.40979
75	1	2	0.1351/0.1230/0.0353/0.7066	0.89165	0/0/0/1	n=1: unavailable
76	4	2	0.0791/0.4608/0.0260/0.4341	0.79447	0/2/0/2	0.79553
77	2	2	0.0233/0.4345/0.0251/0.5171	0.88273	0/0/0/2	0.027297
78	3	2	0.1215/0.6917/0.0330/0.1538	0.85160	0/3/0/0	0.25842
79	3	2	0.0336/0.4351/0.0323/0.4991	0.93031	0/1/0/2	0.090295
80	2	2	0.0148/0.4467/0.0278/0.5107	0.86420	0/0/0/2	0.036955
82	4	2	0.0365/0.5259/0.0275/0.4101	0.90221	0/3/0/1	0.22326
83	1	2	0.0411/0.3734/0.0301/0.5554	0.93110	0/0/0/1	n=1: unavailable
84	3	2	0.0652/0.5296/0.0418/0.3634	0.90028	0/1/0/2	0.42757
85	1	2	0.0230/0.4681/0.0328/0.4761	0.90750	0/0/0/1	n=1: unavailable
86	1	2	0.2383/0.1208/0.0530/0.5879	1.06516	0/0/0/1	n=1: unavailable
88	2	2	0.0688/0.6511/0.0587/0.2214	0.85922	0/2/0/0	0.32651
89	1	2	0.0678/0.4268/0.0674/0.4380	1.08927	0/0/0/1	n=1: unavailable
91	1	2	0.0964/0.7340/0.0351/0.1345	0.84001	0/1/0/0	n=1: unavailable
92	3	2	0.0184/0.4650/0.0354/0.4812	0.89826	0/1/0/2	0.062832
93	2	2	0.0344/0.5973/0.0318/0.3365	0.85767	0/2/0/0	0.25379
94	1	2	0.0092/0.7603/0.0334/0.1971	0.68486	0/1/0/0	n=1: unavailable
95	3	2	0.1254/0.4694/0.0450/0.3603	1.03131	0/2/0/1	0.42782
96	2	2	0.1950/0.4295/0.0349/0.3406	1.04999	0/2/0/0	0.34599
97	5	2	0.1109/0.5426/0.0417/0.3048	0.93563	1/3/0/1	0.49935

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPBTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
98	4	2	0.0761/0.4794/0.0567/0.3878	0.97099	0/3/0/1	0.47152
99	3	2	0.0165/0.6453/0.0350/0.3032	0.78020	0/3/0/0	0.30167
100	1	2	0.2435/0.4528/0.0369/0.2669	1.17693	0/1/0/0	n=1: unavailable
101	3	2	0.2080/0.5408/0.0466/0.2046	1.04552	1/2/0/0	0.37121
51	3	3	0.3581/0.0265/0.1533/0.4620	1.06917	1/0/0/2	0.31268
52	3	3	0.2132/0.0078/0.3494/0.4296	0.90676	0/0/1/2	0.62723
53	2	3	0.1718/0.0087/0.1221/0.6974	0.85027	0/0/0/2	0.045449
54	2	3	0.1458/0.0073/0.1580/0.6889	0.86423	0/0/0/2	0.031936
55	3	3	0.1583/0.0238/0.4018/0.4162	0.88627	0/0/1/2	0.69045
56	1	3	0.0958/0.0161/0.0922/0.7958	0.69285	0/0/0/1	n=1: unavailable
57	2	3	0.2477/0.0137/0.3257/0.4129	0.80671	0/0/1/1	0.73708
58	3	3	0.2746/0.0628/0.1527/0.5099	1.04651	1/0/0/2	0.501
59	3	3	0.1342/0.0438/0.1146/0.7074	0.82244	0/0/0/3	0.27509
60	3	3	0.2926/0.1173/0.1326/0.4574	1.18983	1/0/0/2	0.33783
61	1	3	0.0849/0.0135/0.1102/0.7914	0.69571	0/0/0/1	n=1: unavailable
62	5	3	0.1271/0.0506/0.2271/0.5953	0.76383	0/0/1/4	0.80951
63	4	3	0.1016/0.0332/0.2970/0.5683	0.82725	0/0/1/3	0.75509
64	3	3	0.1978/0.0440/0.2727/0.4854	1.01545	1/0/0/2	0.60225
65	1	3	0.0295/0.0209/0.0569/0.8927	0.44920	0/0/0/1	n=1: unavailable
66	3	3	0.0371/0.0242/0.0962/0.8425	0.57488	0/0/0/3	0.071821
67	4	3	0.0376/0.0139/0.2926/0.6559	0.49992	0/0/1/3	0.8333
68	3	3	0.0501/0.0426/0.1266/0.7808	0.66761	0/0/0/3	0.34433
69	4	3	0.0875/0.1030/0.1517/0.6578	0.86924	0/0/1/3	0.59081
70	4	3	0.1515/0.1015/0.1821/0.5649	1.01438	0/0/0/4	0.52456
71	4	3	0.0212/0.0230/0.0622/0.8935	0.44125	0/0/0/4	0.027368
72	5	3	0.0612/0.0843/0.1806/0.6739	0.86527	0/0/0/5	0.41199
73	1	3	0.1197/0.0878/0.5945/0.1980	1.09751	0/0/1/0	n=1: unavailable
74	5	3	0.0568/0.0981/0.1805/0.6646	0.79276	0/0/1/4	0.56965

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPBTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
75	1	3	0.0793/0.2557/0.0593/0.6057	1.02102	0/0/0/1	n=1: unavailable
76	4	3	0.0412/0.0919/0.2205/0.6463	0.70730	0/0/1/3	0.69275
77	2	3	0.0074/0.0363/0.0515/0.9049	0.39945	0/0/0/2	0.0038591
78	3	3	0.1035/0.1148/0.4925/0.2892	1.05853	0/0/2/1	0.50311
79	3	3	0.0115/0.0996/0.1237/0.7653	0.64151	0/0/0/3	0.4153
80	2	3	0.0068/0.0500/0.0520/0.8912	0.43902	0/0/0/2	0.014888
82	4	3	0.0184/0.0614/0.0916/0.8286	0.56746	0/0/0/4	0.29891
83	1	3	0.0050/0.0584/0.0482/0.8884	0.44351	0/0/0/1	n=1: unavailable
84	3	3	0.0540/0.0477/0.2689/0.6293	0.55028	0/0/1/2	0.83798
85	1	3	0.0055/0.0521/0.0491/0.8933	0.43127	0/0/0/1	n=1: unavailable
86	1	3	0.0634/0.4249/0.0598/0.4520	1.06574	0/0/0/1	n=1: unavailable
88	2	3	0.0828/0.0424/0.4073/0.4675	0.62607	0/0/1/1	0.83269
89	1	3	0.0170/0.2733/0.2727/0.4370	1.13999	0/0/0/1	n=1: unavailable
91	1	3	0.1113/0.1095/0.5755/0.2038	1.12862	0/0/1/0	n=1: unavailable
92	3	3	0.0026/0.0637/0.0444/0.8894	0.43187	0/0/0/3	0.027473
93	2	3	0.0135/0.1459/0.1444/0.6962	0.76801	0/0/0/2	0.40079
94	1	3	0.0220/0.1219/0.5291/0.3270	1.04290	0/0/1/0	n=1: unavailable
95	3	3	0.0148/0.1763/0.2701/0.5388	0.92786	0/0/1/2	0.49737
96	2	3	0.0452/0.1864/0.1542/0.6142	0.83400	0/1/0/1	0.59364
97	5	3	0.0480/0.1875/0.2910/0.4734	0.92176	0/0/2/3	0.71687
98	4	3	0.0310/0.1890/0.0885/0.6915	0.77384	0/0/0/4	0.46345
99	3	3	0.0066/0.0634/0.1559/0.7741	0.60249	0/0/0/3	0.38877
100	1	3	0.0154/0.2396/0.2590/0.4860	1.10720	0/0/0/1	n=1: unavailable
101	3	3	0.0192/0.2339/0.2676/0.4793	1.02209	0/1/1/1	0.4176

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Input-only routing: VRPLTW

First128 VAL after lock; entropy of graph-mean mixture, not mean node entropy.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
51	1	0	0.2317/0.3295/0.2226/0.2162	1.37016	0/1/0/0	n=1: unavailable
52	2	0	0.2311/0.3199/0.2401/0.2089	1.37279	0/2/0/0	0.0043752
53	2	0	0.2407/0.3119/0.2304/0.2170	1.37383	0/2/0/0	0.042329
54	3	0	0.2235/0.3157/0.2438/0.2169	1.37381	0/3/0/0	0.028675
55	3	0	0.2529/0.2922/0.2273/0.2276	1.37814	1/2/0/0	0.058745
56	5	0	0.2257/0.3094/0.2464/0.2185	1.37590	0/5/0/0	0.029354
58	1	0	0.2349/0.2969/0.2204/0.2478	1.37985	0/1/0/0	n=1: unavailable
59	5	0	0.2244/0.3104/0.2427/0.2226	1.37567	0/5/0/0	0.044497
60	1	0	0.2251/0.3013/0.2342/0.2393	1.37933	0/1/0/0	n=1: unavailable
62	3	0	0.2212/0.3139/0.2426/0.2223	1.37507	0/3/0/0	0.018029
63	1	0	0.2298/0.3120/0.2113/0.2469	1.37515	0/1/0/0	n=1: unavailable
64	1	0	0.2012/0.2934/0.2844/0.2210	1.37360	0/1/0/0	n=1: unavailable
65	2	0	0.2111/0.3078/0.2509/0.2303	1.37530	0/2/0/0	0.028862
66	2	0	0.2221/0.2991/0.2435/0.2353	1.37932	0/2/0/0	0.018835
67	1	0	0.2630/0.2570/0.2174/0.2626	1.38332	1/0/0/0	n=1: unavailable
68	5	0	0.2227/0.2894/0.2488/0.2391	1.38082	0/5/0/0	0.032954
69	2	0	0.2372/0.2889/0.2300/0.2439	1.38135	0/2/0/0	0.032821
70	3	0	0.2199/0.2912/0.2546/0.2343	1.37920	0/3/0/0	0.039095
71	4	0	0.2346/0.2954/0.2302/0.2398	1.38001	0/4/0/0	0.036586
72	4	0	0.2103/0.2955/0.2581/0.2361	1.37556	0/3/1/0	0.06087
73	4	0	0.2239/0.2943/0.2394/0.2424	1.37907	0/4/0/0	0.046404
75	2	0	0.2363/0.2839/0.2244/0.2553	1.38177	0/2/0/0	0.022892
76	3	0	0.2292/0.2901/0.2381/0.2426	1.38125	0/3/0/0	0.032093
77	8	0	0.2273/0.2841/0.2466/0.2420	1.38218	0/8/0/0	0.051792
78	5	0	0.2257/0.2801/0.2440/0.2501	1.38292	0/5/0/0	0.030183
79	4	0	0.2176/0.2813/0.2495/0.2516	1.38174	0/4/0/0	0.02655
80	1	0	0.2326/0.2747/0.2446/0.2481	1.38443	0/1/0/0	n=1: unavailable
81	4	0	0.2228/0.2853/0.2379/0.2540	1.37589	0/3/1/0	0.11073

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPLTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
82	2	0	0.2288/0.2811/0.2350/0.2551	1.38289	0/2/0/0	0.012635
83	1	0	0.2302/0.2835/0.2345/0.2518	1.38284	0/1/0/0	n=1: unavailable
84	3	0	0.2262/0.2772/0.2409/0.2557	1.38278	0/3/0/0	0.030467
85	4	0	0.2304/0.2731/0.2368/0.2597	1.38377	0/4/0/0	0.015993
86	4	0	0.2323/0.2652/0.2453/0.2572	1.38431	0/3/0/1	0.039647
88	4	0	0.2261/0.2699/0.2438/0.2602	1.38371	0/4/0/0	0.022161
89	1	0	0.2381/0.2683/0.2386/0.2550	1.38504	0/1/0/0	n=1: unavailable
90	1	0	0.2425/0.2613/0.2417/0.2545	1.38575	0/1/0/0	n=1: unavailable
91	2	0	0.2245/0.2785/0.2355/0.2616	1.38197	0/2/0/0	0.026025
92	4	0	0.2271/0.2642/0.2433/0.2655	1.38353	0/2/1/1	0.037822
93	4	0	0.2241/0.2632/0.2537/0.2590	1.38332	0/2/1/1	0.042574
94	2	0	0.2260/0.2647/0.2522/0.2570	1.38456	0/2/0/0	0.0034867
95	2	0	0.2341/0.2624/0.2363/0.2673	1.38440	0/1/0/1	0.0097159
96	5	0	0.2260/0.2678/0.2449/0.2614	1.38343	0/2/0/3	0.032142
97	3	0	0.2231/0.2633/0.2463/0.2673	1.38367	0/0/0/3	0.0138
98	1	0	0.2362/0.2594/0.2399/0.2645	1.38511	0/0/0/1	n=1: unavailable
100	2	0	0.2271/0.2735/0.2390/0.2604	1.38321	0/1/0/1	0.023335
101	1	0	0.2413/0.2579/0.2359/0.2650	1.38517	0/0/0/1	n=1: unavailable
51	1	1	0.4978/0.0376/0.0657/0.3989	1.01596	1/0/0/0	n=1: unavailable
52	2	1	0.2105/0.0755/0.0415/0.6725	0.91695	0/0/0/2	0.08174
53	2	1	0.2172/0.0951/0.1277/0.5600	1.07416	0/0/0/2	0.28504
54	3	1	0.2507/0.0732/0.0361/0.6399	0.92800	0/0/0/3	0.1518
55	3	1	0.2218/0.1550/0.1416/0.4817	1.18102	0/0/1/2	0.37056
56	5	1	0.2306/0.0825/0.0492/0.6376	0.96194	0/0/0/5	0.16965
58	1	1	0.2850/0.1162/0.1460/0.4528	1.24753	0/0/0/1	n=1: unavailable
59	5	1	0.2195/0.0938/0.0649/0.6217	0.99369	0/0/0/5	0.23115
60	1	1	0.2072/0.1061/0.0818/0.6049	1.07310	0/0/0/1	n=1: unavailable
62	3	1	0.2219/0.0828/0.0776/0.6176	1.01956	0/0/0/3	0.1211

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPLTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
63	1	1	0.4205/0.0545/0.1215/0.4035	1.14510	1/0/0/0	n=1: unavailable
64	1	1	0.2081/0.0828/0.0870/0.6221	1.04064	0/0/0/1	n=1: unavailable
65	2	1	0.2194/0.0708/0.0674/0.6424	0.97766	0/0/0/2	0.082553
66	2	1	0.2169/0.0943/0.0748/0.6139	1.01658	0/0/0/2	0.1743
67	1	1	0.1511/0.2865/0.2160/0.3464	1.34197	0/0/0/1	n=1: unavailable
68	5	1	0.1812/0.1102/0.0890/0.6196	1.03590	0/0/0/5	0.21871
69	2	1	0.1782/0.1301/0.1432/0.5485	1.13222	0/0/0/2	0.26129
70	3	1	0.1361/0.1113/0.1085/0.6440	1.01668	0/0/0/3	0.12063
71	4	1	0.1897/0.1246/0.1229/0.5628	1.11571	0/0/0/4	0.2437
72	4	1	0.1327/0.0924/0.0938/0.6810	0.95503	0/0/0/4	0.12315
73	4	1	0.2331/0.0966/0.1496/0.5207	1.05172	1/0/0/3	0.50809
75	2	1	0.1906/0.1344/0.1306/0.5443	1.15739	0/0/0/2	0.15434
76	3	1	0.1481/0.1346/0.1044/0.6130	1.07218	0/0/0/3	0.090643
77	8	1	0.1370/0.1332/0.1139/0.6159	1.06812	0/0/0/8	0.14635
78	5	1	0.1593/0.1390/0.1253/0.5763	1.11753	0/0/0/5	0.19261
79	4	1	0.1417/0.1212/0.1303/0.6068	1.08149	0/0/0/4	0.10565
80	1	1	0.1020/0.1895/0.0844/0.6240	1.05103	0/0/0/1	n=1: unavailable
81	4	1	0.2377/0.0956/0.2007/0.4660	1.13313	1/0/0/3	0.4911
82	2	1	0.1351/0.1478/0.1253/0.5918	1.12010	0/0/0/2	0.075211
83	1	1	0.1467/0.1280/0.1278/0.5976	1.11523	0/0/0/1	n=1: unavailable
84	3	1	0.1583/0.1411/0.1404/0.5602	1.13695	0/0/0/3	0.13048
85	4	1	0.0939/0.1692/0.1485/0.5884	1.10637	0/0/0/4	0.14546
86	4	1	0.0977/0.1953/0.1649/0.5421	1.15663	0/0/0/4	0.15349
88	4	1	0.1187/0.1687/0.1501/0.5626	1.14514	0/0/0/4	0.096691
89	1	1	0.0914/0.1912/0.1161/0.6013	1.09081	0/0/0/1	n=1: unavailable
90	1	1	0.1508/0.2301/0.1398/0.4792	1.25099	0/0/0/1	n=1: unavailable
91	2	1	0.1640/0.1451/0.1853/0.5056	1.19109	0/0/0/2	0.1528
92	4	1	0.1403/0.1496/0.2305/0.4796	1.18883	0/0/1/3	0.29524

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPLTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
93	4	1	0.0781/0.1822/0.1387/0.6010	1.08199	0/0/0/4	0.09958
94	2	1	0.1077/0.1685/0.2027/0.5211	1.18059	0/0/0/2	0.16333
95	2	1	0.0920/0.1759/0.1865/0.5456	1.15948	0/0/0/2	0.10293
96	5	1	0.1032/0.1913/0.1652/0.5403	1.16472	0/0/0/5	0.13138
97	3	1	0.1547/0.1646/0.1976/0.4831	1.19390	0/0/0/3	0.26747
98	1	1	0.0898/0.2165/0.1574/0.5363	1.17297	0/0/0/1	n=1: unavailable
100	2	1	0.1213/0.1572/0.1752/0.5464	1.16777	0/0/0/2	0.09236
101	1	1	0.0940/0.2054/0.2660/0.4346	1.26185	0/0/0/1	n=1: unavailable
51	1	2	0.6144/0.1967/0.0302/0.1587	1.01682	1/0/0/0	n=1: unavailable
52	2	2	0.1545/0.3093/0.0275/0.5087	1.01774	0/1/0/1	0.38289
53	2	2	0.1703/0.3612/0.0311/0.4375	1.02704	0/1/0/1	0.45721
54	3	2	0.1309/0.2211/0.0209/0.6271	0.92491	0/0/0/3	0.21293
55	3	2	0.1629/0.4949/0.0292/0.3130	0.97257	0/2/0/1	0.56155
56	5	2	0.1393/0.2365/0.0201/0.6040	0.94365	0/0/0/5	0.33505
58	1	2	0.2455/0.3278/0.0333/0.3934	1.19067	0/0/0/1	n=1: unavailable
59	5	2	0.1663/0.3779/0.0245/0.4313	0.95045	1/1/0/3	0.50486
60	1	2	0.1291/0.4570/0.0317/0.3822	1.09921	0/1/0/0	n=1: unavailable
62	3	2	0.1389/0.2895/0.0242/0.5474	0.94208	0/1/0/2	0.45883
63	1	2	0.4316/0.3539/0.0274/0.1871	1.14237	1/0/0/0	n=1: unavailable
64	1	2	0.1484/0.6955/0.0393/0.1168	0.91366	0/1/0/0	n=1: unavailable
65	2	2	0.1726/0.3757/0.0359/0.4158	1.02160	0/1/0/1	0.47283
66	2	2	0.1137/0.3871/0.0249/0.4744	0.99819	0/1/0/1	0.28239
67	1	2	0.0443/0.7793/0.0376/0.1389	0.72975	0/1/0/0	n=1: unavailable
68	5	2	0.1350/0.4810/0.0278/0.3562	0.93392	0/3/0/2	0.63233
69	2	2	0.1331/0.4714/0.0275/0.3680	1.00040	0/1/0/1	0.35476
70	3	2	0.1057/0.4471/0.0361/0.4112	1.06477	0/1/0/2	0.12049
71	4	2	0.1293/0.4705/0.0294/0.3708	0.98785	0/2/0/2	0.43112
72	4	2	0.0906/0.4016/0.0303/0.4775	0.85748	0/1/0/3	0.72453

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPLTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
73	4	2	0.2136/0.3848/0.0310/0.3706	0.95368	1/1/0/2	0.63149
75	2	2	0.0531/0.3702/0.0285/0.5482	0.93782	0/0/0/2	0.11682
76	3	2	0.0980/0.4704/0.0313/0.4002	0.96790	0/1/0/2	0.33136
77	8	2	0.0788/0.5073/0.0350/0.3788	0.92638	0/4/0/4	0.57154
78	5	2	0.1037/0.4979/0.0303/0.3681	0.91384	0/2/0/3	0.48377
79	4	2	0.0604/0.4682/0.0383/0.4331	0.98388	0/2/0/2	0.23094
80	1	2	0.0125/0.4329/0.0299/0.5248	0.86029	0/0/0/1	n=1: unavailable
81	4	2	0.2444/0.3877/0.0436/0.3243	1.05454	2/1/0/1	0.43624
82	2	2	0.0337/0.4391/0.0311/0.4960	0.91660	0/1/0/1	0.15477
83	1	2	0.0486/0.5365/0.0349/0.3800	0.96586	0/1/0/0	n=1: unavailable
84	3	2	0.0473/0.4135/0.0358/0.5033	0.95879	0/1/0/2	0.17132
85	4	2	0.0207/0.5417/0.0336/0.4041	0.86400	0/3/0/1	0.27775
86	4	2	0.0268/0.6288/0.0378/0.3066	0.77892	0/3/0/1	0.46035
88	4	2	0.0337/0.5474/0.0362/0.3827	0.91000	0/4/0/0	0.18142
89	1	2	0.0101/0.5029/0.0317/0.4554	0.85955	0/1/0/0	n=1: unavailable
90	1	2	0.0162/0.6854/0.0311/0.2673	0.78635	0/1/0/0	n=1: unavailable
91	2	2	0.0814/0.5147/0.0458/0.3581	1.01808	0/2/0/0	0.14804
92	4	2	0.1225/0.5462/0.0493/0.2820	0.96211	0/4/0/0	0.41635
93	4	2	0.0148/0.5383/0.0375/0.4094	0.86174	0/3/0/1	0.24266
94	2	2	0.0587/0.5800/0.0450/0.3163	0.86789	0/1/0/1	0.41386
95	2	2	0.0220/0.6204/0.0372/0.3204	0.80960	0/2/0/0	0.30497
96	5	2	0.0383/0.4892/0.0459/0.4266	0.93394	0/3/0/2	0.26286
97	3	2	0.1452/0.4979/0.0416/0.3153	0.90233	0/2/0/1	0.46172
98	1	2	0.0124/0.4721/0.0415/0.4740	0.89472	0/0/0/1	n=1: unavailable
100	2	2	0.0337/0.5674/0.0456/0.3533	0.92330	0/2/0/0	0.16241
101	1	2	0.0161/0.8324/0.0407/0.1108	0.59331	0/1/0/0	n=1: unavailable
51	1	3	0.4419/0.1289/0.1046/0.3246	1.22632	1/0/0/0	n=1: unavailable
52	2	3	0.2940/0.0150/0.2019/0.4891	0.95449	1/0/0/1	0.51392

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPLTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
53	2	3	0.2586/0.0166/0.3349/0.3898	0.83214	0/0/1/1	0.71234
54	3	3	0.0971/0.0137/0.0796/0.8095	0.64445	0/0/0/3	0.082362
55	3	3	0.2763/0.0137/0.4190/0.2911	0.83486	0/0/2/1	0.74141
56	5	3	0.1265/0.0230/0.0909/0.7596	0.74446	0/0/0/5	0.23432
58	1	3	0.1219/0.1239/0.3503/0.4039	1.24901	0/0/0/1	n=1: unavailable
59	5	3	0.2175/0.0569/0.1565/0.5691	0.86559	2/0/0/3	0.70126
60	1	3	0.1602/0.0743/0.1819/0.5835	1.11093	0/0/0/1	n=1: unavailable
62	3	3	0.1370/0.0571/0.2016/0.6044	0.84434	0/0/1/2	0.66743
63	1	3	0.1660/0.1827/0.1285/0.5227	1.21148	0/0/0/1	n=1: unavailable
64	1	3	0.2444/0.0248/0.6308/0.1000	0.95685	0/0/1/0	n=1: unavailable
65	2	3	0.1074/0.0633/0.1476/0.6818	0.86042	0/0/0/2	0.39897
66	2	3	0.0822/0.0660/0.1987/0.6532	0.83364	0/0/0/2	0.4992
67	1	3	0.1528/0.0303/0.6119/0.2050	1.01850	0/0/1/0	n=1: unavailable
68	5	3	0.0867/0.0848/0.2663/0.5622	0.87554	0/0/2/3	0.69784
69	2	3	0.1944/0.0330/0.2706/0.5021	0.74527	0/0/1/1	0.80959
70	3	3	0.0596/0.1648/0.2328/0.5428	1.00127	0/0/1/2	0.58897
71	4	3	0.0799/0.1065/0.1164/0.6972	0.81475	0/0/0/4	0.49349
72	4	3	0.0436/0.1162/0.1471/0.6932	0.81306	0/0/0/4	0.36772
73	4	3	0.0705/0.1559/0.0697/0.7040	0.76050	0/1/0/3	0.52241
75	2	3	0.0134/0.0781/0.0848/0.8236	0.59719	0/0/0/2	0.17861
76	3	3	0.1105/0.0668/0.1291/0.6936	0.66978	1/0/0/2	0.6996
77	8	3	0.0393/0.0983/0.2072/0.6552	0.75117	0/0/3/5	0.65812
78	5	3	0.0384/0.0946/0.2154/0.6516	0.75376	0/0/2/3	0.6289
79	4	3	0.0186/0.1059/0.1711/0.7044	0.72128	0/0/0/4	0.48255
80	1	3	0.0035/0.0276/0.0426/0.9263	0.32443	0/0/0/1	n=1: unavailable
81	4	3	0.0635/0.2238/0.1474/0.5654	0.92949	0/0/1/3	0.73834
82	2	3	0.0115/0.1254/0.0364/0.8267	0.55773	0/0/0/2	0.18477
83	1	3	0.0080/0.0930/0.1049/0.7941	0.67904	0/0/0/1	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPLTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
84	3	3	0.0118/0.0878/0.0642/0.8362	0.54771	0/0/0/3	0.24117
85	4	3	0.0051/0.0839/0.1553/0.7558	0.63782	0/0/0/4	0.40551
86	4	3	0.0352/0.0767/0.3470/0.5411	0.61781	0/0/2/2	0.84076
88	4	3	0.0090/0.1109/0.1626/0.7175	0.72084	0/0/0/4	0.43399
89	1	3	0.0022/0.0469/0.0650/0.8858	0.44213	0/0/0/1	n=1: unavailable
90	1	3	0.0181/0.0501/0.0934/0.8384	0.59168	0/0/0/1	n=1: unavailable
91	2	3	0.0395/0.1600/0.0940/0.7065	0.79284	0/0/0/2	0.37276
92	4	3	0.0255/0.1259/0.2144/0.6342	0.69794	0/0/1/3	0.70055
93	4	3	0.0073/0.0764/0.1806/0.7357	0.54947	0/0/1/3	0.64767
94	2	3	0.0462/0.1718/0.2418/0.5401	0.83947	0/0/1/1	0.70246
95	2	3	0.0041/0.0759/0.1688/0.7512	0.66170	0/0/0/2	0.28434
96	5	3	0.0080/0.1164/0.0848/0.7908	0.55502	0/1/0/4	0.55972
97	3	3	0.0108/0.1391/0.1984/0.6517	0.63279	0/0/1/2	0.74172
98	1	3	0.0020/0.0680/0.0355/0.8945	0.41339	0/0/0/1	n=1: unavailable
100	2	3	0.0041/0.1355/0.0622/0.7982	0.61174	0/0/0/2	0.20561
101	1	3	0.0347/0.1176/0.5423/0.3054	1.06235	0/0/1/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Input-only routing: OVRPBL

First128 VAL after lock; entropy of graph-mean mixture, not mean node entropy.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
51	3	0	0.2394/0.2878/0.2889/0.1840	1.36837	0/2/1/0	0.057841
52	6	0	0.2384/0.2813/0.2964/0.1839	1.36872	0/1/5/0	0.052033
53	2	0	0.2217/0.2892/0.3142/0.1749	1.36118	0/0/2/0	0.017398
54	3	0	0.2386/0.2738/0.3053/0.1823	1.36856	0/0/3/0	0.025136
55	1	0	0.2327/0.2909/0.2929/0.1835	1.36925	0/0/1/0	n=1: unavailable
56	3	0	0.2282/0.2634/0.3059/0.2025	1.36626	0/1/2/0	0.13222
57	4	0	0.2158/0.2946/0.3081/0.1815	1.36116	0/2/2/0	0.064543
58	6	0	0.2398/0.2770/0.2960/0.1872	1.36858	1/1/4/0	0.0829
60	5	0	0.2242/0.2881/0.3005/0.1873	1.36714	0/1/4/0	0.055754
61	4	0	0.2287/0.2611/0.3208/0.1895	1.36495	0/0/4/0	0.077274
62	3	0	0.2300/0.2742/0.2896/0.2063	1.37612	0/1/2/0	0.042502
63	2	0	0.2203/0.2732/0.3024/0.2042	1.37344	0/0/2/0	0.024357
64	3	0	0.2416/0.2663/0.2900/0.2021	1.37601	0/1/2/0	0.04558
65	2	0	0.2370/0.2723/0.2980/0.1927	1.37352	0/0/2/0	0.0026831
66	2	0	0.2125/0.2829/0.3025/0.2021	1.36856	0/1/1/0	0.059942
68	3	0	0.2341/0.2667/0.2983/0.2008	1.37516	0/0/3/0	0.025769
69	3	0	0.2401/0.2663/0.2943/0.1993	1.37563	0/0/3/0	0.032767
70	1	0	0.1952/0.2447/0.3652/0.1949	1.34993	0/0/1/0	n=1: unavailable
71	5	0	0.2372/0.2587/0.2966/0.2074	1.37681	0/0/5/0	0.047904
72	3	0	0.2247/0.2552/0.3072/0.2130	1.37534	0/0/3/0	0.02969
73	3	0	0.2328/0.2581/0.3057/0.2033	1.37461	0/0/3/0	0.034619
74	3	0	0.2303/0.2583/0.3117/0.1996	1.37272	0/0/3/0	0.015077
75	5	0	0.2357/0.2609/0.2925/0.2109	1.37629	1/0/4/0	0.0716
76	3	0	0.2328/0.2550/0.3062/0.2060	1.37544	0/0/3/0	0.01702
77	1	0	0.2155/0.2815/0.2979/0.2051	1.37327	0/0/1/0	n=1: unavailable
78	1	0	0.2312/0.2529/0.3034/0.2126	1.37726	0/0/1/0	n=1: unavailable
79	2	0	0.2197/0.2508/0.3089/0.2206	1.37440	0/0/2/0	0.048902
80	2	0	0.2217/0.2460/0.3193/0.2130	1.37250	0/0/2/0	0.018733

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPBL (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
83	2	0	0.2348/0.2493/0.2960/0.2199	1.37944	0/0/2/0	0.026805
84	5	0	0.2299/0.2558/0.2908/0.2235	1.37890	0/1/4/0	0.05129
86	2	0	0.2344/0.2440/0.2940/0.2276	1.38045	0/0/2/0	0.028164
87	4	0	0.2349/0.2524/0.2797/0.2330	1.38074	1/0/3/0	0.064226
88	1	0	0.2213/0.2303/0.3030/0.2454	1.37848	0/0/1/0	n=1: unavailable
89	3	0	0.2279/0.2464/0.2977/0.2280	1.37938	0/0/3/0	0.034794
90	2	0	0.2304/0.2481/0.2958/0.2257	1.38029	0/0/2/0	0.0059446
91	2	0	0.2348/0.2479/0.2925/0.2249	1.38100	0/0/2/0	0.010137
92	1	0	0.2335/0.2396/0.3038/0.2232	1.37861	0/0/1/0	n=1: unavailable
93	3	0	0.2304/0.2486/0.2841/0.2368	1.38024	0/1/2/0	0.069253
94	1	0	0.2121/0.2324/0.3363/0.2192	1.36723	0/0/1/0	n=1: unavailable
95	2	0	0.2319/0.2443/0.2906/0.2331	1.38161	0/0/2/0	0.015549
96	3	0	0.2241/0.2403/0.3044/0.2311	1.37807	0/0/3/0	0.024307
97	2	0	0.2376/0.2345/0.2881/0.2399	1.38107	0/0/2/0	0.035579
98	4	0	0.2271/0.2363/0.3054/0.2312	1.37822	0/0/4/0	0.012528
99	3	0	0.2277/0.2474/0.2965/0.2284	1.37728	0/0/3/0	0.070671
100	2	0	0.2298/0.2377/0.3057/0.2268	1.37819	0/0/2/0	0.0083726
101	2	0	0.2178/0.2451/0.3147/0.2224	1.37440	0/0/2/0	0.017182
51	3	1	0.2995/0.0951/0.0874/0.5180	1.06776	1/0/0/2	0.26949
52	6	1	0.2326/0.0876/0.0462/0.6336	0.94207	0/0/0/6	0.20458
53	2	1	0.2379/0.0478/0.0180/0.6963	0.80732	0/0/0/2	0.03649
54	3	1	0.2446/0.0867/0.0325/0.6361	0.95139	0/0/0/3	0.073239
55	1	1	0.3034/0.0509/0.0301/0.6156	0.91765	0/0/0/1	n=1: unavailable
56	3	1	0.3471/0.0671/0.0842/0.5016	0.93863	1/0/0/2	0.56419
57	4	1	0.2848/0.0520/0.0583/0.6049	0.94696	0/0/0/4	0.24496
58	6	1	0.2632/0.0984/0.0671/0.5713	0.99902	1/0/0/5	0.40264
60	5	1	0.2523/0.0658/0.0483/0.6336	0.94043	0/0/0/5	0.21015
61	4	1	0.1726/0.0968/0.0468/0.6838	0.92138	0/0/0/4	0.072483

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPBL (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
62	3	1	0.2091/0.1128/0.0821/0.5960	1.06818	0/0/0/3	0.17428
63	2	1	0.2498/0.0798/0.1069/0.5635	1.10337	0/0/0/2	0.074991
64	3	1	0.2488/0.1153/0.0671/0.5689	1.06623	0/0/0/3	0.20724
65	2	1	0.1858/0.1014/0.0354/0.6774	0.92670	0/0/0/2	0.014231
66	2	1	0.2436/0.0559/0.0754/0.6252	0.98964	0/0/0/2	0.033719
68	3	1	0.2178/0.1193/0.0586/0.6043	1.03205	0/0/0/3	0.21169
69	3	1	0.1878/0.1131/0.0571/0.6421	0.98400	0/0/0/3	0.22042
70	1	1	0.1943/0.0892/0.1923/0.5242	1.18946	0/0/0/1	n=1: unavailable
71	5	1	0.2006/0.1189/0.0750/0.6055	1.03203	0/0/0/5	0.29684
72	3	1	0.2108/0.1220/0.0790/0.5882	1.06072	0/0/0/3	0.21977
73	3	1	0.1462/0.1245/0.0449/0.6844	0.93697	0/0/0/3	0.062667
74	3	1	0.1556/0.1156/0.0365/0.6922	0.91319	0/0/0/3	0.039313
75	5	1	0.2554/0.1252/0.1023/0.5171	1.13357	0/0/0/5	0.34249
76	3	1	0.1436/0.1297/0.0435/0.6831	0.93729	0/0/0/3	0.066543
77	1	1	0.1849/0.0620/0.0639/0.6892	0.91668	0/0/0/1	n=1: unavailable
78	1	1	0.1241/0.1499/0.0481/0.6779	0.95294	0/0/0/1	n=1: unavailable
79	2	1	0.1407/0.1117/0.0967/0.6510	1.00404	0/0/0/2	0.18355
80	2	1	0.1526/0.1279/0.0708/0.6488	1.01208	0/0/0/2	0.050895
83	2	1	0.1498/0.1160/0.1444/0.5898	1.06858	0/0/0/2	0.23905
84	5	1	0.2273/0.1302/0.1356/0.5069	1.14297	1/0/0/4	0.30297
86	2	1	0.1802/0.1657/0.1663/0.4878	1.18447	0/0/0/2	0.27245
87	4	1	0.2379/0.1394/0.1500/0.4728	1.13121	1/0/0/3	0.46405
88	1	1	0.0595/0.1914/0.2736/0.4754	1.19256	0/0/0/1	n=1: unavailable
89	3	1	0.1775/0.1268/0.1460/0.5498	1.12861	0/0/0/3	0.27271
90	2	1	0.1251/0.1505/0.0836/0.6408	1.03734	0/0/0/2	0.016423
91	2	1	0.1106/0.1520/0.1402/0.5973	1.09118	0/0/0/2	0.14175
92	1	1	0.1063/0.1894/0.0677/0.6365	1.02333	0/0/0/1	n=1: unavailable
93	3	1	0.2539/0.1210/0.1620/0.4631	1.01741	1/0/0/2	0.56912

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPBL (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
94	1	1	0.1635/0.1248/0.2149/0.4968	1.23383	0/0/0/1	n=1: unavailable
95	2	1	0.1173/0.1369/0.1453/0.6005	1.08573	0/0/0/2	0.1161
96	3	1	0.1181/0.1530/0.1132/0.6157	1.07303	0/0/0/3	0.098021
97	2	1	0.0837/0.1674/0.2165/0.5324	1.09518	0/0/0/2	0.31242
98	4	1	0.0906/0.1811/0.1381/0.5901	1.08509	0/0/0/4	0.18821
99	3	1	0.2021/0.0985/0.2199/0.4795	1.21013	0/0/0/3	0.22555
100	2	1	0.1018/0.1945/0.0752/0.6285	1.03357	0/0/0/2	0.054149
101	2	1	0.1427/0.1320/0.0913/0.6340	1.04320	0/0/0/2	0.087296
51	3	2	0.5527/0.0895/0.0188/0.3389	0.83101	2/0/0/1	0.55973
52	6	2	0.3559/0.1649/0.0206/0.4586	1.07171	2/0/0/4	0.27415
53	2	2	0.2567/0.0990/0.0165/0.6277	0.92730	0/0/0/2	0.11733
54	3	2	0.3311/0.1970/0.0200/0.4519	1.02615	1/0/0/2	0.45349
55	1	2	0.3924/0.0114/0.0095/0.5866	0.77536	0/0/0/1	n=1: unavailable
56	3	2	0.4817/0.2286/0.0484/0.2413	0.84085	1/1/0/1	0.63093
57	4	2	0.5076/0.0937/0.0240/0.3747	0.92194	3/0/0/1	0.55323
58	6	2	0.3945/0.1477/0.0216/0.4362	0.94095	3/0/0/3	0.58872
60	5	2	0.4198/0.1084/0.0234/0.4483	0.97333	3/0/0/2	0.42937
61	4	2	0.1754/0.2540/0.0480/0.5226	0.90334	0/1/0/3	0.67066
62	3	2	0.4048/0.1353/0.0218/0.4381	1.01031	2/0/0/1	0.41142
63	2	2	0.4742/0.2170/0.0310/0.2778	1.06138	1/1/0/0	0.31978
64	3	2	0.3321/0.1240/0.0210/0.5229	0.97497	1/0/0/2	0.39225
65	2	2	0.1680/0.1030/0.0164/0.7126	0.84121	0/0/0/2	0.036737
66	2	2	0.4858/0.2232/0.0383/0.2527	1.14997	2/0/0/0	0.056028
68	3	2	0.3356/0.1162/0.0247/0.5235	0.89597	1/0/0/2	0.55676
69	3	2	0.2507/0.2182/0.0221/0.5089	0.94951	1/0/0/2	0.57849
70	1	2	0.3455/0.4814/0.1583/0.0149	1.07346	0/1/0/0	n=1: unavailable
71	5	2	0.2813/0.2245/0.0226/0.4716	0.97139	1/1/0/3	0.56665
72	3	2	0.2651/0.3268/0.0394/0.3686	1.01242	0/1/0/2	0.66427

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPBL (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
73	3	2	0.1253/0.1682/0.0199/0.6866	0.89417	0/0/0/3	0.053465
74	3	2	0.1278/0.1693/0.0186/0.6842	0.89683	0/0/0/3	0.018618
75	5	2	0.3792/0.2222/0.0292/0.3695	1.00593	3/0/0/2	0.6686
76	3	2	0.1415/0.1654/0.0212/0.6720	0.92028	0/0/0/3	0.062296
77	1	2	0.3673/0.1400/0.0347/0.4580	1.11736	0/0/0/1	n=1: unavailable
78	1	2	0.1062/0.2054/0.0215/0.6668	0.91607	0/0/0/1	n=1: unavailable
79	2	2	0.2492/0.2278/0.0302/0.4928	1.06201	0/0/0/2	0.25896
80	2	2	0.1352/0.3880/0.0405/0.4363	1.00579	0/1/0/1	0.47585
83	2	2	0.3076/0.2800/0.0307/0.3817	0.96772	1/0/0/1	0.58182
84	5	2	0.3855/0.2169/0.0299/0.3678	0.99957	3/0/0/2	0.61249
86	2	2	0.4049/0.2168/0.0342/0.3442	0.88510	1/0/0/1	0.61639
87	4	2	0.4043/0.1855/0.0274/0.3828	0.89188	2/0/0/2	0.63671
88	1	2	0.3020/0.2567/0.0579/0.3833	1.24319	0/0/0/1	n=1: unavailable
89	3	2	0.3773/0.2283/0.0347/0.3597	1.00888	2/0/0/1	0.639
90	2	2	0.1180/0.1793/0.0256/0.6771	0.91666	0/0/0/2	0.034214
91	2	2	0.2465/0.2594/0.0395/0.4546	1.07466	1/0/0/1	0.3525
92	1	2	0.0779/0.2483/0.0279/0.6459	0.92697	0/0/0/1	n=1: unavailable
93	3	2	0.3592/0.1493/0.0258/0.4657	0.76068	1/0/0/2	0.8024
94	1	2	0.3573/0.5146/0.1086/0.0196	1.02769	0/1/0/0	n=1: unavailable
95	2	2	0.2368/0.2365/0.0338/0.4929	1.07694	1/0/0/1	0.29529
96	3	2	0.1324/0.3172/0.0394/0.5111	0.97177	0/1/0/2	0.51991
97	2	2	0.2346/0.2967/0.0400/0.4287	1.07114	0/1/0/1	0.45928
98	4	2	0.1511/0.3453/0.0460/0.4575	1.06329	0/1/0/3	0.50053
99	3	2	0.4554/0.3093/0.0568/0.1784	1.12520	2/1/0/0	0.34015
100	2	2	0.0721/0.2564/0.0357/0.6358	0.94032	0/0/0/2	0.091778
101	2	2	0.0755/0.1309/0.0255/0.7682	0.72588	0/0/0/2	0.16204
51	3	3	0.7802/0.0921/0.0990/0.0286	0.62944	3/0/0/0	0.22572
52	6	3	0.8687/0.0357/0.0690/0.0266	0.48143	6/0/0/0	0.1899

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPBL (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
53	2	3	0.8389/0.0411/0.0389/0.0810	0.60379	2/0/0/0	0.036567
54	3	3	0.8823/0.0249/0.0429/0.0498	0.47763	3/0/0/0	0.061643
55	1	3	0.7743/0.1437/0.0190/0.0630	0.72643	1/0/0/0	n=1: unavailable
56	3	3	0.6007/0.2793/0.0815/0.0384	0.71127	2/1/0/0	0.6802
57	4	3	0.6815/0.2547/0.0367/0.0271	0.71239	3/1/0/0	0.49421
58	6	3	0.7897/0.0787/0.0800/0.0516	0.67425	6/0/0/0	0.2395
60	5	3	0.7593/0.1538/0.0360/0.0508	0.72647	5/0/0/0	0.22879
61	4	3	0.6822/0.0888/0.1581/0.0709	0.82470	3/0/1/0	0.44841
62	3	3	0.5930/0.2505/0.0866/0.0698	0.99498	3/0/0/0	0.26559
63	2	3	0.6389/0.2105/0.1292/0.0213	0.95613	2/0/0/0	0.036819
64	3	3	0.5752/0.2577/0.0700/0.0971	1.00898	2/1/0/0	0.33349
65	2	3	0.5855/0.2119/0.0364/0.1662	1.06038	2/0/0/0	0.018634
66	2	3	0.5303/0.3986/0.0487/0.0224	0.92877	2/0/0/0	0.096034
68	3	3	0.5680/0.2687/0.0616/0.1016	1.04225	3/0/0/0	0.19144
69	3	3	0.5039/0.3043/0.0782/0.1136	1.12068	3/0/0/0	0.14911
70	1	3	0.4391/0.0971/0.4617/0.0022	0.95781	0/0/1/0	n=1: unavailable
71	5	3	0.4256/0.3783/0.0967/0.0994	1.14569	3/2/0/0	0.19582
72	3	3	0.3733/0.3794/0.1432/0.1041	1.16718	1/2/0/0	0.28101
73	3	3	0.2995/0.4839/0.0510/0.1656	1.15914	0/3/0/0	0.049776
74	3	3	0.2520/0.5241/0.0510/0.1729	1.13908	0/3/0/0	0.054585
75	5	3	0.3399/0.4834/0.0837/0.0929	1.09751	1/4/0/0	0.26114
76	3	3	0.1863/0.6127/0.0405/0.1605	1.02812	0/3/0/0	0.12258
77	1	3	0.2387/0.6466/0.0827/0.0321	0.94037	0/1/0/0	n=1: unavailable
78	1	3	0.1528/0.6251/0.0527/0.1693	1.03663	0/1/0/0	n=1: unavailable
79	2	3	0.1075/0.7434/0.0906/0.0584	0.81234	0/2/0/0	0.17818
80	2	3	0.1490/0.5594/0.1704/0.1213	1.09708	0/2/0/0	0.23417
83	2	3	0.1734/0.6885/0.0544/0.0838	0.86582	0/2/0/0	0.20438
84	5	3	0.1741/0.6621/0.1003/0.0635	0.89617	0/5/0/0	0.32498

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPBL (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
86	2	3	0.1730/0.6301/0.1245/0.0724	0.90311	0/2/0/0	0.29811
87	4	3	0.1152/0.7133/0.0977/0.0738	0.78608	0/4/0/0	0.31449
88	1	3	0.1339/0.4629/0.3951/0.0080	1.03145	0/1/0/0	n=1: unavailable
89	3	3	0.1689/0.7089/0.0705/0.0517	0.80182	0/3/0/0	0.27717
90	2	3	0.0318/0.8209/0.0216/0.1258	0.60926	0/2/0/0	0.082417
91	2	3	0.0908/0.7642/0.0835/0.0615	0.73499	0/2/0/0	0.14464
92	1	3	0.0283/0.8160/0.0264/0.1293	0.62723	0/1/0/0	n=1: unavailable
93	3	3	0.0517/0.8448/0.0263/0.0772	0.56345	0/3/0/0	0.096131
94	1	3	0.2216/0.3638/0.4010/0.0136	1.12655	0/0/1/0	n=1: unavailable
95	2	3	0.0351/0.8855/0.0217/0.0578	0.46577	0/2/0/0	0.038863
96	3	3	0.0407/0.8207/0.0539/0.0846	0.62049	0/3/0/0	0.11182
97	2	3	0.0877/0.7119/0.1470/0.0534	0.75464	0/2/0/0	0.31853
98	4	3	0.0574/0.7453/0.1243/0.0729	0.67200	0/4/0/0	0.46061
99	3	3	0.1927/0.6939/0.0940/0.0194	0.81116	0/3/0/0	0.29836
100	2	3	0.0202/0.8556/0.0349/0.0893	0.54086	0/2/0/0	0.062148
101	2	3	0.0143/0.8550/0.0162/0.1145	0.50898	0/2/0/0	0.018453

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Input-only routing: OVRPBTW

First128 VAL after lock; entropy of graph-mean mixture, not mean node entropy.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
51	5	0	0.2475/0.3214/0.2546/0.1765	1.36284	0/5/0/0	0.05797
52	1	0	0.2632/0.3217/0.2398/0.1753	1.36387	0/1/0/0	n=1: unavailable
53	1	0	0.2603/0.3158/0.2484/0.1755	1.36569	0/1/0/0	n=1: unavailable
54	1	0	0.2627/0.3226/0.2313/0.1834	1.36582	0/1/0/0	n=1: unavailable
55	4	0	0.2561/0.3253/0.2310/0.1876	1.36468	0/4/0/0	0.060909
56	3	0	0.2513/0.3142/0.2346/0.1999	1.37218	0/3/0/0	0.026619
57	1	0	0.3565/0.2350/0.1877/0.2208	1.35554	1/0/0/0	n=1: unavailable
58	3	0	0.2618/0.3120/0.2279/0.1983	1.37172	0/3/0/0	0.024928
59	2	0	0.2655/0.2998/0.2333/0.2013	1.37520	0/2/0/0	0.01653
60	4	0	0.2281/0.3187/0.2646/0.1887	1.36614	0/4/0/0	0.059318
61	3	0	0.2583/0.3046/0.2431/0.1940	1.37276	0/3/0/0	0.034946
62	3	0	0.2572/0.3162/0.2297/0.1968	1.36963	0/3/0/0	0.056917
63	1	0	0.2645/0.3056/0.2269/0.2030	1.37428	0/1/0/0	n=1: unavailable
64	2	0	0.2396/0.3231/0.2429/0.1944	1.36231	0/2/0/0	0.08522
65	1	0	0.2585/0.2966/0.2399/0.2049	1.37752	0/1/0/0	n=1: unavailable
66	2	0	0.2657/0.2983/0.2296/0.2065	1.37649	0/2/0/0	0.0060587
67	2	0	0.2477/0.3060/0.2353/0.2111	1.37436	0/2/0/0	0.057088
68	2	0	0.2856/0.2853/0.2165/0.2126	1.37445	1/1/0/0	0.045771
69	2	0	0.2610/0.3027/0.2210/0.2152	1.37563	0/2/0/0	0.035186
70	3	0	0.2450/0.3062/0.2349/0.2139	1.37597	0/3/0/0	0.039594
71	6	0	0.2430/0.2977/0.2476/0.2117	1.37617	0/6/0/0	0.062157
73	4	0	0.2388/0.3005/0.2530/0.2077	1.37398	0/4/0/0	0.06677
74	3	0	0.2522/0.2763/0.2560/0.2155	1.38149	1/2/0/0	0.039544
76	2	0	0.2675/0.2710/0.2470/0.2144	1.38209	1/1/0/0	0.0091742
77	4	0	0.2465/0.2971/0.2350/0.2214	1.37785	0/4/0/0	0.052051
78	3	0	0.2395/0.2919/0.2634/0.2052	1.37340	0/2/1/0	0.068705
79	1	0	0.2425/0.3013/0.2260/0.2302	1.37926	0/1/0/0	n=1: unavailable
80	1	0	0.2578/0.2725/0.2474/0.2223	1.38358	0/1/0/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPBTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
81	6	0	0.2589/0.2777/0.2368/0.2266	1.38133	1/5/0/0	0.074871
82	3	0	0.2608/0.2730/0.2486/0.2177	1.38275	0/3/0/0	0.011031
83	1	0	0.2586/0.2750/0.2429/0.2236	1.38339	0/1/0/0	n=1: unavailable
84	3	0	0.2501/0.2947/0.2242/0.2310	1.37918	0/3/0/0	0.035079
85	4	0	0.2480/0.2778/0.2578/0.2163	1.38099	0/3/1/0	0.045715
86	2	0	0.2512/0.2731/0.2485/0.2272	1.38408	0/2/0/0	0.0096469
88	3	0	0.2642/0.2944/0.2205/0.2209	1.37662	1/2/0/0	0.058549
89	4	0	0.2487/0.2787/0.2363/0.2363	1.38314	0/4/0/0	0.043513
90	4	0	0.2603/0.2698/0.2341/0.2359	1.38392	1/3/0/0	0.02685
91	2	0	0.2525/0.2792/0.2497/0.2186	1.38140	1/1/0/0	0.039748
92	2	0	0.2595/0.2813/0.2191/0.2401	1.38085	0/2/0/0	0.038088
93	2	0	0.2410/0.2791/0.2620/0.2179	1.37863	0/2/0/0	0.052548
94	3	0	0.2576/0.2716/0.2345/0.2362	1.38381	0/3/0/0	0.030442
95	1	0	0.2587/0.2650/0.2465/0.2297	1.38484	0/1/0/0	n=1: unavailable
96	3	0	0.2453/0.2701/0.2601/0.2246	1.38208	0/2/1/0	0.047247
97	3	0	0.2576/0.2613/0.2464/0.2348	1.38535	2/1/0/0	0.0092219
98	5	0	0.2471/0.2641/0.2562/0.2325	1.38401	0/4/1/0	0.047559
99	1	0	0.2284/0.2869/0.2600/0.2248	1.38123	0/1/0/0	n=1: unavailable
100	4	0	0.2509/0.2639/0.2540/0.2312	1.38431	1/2/1/0	0.037838
101	2	0	0.2321/0.2758/0.2428/0.2493	1.38419	0/2/0/0	0.0079631
51	5	1	0.2040/0.0696/0.0335/0.6929	0.87133	0/0/0/5	0.096876
52	1	1	0.1688/0.0813/0.0286/0.7213	0.84150	0/0/0/1	n=1: unavailable
53	1	1	0.2314/0.0737/0.0310/0.6638	0.91066	0/0/0/1	n=1: unavailable
54	1	1	0.2012/0.0886/0.0314/0.6788	0.90902	0/0/0/1	n=1: unavailable
55	4	1	0.2065/0.0845/0.0439/0.6651	0.93346	0/0/0/4	0.07821
56	3	1	0.2531/0.0827/0.0601/0.6041	1.01190	0/0/0/3	0.1126
57	1	1	0.2016/0.2741/0.2795/0.2448	1.37841	0/0/1/0	n=1: unavailable
58	3	1	0.2684/0.0900/0.1067/0.5349	1.09715	0/0/0/3	0.26803

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPBTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
59	2	1	0.1900/0.1108/0.0716/0.6276	1.02955	0/0/0/2	0.075752
60	4	1	0.1885/0.0622/0.0769/0.6724	0.93813	0/0/0/4	0.17174
61	3	1	0.1899/0.0982/0.0732/0.6388	1.00420	0/0/0/3	0.11338
62	3	1	0.2500/0.0858/0.0636/0.6006	0.99909	0/0/0/3	0.22082
63	1	1	0.1550/0.1090/0.0564/0.6797	0.95512	0/0/0/1	n=1: unavailable
64	2	1	0.2364/0.0753/0.1200/0.5683	1.04872	0/0/0/2	0.33563
65	1	1	0.1880/0.1238/0.0645/0.6237	1.04404	0/0/0/1	n=1: unavailable
66	2	1	0.1446/0.1199/0.0613/0.6742	0.97014	0/0/0/2	0.021242
67	2	1	0.2602/0.0870/0.0797/0.5730	1.04163	0/0/0/2	0.21035
68	2	1	0.2150/0.1585/0.1257/0.5009	1.20342	0/0/0/2	0.19724
69	2	1	0.2128/0.0990/0.0995/0.5886	1.06779	0/0/0/2	0.19926
70	3	1	0.3117/0.0777/0.1135/0.4971	1.08001	1/0/0/2	0.36033
71	6	1	0.1737/0.1203/0.1570/0.5489	1.14516	0/0/0/6	0.17839
73	4	1	0.1596/0.1102/0.1053/0.6250	1.03206	0/0/0/4	0.17448
74	3	1	0.1608/0.1455/0.1037/0.5899	1.09741	0/0/0/3	0.15966
76	2	1	0.1373/0.1798/0.0867/0.5962	1.10142	0/0/0/2	0.0092883
77	4	1	0.2530/0.0982/0.1265/0.5223	1.10912	1/0/0/3	0.37516
78	3	1	0.1479/0.1143/0.1382/0.5996	1.08997	0/0/0/3	0.1247
79	1	1	0.3033/0.0690/0.1493/0.4784	1.18295	0/0/0/1	n=1: unavailable
80	1	1	0.1385/0.1675/0.0883/0.6057	1.09101	0/0/0/1	n=1: unavailable
81	6	1	0.1630/0.1441/0.1847/0.5082	1.18557	0/0/1/5	0.38831
82	3	1	0.1351/0.1616/0.0875/0.6158	1.07598	0/0/0/3	0.039275
83	1	1	0.1394/0.1708/0.0916/0.5982	1.10289	0/0/0/1	n=1: unavailable
84	3	1	0.2759/0.0896/0.2036/0.4309	1.21920	1/0/0/2	0.222
85	4	1	0.1375/0.1381/0.1300/0.5945	1.09724	0/0/0/4	0.20822
86	2	1	0.1088/0.1654/0.1031/0.6227	1.06788	0/0/0/2	0.01477
88	3	1	0.2412/0.1136/0.2544/0.3908	1.28718	0/0/0/3	0.13738
89	4	1	0.1602/0.1376/0.1961/0.5060	1.17978	0/0/0/4	0.24466

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPBTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
90	4	1	0.1725/0.1578/0.1849/0.4848	1.21098	0/0/0/4	0.19825
91	2	1	0.1243/0.1596/0.1397/0.5764	1.12751	0/0/0/2	0.11091
92	2	1	0.2565/0.1289/0.2137/0.4009	1.22003	1/0/0/1	0.2605
93	2	1	0.1728/0.1344/0.1911/0.5017	1.23117	0/0/0/2	0.060459
94	3	1	0.1633/0.1878/0.1758/0.4730	1.22073	0/0/0/3	0.23933
95	1	1	0.1184/0.1963/0.1142/0.5711	1.13991	0/0/0/1	n=1: unavailable
96	3	1	0.1112/0.1759/0.1567/0.5562	1.15662	0/0/0/3	0.089793
97	3	1	0.1020/0.2009/0.1292/0.5679	1.13939	0/0/0/3	0.039619
98	5	1	0.1173/0.1816/0.1746/0.5265	1.18951	0/0/0/5	0.11969
99	1	1	0.1847/0.0850/0.2415/0.4888	1.21454	0/0/0/1	n=1: unavailable
100	4	1	0.1210/0.1884/0.1676/0.5230	1.19963	0/0/0/4	0.10747
101	2	1	0.2870/0.0793/0.2843/0.3494	1.28309	0/0/0/2	0.028344
51	5	2	0.1668/0.2409/0.0285/0.5638	1.04350	0/0/0/5	0.19515
52	1	2	0.1006/0.2935/0.0279/0.5780	1.00748	0/0/0/1	n=1: unavailable
53	1	2	0.1311/0.1937/0.0239/0.6513	0.95282	0/0/0/1	n=1: unavailable
54	1	2	0.1026/0.2612/0.0290/0.6073	0.98968	0/0/0/1	n=1: unavailable
55	4	2	0.1416/0.3803/0.0298/0.4484	1.08398	0/2/0/2	0.2205
56	3	2	0.0975/0.2436/0.0274/0.6314	0.95507	0/0/0/3	0.064894
57	1	2	0.2151/0.7118/0.0531/0.0200	0.80666	0/1/0/0	n=1: unavailable
58	3	2	0.3187/0.3046/0.0320/0.3447	1.04448	1/1/0/1	0.50758
59	2	2	0.1535/0.3275/0.0288/0.4902	1.06945	0/1/0/1	0.25822
60	4	2	0.2419/0.3708/0.0448/0.3425	1.11660	0/2/0/2	0.49931
61	3	2	0.2007/0.4631/0.0382/0.2979	1.07124	0/2/0/1	0.42661
62	3	2	0.1676/0.3546/0.0266/0.4512	1.06444	1/0/0/2	0.27472
63	1	2	0.0550/0.3513/0.0289/0.5648	0.95229	0/0/0/1	n=1: unavailable
64	2	2	0.1849/0.3667/0.0280/0.4204	0.93438	0/1/0/1	0.57542
65	1	2	0.0709/0.2725/0.0319/0.6247	0.94584	0/0/0/1	n=1: unavailable
66	2	2	0.0544/0.3724/0.0290/0.5442	0.95723	0/0/0/2	0.070053

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPBTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
67	2	2	0.2019/0.4168/0.0324/0.3489	1.06931	0/1/0/1	0.30616
68	2	2	0.1030/0.4217/0.0337/0.4417	1.02643	0/1/0/1	0.28989
69	2	2	0.1059/0.3342/0.0330/0.5269	1.02712	0/0/0/2	0.17684
70	3	2	0.3062/0.4059/0.0317/0.2562	1.00697	1/2/0/0	0.58908
71	6	2	0.1632/0.3309/0.0437/0.4623	1.07891	0/1/0/5	0.34068
73	4	2	0.1247/0.4321/0.0399/0.4033	1.00222	0/3/0/1	0.49507
74	3	2	0.0705/0.5906/0.0416/0.2973	0.93324	0/2/0/1	0.3508
76	2	2	0.0443/0.3975/0.0379/0.5203	0.96859	0/0/0/2	0.013807
77	4	2	0.1601/0.3376/0.0368/0.4655	1.04813	0/1/0/3	0.37674
78	3	2	0.1615/0.4568/0.0650/0.3167	1.03598	0/1/0/2	0.50639
79	1	2	0.2640/0.4036/0.0308/0.3016	1.18647	0/1/0/0	n=1: unavailable
80	1	2	0.0301/0.4203/0.0338/0.5158	0.92562	0/0/0/1	n=1: unavailable
81	6	2	0.1138/0.5135/0.0502/0.3225	1.02281	0/4/0/2	0.42642
82	3	2	0.0498/0.4130/0.0410/0.4961	0.99005	0/0/0/3	0.047447
83	1	2	0.0503/0.4360/0.0396/0.4741	0.99406	0/0/0/1	n=1: unavailable
84	3	2	0.2447/0.4747/0.0450/0.2356	1.11793	1/2/0/0	0.31725
85	4	2	0.0838/0.4722/0.0530/0.3910	1.00376	0/3/0/1	0.46485
86	2	2	0.0279/0.4004/0.0400/0.5317	0.92820	0/0/0/2	0.066697
88	3	2	0.2068/0.5567/0.0500/0.1866	1.09449	0/3/0/0	0.20322
89	4	2	0.1248/0.4383/0.0427/0.3943	1.00017	1/3/0/0	0.42397
90	4	2	0.1064/0.4890/0.0464/0.3582	1.03560	0/4/0/0	0.26107
91	2	2	0.0757/0.5061/0.0580/0.3602	1.05660	0/2/0/0	0.12437
92	2	2	0.1890/0.3818/0.0472/0.3820	1.08828	1/0/0/1	0.32952
93	2	2	0.1060/0.5504/0.0600/0.2835	1.04700	0/2/0/0	0.15993
94	3	2	0.1018/0.5215/0.0413/0.3354	0.95922	0/3/0/0	0.33338
95	1	2	0.0325/0.4743/0.0496/0.4436	0.97469	0/1/0/0	n=1: unavailable
96	3	2	0.0632/0.5209/0.0535/0.3625	0.97362	0/2/0/1	0.3239
97	3	2	0.0233/0.4613/0.0507/0.4646	0.95091	0/1/0/2	0.042259

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPBTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
98	5	2	0.0695/0.5515/0.0543/0.3247	0.93460	0/5/0/0	0.45082
99	1	2	0.1547/0.6819/0.0755/0.0879	0.95859	0/1/0/0	n=1: unavailable
100	4	2	0.0516/0.6095/0.0648/0.2742	0.92495	0/4/0/0	0.31128
101	2	2	0.2610/0.5166/0.0483/0.1741	1.11989	0/2/0/0	0.15652
51	5	3	0.1984/0.0422/0.1722/0.5872	1.00438	1/0/0/4	0.44205
52	1	3	0.1290/0.0108/0.1700/0.6903	0.87014	0/0/0/1	n=1: unavailable
53	1	3	0.0928/0.0255/0.1193/0.7624	0.77473	0/0/0/1	n=1: unavailable
54	1	3	0.0955/0.0135/0.1281/0.7629	0.75217	0/0/0/1	n=1: unavailable
55	4	3	0.2072/0.0375/0.2664/0.4889	1.07902	1/0/1/2	0.37007
56	3	3	0.1085/0.0333/0.1323/0.7259	0.84081	0/0/0/3	0.09692
57	1	3	0.1899/0.0357/0.7594/0.0150	0.70650	0/0/1/0	n=1: unavailable
58	3	3	0.2105/0.0999/0.2494/0.4401	0.98895	0/0/1/2	0.72386
59	2	3	0.1841/0.0409/0.2453/0.5297	0.96935	0/0/1/1	0.53878
60	4	3	0.2163/0.1421/0.3228/0.3187	1.23478	0/0/2/2	0.493
61	3	3	0.1652/0.0875/0.2740/0.4734	1.08135	0/0/1/2	0.54693
62	3	3	0.0803/0.0676/0.1386/0.7135	0.85342	0/0/0/3	0.22095
63	1	3	0.0324/0.0151/0.1243/0.8281	0.58994	0/0/0/1	n=1: unavailable
64	2	3	0.1559/0.0794/0.3503/0.4144	0.97617	0/0/1/1	0.59835
65	1	3	0.0407/0.0288/0.0858/0.8447	0.58558	0/0/0/1	n=1: unavailable
66	2	3	0.0292/0.0284/0.0966/0.8458	0.56954	0/0/0/2	0.046592
67	2	3	0.0458/0.1344/0.1479/0.6719	0.90004	0/0/0/2	0.20998
68	2	3	0.0834/0.0558/0.2550/0.6058	0.87773	0/0/1/1	0.50342
69	2	3	0.0403/0.0586/0.1102/0.7910	0.70058	0/0/0/2	0.15854
70	3	3	0.1034/0.1817/0.2361/0.4789	1.06658	0/1/1/1	0.57437
71	6	3	0.0747/0.2097/0.2681/0.4475	1.01162	0/1/2/3	0.71868
73	4	3	0.0556/0.1356/0.2667/0.5421	1.00160	0/0/1/3	0.47339
74	3	3	0.0394/0.0573/0.4386/0.4648	0.87735	0/0/2/1	0.57239
76	2	3	0.0207/0.0769/0.1015/0.8009	0.68548	0/0/0/2	0.034424

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPBTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
77	4	3	0.0596/0.1374/0.1633/0.6396	0.91619	0/0/1/3	0.50946
78	3	3	0.0740/0.1994/0.2804/0.4462	0.96283	0/1/1/1	0.63916
79	1	3	0.0602/0.2397/0.2246/0.4755	1.20040	0/0/0/1	n=1: unavailable
80	1	3	0.0101/0.0720/0.0882/0.8297	0.60502	0/0/0/1	n=1: unavailable
81	6	3	0.0488/0.1448/0.2381/0.5682	0.91656	0/1/1/4	0.63974
82	3	3	0.0101/0.0820/0.0948/0.8131	0.64240	0/0/0/3	0.022691
83	1	3	0.0094/0.0665/0.1130/0.8111	0.64036	0/0/0/1	n=1: unavailable
84	3	3	0.0760/0.2658/0.2777/0.3805	1.19210	0/0/1/2	0.39639
85	4	3	0.0249/0.1342/0.1745/0.6664	0.86213	0/0/0/4	0.44536
86	2	3	0.0048/0.0863/0.0834/0.8256	0.59177	0/0/0/2	0.062894
88	3	3	0.0820/0.2427/0.3860/0.2893	1.14513	0/0/2/1	0.47864
89	4	3	0.0222/0.1916/0.2294/0.5569	0.92971	0/0/1/3	0.48334
90	4	3	0.0250/0.1404/0.2050/0.6295	0.90450	0/0/0/4	0.39251
91	2	3	0.0163/0.1341/0.1676/0.6820	0.88133	0/0/0/2	0.11845
92	2	3	0.0713/0.1788/0.0740/0.6758	0.85030	0/0/0/2	0.35678
93	2	3	0.0436/0.1040/0.4135/0.4390	0.98720	0/0/1/1	0.39963
94	3	3	0.0330/0.1393/0.2214/0.6063	0.81315	0/0/1/2	0.65529
95	1	3	0.0052/0.1034/0.0789/0.8125	0.63102	0/0/0/1	n=1: unavailable
96	3	3	0.0287/0.1153/0.2593/0.5968	0.75461	0/0/1/2	0.70103
97	3	3	0.0032/0.0997/0.0778/0.8193	0.60877	0/0/0/3	0.031837
98	5	3	0.0208/0.1379/0.2626/0.5787	0.69226	0/0/1/4	0.81375
99	1	3	0.0157/0.2582/0.2077/0.5185	1.08179	0/0/0/1	n=1: unavailable
100	4	3	0.0102/0.1207/0.2732/0.5960	0.82291	0/0/1/3	0.52523
101	2	3	0.0293/0.2366/0.3757/0.3584	1.16888	0/0/1/1	0.13544

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Input-only routing: OVRPLTW

First128 VAL after lock; entropy of graph-mean mixture, not mean node entropy.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
51	3	0	0.2429/0.3194/0.2105/0.2272	1.37155	0/3/0/0	0.036689
54	3	0	0.2362/0.3216/0.2214/0.2208	1.37195	0/3/0/0	0.038122
55	5	0	0.2321/0.3096/0.2337/0.2246	1.37459	0/5/0/0	0.065186
56	5	0	0.2453/0.3002/0.2130/0.2415	1.37728	0/5/0/0	0.040931
58	3	0	0.2377/0.3019/0.2337/0.2266	1.37851	0/3/0/0	0.034204
59	3	0	0.2340/0.3058/0.2205/0.2397	1.37657	0/3/0/0	0.03837
60	3	0	0.2403/0.2999/0.2221/0.2377	1.37871	0/3/0/0	0.028616
61	1	0	0.2376/0.3055/0.2306/0.2263	1.37829	0/1/0/0	n=1: unavailable
62	1	0	0.2519/0.2873/0.2126/0.2482	1.38069	0/1/0/0	n=1: unavailable
63	6	0	0.2338/0.3057/0.2255/0.2350	1.37740	0/6/0/0	0.036775
65	2	0	0.2307/0.3116/0.2289/0.2288	1.37545	0/2/0/0	0.035312
66	6	0	0.2264/0.2969/0.2325/0.2442	1.37874	0/5/1/0	0.056309
67	1	0	0.2550/0.2794/0.2041/0.2615	1.37981	0/1/0/0	n=1: unavailable
68	3	0	0.2296/0.2952/0.2321/0.2431	1.38045	0/3/0/0	0.019756
69	3	0	0.2380/0.2888/0.2272/0.2460	1.38164	0/3/0/0	0.023732
70	1	0	0.2324/0.2966/0.2325/0.2385	1.38067	0/1/0/0	n=1: unavailable
71	2	0	0.2406/0.2895/0.2285/0.2414	1.38198	0/2/0/0	0.0089114
72	2	0	0.2510/0.2815/0.2111/0.2564	1.37990	0/2/0/0	0.029372
73	1	0	0.2349/0.2938/0.2279/0.2434	1.38110	0/1/0/0	n=1: unavailable
74	1	0	0.2294/0.2936/0.2296/0.2474	1.38096	0/1/0/0	n=1: unavailable
75	2	0	0.2319/0.2903/0.2289/0.2488	1.38155	0/2/0/0	0.0089905
76	2	0	0.2184/0.2980/0.2314/0.2522	1.37784	0/2/0/0	0.040698
77	4	0	0.2339/0.2839/0.2303/0.2520	1.38269	0/4/0/0	0.012071
78	4	0	0.2275/0.2761/0.2416/0.2548	1.37794	1/3/0/0	0.10704
79	4	0	0.2394/0.2847/0.2233/0.2526	1.38157	0/4/0/0	0.032842
80	6	0	0.2423/0.2842/0.2150/0.2585	1.37948	1/5/0/0	0.047723
81	1	0	0.2351/0.2831/0.2261/0.2557	1.38250	0/1/0/0	n=1: unavailable
82	2	0	0.2344/0.2869/0.2124/0.2663	1.37945	0/2/0/0	0.013229

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPLTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
83	3	0	0.2352/0.2755/0.2308/0.2585	1.38357	0/3/0/0	0.010868
84	1	0	0.2370/0.2730/0.2162/0.2738	1.38142	0/0/0/1	n=1: unavailable
85	1	0	0.2229/0.3032/0.2177/0.2562	1.37721	0/1/0/0	n=1: unavailable
86	2	0	0.2349/0.2789/0.2232/0.2630	1.38174	0/2/0/0	0.028468
87	2	0	0.2346/0.2727/0.2342/0.2585	1.38409	0/2/0/0	0.01017
88	3	0	0.2361/0.2791/0.2183/0.2665	1.38135	0/3/0/0	0.020689
89	7	0	0.2354/0.2764/0.2218/0.2664	1.38197	0/6/0/1	0.026896
90	5	0	0.2316/0.2729/0.2332/0.2623	1.38135	1/4/0/0	0.078516
91	2	0	0.2298/0.2740/0.2270/0.2692	1.38248	0/2/0/0	0.0058673
92	2	0	0.2161/0.2894/0.2411/0.2535	1.37836	0/2/0/0	0.042421
93	4	0	0.2292/0.2845/0.2304/0.2559	1.38118	0/4/0/0	0.038384
95	1	0	0.2172/0.3000/0.2227/0.2601	1.37759	0/1/0/0	n=1: unavailable
96	1	0	0.2322/0.2708/0.2227/0.2743	1.38211	0/0/0/1	n=1: unavailable
97	2	0	0.2246/0.2805/0.2302/0.2647	1.38161	0/1/0/1	0.019285
98	4	0	0.2264/0.2705/0.2377/0.2655	1.38300	0/2/0/2	0.031052
99	4	0	0.2342/0.2674/0.2260/0.2724	1.38296	0/1/0/3	0.012203
100	1	0	0.2287/0.2670/0.2351/0.2692	1.38363	0/0/0/1	n=1: unavailable
101	3	0	0.2245/0.2792/0.2259/0.2704	1.38058	0/2/0/1	0.028536
51	3	1	0.2756/0.0760/0.0951/0.5533	1.04616	1/0/0/2	0.27528
54	3	1	0.3099/0.0536/0.0887/0.5478	0.95526	1/0/0/2	0.46613
55	5	1	0.1523/0.0714/0.0617/0.7146	0.87274	0/0/0/5	0.087754
56	5	1	0.2712/0.0857/0.1629/0.4802	1.15381	1/0/0/4	0.34841
58	3	1	0.1931/0.0829/0.0803/0.6437	1.00408	0/0/0/3	0.07821
59	3	1	0.2088/0.0914/0.0822/0.6176	1.02819	0/0/0/3	0.19762
60	3	1	0.2130/0.0861/0.1009/0.6000	1.05786	0/0/0/3	0.1787
61	1	1	0.1208/0.0735/0.0412/0.7646	0.78377	0/0/0/1	n=1: unavailable
62	1	1	0.1909/0.1020/0.1824/0.5247	1.19776	0/0/0/1	n=1: unavailable
63	6	1	0.1681/0.0858/0.0824/0.6637	0.97489	0/0/0/6	0.090838

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPLTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
65	2	1	0.1827/0.0889/0.0911/0.6374	1.02181	0/0/0/2	0.1082
66	6	1	0.1964/0.0886/0.1058/0.6092	1.03376	0/0/0/6	0.21554
67	1	1	0.1507/0.1450/0.1658/0.5385	1.19648	0/0/0/1	n=1: unavailable
68	3	1	0.1739/0.0836/0.1098/0.6328	1.00864	0/0/0/3	0.17507
69	3	1	0.1184/0.1233/0.1014/0.6569	1.00354	0/0/0/3	0.10073
70	1	1	0.1076/0.1014/0.0638/0.7272	0.87907	0/0/0/1	n=1: unavailable
71	2	1	0.1144/0.1296/0.0768/0.6791	0.97115	0/0/0/2	0.048825
72	2	1	0.1300/0.1427/0.2075/0.5198	1.14484	0/0/0/2	0.31239
73	1	1	0.1487/0.1173/0.0878/0.6461	1.03068	0/0/0/1	n=1: unavailable
74	1	1	0.0985/0.1157/0.0744/0.7113	0.91361	0/0/0/1	n=1: unavailable
75	2	1	0.1195/0.1196/0.0833/0.6776	0.97674	0/0/0/2	0.051782
76	2	1	0.1370/0.0880/0.1148/0.6601	0.99632	0/0/0/2	0.064262
77	4	1	0.1080/0.1360/0.0971/0.6589	1.01149	0/0/0/4	0.054125
78	4	1	0.1000/0.1431/0.1549/0.6020	1.03734	0/0/0/4	0.32877
79	4	1	0.1297/0.1311/0.1643/0.5749	1.11256	0/0/0/4	0.24366
80	6	1	0.1840/0.1173/0.2290/0.4697	1.17265	0/0/3/3	0.37565
81	1	1	0.0950/0.1265/0.1089/0.6697	0.99500	0/0/0/1	n=1: unavailable
82	2	1	0.1529/0.1130/0.2518/0.4823	1.22702	0/0/0/2	0.10129
83	3	1	0.0993/0.1483/0.1920/0.5604	1.11664	0/0/0/3	0.2341
84	1	1	0.0968/0.1223/0.3405/0.4404	1.21108	0/0/0/1	n=1: unavailable
85	1	1	0.2502/0.0747/0.2248/0.4503	1.23526	0/0/0/1	n=1: unavailable
86	2	1	0.1891/0.0968/0.2815/0.4326	1.25079	0/0/0/2	0.068582
87	2	1	0.0843/0.1665/0.1257/0.6235	1.06170	0/0/0/2	0.032306
88	3	1	0.1081/0.1295/0.2159/0.5465	1.11865	0/0/0/3	0.26693
89	7	1	0.0964/0.1476/0.2255/0.5305	1.14701	0/0/1/6	0.26205
90	5	1	0.0920/0.1519/0.1942/0.5618	1.09154	0/0/1/4	0.39701
91	2	1	0.0920/0.1583/0.1527/0.5970	1.10444	0/0/0/2	0.041431
92	2	1	0.1115/0.1168/0.1815/0.5902	1.09401	0/0/0/2	0.12636

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPLTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
93	4	1	0.1378/0.1155/0.2212/0.5254	1.14328	0/0/0/4	0.21642
95	1	1	0.1708/0.0620/0.2561/0.5111	1.16610	0/0/0/1	n=1: unavailable
96	1	1	0.0721/0.1759/0.1566/0.5953	1.09449	0/0/0/1	n=1: unavailable
97	2	1	0.1399/0.0954/0.2613/0.5034	1.18697	0/0/0/2	0.11073
98	4	1	0.0940/0.1548/0.1991/0.5521	1.14815	0/0/0/4	0.11409
99	4	1	0.0872/0.1686/0.2007/0.5436	1.15272	0/0/0/4	0.11984
100	1	1	0.0781/0.1729/0.1626/0.5864	1.11092	0/0/0/1	n=1: unavailable
101	3	1	0.1208/0.1154/0.2659/0.4979	1.17211	0/0/0/3	0.16746
51	3	2	0.2845/0.2370/0.0229/0.4556	0.98063	0/1/0/2	0.52434
54	3	2	0.3815/0.1108/0.0218/0.4859	0.80891	1/0/0/2	0.68858
55	5	2	0.1309/0.3166/0.0312/0.5212	0.90362	0/1/0/4	0.732
56	5	2	0.3059/0.3843/0.0371/0.2727	1.01495	1/2/0/2	0.59349
58	3	2	0.1466/0.4954/0.0371/0.3208	0.95761	0/2/0/1	0.60209
59	3	2	0.1460/0.3881/0.0350/0.4308	1.07285	0/2/0/1	0.35808
60	3	2	0.1016/0.3029/0.0331/0.5624	0.91922	0/1/0/2	0.51845
61	1	2	0.0784/0.3038/0.0241/0.5937	0.96091	0/0/0/1	n=1: unavailable
62	1	2	0.3024/0.5338/0.0360/0.1278	1.07942	0/1/0/0	n=1: unavailable
63	6	2	0.1537/0.3634/0.0334/0.4495	1.03290	1/2/0/3	0.40639
65	2	2	0.1570/0.3455/0.0358/0.4617	1.10031	0/1/0/1	0.24464
66	6	2	0.1725/0.3575/0.0415/0.4285	0.95669	1/1/0/4	0.71282
67	1	2	0.1429/0.5447/0.0571/0.2553	1.12097	0/1/0/0	n=1: unavailable
68	3	2	0.1524/0.3235/0.0368/0.4874	1.04673	0/1/0/2	0.35213
69	3	2	0.0453/0.4201/0.0342/0.5004	0.93609	0/1/0/2	0.25587
70	1	2	0.0476/0.3239/0.0342/0.5943	0.93463	0/0/0/1	n=1: unavailable
71	2	2	0.0414/0.3888/0.0338/0.5359	0.94716	0/0/0/2	0.023076
72	2	2	0.0685/0.5763/0.0392/0.3160	0.86352	0/1/0/1	0.45108
73	1	2	0.0470/0.2761/0.0326/0.6443	0.89387	0/0/0/1	n=1: unavailable
74	1	2	0.0423/0.4058/0.0319/0.5199	0.94985	0/0/0/1	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPLTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
75	2	2	0.0435/0.3222/0.0321/0.6022	0.91641	0/0/0/2	0.033966
76	2	2	0.1194/0.3074/0.0422/0.5310	1.03420	0/0/0/2	0.21605
77	4	2	0.0273/0.3948/0.0359/0.5421	0.91275	0/0/0/4	0.10352
78	4	2	0.0587/0.4107/0.0532/0.4774	0.84372	0/1/0/3	0.72016
79	4	2	0.0821/0.4658/0.0408/0.4113	1.00659	0/2/0/2	0.32894
80	6	2	0.1831/0.4586/0.0453/0.3130	1.00137	1/3/0/2	0.54791
81	1	2	0.0335/0.3797/0.0379/0.5489	0.93470	0/0/0/1	n=1: unavailable
82	2	2	0.1224/0.4830/0.0495/0.3450	1.11608	0/2/0/0	0.082462
83	3	2	0.0810/0.4441/0.0523/0.4227	1.00468	0/1/0/2	0.41274
84	1	2	0.0843/0.6864/0.0558/0.1735	0.93168	0/1/0/0	n=1: unavailable
85	1	2	0.3747/0.3619/0.0494/0.2141	1.21411	1/0/0/0	n=1: unavailable
86	2	2	0.1951/0.6236/0.0603/0.1210	0.99929	0/2/0/0	0.25566
87	2	2	0.0246/0.4135/0.0453/0.5166	0.93733	0/0/0/2	0.010947
88	3	2	0.1174/0.4056/0.0463/0.4307	1.00800	0/1/0/2	0.36082
89	7	2	0.0785/0.5103/0.0530/0.3582	0.96915	0/5/0/2	0.42205
90	5	2	0.0426/0.5015/0.0503/0.4056	0.92737	0/2/0/3	0.42599
91	2	2	0.0188/0.4196/0.0430/0.5186	0.91424	0/0/0/2	0.022452
92	2	2	0.0919/0.3871/0.0684/0.4526	1.08244	0/1/0/1	0.17484
93	4	2	0.1344/0.4762/0.0661/0.3233	1.04348	0/2/0/2	0.41991
95	1	2	0.1300/0.2184/0.0557/0.5959	1.06683	0/0/0/1	n=1: unavailable
96	1	2	0.0153/0.5289/0.0466/0.4092	0.90944	0/1/0/0	n=1: unavailable
97	2	2	0.1343/0.5485/0.0681/0.2490	1.12155	0/2/0/0	0.11079
98	4	2	0.0591/0.5176/0.0652/0.3581	1.02166	0/4/0/0	0.21275
99	4	2	0.0539/0.5080/0.0552/0.3829	0.96727	0/3/0/1	0.30933
100	1	2	0.0210/0.3986/0.0560/0.5244	0.94757	0/0/0/1	n=1: unavailable
101	3	2	0.1091/0.4628/0.0652/0.3629	1.07392	0/2/0/1	0.31853
51	3	3	0.2309/0.0409/0.1949/0.5334	0.90070	0/0/1/2	0.65297
54	3	3	0.1311/0.1225/0.1106/0.6358	0.93435	0/0/0/3	0.44055

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPLTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
55	5	3	0.1176/0.0630/0.2512/0.5682	0.85492	0/0/1/4	0.7359
56	5	3	0.2182/0.0824/0.3246/0.3748	0.97844	0/0/2/3	0.63507
58	3	3	0.1821/0.0296/0.3881/0.4001	0.92240	0/0/2/1	0.73528
59	3	3	0.1003/0.0542/0.2547/0.5908	0.92995	0/0/1/2	0.55394
60	3	3	0.0672/0.0514/0.1381/0.7433	0.73864	0/0/0/3	0.3857
61	1	3	0.0420/0.0284/0.1101/0.8196	0.64014	0/0/0/1	n=1: unavailable
62	1	3	0.2830/0.0545/0.5015/0.1610	1.15603	0/0/1/0	n=1: unavailable
63	6	3	0.0851/0.0768/0.1786/0.6594	0.88254	0/0/0/6	0.46592
65	2	3	0.1291/0.1369/0.2534/0.4806	1.04859	0/0/1/1	0.58493
66	6	3	0.0794/0.1032/0.2321/0.5854	0.81534	0/0/1/5	0.77502
67	1	3	0.0688/0.1508/0.3544/0.4261	1.20047	0/0/0/1	n=1: unavailable
68	3	3	0.0409/0.1270/0.1526/0.6795	0.83209	0/0/0/3	0.46958
69	3	3	0.0418/0.0843/0.1960/0.6779	0.81235	0/0/1/2	0.47217
70	1	3	0.0155/0.0677/0.1068/0.8100	0.65642	0/0/0/1	n=1: unavailable
71	2	3	0.0212/0.0572/0.0894/0.8323	0.61166	0/0/0/2	0.036828
72	2	3	0.0689/0.0675/0.3824/0.4812	0.76173	0/0/1/1	0.74245
73	1	3	0.0099/0.0529/0.0565/0.8807	0.47543	0/0/0/1	n=1: unavailable
74	1	3	0.0154/0.0779/0.1062/0.8005	0.67929	0/0/0/1	n=1: unavailable
75	2	3	0.0109/0.0651/0.0692/0.8548	0.54295	0/0/0/2	0.037322
76	2	3	0.0208/0.1635/0.0660/0.7496	0.72830	0/0/0/2	0.22684
77	4	3	0.0084/0.0733/0.0853/0.8331	0.59226	0/0/0/4	0.028901
78	4	3	0.0357/0.1768/0.2272/0.5603	0.70798	0/1/1/2	0.75644
79	4	3	0.0341/0.1482/0.2781/0.5396	0.92785	0/0/2/2	0.56674
80	6	3	0.0654/0.1761/0.3061/0.4524	0.92116	0/0/3/3	0.80013
81	1	3	0.0051/0.1145/0.0485/0.8318	0.57516	0/0/0/1	n=1: unavailable
82	2	3	0.0526/0.2607/0.2812/0.4055	1.15859	0/0/1/1	0.30767
83	3	3	0.0380/0.1343/0.2305/0.5973	0.76834	0/0/1/2	0.7119
84	1	3	0.1305/0.1200/0.6755/0.0740	0.97790	0/0/1/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPLTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
85	1	3	0.1367/0.3970/0.2886/0.1777	1.30443	0/1/0/0	n=1: unavailable
86	2	3	0.0613/0.1846/0.5613/0.1928	1.07331	0/0/2/0	0.2616
87	2	3	0.0056/0.0993/0.0842/0.8110	0.63637	0/0/0/2	0.01207
88	3	3	0.0471/0.1619/0.1729/0.6181	0.80093	0/0/1/2	0.68084
89	7	3	0.0249/0.1890/0.2578/0.5282	0.86480	0/1/2/4	0.67072
90	5	3	0.0302/0.1531/0.2786/0.5381	0.80181	0/0/2/3	0.74474
91	2	3	0.0033/0.1239/0.0769/0.7959	0.64962	0/0/0/2	0.061836
92	2	3	0.0319/0.2734/0.1479/0.5468	0.92063	0/1/0/1	0.53024
93	4	3	0.0311/0.2291/0.2002/0.5397	0.87644	0/1/1/2	0.70969
95	1	3	0.0103/0.3647/0.0394/0.5856	0.85592	0/0/0/1	n=1: unavailable
96	1	3	0.0029/0.1193/0.0851/0.7927	0.66450	0/0/0/1	n=1: unavailable
97	2	3	0.0144/0.3119/0.2835/0.3901	1.14692	0/0/0/2	0.055851
98	4	3	0.0099/0.1913/0.2849/0.5138	0.89505	0/0/2/2	0.5457
99	4	3	0.0063/0.1463/0.1800/0.6674	0.81185	0/0/1/3	0.41052
100	1	3	0.0025/0.1700/0.0794/0.7481	0.73458	0/0/0/1	n=1: unavailable
101	3	3	0.0157/0.2990/0.0975/0.5878	0.92168	0/0/0/3	0.281

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Input-only routing: VRPBLTW

First128 VAL after lock; entropy of graph-mean mixture, not mean node entropy.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
52	2	0	0.2330/0.3257/0.2304/0.2108	1.37033	0/2/0/0	0.033368
53	5	0	0.2311/0.3140/0.2298/0.2251	1.37195	0/5/0/0	0.08151
54	4	0	0.2288/0.3202/0.2313/0.2196	1.37281	0/4/0/0	0.042
55	1	0	0.2343/0.3181/0.2325/0.2151	1.37407	0/1/0/0	n=1: unavailable
56	3	0	0.2269/0.3004/0.2482/0.2245	1.37777	0/3/0/0	0.045069
57	1	0	0.2555/0.3190/0.1740/0.2515	1.36455	0/1/0/0	n=1: unavailable
58	5	0	0.2359/0.3033/0.2333/0.2275	1.37820	0/5/0/0	0.0361
59	3	0	0.2288/0.3136/0.2246/0.2331	1.37477	0/3/0/0	0.036355
60	2	0	0.2498/0.2881/0.2161/0.2461	1.37944	0/2/0/0	0.035795
61	1	0	0.2324/0.3027/0.2348/0.2301	1.37917	0/1/0/0	n=1: unavailable
62	6	0	0.2282/0.3065/0.2283/0.2370	1.37705	0/6/0/0	0.038478
64	5	0	0.2236/0.2992/0.2369/0.2403	1.37862	0/5/0/0	0.045864
65	1	0	0.2355/0.2939/0.2300/0.2405	1.38121	0/1/0/0	n=1: unavailable
66	2	0	0.2367/0.2933/0.2302/0.2398	1.38128	0/2/0/0	0.0076357
67	3	0	0.2196/0.3019/0.2393/0.2392	1.37798	0/3/0/0	0.035124
68	3	0	0.2300/0.2953/0.2303/0.2443	1.37997	0/3/0/0	0.037491
70	2	0	0.2389/0.2868/0.2185/0.2558	1.38027	0/2/0/0	0.036031
71	2	0	0.2094/0.2976/0.2533/0.2397	1.37695	0/2/0/0	0.036324
72	2	0	0.2296/0.2898/0.2279/0.2528	1.38109	0/2/0/0	0.018207
73	2	0	0.2154/0.2832/0.2507/0.2507	1.38120	0/2/0/0	0.024183
74	1	0	0.2308/0.2827/0.2416/0.2448	1.38329	0/1/0/0	n=1: unavailable
75	4	0	0.2185/0.2879/0.2430/0.2506	1.37862	0/4/0/0	0.074294
76	2	0	0.2118/0.2936/0.2437/0.2508	1.37865	0/2/0/0	0.033148
77	3	0	0.2094/0.3052/0.2387/0.2467	1.37544	0/3/0/0	0.038394
78	4	0	0.2267/0.2808/0.2349/0.2576	1.38233	0/4/0/0	0.020038
79	3	0	0.2297/0.2752/0.2401/0.2551	1.38388	0/3/0/0	0.01171
80	2	0	0.2105/0.2796/0.2538/0.2562	1.38036	0/2/0/0	0.032512
81	5	0	0.2177/0.2882/0.2338/0.2603	1.37924	0/5/0/0	0.046976

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPBLTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
82	3	0	0.2318/0.2707/0.2410/0.2565	1.38438	0/3/0/0	0.01251
83	3	0	0.2222/0.2832/0.2350/0.2595	1.38119	0/3/0/0	0.027492
85	3	0	0.2150/0.2796/0.2422/0.2632	1.37940	0/2/0/1	0.051844
86	1	0	0.2368/0.2678/0.2350/0.2605	1.38465	0/1/0/0	n=1: unavailable
87	2	0	0.2283/0.2711/0.2355/0.2651	1.38357	0/2/0/0	0.0045702
88	1	0	0.2085/0.2705/0.2652/0.2559	1.38130	0/1/0/0	n=1: unavailable
89	7	0	0.2185/0.2822/0.2393/0.2600	1.37824	0/7/0/0	0.097316
90	2	0	0.2317/0.2660/0.2381/0.2641	1.38437	0/2/0/0	0.0092882
92	3	0	0.2240/0.2787/0.2386/0.2587	1.38205	0/2/0/1	0.037315
93	4	0	0.2258/0.2669/0.2313/0.2761	1.38199	0/0/0/4	0.025888
94	6	0	0.2230/0.2701/0.2385/0.2684	1.38201	0/3/0/3	0.039438
95	2	0	0.2326/0.2708/0.2284/0.2682	1.38301	0/1/0/1	0.015519
96	3	0	0.2213/0.2729/0.2400/0.2657	1.38216	0/1/0/2	0.037033
98	3	0	0.2312/0.2679/0.2196/0.2813	1.38056	0/0/0/3	0.030635
99	3	0	0.2253/0.2554/0.2374/0.2820	1.38201	0/0/0/3	0.030729
100	2	0	0.2339/0.2608/0.2338/0.2715	1.38394	0/0/0/2	0.013239
101	1	0	0.2757/0.2505/0.1976/0.2762	1.37777	0/0/0/1	n=1: unavailable
52	2	1	0.2153/0.0786/0.0408/0.6652	0.92894	0/0/0/2	0.059426
53	5	1	0.2408/0.1040/0.0821/0.5731	1.06810	0/0/0/5	0.22634
54	4	1	0.2458/0.0781/0.0453/0.6308	0.95666	0/0/0/4	0.17875
55	1	1	0.1836/0.0781/0.0369/0.7014	0.88101	0/0/0/1	n=1: unavailable
56	3	1	0.2075/0.1011/0.0703/0.6210	1.03346	0/0/0/3	0.08266
57	1	1	0.5407/0.0835/0.1246/0.2512	1.14632	1/0/0/0	n=1: unavailable
58	5	1	0.2219/0.1075/0.0578/0.6128	0.99686	1/0/0/4	0.32476
59	3	1	0.2448/0.0934/0.0729/0.5889	1.02122	0/0/0/3	0.28035
60	2	1	0.2112/0.1599/0.1328/0.4962	1.18224	0/0/0/2	0.30667
61	1	1	0.1595/0.1185/0.0540/0.6680	0.97263	0/0/0/1	n=1: unavailable
62	6	1	0.2288/0.1001/0.0894/0.5817	1.05762	0/0/0/6	0.2444

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPBLTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
64	5	1	0.1743/0.1006/0.1029/0.6222	1.02532	0/0/0/5	0.21083
65	1	1	0.1303/0.1195/0.0729/0.6773	0.97426	0/0/0/1	n=1: unavailable
66	2	1	0.1418/0.1242/0.0689/0.6651	0.99078	0/0/0/2	0.018143
67	3	1	0.1476/0.1051/0.0733/0.6740	0.96485	0/0/0/3	0.091733
68	3	1	0.1158/0.1344/0.1201/0.6297	1.04347	0/0/0/3	0.13179
70	2	1	0.2497/0.1212/0.1434/0.4857	1.14324	1/0/0/1	0.33099
71	2	1	0.1512/0.0926/0.1122/0.6439	1.01720	0/0/0/2	0.094445
72	2	1	0.1224/0.1404/0.1486/0.5887	1.09947	0/0/0/2	0.17115
73	2	1	0.0881/0.1330/0.1192/0.6597	0.99689	0/0/0/2	0.095804
74	1	1	0.1258/0.1470/0.0819/0.6453	1.03022	0/0/0/1	n=1: unavailable
75	4	1	0.1677/0.1097/0.1206/0.6019	1.04427	0/0/0/4	0.40372
76	2	1	0.1132/0.1047/0.1362/0.6459	1.01503	0/0/0/2	0.1155
77	3	1	0.2096/0.0740/0.1611/0.5553	1.09108	0/0/0/3	0.21277
78	4	1	0.1539/0.1353/0.1290/0.5818	1.08739	0/0/0/4	0.22946
79	3	1	0.1158/0.1721/0.1003/0.6118	1.08291	0/0/0/3	0.02973
80	2	1	0.1040/0.1390/0.1971/0.5599	1.13994	0/0/0/2	0.13139
81	5	1	0.1909/0.1016/0.1860/0.5215	1.17185	0/0/0/5	0.16731
82	3	1	0.1103/0.1923/0.1023/0.5951	1.10066	0/0/0/3	0.047264
83	3	1	0.1661/0.1189/0.1554/0.5596	1.14610	0/0/0/3	0.11091
85	3	1	0.1692/0.1117/0.1927/0.5264	1.17634	0/0/0/3	0.15805
86	1	1	0.1158/0.1990/0.1193/0.5659	1.14669	0/0/0/1	n=1: unavailable
87	2	1	0.0911/0.1830/0.1147/0.6112	1.07773	0/0/0/2	0.028414
88	1	1	0.1515/0.1237/0.1799/0.5449	1.18380	0/0/0/1	n=1: unavailable
89	7	1	0.1515/0.1239/0.1914/0.5331	1.14735	0/0/1/6	0.32429
90	2	1	0.0975/0.1997/0.1257/0.5772	1.12646	0/0/0/2	0.0078221
92	3	1	0.1269/0.1542/0.1713/0.5475	1.16633	0/0/0/3	0.12152
93	4	1	0.1199/0.1777/0.1885/0.5140	1.18603	0/0/0/4	0.20083
94	6	1	0.1156/0.1681/0.1866/0.5297	1.17577	0/0/0/6	0.19026

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPBLTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
95	2	1	0.1273/0.1715/0.2093/0.4919	1.22371	0/0/0/2	0.1337
96	3	1	0.1093/0.1654/0.1753/0.5499	1.14911	0/0/0/3	0.14268
98	3	1	0.1418/0.1785/0.2873/0.3923	1.26869	0/0/1/2	0.24638
99	3	1	0.1246/0.1707/0.2960/0.4087	1.22901	0/0/2/1	0.22425
100	2	1	0.1110/0.1907/0.2216/0.4767	1.22376	0/0/0/2	0.15149
101	1	1	0.1528/0.2377/0.4313/0.1783	1.29869	0/0/1/0	n=1: unavailable
52	2	2	0.1539/0.3070/0.0227/0.5164	1.04358	0/0/0/2	0.21557
53	5	2	0.2092/0.3625/0.0203/0.4079	1.01818	1/2/0/2	0.57873
54	4	2	0.1589/0.2464/0.0175/0.5772	0.97069	0/0/0/4	0.32644
55	1	2	0.0820/0.2769/0.0204/0.6206	0.93624	0/0/0/1	n=1: unavailable
56	3	2	0.1080/0.4338/0.0316/0.4266	0.84425	0/1/0/2	0.7196
57	1	2	0.6350/0.2222/0.0164/0.1263	0.95133	1/0/0/0	n=1: unavailable
58	5	2	0.1162/0.3224/0.0203/0.5411	0.96230	1/0/0/4	0.32625
59	3	2	0.1989/0.3209/0.0205/0.4598	0.99540	1/0/0/2	0.41977
60	2	2	0.0656/0.4989/0.0226/0.4129	0.90621	0/1/0/1	0.36215
61	1	2	0.0236/0.3864/0.0194/0.5706	0.85244	0/0/0/1	n=1: unavailable
62	6	2	0.1495/0.3539/0.0215/0.4752	0.96348	0/1/0/5	0.54876
64	5	2	0.1099/0.4053/0.0267/0.4581	0.92388	0/1/0/4	0.54275
65	1	2	0.0194/0.4272/0.0241/0.5293	0.86640	0/0/0/1	n=1: unavailable
66	2	2	0.0330/0.3657/0.0207/0.5807	0.87154	0/0/0/2	0.080719
67	3	2	0.0500/0.3957/0.0221/0.5322	0.91951	0/0/0/3	0.085917
68	3	2	0.0662/0.4805/0.0304/0.4229	0.91523	0/2/0/1	0.38467
70	2	2	0.1139/0.3774/0.0280/0.4808	1.01463	0/0/0/2	0.18225
71	2	2	0.0630/0.3250/0.0345/0.5776	0.93838	0/0/0/2	0.18745
72	2	2	0.0682/0.4766/0.0264/0.4287	0.95677	0/1/0/1	0.21401
73	2	2	0.0341/0.4266/0.0376/0.5017	0.94467	0/0/0/2	0.037906
74	1	2	0.0338/0.3447/0.0257/0.5957	0.88438	0/0/0/1	n=1: unavailable
75	4	2	0.1235/0.4998/0.0290/0.3477	0.92969	0/3/0/1	0.51236

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPBLTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
76	2	2	0.0544/0.4786/0.0359/0.4311	0.97062	0/2/0/0	0.086392
77	3	2	0.1723/0.2645/0.0325/0.5306	1.02398	0/0/0/3	0.29814
78	4	2	0.1028/0.4434/0.0277/0.4261	0.93778	0/1/0/3	0.34858
79	3	2	0.0198/0.4339/0.0265/0.5198	0.87277	0/0/0/3	0.088781
80	2	2	0.0678/0.5725/0.0488/0.3109	0.93044	0/1/0/1	0.39093
81	5	2	0.1268/0.4786/0.0301/0.3644	0.93933	0/3/0/2	0.52824
82	3	2	0.0135/0.4509/0.0297/0.5059	0.86562	0/0/0/3	0.032205
83	3	2	0.1308/0.5290/0.0329/0.3073	1.00600	0/2/0/1	0.31872
85	3	2	0.1210/0.5516/0.0456/0.2819	1.03866	0/2/0/1	0.31312
86	1	2	0.0121/0.4921/0.0292/0.4665	0.86151	0/1/0/0	n=1: unavailable
87	2	2	0.0115/0.5156/0.0291/0.4437	0.85585	0/2/0/0	0.03382
88	1	2	0.1231/0.7035/0.0472/0.1262	0.91065	0/1/0/0	n=1: unavailable
89	7	2	0.0795/0.4260/0.0425/0.4519	0.98017	0/2/0/5	0.498
90	2	2	0.0113/0.4588/0.0337/0.4962	0.86979	0/0/0/2	0.0069015
92	3	2	0.0659/0.6438/0.0405/0.2499	0.89982	0/3/0/0	0.22793
93	4	2	0.0387/0.5141/0.0353/0.4119	0.91902	0/4/0/0	0.14014
94	6	2	0.0548/0.5822/0.0389/0.3241	0.91620	0/6/0/0	0.29498
95	2	2	0.0577/0.5909/0.0389/0.3125	0.89263	0/2/0/0	0.31251
96	3	2	0.0529/0.5524/0.0408/0.3538	0.88570	0/2/0/1	0.3772
98	3	2	0.0679/0.5838/0.0432/0.3051	0.95812	0/3/0/0	0.23322
99	3	2	0.1255/0.6504/0.0417/0.1824	0.79996	0/3/0/0	0.3749
100	2	2	0.0328/0.6760/0.0406/0.2506	0.78898	0/2/0/0	0.28734
101	1	2	0.0762/0.7937/0.0389/0.0912	0.72425	0/1/0/0	n=1: unavailable
52	2	3	0.3412/0.0148/0.1758/0.4683	1.02162	1/0/0/1	0.35947
53	5	3	0.3062/0.0608/0.2846/0.3484	1.08072	2/0/1/2	0.6098
54	4	3	0.1679/0.0227/0.1132/0.6962	0.80519	0/0/0/4	0.42993
55	1	3	0.0965/0.0124/0.1094/0.7817	0.71458	0/0/0/1	n=1: unavailable
56	3	3	0.1574/0.0098/0.2843/0.5486	0.71409	0/0/1/2	0.82691

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPBLTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
57	1	3	0.1448/0.1622/0.2138/0.4791	1.25725	0/0/0/1	n=1: unavailable
58	5	3	0.1021/0.0262/0.1285/0.7432	0.77789	0/0/0/5	0.23946
59	3	3	0.1818/0.0479/0.1571/0.6131	0.92695	1/0/0/2	0.52572
60	2	3	0.1101/0.0176/0.3504/0.5219	0.82887	0/0/1/1	0.5878
61	1	3	0.0617/0.0097/0.1051/0.8235	0.61370	0/0/0/1	n=1: unavailable
62	6	3	0.1585/0.0462/0.1376/0.6577	0.87307	0/0/1/5	0.52255
64	5	3	0.0576/0.0767/0.2109/0.6548	0.70885	0/0/1/4	0.6655
65	1	3	0.0318/0.0142/0.0871/0.8670	0.50619	0/0/0/1	n=1: unavailable
66	2	3	0.0340/0.0147/0.0873/0.8640	0.51395	0/0/0/2	0.035889
67	3	3	0.0375/0.0613/0.1020/0.7992	0.65136	0/0/0/3	0.22865
68	3	3	0.0482/0.1003/0.2813/0.5702	0.84655	0/0/1/2	0.55607
70	2	3	0.0497/0.0648/0.0704/0.8151	0.63812	0/0/0/2	0.10189
71	2	3	0.0350/0.1103/0.0997/0.7550	0.74276	0/0/0/2	0.23728
72	2	3	0.0800/0.0999/0.2844/0.5357	0.79543	0/0/1/1	0.75813
73	2	3	0.0301/0.1576/0.2063/0.6060	0.84096	0/0/1/1	0.56303
74	1	3	0.0108/0.0251/0.0580/0.9061	0.39602	0/0/0/1	n=1: unavailable
75	4	3	0.0507/0.1125/0.2610/0.5759	0.91478	0/0/2/2	0.61516
76	2	3	0.0553/0.1851/0.2096/0.5500	0.84511	0/1/0/1	0.69816
77	3	3	0.0587/0.1992/0.0732/0.6690	0.84526	0/0/0/3	0.42074
78	4	3	0.0258/0.0883/0.1157/0.7701	0.60985	0/0/0/4	0.55783
79	3	3	0.0077/0.0293/0.0495/0.9135	0.37033	0/0/0/3	0.025726
80	2	3	0.0519/0.2239/0.4462/0.2780	1.11321	0/1/1/0	0.33096
81	5	3	0.0459/0.1312/0.2076/0.6153	0.88065	0/0/1/4	0.60427
82	3	3	0.0072/0.0351/0.0628/0.8950	0.42472	0/0/0/3	0.019777
83	3	3	0.0472/0.1359/0.2382/0.5787	0.92551	0/0/0/3	0.57304
85	3	3	0.0384/0.1120/0.3009/0.5487	0.88144	0/0/1/2	0.57715
86	1	3	0.0047/0.0245/0.0559/0.9149	0.35861	0/0/0/1	n=1: unavailable
87	2	3	0.0042/0.0346/0.0650/0.8963	0.41431	0/0/0/2	0.016979

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: VRPBLTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
88	1	3	0.0283/0.0506/0.5817/0.3394	0.93369	0/0/1/0	n=1: unavailable
89	7	3	0.0273/0.1933/0.1084/0.6710	0.80104	0/0/0/7	0.52851
90	2	3	0.0027/0.0407/0.0477/0.9088	0.37802	0/0/0/2	0.019513
92	3	3	0.0466/0.1529/0.2559/0.5447	0.92161	0/0/1/2	0.68553
93	4	3	0.0080/0.0956/0.1704/0.7260	0.70161	0/0/0/4	0.40537
94	6	3	0.0244/0.1172/0.2048/0.6536	0.76525	0/0/1/5	0.68133
95	2	3	0.0450/0.1184/0.2598/0.5768	0.79580	0/0/1/1	0.67443
96	3	3	0.0078/0.1289/0.0886/0.7746	0.64136	0/0/0/3	0.34952
98	3	3	0.0345/0.1652/0.2944/0.5058	0.92227	0/0/1/2	0.70392
99	3	3	0.0202/0.1450/0.4077/0.4272	0.80044	0/0/2/1	0.79823
100	2	3	0.0106/0.1187/0.2733/0.5974	0.78698	0/0/1/1	0.56027
101	1	3	0.1365/0.0289/0.8027/0.0319	0.66059	0/0/1/0	n=1: unavailable

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Input-only routing: OVRPBLTW

First128 VAL after lock; entropy of graph-mean mixture, not mean node entropy.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
51	2	0	0.2364/0.3249/0.2262/0.2126	1.37143	0/2/0/0	0.011687
52	1	0	0.2273/0.3364/0.2087/0.2276	1.36711	0/1/0/0	n=1: unavailable
53	5	0	0.2413/0.3198/0.2226/0.2162	1.37230	0/5/0/0	0.049438
54	4	0	0.2300/0.3179/0.2372/0.2149	1.37234	0/4/0/0	0.050192
55	4	0	0.2457/0.3117/0.2258/0.2168	1.37561	0/4/0/0	0.00996
56	2	0	0.2328/0.3040/0.2233/0.2400	1.37720	0/2/0/0	0.038131
57	2	0	0.2405/0.3125/0.2167/0.2303	1.37551	0/2/0/0	0.012449
58	2	0	0.2494/0.2915/0.2184/0.2407	1.37292	1/1/0/0	0.084777
59	2	0	0.2341/0.3338/0.2076/0.2245	1.36586	0/2/0/0	0.041175
60	5	0	0.2421/0.2926/0.2186/0.2468	1.37873	0/5/0/0	0.051839
61	1	0	0.2264/0.3303/0.2170/0.2262	1.36998	0/1/0/0	n=1: unavailable
62	1	0	0.2395/0.3037/0.2289/0.2280	1.37877	0/1/0/0	n=1: unavailable
63	4	0	0.2378/0.3081/0.2200/0.2341	1.37572	0/4/0/0	0.053849
64	2	0	0.2290/0.3199/0.2248/0.2263	1.37219	0/2/0/0	0.05142
65	1	0	0.2310/0.2928/0.2125/0.2637	1.37876	0/1/0/0	n=1: unavailable
66	2	0	0.2206/0.3116/0.2339/0.2339	1.37518	0/2/0/0	0.036294
67	1	0	0.2428/0.2905/0.2226/0.2441	1.38144	0/1/0/0	n=1: unavailable
68	3	0	0.2361/0.2916/0.2307/0.2416	1.38134	0/3/0/0	0.021618
69	5	0	0.2360/0.2886/0.2305/0.2449	1.38157	0/5/0/0	0.0317
70	5	0	0.2258/0.2883/0.2418/0.2441	1.37883	0/4/1/0	0.073797
72	4	0	0.2344/0.2914/0.2266/0.2475	1.38067	0/4/0/0	0.036523
73	1	0	0.2690/0.3012/0.1817/0.2481	1.37033	0/1/0/0	n=1: unavailable
74	4	0	0.2437/0.2783/0.2207/0.2573	1.38229	0/4/0/0	0.026478
75	1	0	0.2532/0.2814/0.2196/0.2458	1.38241	0/1/0/0	n=1: unavailable
76	1	0	0.2321/0.2818/0.2405/0.2455	1.38347	0/1/0/0	n=1: unavailable
77	2	0	0.2241/0.2910/0.2289/0.2560	1.38029	0/2/0/0	0.024104
78	2	0	0.2269/0.2956/0.2243/0.2531	1.37935	0/2/0/0	0.029962
79	5	0	0.2311/0.2831/0.2299/0.2558	1.38232	0/5/0/0	0.018581

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPBLTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
80	1	0	0.2471/0.2797/0.1979/0.2752	1.37750	0/1/0/0	n=1: unavailable
81	3	0	0.2303/0.2841/0.2312/0.2544	1.38158	0/3/0/0	0.034801
83	2	0	0.2250/0.2843/0.2263/0.2644	1.37975	0/2/0/0	0.040793
84	2	0	0.2158/0.2822/0.2438/0.2583	1.38075	0/2/0/0	0.028645
85	4	0	0.2327/0.2805/0.2242/0.2626	1.38140	0/4/0/0	0.030925
86	2	0	0.2394/0.2695/0.2287/0.2624	1.38407	0/2/0/0	0.004281
87	5	0	0.2325/0.2705/0.2312/0.2658	1.38334	0/4/0/1	0.024992
89	5	0	0.2316/0.2737/0.2302/0.2645	1.38277	0/3/0/2	0.028688
90	4	0	0.2263/0.2784/0.2312/0.2642	1.38118	0/2/0/2	0.043952
91	1	0	0.2388/0.2762/0.2018/0.2833	1.37761	0/0/0/1	n=1: unavailable
92	2	0	0.2330/0.2607/0.2204/0.2859	1.38089	0/0/0/2	0.017164
93	2	0	0.2365/0.2648/0.2344/0.2643	1.38448	0/1/0/1	0.013067
94	2	0	0.2337/0.2656/0.2303/0.2705	1.38361	0/1/0/1	0.0089242
95	3	0	0.2410/0.2673/0.2202/0.2714	1.38236	0/1/0/2	0.025356
97	3	0	0.2348/0.2593/0.2297/0.2763	1.38328	0/0/0/3	0.018628
98	3	0	0.2312/0.2730/0.2304/0.2654	1.38232	0/1/0/2	0.038485
99	2	0	0.2281/0.2814/0.2126/0.2778	1.37867	0/1/0/1	0.017579
100	3	0	0.2306/0.2630/0.2293/0.2771	1.38270	0/0/0/3	0.01839
101	5	0	0.2464/0.2506/0.2248/0.2783	1.38111	0/0/0/5	0.061837
51	2	1	0.2145/0.0694/0.0664/0.6496	0.96344	0/0/0/2	0.10679
52	1	1	0.3532/0.0403/0.0986/0.5079	1.06958	0/0/0/1	n=1: unavailable
53	5	1	0.2051/0.0783/0.0619/0.6548	0.96146	0/0/0/5	0.12162
54	4	1	0.1627/0.0645/0.0585/0.7143	0.86666	0/0/0/4	0.068567
55	4	1	0.1697/0.0961/0.0483/0.6858	0.92948	0/0/0/4	0.04626
56	2	1	0.1672/0.0929/0.1491/0.5908	1.07827	0/0/0/2	0.18637
57	2	1	0.1898/0.1052/0.0903/0.6147	1.06550	0/0/0/2	0.063145
58	2	1	0.1648/0.1496/0.1247/0.5610	1.08232	0/0/0/2	0.27987
59	2	1	0.3374/0.0441/0.1569/0.4616	1.10179	1/0/0/1	0.29551

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPBLTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
60	5	1	0.1724/0.0985/0.1487/0.5804	1.08733	0/0/0/5	0.2782
61	1	1	0.2159/0.0481/0.1368/0.5992	1.05596	0/0/0/1	n=1: unavailable
62	1	1	0.1103/0.0913/0.0571/0.7413	0.84698	0/0/0/1	n=1: unavailable
63	4	1	0.2038/0.1004/0.0880/0.6078	1.01268	1/0/0/3	0.3004
64	2	1	0.1705/0.0957/0.0798/0.6540	0.99939	0/0/0/2	0.070415
65	1	1	0.1114/0.0996/0.2037/0.5853	1.11179	0/0/0/1	n=1: unavailable
66	2	1	0.1528/0.0732/0.0841/0.6898	0.93396	0/0/0/2	0.05726
67	1	1	0.1289/0.1351/0.0922/0.6437	1.03791	0/0/0/1	n=1: unavailable
68	3	1	0.1157/0.1236/0.1246/0.6360	1.03892	0/0/0/3	0.12797
69	5	1	0.1162/0.1292/0.1249/0.6297	1.04275	0/0/0/5	0.14547
70	5	1	0.1479/0.1141/0.1323/0.6057	1.07519	0/0/0/5	0.16833
72	4	1	0.1294/0.1154/0.1326/0.6227	1.05115	0/0/0/4	0.15106
73	1	1	0.3172/0.1154/0.2764/0.2911	1.32803	1/0/0/0	n=1: unavailable
74	4	1	0.1396/0.1345/0.1989/0.5270	1.14967	0/0/1/3	0.30404
75	1	1	0.1634/0.1076/0.2680/0.4610	1.24571	0/0/0/1	n=1: unavailable
76	1	1	0.1078/0.1263/0.0929/0.6730	0.98876	0/0/0/1	n=1: unavailable
77	2	1	0.1580/0.0962/0.1189/0.6269	1.03809	0/0/0/2	0.13641
78	2	1	0.1526/0.0934/0.2047/0.5492	1.10229	0/0/0/2	0.23087
79	5	1	0.1170/0.1360/0.1391/0.6079	1.09247	0/0/0/5	0.078684
80	1	1	0.2686/0.1253/0.2974/0.3088	1.33681	0/0/0/1	n=1: unavailable
81	3	1	0.1340/0.1404/0.1525/0.5731	1.12353	0/0/0/3	0.13497
83	2	1	0.2109/0.0786/0.3584/0.3521	1.19875	0/0/1/1	0.27301
84	2	1	0.1018/0.1122/0.1909/0.5951	1.08543	0/0/0/2	0.11693
85	4	1	0.0965/0.1347/0.2441/0.5246	1.15476	0/0/0/4	0.21045
86	2	1	0.0903/0.1826/0.1422/0.5848	1.11870	0/0/0/2	0.0067455
87	5	1	0.0927/0.1556/0.1607/0.5910	1.10416	0/0/0/5	0.11074
89	5	1	0.0942/0.1418/0.2260/0.5380	1.15041	0/0/0/5	0.18421
90	4	1	0.1071/0.1384/0.2091/0.5453	1.13045	0/0/0/4	0.22253

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPBLTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
91	1	1	0.2016/0.1031/0.3044/0.3909	1.28629	0/0/0/1	n=1: unavailable
92	2	1	0.1486/0.1304/0.3050/0.4160	1.26383	0/0/0/2	0.098219
93	2	1	0.0787/0.1781/0.1509/0.5923	1.10094	0/0/0/2	0.036972
94	2	1	0.0753/0.1768/0.1625/0.5853	1.10962	0/0/0/2	0.017716
95	3	1	0.0947/0.1729/0.2170/0.5154	1.17590	0/0/0/3	0.16541
97	3	1	0.0593/0.1908/0.2286/0.5213	1.14377	0/0/0/3	0.15937
98	3	1	0.1135/0.1614/0.2130/0.5121	1.17777	0/0/0/3	0.16539
99	2	1	0.1659/0.0820/0.3864/0.3656	1.23658	0/0/2/0	0.04388
100	3	1	0.0715/0.1652/0.2876/0.4757	1.17567	0/0/0/3	0.22274
101	5	1	0.0781/0.2426/0.2200/0.4593	1.19227	0/1/0/4	0.34994
51	2	2	0.2159/0.3935/0.0317/0.3588	1.04682	0/1/0/1	0.45568
52	1	2	0.4981/0.2216/0.0265/0.2538	1.12525	1/0/0/0	n=1: unavailable
53	5	2	0.1933/0.2845/0.0277/0.4945	1.06127	0/0/0/5	0.32895
54	4	2	0.1100/0.2554/0.0309/0.6038	0.98747	0/0/0/4	0.15243
55	4	2	0.0717/0.3136/0.0270/0.5877	0.95788	0/0/0/4	0.09114
56	2	2	0.2213/0.4813/0.0379/0.2595	1.06852	1/1/0/0	0.33268
57	2	2	0.1754/0.6144/0.0374/0.1728	1.02943	0/2/0/0	0.038641
58	2	2	0.1495/0.4498/0.0297/0.3709	0.74835	0/1/0/1	0.7513
59	2	2	0.4368/0.2419/0.0330/0.2883	1.15858	2/0/0/0	0.18339
60	5	2	0.1431/0.4752/0.0358/0.3460	1.01849	0/3/0/2	0.52429
61	1	2	0.3164/0.3962/0.0389/0.2485	1.20319	0/1/0/0	n=1: unavailable
62	1	2	0.0415/0.3292/0.0259/0.6034	0.89721	0/0/0/1	n=1: unavailable
63	4	2	0.1905/0.2806/0.0263/0.5026	0.93039	1/0/0/3	0.58226
64	2	2	0.1605/0.2891/0.0313/0.5191	1.02844	0/0/0/2	0.32326
65	1	2	0.0892/0.4984/0.0444/0.3679	1.06893	0/1/0/0	n=1: unavailable
66	2	2	0.1091/0.3951/0.0328/0.4630	1.04856	0/1/0/1	0.15
67	1	2	0.0462/0.3650/0.0328/0.5560	0.94842	0/0/0/1	n=1: unavailable
68	3	2	0.0536/0.4381/0.0354/0.4729	0.94705	0/1/0/2	0.33044

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPBLTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
69	5	2	0.0722/0.5309/0.0361/0.3607	0.92149	0/3/0/2	0.49107
70	5	2	0.1402/0.4768/0.0499/0.3330	0.97781	0/3/0/2	0.56412
72	4	2	0.0763/0.3309/0.0375/0.5553	0.94643	0/0/0/4	0.3343
73	1	2	0.3339/0.4440/0.0301/0.1920	1.14909	0/1/0/0	n=1: unavailable
74	4	2	0.1157/0.5508/0.0382/0.2954	0.90576	0/2/0/2	0.4916
75	1	2	0.1512/0.6561/0.0468/0.1459	0.98623	0/1/0/0	n=1: unavailable
76	1	2	0.0342/0.3483/0.0365/0.5810	0.91911	0/0/0/1	n=1: unavailable
77	2	2	0.0949/0.4328/0.0352/0.4371	1.01689	0/1/0/1	0.22289
78	2	2	0.1638/0.3731/0.0430/0.4201	1.08065	0/0/0/2	0.27772
79	5	2	0.0447/0.4469/0.0355/0.4729	0.93665	0/2/0/3	0.32499
80	1	2	0.2559/0.5805/0.0345/0.1291	1.04508	0/1/0/0	n=1: unavailable
81	3	2	0.0919/0.4748/0.0442/0.3891	1.00200	0/2/0/1	0.2346
83	2	2	0.3596/0.3877/0.0623/0.1904	1.12958	1/1/0/0	0.40844
84	2	2	0.0579/0.4367/0.0553/0.4500	1.02523	0/1/0/1	0.11482
85	4	2	0.0701/0.5452/0.0473/0.3374	0.96915	0/3/0/1	0.37392
86	2	2	0.0180/0.4420/0.0410/0.4990	0.90996	0/0/0/2	0.039129
87	5	2	0.0239/0.4406/0.0436/0.4919	0.93226	0/1/0/4	0.11177
89	5	2	0.0444/0.5838/0.0472/0.3246	0.90267	0/4/0/1	0.34746
90	4	2	0.0605/0.4887/0.0487/0.4020	0.99653	0/4/0/0	0.17341
91	1	2	0.2684/0.6189/0.0420/0.0706	0.97028	0/1/0/0	n=1: unavailable
92	2	2	0.0908/0.6269/0.0532/0.2291	0.99128	0/2/0/0	0.090979
93	2	2	0.0203/0.4342/0.0488/0.4966	0.93304	0/1/0/1	0.082962
94	2	2	0.0161/0.4744/0.0449/0.4647	0.91444	0/1/0/1	0.04697
95	3	2	0.0498/0.5750/0.0461/0.3291	0.87686	0/2/0/1	0.40029
97	3	2	0.0139/0.5796/0.0535/0.3531	0.87826	0/3/0/0	0.22214
98	3	2	0.0738/0.4670/0.0620/0.3972	1.03330	0/2/0/1	0.17345
99	2	2	0.2198/0.4157/0.0874/0.2771	1.26139	0/2/0/0	0.073734
100	3	2	0.0275/0.5582/0.0583/0.3560	0.94371	0/3/0/0	0.164

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPBLTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
101	5	2	0.0253/0.6320/0.0582/0.2845	0.82851	0/5/0/0	0.41756
51	2	3	0.2105/0.0295/0.2751/0.4848	0.97373	0/0/1/1	0.55636
52	1	3	0.3935/0.0772/0.0988/0.4306	1.15619	0/0/0/1	n=1: unavailable
53	5	3	0.2100/0.0516/0.2087/0.5297	1.00264	1/0/0/4	0.65255
54	4	3	0.1055/0.0724/0.1299/0.6922	0.88136	0/0/0/4	0.28358
55	4	3	0.1010/0.0159/0.1514/0.7316	0.80845	0/0/0/4	0.078827
56	2	3	0.2353/0.1027/0.3513/0.3107	1.19471	0/0/1/1	0.39855
57	2	3	0.3304/0.0317/0.4951/0.1428	1.08154	0/0/2/0	0.17435
58	2	3	0.0900/0.0661/0.4524/0.3915	0.63754	0/0/1/1	0.80521
59	2	3	0.2877/0.1844/0.1453/0.3825	1.29307	1/0/0/1	0.17058
60	5	3	0.0987/0.0623/0.2949/0.5440	0.98422	0/0/2/3	0.55833
61	1	3	0.2367/0.1811/0.1746/0.4076	1.32106	0/0/0/1	n=1: unavailable
62	1	3	0.0370/0.0323/0.1216/0.8091	0.66057	0/0/0/1	n=1: unavailable
63	4	3	0.1004/0.0885/0.0971/0.7140	0.76407	0/0/0/4	0.54225
64	2	3	0.1176/0.1439/0.1488/0.5897	0.92346	0/0/0/2	0.59207
65	1	3	0.0720/0.1428/0.1944/0.5908	1.09670	0/0/0/1	n=1: unavailable
66	2	3	0.0722/0.1558/0.1973/0.5747	0.96008	0/0/0/2	0.52255
67	1	3	0.0290/0.0325/0.0805/0.8580	0.54829	0/0/0/1	n=1: unavailable
68	3	3	0.0901/0.0825/0.2509/0.5765	0.82542	0/0/1/2	0.72982
69	5	3	0.0492/0.0643/0.3004/0.5860	0.88514	0/0/2/3	0.48689
70	5	3	0.0832/0.1096/0.3553/0.4519	0.80713	0/0/3/2	0.87349
72	4	3	0.0226/0.1357/0.1074/0.7342	0.72524	0/0/0/4	0.44305
73	1	3	0.1973/0.1811/0.3564/0.2653	1.34935	0/0/1/0	n=1: unavailable
74	4	3	0.0615/0.0430/0.4226/0.4730	0.69515	0/0/2/2	0.81464
75	1	3	0.0674/0.2026/0.2325/0.4975	1.19175	0/0/0/1	n=1: unavailable
76	1	3	0.0114/0.0710/0.0717/0.8458	0.56958	0/0/0/1	n=1: unavailable
77	2	3	0.0195/0.1107/0.2174/0.6525	0.85315	0/0/0/2	0.36713
78	2	3	0.0604/0.1782/0.0920/0.6694	0.86112	0/0/0/2	0.34334

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.

R105/B_input_gate | Routing: OVRPBLTW (continued)

Same fixed input-only sample; no new sampling or selection.

Exact N	n	Layer	Mean expert weights	Entropy	Top1 coverage	Max range
79	5	3	0.0256/0.1130/0.1738/0.6876	0.77915	0/0/1/4	0.53332
80	1	3	0.0635/0.1535/0.4991/0.2840	1.16695	0/0/1/0	n=1: unavailable
81	3	3	0.0129/0.1438/0.1778/0.6655	0.81294	0/0/0/3	0.28268
83	2	3	0.0980/0.2677/0.3410/0.2934	1.11357	0/0/1/1	0.51164
84	2	3	0.0188/0.2227/0.2338/0.5247	0.85856	0/0/1/1	0.64699
85	4	3	0.0411/0.2063/0.3250/0.4275	0.96601	0/0/2/2	0.69215
86	2	3	0.0051/0.0628/0.0715/0.8606	0.51742	0/0/0/2	0.019062
87	5	3	0.0051/0.0921/0.1184/0.7845	0.64545	0/0/0/5	0.31409
89	5	3	0.0208/0.1464/0.2937/0.5391	0.88159	0/0/3/2	0.63137
90	4	3	0.0173/0.1930/0.2029/0.5869	0.88231	0/1/0/3	0.56137
91	1	3	0.0314/0.2617/0.4272/0.2796	1.17928	0/0/1/0	n=1: unavailable
92	2	3	0.0209/0.1186/0.4788/0.3817	0.99089	0/0/1/1	0.34857
93	2	3	0.0035/0.1249/0.0668/0.8049	0.63331	0/0/0/2	0.026008
94	2	3	0.0024/0.0881/0.0733/0.8362	0.56731	0/0/0/2	0.04777
95	3	3	0.0168/0.1532/0.1698/0.6602	0.80670	0/0/1/2	0.50131
97	3	3	0.0122/0.1561/0.2446/0.5871	0.77742	0/0/1/2	0.68762
98	3	3	0.0110/0.1797/0.1176/0.6917	0.77677	0/0/0/3	0.39926
99	2	3	0.0318/0.3594/0.2074/0.4013	1.16055	0/1/0/1	0.1257
100	3	3	0.0051/0.2085/0.2605/0.5259	0.94805	0/0/0/3	0.44135
101	5	3	0.0125/0.0922/0.2899/0.6054	0.70304	0/0/1/4	0.75343

Graph means cover valid physical nodes only; special tokens/padding excluded.

Diversity/coverage is descriptive, not efficacy or evidence against coarse shortcuts.