R122/model vs R84A | VAL: genuine recovery and false picks

R122/model | same BASE f342aedf161db09a0883 | update 14400

Group	Winners	Rescued	Lost TP	Net TP	Current TP	False picks	New false	dRegret pp
FIXED36	4625	4	9	-5	6	13	11	0.00005
OUTSIDE36	76375	2389	4520	-2131	55437	25544	7848	0.09943
FULL18	81000	2393	4529	-2136	55443	25557	7859	0.09948

Fixed/outside regret partitions use the native winner and full-problem denominator; ALL task-equal.
False picks are grouped by the predicted method; they are NOT true recovery or evidence from a nonzero selection count.
Historical comparisons are not budget-matched new controls. Positive dRegret is worse.

R122/model vs R84A | TEST: genuine recovery and false picks

R122/model | same BASE f342aedf161db09a0883 | update 14400

Group	Winners	Rescued	Lost TP	Net TP	Current TP	False picks	New false	dRegret pp
FIXED36	4598	6	8	-2	11	12	7	0.00166
OUTSIDE36	76402	2411	4525	-2114	55574	25403	7788	0.09945
FULL18	81000	2417	4533	-2116	55585	25415	7795	0.10111

Fixed/outside regret partitions use the native winner and full-problem denominator; ALL task-equal.
False picks are grouped by the predicted method; they are NOT true recovery or evidence from a nonzero selection count.
Historical comparisons are not budget-matched new controls. Positive dRegret is worse.

R122/model vs R94B | VAL: genuine recovery and false picks

R122/model | same BASE f342aedf161db09a0883 | update 14400

Group	Winners	Rescued	Lost TP	Net TP	Current TP	False picks	New false	dRegret pp
FIXED36	4625	3	123	-120	6	13	9	0.00499
OUTSIDE36	76375	2573	4867	-2294	55437	25544	8289	0.09890
FULL18	81000	2576	4990	-2414	55443	25557	8298	0.10390

Fixed/outside regret partitions use the native winner and full-problem denominator; ALL task-equal.
False picks are grouped by the predicted method; they are NOT true recovery or evidence from a nonzero selection count.
Historical comparisons are not budget-matched new controls. Positive dRegret is worse.

R122/model vs R94B | TEST: genuine recovery and false picks

R122/model | same BASE f342aedf161db09a0883 | update 14400

Group	Winners	Rescued	Lost TP	Net TP	Current TP	False picks	New false	dRegret pp
FIXED36	4598	3	109	-106	11	12	6	0.01170
OUTSIDE36	76402	2562	4849	-2287	55574	25403	8312	0.10514
FULL18	81000	2565	4958	-2393	55585	25415	8318	0.11684

Fixed/outside regret partitions use the native winner and full-problem denominator; ALL task-equal.
False picks are grouped by the predicted method; they are NOT true recovery or evidence from a nonzero selection count.
Historical comparisons are not budget-matched new controls. Positive dRegret is worse.