


R122/model | TSP | native method observables




Selector Top1/2/3: 44.24/65.40/83.89%; posthoc best1/2/3: 33.11/62.98/71.27%




Selector Top1/2/3: 44.07/66.16/83.58%; posthoc best1/2/3: 34.53/64.91/72.33%






Posthoc best-method ranking is diagnostic only, not the fixed TRAIN SBS. Selection frequencies are not model accuracy. SHA f342aedf161db09a


R122/model | CVRP | native method observables




Selector Top1/2/3: 15.02/27.22/58.09%; posthoc best1/2/3: 18.71/37.49/61.36%




Selector Top1/2/3: 15.56/27.96/59.00%; posthoc best1/2/3: 17.93/36.27/61.02%






Posthoc best-method ranking is diagnostic only, not the fixed TRAIN SBS. Selection frequencies are not model accuracy. SHA f342aedf161db09a


R122/model | ATSP | native method observables




Selector Top1/2/3: 69.67/81.91/98.31%; posthoc best1/2/3: 47.49/76.96/85.24%




Selector Top1/2/3: 69.13/82.22/98.51%; posthoc best1/2/3: 47.24/77.18/85.40%






Posthoc best-method ranking is diagnostic only, not the fixed TRAIN SBS. Selection frequencies are not model accuracy. SHA f342aedf161db09a


R122/model | OVRP | native method observables




Selector Top1/2/3: 39.51/70.24/92.53%; posthoc best1/2/3: 35.76/70.24/92.56%




Selector Top1/2/3: 39.58/69.02/91.62%; posthoc best1/2/3: 33.64/69.02/91.60%






Posthoc best-method ranking is diagnostic only, not the fixed TRAIN SBS. Selection frequencies are not model accuracy. SHA f342aedf161db09a


R122/model | VRPB | native method observables




Selector Top1/2/3: 80.87/95.96/100.00%; posthoc best1/2/3: 80.84/85.96/100.00%




Selector Top1/2/3: 80.49/96.18/100.00%; posthoc best1/2/3: 80.40/86.07/100.00%






Posthoc best-method ranking is diagnostic only, not the fixed TRAIN SBS. Selection frequencies are not model accuracy. SHA f342aedf161db09a


R122/model | VRPL | native method observables




Selector Top1/2/3: 35.49/63.38/81.07%; posthoc best1/2/3: 33.09/63.38/80.09%




Selector Top1/2/3: 35.53/62.64/80.89%; posthoc best1/2/3: 32.27/62.64/79.16%






Posthoc best-method ranking is diagnostic only, not the fixed TRAIN SBS. Selection frequencies are not model accuracy. SHA f342aedf161db09a


R122/model | VRPTW | native method observables




Selector Top1/2/3: 79.96/98.87/99.69%; posthoc best1/2/3: 79.96/98.36/98.44%




Selector Top1/2/3: 80.96/99.09/99.78%; posthoc best1/2/3: 80.84/98.67/98.78%






Posthoc best-method ranking is diagnostic only, not the fixed TRAIN SBS. Selection frequencies are not model accuracy. SHA f342aedf161db09a


R122/model | OVRPTW | native method observables




Selector Top1/2/3: 83.80/99.33/99.76%; posthoc best1/2/3: 83.78/98.87/99.16%




Selector Top1/2/3: 83.93/99.38/99.71%; posthoc best1/2/3: 83.93/99.07/99.29%






Posthoc best-method ranking is diagnostic only, not the fixed TRAIN SBS. Selection frequencies are not model accuracy. SHA f342aedf161db09a


R122/model | OVRPB | native method observables




Selector Top1/2/3: 88.51/96.11/100.00%; posthoc best1/2/3: 88.51/94.13/100.00%




Selector Top1/2/3: 88.09/96.00/100.00%; posthoc best1/2/3: 88.13/93.82/100.00%






Posthoc best-method ranking is diagnostic only, not the fixed TRAIN SBS. Selection frequencies are not model accuracy. SHA f342aedf161db09a


R122/model | OVRPL | native method observables




Selector Top1/2/3: 40.58/69.69/91.87%; posthoc best1/2/3: 35.91/69.69/91.87%




Selector Top1/2/3: 40.00/69.76/91.38%; posthoc best1/2/3: 34.60/69.76/91.42%






Posthoc best-method ranking is diagnostic only, not the fixed TRAIN SBS. Selection frequencies are not model accuracy. SHA f342aedf161db09a


R122/model | VRPBL | native method observables




Selector Top1/2/3: 78.53/95.51/100.00%; posthoc best1/2/3: 78.51/83.71/100.00%




Selector Top1/2/3: 79.42/95.78/100.00%; posthoc best1/2/3: 79.42/84.51/100.00%






Posthoc best-method ranking is diagnostic only, not the fixed TRAIN SBS. Selection frequencies are not model accuracy. SHA f342aedf161db09a


R122/model | VRPBTW | native method observables




Selector Top1/2/3: 78.42/99.91/100.00%; posthoc best1/2/3: 78.42/99.91/100.00%




Selector Top1/2/3: 78.76/99.82/100.00%; posthoc best1/2/3: 78.76/99.82/100.00%






Posthoc best-method ranking is diagnostic only, not the fixed TRAIN SBS. Selection frequencies are not model accuracy. SHA f342aedf161db09a


R122/model | VRPLTW | native method observables




Selector Top1/2/3: 78.76/98.60/99.42%; posthoc best1/2/3: 78.76/97.98/98.16%




Selector Top1/2/3: 79.27/98.80/99.47%; posthoc best1/2/3: 79.24/98.20/98.40%






Posthoc best-method ranking is diagnostic only, not the fixed TRAIN SBS. Selection frequencies are not model accuracy. SHA f342aedf161db09a


R122/model | OVRPBL | native method observables




Selector Top1/2/3: 89.20/96.64/100.00%; posthoc best1/2/3: 89.20/93.69/100.00%




Selector Top1/2/3: 89.27/96.44/100.00%; posthoc best1/2/3: 89.29/94.16/100.00%






Posthoc best-method ranking is diagnostic only, not the fixed TRAIN SBS. Selection frequencies are not model accuracy. SHA f342aedf161db09a


R122/model | OVRPBTW | native method observables




Selector Top1/2/3: 83.56/99.98/100.00%; posthoc best1/2/3: 83.44/99.98/100.00%




Selector Top1/2/3: 84.84/100.00/100.00%; posthoc best1/2/3: 84.82/100.00/100.00%






Posthoc best-method ranking is diagnostic only, not the fixed TRAIN SBS. Selection frequencies are not model accuracy. SHA f342aedf161db09a


R122/model | OVRPLTW | native method observables




Selector Top1/2/3: 83.33/99.53/99.84%; posthoc best1/2/3: 83.49/99.09/99.22%




Selector Top1/2/3: 82.93/99.40/99.78%; posthoc best1/2/3: 82.87/98.98/99.22%






Posthoc best-method ranking is diagnostic only, not the fixed TRAIN SBS. Selection frequencies are not model accuracy. SHA f342aedf161db09a


R122/model | VRPBLTW | native method observables




Selector Top1/2/3: 79.36/99.93/100.00%; posthoc best1/2/3: 79.40/99.93/100.00%




Selector Top1/2/3: 79.82/99.93/100.00%; posthoc best1/2/3: 79.73/99.93/100.00%






Posthoc best-method ranking is diagnostic only, not the fixed TRAIN SBS. Selection frequencies are not model accuracy. SHA f342aedf161db09a


R122/model | OVRPBLTW | native method observables




Selector Top1/2/3: 83.27/100.00/100.00%; posthoc best1/2/3: 83.29/100.00/100.00%



Selector Top1/2/3: 83.58/100.00/100.00%; posthoc best1/2/3: 83.58/100.00/100.00%





Posthoc best-method ranking is diagnostic only, not the fixed TRAIN SBS. Selection frequencies are not model accuracy. SHA f342aedf161db09a