R94 | Online Timing Erratum

Status: MEASURED_ONLINE. Frozen version cf2f06bc4; original timing files preserved.

CORRECTION: the old nominal donor+selector input retained nco_nodes and nco_node_mask. The model skipped its donor. Both old covered-task columns are cached-feature selector measurements, not online donor measurements. Column differences are not donor overhead. Old includes_native_encoder=true / donor_plus_selector_measured=true claims are withdrawn.

Protocol: each task TEST rows0..127; 1 warmup + 3 reps per scope; same locked weights and rule. Native FP32 donor wrapper, resident-feature selector, and independently timed online total. The total includes native donor + original FP16 feature quantization + selector. No disk donor features. Native calls are asserted for every warmup/rep, with one encoder call per real node length.

Inputs already on GPU. Excludes dataset/checkpoint I/O, hashing, parsing/collation, FP64 local-geometry preparation, CPU-to-GPU transfer, warmup and post-timing validation. No solver decoder or full-system/I/O-inclusive end-to-end latency.

The old container /tmp input caches are unavailable. Original inputs and frozen FP64 geometry are reconstructed on CPU before measurement. All preprocessing/transfer is excluded. Integer counting hooks are included. Batch wall time /128 is amortized cost, not independent query latency.

TSP/ATSP: raw-only, donor not applicable. PENDING is unmeasured, not zero. CPU smoke outputs are not GPU performance evidence. Both arms are complete; the older B analysis described an earlier A-running snapshot.

No retraining/reselection or saved prediction changes. Quality conclusions are not recomputed. Sources: original timing receipts, final_test_lock.json, frozen r94 sources and B/ROUND_ANALYSIS.md. Full hashes and samples accompany this PDF in JSON/CSV. Only the new diagnostics script and correction directory are written; no external reviewer or verified model-routing claim.

R94/A | Old And Corrected Timing

Task	Old nominal (cached)	Old cached	Native donor	Selector	Online total
TSP	0.403637	0.393278	0.000000	0.262299	0.256919
CVRP	0.488799	0.488662	8.714714	0.319110	9.046175
ATSP	0.071193	0.070898	0.000000	0.066141	0.065667
OVRP	0.073456	0.072977	3.576302	0.070246	3.637875
VRPB	0.073150	0.072927	3.979869	0.070200	4.072113
VRPL	0.073301	0.072990	4.034958	0.070244	4.130403
VRPTW	0.073165	0.073401	3.918851	0.070102	3.976312
OVRPTW	0.073171	0.073107	3.754352	0.070392	3.821210
OVRPB	0.073385	0.072881	3.993343	0.071334	4.095717
OVRPL	0.073080	0.073038	4.047617	0.070196	4.120938
VRPBL	0.073631	0.073041	3.725867	0.070370	3.799032
VRPBTW	0.072915	0.072817	4.078873	0.070244	4.144940
VRPLTW	0.073276	0.073000	4.003690	0.070389	4.145005
OVRPBL	0.072864	0.072992	4.122929	0.070417	4.137808
OVRPBTW	0.073097	0.072877	3.924431	0.070520	4.071150
OVRPLTW	0.073228	0.073196	3.848053	0.070674	3.908250
VRPBLTW	0.072942	0.072968	3.643619	0.070311	3.712529
OVRPBLTW	0.073125	0.073002	3.998434	0.071636	4.059226

ms/instance = batch/128; fixed first128 TEST; 1 warmup + 3 reps; no I/O.

TSP/ATSP donor: not applicable. Old nominal is NOT online. PENDING: not measured.

Locked checkpoint SHA256: 872315c1bded11e1de128c5006b683b47b9aa30b9314d793bb3d0e871e6b5c42

R94/B | Old And Corrected Timing

Task	Old nominal (cached)	Old cached	Native donor	Selector	Online total
TSP	0.262168	0.261500	0.000000	0.262171	0.257076
CVRP	0.317999	0.317428	9.141558	0.321195	9.441915
ATSP	0.064552	0.064129	0.000000	0.065647	0.065796
OVRP	0.068539	0.068381	3.731810	0.069801	3.787790
VRPB	0.068998	0.068472	4.170819	0.070203	4.206541
VRPL	0.068735	0.068517	4.208422	0.069823	4.272145
VRPTW	0.068802	0.068693	4.105517	0.069673	4.154369
OVRPTW	0.068672	0.068616	3.893741	0.070583	3.980544
OVRPB	0.068922	0.068748	4.141208	0.070093	4.213735
OVRPL	0.068784	0.068531	4.219307	0.070181	4.283638
VRPBL	0.069443	0.068753	3.861358	0.069855	3.936100
VRPBTW	0.068777	0.068460	4.243019	0.069919	4.321653
VRPLTW	0.068952	0.068537	4.135353	0.069791	4.212814
OVRPBL	0.068727	0.067991	4.238570	0.069785	4.277524
OVRPBTW	0.068671	0.068324	4.105317	0.070499	4.143570
OVRPLTW	0.068635	0.068589	3.968782	0.070234	4.057266
VRPBLTW	0.068858	0.068624	3.832422	0.069981	3.876881
OVRPBLTW	0.068739	0.068639	4.055712	0.069986	4.133151

ms/instance = batch/128; fixed first128 TEST; 1 warmup + 3 reps; no I/O.

TSP/ATSP donor: not applicable. Old nominal is NOT online. PENDING: not measured.

Locked checkpoint SHA256: 8e797150d22ea138db246536f36a1b7dfa6ef3b516ee065a3303a6b6e579c3ee