R97/A | Evidence And Method Boundaries

One prelocked full18 R97/A context/weight bank; no VAL grid, no task-wise model assembly.

TabICL v2.0.2 classifier, official v2 public synthetic checkpoint; external pretraining is NOT matched compute.

Resource preset: n_estimators=1; norm_methods=[none]; full historical 81,000 TRAIN rows/task at natural frequency/order.

The full-context resource budget is predeclared, not tuned via VAL. No selector SGD or fine-tuned weights.

Input-only R92 statistics: 357 raw columns, drop only task-TRAIN constants (100-217 retained in this release).

Historical TRAIN labels are authorized context. Current query labels/winners/costs never enter forward inputs.

TRAIN self-context accuracy, epochs, SGD learning curves and training loss: N/A; no generalization claim from self labels.

SBS is fixed on R84 full 81,000-row TRAIN. Oracle is each instance's minimum in its unchanged legal candidate pool.

ALL is the equal-problem mean across 18 tasks; mixed raw mean_cost is descriptive, not a pooled objective.

vs_SBS / vs_Oracle = 100*(ratio of mean costs - 1); actual regret = mean_i[100*(selected_i-oracle_i)/oracle_i].

NSS reuses R79 historical 70,114-row TRAIN weights and saved new90k/LIB predictions; NOT a new 81,000-row retrain.

R89B is the main historical reference; R84A is secondary. Neither is a newly compute-matched control.

Retained old VAL/TEST members informed development; this is not a fully independent blind TEST.

Fewer zero-selected groups are not success: inspect true recovery, lost winners, new false picks, cost and net regret.

kv_cache=False: every predict re-encodes all 81,000 TRAIN context rows. No cached low-latency claim.

Fit total_seconds includes context read/verification; fit seconds excludes that loading. Do not add read time twice.

VAL/TEST use canonical R92 statistics caches. Timings EXCLUDE fresh raw-graph-to-statistics/cache construction.

LIB native_input_to_statistics includes native loading, geometry and 357 statistics. Recorded sums are not end-to-end latency.

Package: tabicl==2.0.2 | source revision: ba4bdbc6bb46b9307da3dbc1685109371ec5085f
Public weights: bdc7dbd5e4ff21f8f0456fcf90c6b7cdf72dbea960f2d05b19bec19f9b3d4ed0
Bank: 0f670be5c6e76a550a9e284daeb2c4f4a7f4b7352ff6712b2bdc13b52612806d

R97/A | VAL | ALL And 18 Tasks

Problem	n	Top1 %	Top2 %	Top3 %	mean_cost	SBS cost	Oracle	vs_SBS %	vs_Oracle %	Actual regret %
ALL	81000	71.128395	90.732099	96.328395	11.417186	11.427978	11.371692	-0.193229	0.394340	0.405033
TSP	4500	46.200000	72.688889	87.355556	8.025842	8.045354	7.990533	-0.242526	0.441881	0.429541
CVRP	4500	47.600000	68.666667	81.600000	18.160288	18.269377	18.064087	-0.597114	0.532555	0.721204
ATSP	4500	77.600000	95.622222	99.311111	1.637825	1.676905	1.632471	-2.330468	0.327991	0.325280
OVRP	4500	41.711111	72.911111	92.488889	7.460558	7.469579	7.415777	-0.120768	0.603871	0.616363
VRPB	4500	80.888889	97.222222	100.000000	9.354829	9.354876	9.318750	-0.000506	0.387167	0.395131
VRPL	4500	37.866667	65.111111	82.800000	12.430332	12.437959	12.383444	-0.061321	0.378637	0.384540
VRPTW	4500	79.977778	98.911111	99.711111	18.819325	18.819431	18.766139	-0.000561	0.283418	0.299418
OVRPTW	4500	83.777778	99.333333	99.666667	10.143730	10.143730	10.116859	0.000000	0.265602	0.262806
OVRPB	4500	88.511111	96.977778	100.000000	6.357254	6.357254	6.341078	0.000000	0.255104	0.265013
OVRPL	4500	41.600000	73.600000	91.666667	7.437515	7.445709	7.390416	-0.110057	0.637300	0.656749
VRPBL	4500	78.644444	96.977778	100.000000	9.370119	9.371523	9.328366	-0.014978	0.447589	0.451268
VRPBTW	4500	78.488889	99.911111	100.000000	19.949764	19.950430	19.851084	-0.003341	0.497101	0.474922
VRPLTW	4500	78.733333	98.644444	99.444444	18.765896	18.765871	18.707843	0.000135	0.310318	0.325328
OVRPBL	4500	89.200000	97.177778	100.000000	6.370093	6.370093	6.352824	0.000000	0.271836	0.283581
OVRPBTW	4500	83.444444	99.977778	100.000000	10.661098	10.661098	10.623245	0.000000	0.356326	0.330859
OVRPLTW	4500	83.422222	99.511111	99.866667	10.157589	10.157423	10.129818	0.001632	0.274147	0.276946
VRPBLTW	4500	79.355556	99.933333	100.000000	19.797261	19.797044	19.706420	0.001096	0.460970	0.447581
OVRPBLTW	4500	83.288889	100.000000	100.000000	10.610025	10.609955	10.571302	0.000658	0.366304	0.344071

Native/FP64 ind. Same frozen context/public weights and candidate pools on VAL/TEST/LIB.

SBS fitted on R84 full TRAIN; ALL is equal-problem, raw costs descriptive only.

vs_* are ratios of mean costs; actual regret is the mean of instance-relative regrets.

R97/A | TEST | ALL And 18 Tasks

Problem	n	Top1 %	Top2 %	Top3 %	mean_cost	SBS cost	Oracle	vs_SBS %	vs_Oracle %	Actual regret %
ALL	81000	71.449383	90.661728	96.337037	11.374047	11.385299	11.329932	-0.196943	0.386201	0.394650
TSP	4500	46.577778	71.200000	87.377778	7.971139	7.989621	7.937593	-0.231324	0.422619	0.414746
CVRP	4500	48.955556	69.911111	82.422222	18.008807	18.124983	17.918509	-0.640977	0.503935	0.668405
ATSP	4500	77.355556	96.111111	99.533333	1.635052	1.674207	1.629441	-2.338710	0.344348	0.342676
OVRP	4500	41.822222	72.355556	91.977778	7.445239	7.455750	7.400487	-0.140972	0.604715	0.614181
VRPB	4500	80.511111	97.177778	100.000000	9.351055	9.351810	9.315298	-0.008071	0.383853	0.388008
VRPL	4500	37.866667	64.222222	82.133333	12.348634	12.356138	12.300958	-0.060732	0.387576	0.395029
VRPTW	4500	80.911111	99.244444	99.711111	18.690158	18.690545	18.637408	-0.002074	0.283030	0.294745
OVRPTW	4500	83.933333	99.422222	99.800000	10.093063	10.093063	10.068135	0.000000	0.247590	0.238522
OVRPB	4500	88.133333	96.733333	100.000000	6.370826	6.370826	6.352225	0.000000	0.292814	0.301388
OVRPL	4500	41.977778	73.711111	91.822222	7.463581	7.472542	7.418033	-0.119910	0.614018	0.625518
VRPBL	4500	79.533333	96.933333	100.000000	9.396876	9.396379	9.355967	0.005291	0.437253	0.440052
VRPBTW	4500	78.866667	99.822222	100.000000	19.665399	19.665725	19.577666	-0.001660	0.448128	0.444958
VRPLTW	4500	79.266667	98.911111	99.600000	18.803045	18.803136	18.745143	-0.000485	0.308891	0.323144
OVRPBL	4500	89.288889	96.822222	100.000000	6.375741	6.375741	6.359310	0.000000	0.258375	0.269531
OVRPBTW	4500	84.822222	100.000000	100.000000	10.659591	10.659591	10.624748	0.000000	0.327942	0.299912
OVRPLTW	4500	82.911111	99.400000	99.688889	10.085766	10.086112	10.059001	-0.003422	0.266088	0.266661
VRPBLTW	4500	79.755556	99.933333	100.000000	19.706748	19.707068	19.613284	-0.001623	0.476534	0.454942
OVRPBLTW	4500	83.600000	100.000000	100.000000	10.662116	10.662149	10.625574	-0.000306	0.343910	0.321275

Native/FP64 ind. Same frozen context/public weights and candidate pools on VAL/TEST/LIB.

SBS fitted on R84 full TRAIN; ALL is equal-problem, raw costs descriptive only.

vs_* are ratios of mean costs; actual regret is the mean of instance-relative regrets.

R97/A | Native LIB Metrics

Dataset	n	Top1 %	Top2 %	Top3 %	mean_cost	SBS cost	Oracle	vs_SBS %	vs_Oracle %	Actual regret %
TSPLIB	49	32.653061	48.979592	73.469388	8.197021	8.240435	8.142167	-0.526841	0.673705	0.661599
CVRPLIB	100	64.000000	80.000000	88.000000	67.337521	67.245364	66.945093	0.137046	0.586194	0.590074

Same unique R97 bank as full18 VAL/TEST. Native/FP64 labels; no per-dataset tuning.

R97/A | NSS Four-Dataset Comparison

Dataset	Status	n	NSS Top1 %	R97 Top1 %	NSS cost	R97 cost
TSP TEST	complete	4500	45.888889	46.577778	7.970401	7.971139
CVRP TEST	complete	4500	45.977778	48.955556	18.004802	18.008807
TSPLIB	complete	49	20.408163	32.653061	8.217907	8.197021
CVRPLIB	complete	100	70.000000	64.000000	67.101112	67.337521

NSS: saved R79 historical70,114 TRAIN weights. No new81,000 retrain or reporter inference.

All rows and native cost columns align by instance ID / candidate name. Missing stays missing.

R97/A | Full18 TEST vs R89B (historical)

Baseline	Status	Corrected	Lost correct	Top1 delta pp	Cost delta	Regret delta pp
R89B	complete	1759	1735	0.029630	0.000576	0.005004

Main historical comparison: R89B. Secondary: R84A. Not newly compute-matched controls.

Positive cost/regret delta is worse. ALL uses equal problem weight.

Fixed36 recovery status: complete. Fewer zero-selected groups do not prove success.

R97/A | Fixed36 TEST Targets vs R89B | 1-18

Task / Target	Winners	Correct	Rescued	Lost	New false	Recall %	Regret delta pp
TSP/DIFUSCO	334	0	0	0	0	0.000000	0.000193
TSP/DIFUSCO500	42	0	0	0	0	0.000000	0.000968
TSP/LEHD	762	2	2	4	6	0.262467	0.003187
TSP/OMNI	28	0	0	0	0	0.000000	-0.000159
CVRP/RouteFinder	67	0	0	0	0	0.000000	0.002817
ATSP/GLOP	11	0	0	0	0	0.000000	-0.002683
ATSP/MATPOENET	370	26	26	0	30	7.027027	-0.022013
OVRP/MTPOMO	44	0	0	0	0	0.000000	-0.001065
OVRP/MVMOE	24	0	0	0	0	0.000000	-0.000485
OVRP/reld_mt	310	4	2	4	5	1.290323	-0.003616
VRPL/MTPOMO	149	0	0	0	0	0.000000	0.001789
VRPL/MVMOE	155	0	0	0	0	0.000000	0.000275
VRPTW/MoSES_CaDA	42	0	0	1	0	0.000000	0.000208
VRPTW/MoSES_RF	5	0	0	0	0	0.000000	0.002330
VRPTW/RouteFinder	13	0	0	0	0	0.000000	0.000000
OVRPTW/MoSES_CaDA	26	0	0	1	0	0.000000	0.002423
OVRPTW/MoSES_RF	6	0	0	0	0	0.000000	0.000000
OVRPTW/RouteFinder	10	0	0	0	0	0.000000	0.000000

Targets were frozen from R84A VAL, not redefined from R97 TEST selections.

Regret contribution is normalized by the whole task population, not just the target support.

Target CSV also includes precision, total false picks, net recovery, and new-false-pick regret.

R97/A | Fixed36 TEST Targets vs R89B | 19-36

Task / Target	Winners	Correct	Rescued	Lost	New false	Recall %	Regret delta pp
OVRPB/MTPOMO	256	0	0	6	0	0.000000	0.010573
OVRPB/MVMOE	278	0	0	6	0	0.000000	0.017817
OVRPL/MTPOMO	58	0	0	0	0	0.000000	-0.002047
OVRPL/MVMOE	34	0	0	0	0	0.000000	0.000324
VRPBL/MTPOMO	229	0	0	2	0	0.000000	0.019181
VRPBTW/MTPOMO	8	0	0	0	0	0.000000	0.000000
VRPLTW/MTPOMO	0	0	0	0	0	N/A	0.000000
VRPLTW/MoSES_CaDA	53	0	0	2	0	0.000000	0.001982
VRPLTW/MoSES_RF	9	0	0	0	0	0.000000	0.000000
VRPLTW/RouteFinder	19	0	0	0	0	0.000000	0.000000
OVRPBL/MTPOMO	219	0	0	2	0	0.000000	0.004394
OVRPBL/MVMOE	263	0	0	5	0	0.000000	0.004660
OVRPBTW/MTPOMO	0	0	0	0	0	N/A	0.000000
OVRPLTW/MVMOE	725	2	0	7	0	0.275862	0.007261
OVRPLTW/MoSES_CaDA	30	0	0	1	0	0.000000	0.000388
OVRPLTW/MoSES_RF	5	0	0	0	0	0.000000	0.000000
OVRPLTW/RouteFinder	11	0	0	0	0	0.000000	0.000000
VRPBLTW/MTPOMO	3	0	0	0	0	0.000000	0.000000

Targets were frozen from R84A VAL, not redefined from R97 TEST selections.

Regret contribution is normalized by the whole task population, not just the target support.

Target CSV also includes precision, total false picks, net recovery, and new-false-pick regret.

R97/A | Full18 TEST vs R84A (historical)

Baseline	Status	Corrected	Lost correct	Top1 delta pp	Cost delta	Regret delta pp
R84A	complete	1682	1509	0.213580	0.000203	-0.000197

Main historical comparison: R89B. Secondary: R84A. Not newly compute-matched controls.

Positive cost/regret delta is worse. ALL uses equal problem weight.

Fixed36 recovery status: complete. Fewer zero-selected groups do not prove success.

R97/A | Fixed36 TEST Targets vs R84A | 1-18

Task / Target	Winners	Correct	Rescued	Lost	New false	Recall %	Regret delta pp
TSP/DIFUSCO	334	0	0	0	0	0.000000	0.001739
TSP/DIFUSCO500	42	0	0	0	0	0.000000	0.001274
TSP/LEHD	762	2	2	0	6	0.262467	0.001354
TSP/OMNI	28	0	0	0	0	0.000000	-0.000080
CVRP/RouteFinder	67	0	0	0	0	0.000000	0.002754
ATSP/GLOP	11	0	0	0	0	0.000000	-0.002683
ATSP/MATPOENET	370	26	26	0	30	7.027027	-0.025040
OVRP/MTPOMO	44	0	0	0	0	0.000000	-0.001305
OVRP/MVMOE	24	0	0	0	0	0.000000	-0.000396
OVRP/reld_mt	310	4	3	0	6	1.290323	-0.002688
VRPL/MTPOMO	149	0	0	0	0	0.000000	0.001727
VRPL/MVMOE	155	0	0	0	0	0.000000	0.000197
VRPTW/MoSES_CaDA	42	0	0	1	0	0.000000	0.000208
VRPTW/MoSES_RF	5	0	0	0	0	0.000000	0.000000
VRPTW/RouteFinder	13	0	0	0	0	0.000000	0.000000
OVRPTW/MoSES_CaDA	26	0	0	0	0	0.000000	0.000000
OVRPTW/MoSES_RF	6	0	0	0	0	0.000000	0.000000
OVRPTW/RouteFinder	10	0	0	0	0	0.000000	0.000000

Targets were frozen from R84A VAL, not redefined from R97 TEST selections.

Regret contribution is normalized by the whole task population, not just the target support.

Target CSV also includes precision, total false picks, net recovery, and new-false-pick regret.

R97/A | Fixed36 TEST Targets vs R84A | 19-36

Task / Target	Winners	Correct	Rescued	Lost	New false	Recall %	Regret delta pp
OVRPB/MTPOMO	256	0	0	1	0	0.000000	0.000053
OVRPB/MVMOE	278	0	0	1	0	0.000000	0.003196
OVRPL/MTPOMO	58	0	0	0	0	0.000000	-0.001427
OVRPL/MVMOE	34	0	0	0	0	0.000000	0.000037
VRPBL/MTPOMO	229	0	0	0	0	0.000000	0.004147
VRPBTW/MTPOMO	8	0	0	0	0	0.000000	0.000000
VRPLTW/MTPOMO	0	0	0	0	0	N/A	0.000000
VRPLTW/MoSES_CaDA	53	0	0	0	0	0.000000	0.000000
VRPLTW/MoSES_RF	9	0	0	0	0	0.000000	0.000000
VRPLTW/RouteFinder	19	0	0	0	0	0.000000	0.000000
OVRPBL/MTPOMO	219	0	0	2	0	0.000000	0.005695
OVRPBL/MVMOE	263	0	0	2	0	0.000000	0.002967
OVRPBTW/MTPOMO	0	0	0	0	0	N/A	0.000000
OVRPLTW/MVMOE	725	2	0	2	0	0.275862	0.001901
OVRPLTW/MoSES_CaDA	30	0	0	1	0	0.000000	0.000388
OVRPLTW/MoSES_RF	5	0	0	0	0	0.000000	0.000000
OVRPLTW/RouteFinder	11	0	0	0	0	0.000000	0.000000
VRPBLTW/MTPOMO	3	0	0	0	0	0.000000	0.000000

Targets were frozen from R84A VAL, not redefined from R97 TEST selections.

Regret contribution is normalized by the whole task population, not just the target support.

Target CSV also includes precision, total false picks, net recovery, and new-false-pick regret.

R97/A | Full-Context Resource And Call Timing

Task	Context n	Columns	Fit total s	Read/verify s	Predict s	LIB input s	Recorded sum s
TSP	81000	162	6.150084	0.380629	10.533224	1.640518	22.511577
CVRP	81000	173	6.009129	0.361544	10.863262	0.464489	17.336880
ATSP	81000	100	2.204676	0.174709	5.156194	N/A	7.360869
OVRP	81000	174	4.038595	0.239015	7.632580	N/A	11.671175
VRPB	81000	175	4.146444	0.263490	7.442585	N/A	11.589029
VRPL	81000	176	3.974886	0.285351	7.447799	N/A	11.422685
VRPTW	81000	214	4.440565	0.292474	8.425300	N/A	12.865865
OVRPTW	81000	214	4.520239	0.293862	8.423446	N/A	12.943685
OVRPB	81000	175	3.926625	0.325997	7.412123	N/A	11.338748
OVRPL	81000	176	4.233626	0.258818	7.427538	N/A	11.661164
VRPBL	81000	177	4.039629	0.258053	7.502343	N/A	11.541971
VRPBTW	81000	215	4.518479	0.339944	8.414197	N/A	12.932676
VRPLTW	81000	216	4.519979	0.322893	8.451313	N/A	12.971292
OVRPBL	81000	177	3.786840	0.264992	7.435109	N/A	11.221950
OVRPBTW	81000	215	4.646063	0.337240	9.092688	N/A	13.738750
OVRPLTW	81000	216	5.086643	0.417084	8.438047	N/A	13.524690
VRPBLTW	81000	217	4.712048	0.376192	8.848915	N/A	13.560963
OVRPBLTW	81000	217	4.746329	0.408306	8.507774	N/A	13.254103


Fit total includes read/verify (do not add it twice); TSP witness fit reused in VAL, counted once.


kv_cache=False: every predict re-encodes full context; LIB input includes native loading/geometry/statistics.

VAL/TEST use cached statistics, excluding fresh raw-graph-to-statistics time. Not end-to-end latency.

R97/A | TSP | Frozen Historical TRAIN Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 0f670be5c6e76a550a9e284daeb2c4f4a7f4b7352ff6712b2bdc13b52612806d







Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; stable global-ID score ties; TEST release above, LIB original native data.

One frozen bank; no epochs, SGD, query-label inputs, inference, or checkpoint reselection in this reporter.

R97/A | CVRP | Frozen Historical TRAIN Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 0f670be5c6e76a550a9e284daeb2c4f4a7f4b7352ff6712b2bdc13b52612806d






Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; stable global-ID score ties; TEST release above, LIB original native data.

One frozen bank; no epochs, SGD, query-label inputs, inference, or checkpoint reselection in this reporter.

R97/A | ATSP | Frozen Historical TRAIN Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 0f670be5c6e76a550a9e284daeb2c4f4a7f4b7352ff6712b2bdc13b52612806d




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; stable global-ID score ties; TEST release above, LIB original native data.

One frozen bank; no epochs, SGD, query-label inputs, inference, or checkpoint reselection in this reporter.

R97/A | OVRP | Frozen Historical TRAIN Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 0f670be5c6e76a550a9e284daeb2c4f4a7f4b7352ff6712b2bdc13b52612806d




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; stable global-ID score ties; TEST release above, LIB original native data.

One frozen bank; no epochs, SGD, query-label inputs, inference, or checkpoint reselection in this reporter.

R97/A | VRPB | Frozen Historical TRAIN Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 0f670be5c6e76a550a9e284daeb2c4f4a7f4b7352ff6712b2bdc13b52612806d




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; stable global-ID score ties; TEST release above, LIB original native data.

One frozen bank; no epochs, SGD, query-label inputs, inference, or checkpoint reselection in this reporter.

R97/A | VRPL | Frozen Historical TRAIN Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 0f670be5c6e76a550a9e284daeb2c4f4a7f4b7352ff6712b2bdc13b52612806d




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; stable global-ID score ties; TEST release above, LIB original native data.

One frozen bank; no epochs, SGD, query-label inputs, inference, or checkpoint reselection in this reporter.

R97/A | VRPTW | Frozen Historical TRAIN Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 0f670be5c6e76a550a9e284daeb2c4f4a7f4b7352ff6712b2bdc13b52612806d




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; stable global-ID score ties; TEST release above, LIB original native data.

One frozen bank; no epochs, SGD, query-label inputs, inference, or checkpoint reselection in this reporter.

R97/A | OVRPTW | Frozen Historical TRAIN Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 0f670be5c6e76a550a9e284daeb2c4f4a7f4b7352ff6712b2bdc13b52612806d




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; stable global-ID score ties; TEST release above, LIB original native data.

One frozen bank; no epochs, SGD, query-label inputs, inference, or checkpoint reselection in this reporter.

R97/A | OVRPB | Frozen Historical TRAIN Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 0f670be5c6e76a550a9e284daeb2c4f4a7f4b7352ff6712b2bdc13b52612806d




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; stable global-ID score ties; TEST release above, LIB original native data.

One frozen bank; no epochs, SGD, query-label inputs, inference, or checkpoint reselection in this reporter.

R97/A | OVRPL | Frozen Historical TRAIN Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 0f670be5c6e76a550a9e284daeb2c4f4a7f4b7352ff6712b2bdc13b52612806d




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; stable global-ID score ties; TEST release above, LIB original native data.

One frozen bank; no epochs, SGD, query-label inputs, inference, or checkpoint reselection in this reporter.

R97/A | VRPBL | Frozen Historical TRAIN Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 0f670be5c6e76a550a9e284daeb2c4f4a7f4b7352ff6712b2bdc13b52612806d




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; stable global-ID score ties; TEST release above, LIB original native data.

One frozen bank; no epochs, SGD, query-label inputs, inference, or checkpoint reselection in this reporter.

R97/A | VRPBTW | Frozen Historical TRAIN Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 0f670be5c6e76a550a9e284daeb2c4f4a7f4b7352ff6712b2bdc13b52612806d




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; stable global-ID score ties; TEST release above, LIB original native data.

One frozen bank; no epochs, SGD, query-label inputs, inference, or checkpoint reselection in this reporter.

R97/A | VRPLTW | Frozen Historical TRAIN Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 0f670be5c6e76a550a9e284daeb2c4f4a7f4b7352ff6712b2bdc13b52612806d




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; stable global-ID score ties; TEST release above, LIB original native data.

One frozen bank; no epochs, SGD, query-label inputs, inference, or checkpoint reselection in this reporter.

R97/A | OVRPBL | Frozen Historical TRAIN Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 0f670be5c6e76a550a9e284daeb2c4f4a7f4b7352ff6712b2bdc13b52612806d




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; stable global-ID score ties; TEST release above, LIB original native data.

One frozen bank; no epochs, SGD, query-label inputs, inference, or checkpoint reselection in this reporter.

R97/A | OVRPBTW | Frozen Historical TRAIN Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 0f670be5c6e76a550a9e284daeb2c4f4a7f4b7352ff6712b2bdc13b52612806d




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; stable global-ID score ties; TEST release above, LIB original native data.

One frozen bank; no epochs, SGD, query-label inputs, inference, or checkpoint reselection in this reporter.

R97/A | OVRPLTW | Frozen Historical TRAIN Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 0f670be5c6e76a550a9e284daeb2c4f4a7f4b7352ff6712b2bdc13b52612806d




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; stable global-ID score ties; TEST release above, LIB original native data.

One frozen bank; no epochs, SGD, query-label inputs, inference, or checkpoint reselection in this reporter.

R97/A | VRPBLTW | Frozen Historical TRAIN Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 0f670be5c6e76a550a9e284daeb2c4f4a7f4b7352ff6712b2bdc13b52612806d




Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; stable global-ID score ties; TEST release above, LIB original native data.

One frozen bank; no epochs, SGD, query-label inputs, inference, or checkpoint reselection in this reporter.

R97/A | OVRPBLTW | Frozen Historical TRAIN Context

Data: selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018
Bank SHA256: 0f670be5c6e76a550a9e284daeb2c4f4a7f4b7352ff6712b2bdc13b52612806d



Top1 = 100 * mean(pred == native winner), NOT the largest selection share.
Saved native/FP64 ind; stable global-ID score ties; TEST release above, LIB original native data.

One frozen bank; no epochs, SGD, query-label inputs, inference, or checkpoint reselection in this reporter.