R124 | update 5760 | selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018





Winner: saved native/FP64 ind, NOT FP32 argmin. Fixed candidate order; true-winner frequency is NOT model accuracy.

R124 | update 5760 | selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018





Winner: saved native/FP64 ind, NOT FP32 argmin. Fixed candidate order; true-winner frequency is NOT model accuracy.

R124 | update 5760 | selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018



Winner: saved native/FP64 ind, NOT FP32 argmin. Fixed candidate order; true-winner frequency is NOT model accuracy.

R124 | update 5760 | selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018



Winner: saved native/FP64 ind, NOT FP32 argmin. Fixed candidate order; true-winner frequency is NOT model accuracy.

R124 | update 5760 | selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018



Winner: saved native/FP64 ind, NOT FP32 argmin. Fixed candidate order; true-winner frequency is NOT model accuracy.

R124 | update 5760 | selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018



Winner: saved native/FP64 ind, NOT FP32 argmin. Fixed candidate order; true-winner frequency is NOT model accuracy.

R124 | update 5760 | selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018



Winner: saved native/FP64 ind, NOT FP32 argmin. Fixed candidate order; true-winner frequency is NOT model accuracy.

R124 | update 5760 | selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018



Winner: saved native/FP64 ind, NOT FP32 argmin. Fixed candidate order; true-winner frequency is NOT model accuracy.

R124 | update 5760 | selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018



Winner: saved native/FP64 ind, NOT FP32 argmin. Fixed candidate order; true-winner frequency is NOT model accuracy.

R124 | update 5760 | selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018



Winner: saved native/FP64 ind, NOT FP32 argmin. Fixed candidate order; true-winner frequency is NOT model accuracy.

R124 | update 5760 | selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018



Winner: saved native/FP64 ind, NOT FP32 argmin. Fixed candidate order; true-winner frequency is NOT model accuracy.

R124 | update 5760 | selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018



Winner: saved native/FP64 ind, NOT FP32 argmin. Fixed candidate order; true-winner frequency is NOT model accuracy.

R124 | update 5760 | selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018



Winner: saved native/FP64 ind, NOT FP32 argmin. Fixed candidate order; true-winner frequency is NOT model accuracy.

R124 | update 5760 | selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018



Winner: saved native/FP64 ind, NOT FP32 argmin. Fixed candidate order; true-winner frequency is NOT model accuracy.

R124 | update 5760 | selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018



Winner: saved native/FP64 ind, NOT FP32 argmin. Fixed candidate order; true-winner frequency is NOT model accuracy.

R124 | update 5760 | selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018



Winner: saved native/FP64 ind, NOT FP32 argmin. Fixed candidate order; true-winner frequency is NOT model accuracy.

R124 | update 5760 | selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018



Winner: saved native/FP64 ind, NOT FP32 argmin. Fixed candidate order; true-winner frequency is NOT model accuracy.

R124 | update 5760 | selection_data_new90k_B_filtered_single_reld_mt_seed2_20261018



Winner: saved native/FP64 ind, NOT FP32 argmin. Fixed candidate order; true-winner frequency is NOT model accuracy.