R78 | 真实会赢但模型零选择：六轮实验回顾

Read-only history | original metrics and actual candidates, not retained fallback metrics

结论：六轮均未产生通过当轮 gate 的改进；当前保留 R77B，总目标尚未达成。

下表为每轮原基线 -> 实际候选；基线不同，不是同条件排行榜。Top1 与 regret 单位均为 %。

Round	Original baseline	Mechanism	Actual updates	VAL Top1 (%) base -> actual	VAL regret (%) base -> actual	VAL mean_cost base -> actual	Status / TEST
001	R76 ep18	Frozen R76 sum-zero CE offsets	540,000	69.236913 -> 69.379546	0.464503 -> 0.467179	11.402474922 -> 11.402575925	inconclusive 1/18 converged cost gate failed TEST: no
002	R76 ep18	Frozen R76 cost-weighted quadratic K-1 offsets / SVRG	253,000	VAL not evaluated	VAL not evaluated	VAL not evaluated	inconclusive 14/18 converged VAL not evaluated TEST: no
003	R77B ep28/u34776	Matched continuation C: original risk T: new 0.02 risk	29,808	B 70.894309 C 70.814434 T 70.828698	B 0.401327 C 0.410926 T 0.413111	B 11.395558344 C 11.395855343 T 11.395991602	closed negative 0/6 endpoint gates finite budget only TEST: no
004	R77B ep28/u34776	Frozen B probability-to-cost head	24,840	70.894309 -> 67.947511	0.401327 -> 0.492726	11.395558344 -> 11.407802464	closed negative all 3 gates failed TEST: no
005	R77B ep28/u34776	Fixed A/B probability average	0	70.894309 -> 70.753102	0.401327 -> 0.402753	11.395558344 -> 11.395610637	closed negative all 3 gates failed TEST: no
006	R77B ep28/u34776	Cost-profile neighborhood loss	14,904	70.894309 -> 70.801597	0.401327 -> 0.412334	11.395558344 -> 11.395979870	closed negative all 3 gates failed TEST: no

001/002: inconclusive; 未证明已收敛。不能将有限计算的失败等同于机制被否证。

004/005/006 主表使用 fitted / ensemble / fitted，不使用未变的 fallback_B 指标。

VAL ALL 为 18 题等权，每题 3,895 例（共 70,110）。R2 没有候选 VAL；R3 列 B / control / treatment 最终实际端点。

关闭某轮试验不等于长期目标完成。本次仅回顾，不提出或启动新试验。

预算、零选择组与逐例纠正

Read-only history | original metrics and actual candidates, not retained fallback metrics

Round	Count split 18 tasks	Zero/winner method pairs	Winner rows in dynamic zero groups	Changed	Corrected	Harmed	Wrong->wrong
001	VAL 3,895/task	54 -> 54	not recorded -> not recorded	2355	740	640	975
002	TRAIN 70,114/task	55 -> 21	not recorded -> not recorded	not recorded	143169	503105	not recorded
003	VAL +4968 only 3,895/task	30 -> 27	not recorded -> not recorded	not recorded	not recorded	not recorded	not recorded
004	VAL 3,895/task	30 -> 23	2648 -> 1441	10024	3276	5342	1406
005	VAL 3,895/task	30 -> 33	2648 -> 3268	2444	751	850	843
006	VAL 3,895/task	30 -> 26	2648 -> 1959	1933	641	706	586

zero-with-winner = native winner 数 > 0 且选择数 = 0；组合数减少不等于原漏选行被纠正。R2 计数为 TRAIN，不是 VAL。

R3 计数仅为 +4968（control/treatment 均 27）；最终 fallback 变化表的全零不是实际候选未变。缺失计数不补造。

001 | 540,000 CPU updates (30,000/task), batch1,024; only 1/18 passed two successive convergence checks.

002 | 253,000 CPU updates + 271 full-gradient snapshots (not updates); 14/18 converged, 4 hit 30,000; no candidate VAL.

003 | 29,808 GPU updates total (14,904/arm), batch1,024; fixed +4,968/+9,936/+14,904; 0/6 endpoint gates passed.

004 | 24,840 CPU updates; 1,380/task; batch 1,024; fit 21.50s

005 | 0 updates; one cached VAL screen, 70,110 rows; CPU 0.290s

006 | 14,904 GPU updates; 828/task; batch 1,024; single 4090; 4,858.43s

R2 | TRAIN ONLY: 70,114/task, 18 tasks (1,262,052 total)

TRAIN rule	Top1 (%)	regret (%)	mean_cost
R76	69.369646	0.460650092	11.373004840
Fitted	40.849743	2.826220296	11.653491213

R2 b* TRAIN reference: Top1=40.849505409%,

regret=2.826224389%; only 27 predictions differ; not deployed.

R3 | actual VAL endpoints (C / T); n=70,110 each

Update	C Top1 (%)	C regret (%)	T Top1 (%)	T regret (%)
+4,968	70.921409	0.405973048	70.897162	0.407708383
+9,936	70.850093	0.408499816	70.832977	0.410676066
+14,904	70.814434	0.410925983	70.828698	0.413110693

Both arms: every endpoint cost/regret worse than B; 0/6 passed.

005: 0.290s = cached processing, not deployment latency. Lower CE / fewer zero groups do not override cost gates.

边界与已有完整版本参照

Read-only history | original metrics and actual candidates, not retained fallback metrics

R76 -> R77B | 只对已完成 TEST 的事后描述，不是某轮 R78 干预的成绩

Existing TEST comparison	R76	R77B
Zero-with-winner task-method groups	52	26
Fixed 14,077 original missed winners: true hits	0 / 14,077	703 / 14,077 (4.9940%)
TSP / LEHD: selected / native winner support	0 / 637	0 / 637
ALL18 Top1 (%)	69.439452	71.225218
ALL18 actual regret (%)	0.464143599	0.394014312

52 类中 26 类出现非零选择，不代表这些类的 winner 已全修复；固定原集合仍漏 13,374 例。

R76 / R77B 同时改变了训练批大小、预算等条件，不能归因为 batch 单因素；也不证明 R78 的修复成功。

004 减少 zero 组合但 TRAIN / VAL 成本与 Top1 均变差；005 降低 CE 但三项 gate 均失败。

006 仅为一个种子的有限试验；与 B 比较同时包含额外训练与新目标，不作唯一机制归因。

006 另有历史 final14904 control（不是 fallback）: VAL Top1=70.814434%, regret=0.410925983%, cost=11.395855343.

该 control 来自 R3，不是 R6 新鲜随机对照；TRAIN 指标未记录。各轮复用 VAL，不是独立确认。

来源：round001-006 原结果/协议、GOAL.md 当前结案摘要、final_delivery/USER_TASKS_SUMMARY.md。

已有 TEST 参照：final_delivery/R76_R77_TEST_COLD_COUNTS.md。可追溯来源路径与完整精度在同目录 CSV / Markdown。

所有数字仅整理现成结果，不加载模型或预测矩阵，不更改原报告、goal、预算或规则。