


Quick Navigation Component

Project: HTML Tags Cheat Sheet • **Author:** Kaustubh Singh • **Format:** Reusable Component Specification

1. Overview & Architecture

The **Quick Navigation Component** is an interactive header bar integrated across all 60 HTML tag pages. It enables users to jump directly between any HTML tag page instantly using a native dropdown menu, or return to `index.html` with a single click without using browser history back buttons.

2. Live Component Visual Preview



3. HTML Component Code

Place this markup inside the `<main>` container at the top of each tag page:

```
<!-- Quick Navigation Component -->
<nav class="quick-nav">
  <a href="index.html" class="home-btn">&larr; All Tags (Index)</a>

  <div class="nav-selector">
    <label for="tagJump"><strong>Jump to Tag:</strong></label>
    <select id="tagJump" onchange="if(this.value) window.location.href=this.value;">
      <option value="">-- Choose a Tag to Switch --</option>
      <option value="Abbreviation.html">&lt;abbr&gt; Abbreviation</option>
      <option value="Address.html">&lt;address&gt; Address</option>
      <option value="Anchor.html">&lt;a&gt; Anchor</option>
      <!-- Highlight active page -->
      <option value="Dialog.html" selected="selected">&lt;dialog&gt; Dialog Modal</option>
      <!-- ... remaining 56 tag options ... -->
    </select>
  </div>
</nav>
```

4. CSS Stylesheet (style.css)

The styling is fully responsive and integrates with standard CSS design variables:

```
/* =====  
Quick Navigation Component Styles  
===== */  
.quick-nav {  
  display: flex;  
  justify-content: space-between;  
  align-items: center;  
  background: #ffffff;  
  padding: 12px 18px;  
  border-radius: 10px;  
  margin-bottom: 24px;  
  border: 1.5px solid #e2e8f0;  
  box-shadow: 0 1px 3px 0 rgba(0, 0, 0, 0.07);  
  flex-wrap: wrap;  
  gap: 12px;  
}  
  
.quick-nav .home-btn {  
  display: inline-flex;  
  align-items: center;  
  gap: 6px;  
  background: #eff6ff;  
  color: #2563eb;  
  border: 1px solid #bfdbfe;  
  padding: 8px 14px;  
  border-radius: 6px;  
  text-decoration: none;  
  font-weight: 600;  
  font-size: 0.92rem;  
  transition: all 0.2s ease;  
}  
  
.quick-nav .home-btn:hover {  
  background: #2563eb;  
  color: #ffffff;  
  box-shadow: 0 2px 4px rgba(37, 99, 235, 0.25);  
}  
  
.quick-nav .nav-selector {  
  display: flex;  
  align-items: center;  
  gap: 10px;  
}  
  
.quick-nav .nav-selector label {  
  font-weight: 600;  
  color: #0f172a;  
  font-size: 0.92rem;  
}
```

```
.quick-nav select {
  margin: 0;
  padding: 8px 12px;
  border-radius: 6px;
  border: 1.5px solid #cbd5e1;
  font-size: 0.92rem;
  font-weight: 500;
  color: #0f172a;
  background-color: #ffffff;
  cursor: pointer;
  max-width: 280px;
  transition: border-color 0.2s, box-shadow 0.2s;
}

.quick-nav select:focus {
  border-color: #3b82f6;
  outline: none;
  box-shadow: 0 0 0 3px rgba(59, 130, 246, 0.2);
}

/* Mobile Responsive Optimization */
@media (max-width: 600px) {
  .quick-nav {
    flex-direction: column;
    align-items: stretch;
  }
  .quick-nav .nav-selector {
    flex-direction: column;
    align-items: stretch;
  }
  .quick-nav select {
    max-width: 100%;
  }
}
```

5. Key Technical Highlights

- **Instant Navigation (Zero-Library JavaScript):** Uses inline `onchange="if(this.value) window.location.href=this.value;"` for immediate zero-dependency URL redirection.
- **Active Page State:** Automatically marks the current page with `selected="selected"` in the dropdown so the user always knows their current location.
- **Mobile & Desktop Responsive:** Flexbox container gracefully wraps on small screens, ensuring full touch accessibility.