

AI Translator Cheat Sheet



Language Codes

 English (USA) - en-US

 English (UK) - en-GB

 English (Australia) - en-AU

 English (Canada) - en-CA

 Japanese - ja

 Chinese - zh

 German - de

 Hindi - hi

 French (France) - fr-FR

 French (Canada) - fr-CA

 Korean - ko

 Portuguese (Brazil) - pt-BR

 Portuguese (Portugal) - pt-PT

 Italian - it

 Spanish (Spain) - es-ES

 Spanish (Mexico) - es-MX

 Indonesian - id

 Dutch - nl

 Turkish - tr

 Filipino - fil

 Polish - pl

 Swedish - sv

 Bulgarian - bg

 Romanian - ro

 Arabic (Saudi Arabia) - ar-SA

 Arabic (UAE) - ar-AE

 Czech - cs

 Greek - el

 Finnish - fi

 Croatian - hr

 Malay - ms

 Slovak - sk

 Danish - da

 Tamil - ta

 Ukrainian - uk

 Russian - ru

A. Uploading Your File

- `file` (*file*)

Upload the audio or video file you want to dub. This is the original content that will get the new voice-over.

B. Naming Your Project

- `name` (*string*)

Give your project a name so you can easily identify it later. For example, "Marketing Video Spanish Dub."

C. Source Information

- `source_url` (*string*)

If your file is already online, you can provide its URL instead of uploading it. For example, <https://example.com/video.mp4>.

- `source_lang` (*string, default: auto*)

The language of your original content. If you're not sure, set it to auto, and the API will try to detect it for you.

D. Target Language

- `target_lang` (*string*)

The language you want to dub your content into. Use the ISO 639-1 code (e.g., en-US for American English, fr-FR for French).

E. Number of Speakers 🗣️

- `num_speakers` (*integer, default: 0*)

Specify how many different voices (speakers) are in your original content.

- 0: Let the API automatically detect the number of speakers.
- 1, 2, 3, ...: Manually set the number of speakers.

F. Watermark 🖼️

- `watermark` (*boolean, default: false*)

Decide whether to add a small logo or text (watermark) to your dubbed video.

- true: Add a watermark.
- false: No watermark.

G. Time Settings 🕒

- `start_time` (*integer*)

The point (in seconds) where dubbing should start in your original file.

Example: 30 starts dubbing 30 seconds into the video.

- `end_time` (*integer*)

The point (in seconds) where dubbing should end in your original file.

Example: 120 ends dubbing at 2 minutes

H. Video Resolution 📺

- `highest_resolution` (*boolean, default: false*)

Choose the quality of the output video.

- true: Use the highest available resolution.
- false: Use standard resolution.

I. Background Audio 🎵

- `drop_background_audio` (*boolean, default: false*)

Remove the original background sounds from your video/audio to make the new voice-over clearer.

- `true`: Remove background audio.
- `false`: Keep background audio.

J. Profanity Filter

- `use_profanity_filter` (*boolean*)

(*BETA Feature*) Decide whether to automatically censor bad words in the transcript.

- `true`: Replace bad words with "[censored]".
- `false`: Keep all words as they are.