SMART SENSOR & CONTROL

Leaping forward as a global Smart Mobility Control Innovator leading the future mobility industry.

영문 상이함.
홈페이지 기준 수정



E카탈로그 page2

ABOUT US

COMPANY OVERVIEW

With electrification and intelligence at the core, we are reorganizing our portfolio around integrated mobility modules, control software, and data-driven solutions.

As a technology-driven company supplying smart sensors and actuators to global Tier-1 clients, EMT has established exceptional quality reliability, cost efficiency, and on-time delivery. Moving beyond hardware, we are evolving into an IoT-, software-, and data-driven automotive solutions provider, pioneering the future alongside our customers.

Company Name	EMT Co., Ltd.
CEO	YungHo Koh
Establishment	July 14, 2010
Headquarters	Busan, Republic of Korea
Main Business	Smart sensors, Actuators, Controllers
Certifications	IATF 16949, ISO 14001

"Headquarters"만 삭제

R&D Experience

100+

With over 30 years of accumulated R&D experience, we continuously innovate smart mobility control technology, enhancing efficiency and advancement across industries

Global Client Partnerships

30+

We collaborate with over 30 global customers, providing customized solutions and establishing ourselves as a trusted partner in various industrial environments

Patents & Technical Certifications

50+

With over 50 patents and technical certifications, we prove EMT's proprietary technology and global competitiveness, providing innovative solutions

영문 상이함.
홈페이지 기준 수정

02 / 14

EMT
Smart sensor & Control

As a technology-driven company supplying smart sensors and actuators to global Tier-1 clients, EMT has established exceptional quality reliability, cost efficiency, and on-time delivery. Moving beyond hardware, we are evolving into an IoT-, software-, and data-driven automotive solutions provider, pioneering the future alongside our customers

R&D Experience

100+

With over 30 years of R&D experience, we continue to innovate smart mobility control technologies while improving efficiency and safety across the industry

Global Client Partnerships

30+

We collaborate with more than 30 customers worldwide, delivering customized solutions and establishing ourselves as a trusted partner across diverse industries

Patents & Technical Certifications

50+

With over 50 patents and technical certifications, we demonstrate EMT's proprietary technology and global competitiveness while delivering innovative solutions

OK

E카탈로그 page3



위 오렌지 box로 표시된 4곳(1~4)의 영문내용 교정전 내용임.
오른쪽 홈페이지 text와 detail한 부분들 상이한 곳 다수임.
홈페이지 참조하여 수정요망.

E카탈로그 page4





E카탈로그 영문 작업시 한글의 일부문장만 번역한것으로 보임. E카탈로그를 한글로 전환해서 보면 현재 반영된 영문이 한글과 다름. 홈페이지에 있는 내용대로 update 요망.

E카탈로그 page5





(1) 1번 타이틀 설명 다름. 홈페이지 기준 수정요망
(2) 각 sector내용 모두 상이함. 위에는 1번만 예시로 보여줌. 아래 나열한 모든 섹터 내용 다름. 수정요망

- AGV / AMR Navigation
- Physical AI
- Personal Mobility / Assistive Tech
- Drone Delivery Control
- Maritime Autonomy Systems

E카탈로그 page6

EMT
Smart sensor & Control

About us Mobility Products Support KR EN

ABOUT US

SUSTAINABILITY & ESG

1

We develop eco-friendly products through energy-efficient design and low-power technology, and pursue sustainable value creation through transparent ESG management and ethical supply chain construction.



Environmental

Low-power hardware, lightweight and modular design, hazardous substance reduction, and eco-friendly manufacturing

2

Social

Employee welfare programs, diversity and inclusion, and community contribution

Governance

Board independence and diversity, shareholder rights protection and transparent, ethical management

3

EMT
Smart sensor & Control

KR EN

Sustainability & ESG

We pursue sustainable growth with our partners and uphold global ESG standards through transparent governance.



Environmental

Low-power hardware, lightweight modular architecture, hazardous substance minimization, and sustainable manufacturing

Social

Employee welfare programs, diversity and inclusion, and community contribution

Governance

Securing board independence and diversity, safeguarding shareholder rights, and upholding transparent and ethical governance

1~3번 세부내용 상이함. 홈페이지 기준 수정요망

E카탈로그 page7





1. 1번은 영문 이 상이함. 홈페이지 기준 수정요망
2. 2번은 제품 개수나 이미지는 동일그러나 제품 이름이나 설명이 상이한 경우가 다수임. 홈페이기 기준 수정요망.

MOBILITY PRODUCTS

SENSORS

E카탈로그 page8-13

PTC Heater

A self regulating electric heater that uses the resistance characteristics of a ceramic semiconductor to automatically limit current above a certain temperature

Limit Sensor

A precision detection sensor that senses the operating range of a mechanical device or outputs a switching signal when the preset limit position is reached

Resolver Sensor

An analog angle-detection sensor that converts mechanical angular displacement into electrical signals using electromagnetic induction

Position Indicator Switch

A sensor switch mounted on the transfer case that detects the current drive mode such as 2H 4H or 4L and sends the signal to the ECU

Transmission Position Sensor

A sensor that detects the gear lever position such as P R N D in an electric vehicle transmission system and sends the information to the ECU and instrument cluster

현재 대조해본바로 홈페이지 기준 정확히 제품 설명이 일치하지 않는 경우가 대다수임. 홈페이기 기준으로 제품 설명 일치하도록 수정 요망.

PTC Heater

A self-regulating electric heater that automatically limits current above a certain temperature by utilizing the resistance characteristics of ceramic semiconductors.

Limit Sensor

A precision detection sensor that identifies the operating range of mechanical devices and outputs a switching signal when a preset limit position is reached.

Resolver Sensor

An analog angle detection sensor that converts mechanical angular displacement into electrical signals using electromagnetic induction.

E카탈로그 제품상세 페이지

Sensor

Position Indicator Switch

A sensor switch mounted on the transfer case that detects the current drive mode such as 2H 4H or 4L and sends the signal to the ECU and verifies whether the selected four wheel drive mode is properly engaged and displays the status on the instrument cluster.

Operating voltage: DC 5V ±0.05V
Output type: Linear Potentiometer Output
Detection type: Mechanical contact type for position detection
Thread size: M16 x 1.5 depending on vehicle model
Operating temperature: –40˚C to +135˚C
Ingress protection: IP67 or higher
Connector type: 2 pin or 3 pin

OP. TEMP	IP RATING	CONNECTOR
-40°C - +135°C	IP67 or higher	2 or 3 pin

내용이 완벽히 일치하지 않는 상태임. 일부 내용 상이함. 홈페이지 기준 update 요망.

모든 제품에 대해서 동일하게 확인작업 및 조치 요망.

KR EN

Inquiry

Details

A sensor/switch mounted on the transfer case that detects the current driving mode (2H, 4H, 4L, etc.) and transmits signals to the ECU. It confirms whether the 4WD mode selected by the driver is properly engaged and displays it on the instrument cluster

Operating voltage: DC 5V ±0.05V
Output type: Linear Potentiometer Output
Detection Method: Mechanical contact type (Position sensing)
Thread size: M16 x 1.5 (depending on vehicle model)
Operating temperature: –40°C to +135°C
Protection rating : IP67 and above
Connector type: 2 pin or 3 pin

E카탈로그 page14

EMT
Smart sensor & Control

About us | Mobility Products | Support | KR EN

Support

DIRECTIONS

We enhance safety and efficiency in mobility control and automation for automobiles, motorcycles, and robotics, driving sustainable industrial growth and creating long-term value for our customers

Headquarters and Research Center

Headquarters

Room 204, Gyeongnam Technopark, 88 Somang gil, Juchon myeon, Gimhae si, Gyeongsangnam do, Republic of Korea

Research Center

45, Bansong-ro 525beon-gil, Haeundae-gu, Busan, Republic of Korea

Contact

Tel. +82-55-339-6661
emetrotech@daum.net

EMT
Smart sensor & Control

KR EN

Support | Directions

Support

Directions

EMT grows together with its customers through technology and innovation, and we always welcome your visit

Headquarters and Research Center



홈페이지 기준 위 표시내용 수정 요망