	<p align="center">PES UNIVERSITY, Bangalore (Established under Karnataka Act No. 16 of 2013)</p>	
<p align="center">Department of Computer Science & Engineering Automata Formal Languages & Logic</p>		


Question Bank – Equivalence of RG & FA

Questions from the Prescribed Textbook

Topic	Exercise No.	Question No's
Finite automata to regular grammar	3.3	Q2-Q7, Q10-Q13, Q16
Regular grammar to finite automata	3.3	Q1
Regular Expression to regular grammar	3.3	Q2-Q7, Q10-Q13, Q16

Extra Questions

1. Convert the finite automata to regular grammar.






PES UNIVERSITY, Bangalore
(Established under Karnataka Act No. 16 of 2013)


Department of Computer Science & Engineering

Automata Formal Languages & Logic

2. Convert the finite automata to regular grammar.



3. Convert the automata to regular grammar.




4. Convert the regular grammar to finite automata.

$S \rightarrow aaaS \mid aA \mid aaB \mid C$

$A \rightarrow bbC$

$B \rightarrow bC$

$C \rightarrow bbbC \mid \lambda$

	<p align="center">PES UNIVERSITY, Bangalore (Established under Karnataka Act No. 16 of 2013)</p>	
<p>Department of Computer Science & Engineering</p> <p>Automata Formal Languages & Logic</p>		

5. Convert the regular grammar to finite automata.

$S \rightarrow 0A \mid 1S \mid \lambda$

$A \rightarrow 0A \mid 1B \mid \lambda$

$B \rightarrow 1S \mid 0C \mid \lambda$

$C \rightarrow 0C \mid 1C$

6. Convert the regular grammar to finite automata.

$S \rightarrow 1S \mid 0A \mid \lambda$


$A \rightarrow 0A \mid 1B \mid \lambda$

$B \rightarrow 1S \mid 0C \mid \lambda$

$C \rightarrow 0C \mid 1C$

7. Match the Regular expression with regular grammar.

Regular Expression	Regular Grammar
$(0+10^*10^*)^*$	$S \rightarrow 0S \mid 1A \mid \lambda$ $A \rightarrow 1S \mid 0B$ $B \rightarrow 0A \mid 1B$
$(1+0)^*10(1+0)^*$	$S \rightarrow 0A$ $A \rightarrow 10A0 \mid B$ $B \rightarrow 1$
$(0+1(01^*0)^*1)^*$	$S \rightarrow 0S \mid A \mid \lambda$ $A \rightarrow 1B$ $B \rightarrow 0A \mid 1A \mid 0 \mid 1$
$0^*(1(0+1))^*$	$S \rightarrow 1A \mid 0S \mid \lambda$ $A \rightarrow 1S \mid 0A$

	<p align="center">PES UNIVERSITY, Bangalore (Established under Karnataka Act No. 16 of 2013)</p>	
<p align="center">Department of Computer Science & Engineering Automata Formal Languages & Logic</p>		

$0^*(10)^*1(0)^*$	$S \rightarrow 0S \mid 1A$ $A \rightarrow 1A \mid 0B$ $B \rightarrow 1A \mid 0B \mid \lambda$
-------------------	---

8. Convert the regular expression $b^*ab^*(ab^*ab^*)^*$ to right linear grammar .
9. Convert the regular expression $((aa)^*(bb)^*b + (aa)^*a(bb)^*)(cc)^*$ to regular grammar.
10. Convert the regular expression $(b + \lambda)(a(a + \lambda)^*(b + \lambda))^*(a + \lambda)^*$ to regular grammar.