	Home	My Courses >	UE19CS202	2 : Data Stru	ictures and	its Applicatio	ons > Binary ⁻	Trees: Basic	Concept a	nd De
	My Courses	A\/ C	Livo Video	Clides	Natas	Гожите	Assissments	OB	0.4	
	Time Table	AV Summary	Live Video	Slides	Notes	Forums	Assignments	QB	QA	N
鼬	My Attendance									
*	Results									
<u>//</u>	Seating Info	1) Which	1) Which of the following number of nodes can form a full binary tree?							
D ≡+	Video Archives	O 8								
900	Calender	<u> </u>								
	Announcements									
B	My Profile	O 14								
	Backlog Registration	O 13								
	Assignments						n that order into a			earch t
	ISA Enrolment	the us	ual ordering o	n natural nu	mbers. What	is the in-orde	r traversal seque	nce of the res	ultant tree?	
2	Placement info	O 751	0324689							
		O 2 4	3165987							
		O 1 2	3456789							
		O 9864230157								
		3) What i	s the postfix e	(*) (c	* +	е				
		o abcd	e++**							
		O ab+c	○ ab+cde+**							
		O abc+	de+**							
○ abcd+*e+*										
		4) With what data structure can a priority queue be implemented?								
		○ Array	′							
		C List								
		О Неар								

5)	A binary tree T has 20 leaves. The number of nodes in T having two children is:
	O 18
	O 19
	O 17
	 Any number between 10 and 20
6)	The preorder traversal sequence of a binary search tree is 30, 20, 10, 15, 25, 23, 39, 35, 42. Which one of the traversal sequence of the same tree?
	0 10, 20, 15, 23, 25, 35, 42, 39, 30
	15, 10, 25, 23, 20, 42, 35, 39, 30
	O 15, 20, 10, 23, 25, 42, 35, 39, 30
	15, 10, 23, 25, 20, 35, 42, 39, 30
7)	Consider a node X in a Binary Search Tree. Given that X has two children, let Y be the Inorder successor of X. about Y?
	O Y has no right child
	O Y has no left child
	O Y has both children
	○ None of these
8)	The number of different binary trees with 6 nodes is
	○ 6
	O 42
	O 132
	○ 256
9)	A full binary tree with n leaves contains
	○ n nodes
	○ log ₂ n nodes
	2n-1 nodes
	○ 2 ⁿ nodes

O All of these

10)	The following three are known to be the preorder, inorder and postorder sequences of a binary tree. But it MBCAFHPYK
	KAMCBYPFH
	MABCKYFPH
	Pick the true statement from the following:
	I and II are preorder and inorder sequences respectively
	I and III are preorder and postorder sequencesrespectively
	Il is the inorder sequence, but nothing more can be said about the other two sequences
	II and III are the preorder and inorder sequencesrespectively
11)	In which of the following trees, parent node has a key value greater than or equal to the key value of both c
	O Binary search tree
	○ Threaded binary tree
	○ Complete binary tree
	○ Max-heap
12)	The height of a tree is the length of the longest root-to-leaf path in it. The maximum and minimum number height 5 is:
	○ 63 and 6respectively
	○ 64 and 5respectively
	32 and 6respectively
	○ 31 and 5respectively
13)	If we remove the root node, which of the node from the right subtree will be the new root? 5 6 9
	○ 6
	O 7
	O 8
	O 9
14)	Consider the following nested representation of binary trees: (X Y Z) indicates Y and Z are the left and right X. Note that Y and Z may be NULL, or further nested. Which of the following represents a valid binary tree?

(1 2 (4 5 6 7))

(1 (2 3 4) 5 6) 7)
(1 (2 3 4)(5 6 7))
(1 (2 3 NULL) (4 5))
15) The following numbers are inserted into an empty binary search tree in the given order: 10, 1, 3, 5, 15, 12 binary search tree (the height is the maximum distance of a leaf node from the root)?
O 2
○ 3
O 4
○ 6
16) Which of the following traversal outputs the data in sorted order in a BST?
O Preorder
○ Inorder
O Postorder
○ Level Order
17) In a binary tree with n nodes, every node has an odd number of descendants. Every node is considered to the number of nodes in the tree that have exactly one child?
O 0
O 1
○ (n-1)/2
○ n-1
18) What is a threaded binary tree traversal?
a binary tree traversal using stacks
a binary tree traversal using queues
a binary tree traversal using stacks and queues
a binary tree traversal without using stacks and queues
19) A binary search tree contains the values 1, 2, 3, 4, 5, 6, 7, 8. The tree is traversed in pre-order and the value following sequences is a valid output?
○ 53124786
○ 53126487
○ 53241678
○ 53124768

/ Back to Units	RST and its Implementation (
○ 2h+1	
O 2 ^{h+1} -1	
○ 2 ^{h-1} -1	
O 2"-1	
○ 2 ^h -1	

The height of a binary tree is the maximum number of edges in any root to leaf path. The maximum number θ

To access your PESU Academy account everywhere, get the PESU app on your mobile device $\,$

20)

height h is: