VISVESVARAYA TECHNOLOGICAL UNIVERSITY

"JnanaSangama", Belgaum -590014, Karnataka.



LAB REPORT on

OBJECT ORIENTED JAVA PROGRAMMING (21CS3PCOOJ)

Submitted by

VIBHA HUGAR (1BM21CS255)

in partial fulfillment for the award of the degree of BACHELOR OF ENGINEERING

in

COMPUTER SCIENCE AND ENGINEERING



B.M.S. COLLEGE OF ENGINEERING

(Autonomous Institution under VTU)
BENGALURU-560019
October-2022 to Feb-2023
B. M. S. College of Engineering,

Bull Temple Road, Bangalore 560019 (Affiliated To Visvesvaraya Technological University, Belgaum)

Department of Computer Science and Engineering



CERTIFICATE

This is to certify that the Lab work entitled "Object Oriented Java Programming (21CS3PCOOJ)" carried out by VIBHA HUGAR (1BM21CS255) who is bonafide student of B. M. S. College of Engineering. It is in partial fulfillment for the award of Bachelor of Engineeringin Computer Science and Engineering of the Visvesvaraya Technological University, Belgaum during the year 2022. The Lab report has been approved as it satisfies the academic requirements in respect of a Database Management Systems (22CS3PCDBM) work prescribed for the said degree.

Sonika Sharma DAssistant Professor
Department of CSE
BMSCE, Bengaluru

Dr. Jyothi S NayakProfessor and Head
Department of CSE
BMSCE, Bengaluru

INDEX

Sl No.	Date	Experiment Title	Page No.
1.	17/11/2022	Develop a Java program that prints all real solutions to the quadratic equation ax2+bx+c = 0. Read in a, b, c and use the quadratic formula. If the discriminate b2 - 4ac is negative, display a message stating that there are no real solutions.	5
2.	24/11/2022	Develop a Java program to create a class Student with members usn, name, an array credits and an array marks. Include methods to accept and display details and a method to calculate SGPA of a student.	9
3.	01/12/2022	Create a class Book which contains four members: name, author, price, num_pages. Include a constructor to set the values for the members. Include methods to set and get the details of the objects. Include a toString() method that could display the complete details of the book. Develop a Java program to create n book objects.	12
4.	08/12/2022	Develop a Java program to create an abstract class named Shape that contains two integers and an empty method named printArea(). Provide three classes named Rectangle, Triangle and Circle such that each one of the classes extends the class Shape. Each one of the classes contain only the method printArea() that prints the area of the given shape.	15
5.	29/12/2022	Develop a Java program to create a class Bank that maintains two kinds of account for its customers, one called savings account and the other current account. The savings account provides compound interest and withdrawal facilities but no cheque book facility. The current account provides cheque book facility but no interest. Current account holders should also maintain a minimum balance and if the balance falls below this level, a service charge is imposed. Create a class Account that stores customer name, account number and type of account. From this derive the classes Cur- acct and Sav-acct to make them more specific to their requirements. Include the	18

_			
		necessary methods in order to achieve the following tasks:	
		ě .	
		a) Accept deposit from customer and update	
		the balance.	
		b) Display the balance.	
		c) Compute and deposit interest	
		d) Permit withdrawal and update the balance	
		Check for the minimum balance, impose	
		penalty if necessary and update the balance.	
		Write a program that creates a user interface	
		to perform integer divisions. The user enters	
	12/01/2023	two numbers in the text fields, Num1 and	
		Num2. The division of Num1 and Num2 is	
		displayed in the Result field when the	
6.		Divide button is clicked. If Num1 or Num2	25
g.		were not an integer, the program would	
		throw a NumberFormatException. If Num2	
		were Zero, the program would throw an	
		Arithmetic Exception Display the exception	
		in a message dialog box.	
		Write a program that demonstrates handling	
		of exceptions in inheritance tree. Create a	
		base class called "Father" and derived class	
		called "Son" which extends the base class.	
		In Father class, implement a constructor	
		which takes the age and throws the	
7.	05/01/2023	exception WrongAge() when the input	28
		age<0. In Son class, implement a constructor	
		that cases both father and son's age and	
		throws an exception if son's age is	
		>=father's age.	
		runoi s ago.	
		Write a program which creates two threads,	
8.	12/01/2023	one thread displaying "BMS College of	
		Engineering" once every ten seconds and	33
		another displaying "CSE" once every two	
		seconds	
		sconds	


1.Develop a Java program that prints all real solutions to the quadratic equation ax2+bx+c=0. Read in a, b, c and use the quadratic formula. If the discriminate b2-4ac is negative, display a message stating that there are no real solutions.

```
import java.util.*;
import java.lang.Math.*;
public class Quadratic
public static void main(String args[])
Scanner in=new Scanner(System.in);
System.out.println("Enter a");
double a=in.nextDouble();
System.out.println("Enter b");
double b=in.nextDouble();
System.out.println("Enter c");
double c=in.nextDouble();
if(a==0)
{
System.out.println("Invalid Inputs \n ");
}
else
double d=b*b-4*a*c;
if(d>0.0)
{
double r1=(-b+(Math.sqrt(d)/(2.0*a)));
double r2=(-b-(Math.sqrt(d)/(2.0*a)));
System.out.println("Roots are real and distinct \n Roots are \n r1="+r1+"\n r2="+r2);
```

SAMPLE OUTPUTS:

Command Prompt

```
C:\Users\BMSCEECE\Desktop\CS255>javac Quadraticequations.java
C:\Users\BMSCEECE\Desktop\CS255>java Quadraticequations
Enter the value of a:
Enter the value of b:
Enter the value of c:
invalid input
C:\Users\BMSCEECE\Desktop\CS255>javac Quadraticequations.java
C:\Users\BMSCEECE\Desktop\CS255>java Quadraticequations
Enter the value of a:
Enter the value of b:
Enter the value of c:
2.0 4.0 2.0 0.0
The roots are real and equal-1.0and-1.0
C:\Users\BMSCEECE\Desktop\CS255>javac Quadraticequations.java
C:\Users\BMSCEECE\Desktop\CS255>java Quadraticequations
Enter the value of a:
Enter the value of b:
Enter the value of c:
The roots are distinct and imaginaryr1=-1.0+i1.4142135623730951r2=-1.0-i1.4142135623730951
C:\Users\BMSCEECE\Desktop\CS255>javac Quadraticequations.java
C:\Users\BMSCEECE\Desktop\CS255>java Quadraticequations
Enter the value of a:
Enter the value of b:
Enter the value of c:
The roots are real and distinct-0.21922359359558485and-2.2807764064044154
C:\Users\BMSCEECE\Desktop\CS255>
```



Develop a Java program to create a class Student with members usn, name, an array credits and an array marks. Include methods to accept and display details and a method to calculate SGPA of a student.

```
import java.util.Scanner;
class student{
void display(String name, String usn)
{
System.out.println("USN of the student "+usn);
   System.out.println("Name of the student "+ name);
}
void calculatesgpa(double[] marks, double[] credits, int number)
{
double gradepoints[]=new double[number];
double sgpa,sum=0,tnum=0;
for (int i=0;i<number;i++)
{
if(marks[i] > = 90)
gradepoints[i]=10;
else if(marks[i]>=80)
gradepoints[i]=9;
else if(marks[i]>=70)
gradepoints[i]=8;
else if(marks[i]>=60)
gradepoints[i]=7;
else if(marks[i]>=50)
gradepoints[i]=6;
else if(marks[i]>=40)
gradepoints[i]=4;
else
gradepoints[i]=0;
```

```
}
for(int i=0;i<number;i++)</pre>
{
sum+=credits[i]*gradepoints[i];
}
for(int i=0;i<number;i++)</pre>
tnum+=credits[i];
}
sgpa=sum/tnum;
System.out.println("SGPA is "+sgpa);
class sgpa{
public static void main(String args[]){
Scanner s=new Scanner(System.in);
System.out.println("Enter name and usn of student");
String name=s.next();
String usn=s.next();
student s1=new student();
System.out.println("Enter the number of courses");
int number=s.nextInt();
double credits[]=new double[number];
double marks[]=new double[number];
for(int i=0;i<number;i++)
{
System.out.print("Credit of subject "+(i+1) +" : ");
credits[i]=s.nextDouble();
System.out.print("Marks of subject "+(i+1) +" : ");
```

```
marks[i]=s.nextDouble();
}
s1.display(name,usn);
s1.calculatesgpa(marks,credits,number);
}
SAMPLE OUTPUT:
```

Command Prompt

```
C:\Users\Admin\Desktop\cs255>javac sgpa.java
C:\Users\Admin\Desktop\cs255>java sgpa
Enter name and usn of student
athena
1bm21cs255
Enter the number of courses
Credit of subject 1 : 4
Marks of subject 1 : 93
Credit of subject 2 : 3
Marks of subject 2 : 85
Credit of subject 3 : 3
Marks of subject 3 : 79
Credit of subject 4 : 1
Marks of subject 4 : 98
Credit of subject 5 : 1
Marks of subject 5 : 100
USN of the student 1bm21cs255
Name of the student athena
SGPA is 9.25
```

Create a class Book which contains four members: name, author, price, num_pages. Include a constructor to set the values for the members. Include methods to set and get the details of the objects. Include a toString() method that could display the complete details of the book. Develop a Java program to create n book objects.

```
import java.util.*;
import java.lang.*;
class Book
   String name, author; int price, num_pages;
   void getval()
   {
   Scanner sc=new Scanner(System.in);
    System.out.println("Enter book name");
    name=sc.next();
    System.out.println("Enter author name");
    author=sc.next();
    System.out.println("Enter price ");
    price=sc.nextInt();
    System.out.println("Enter No. of pages");
    num_pages=sc.nextInt();
   }
  public String toString()
   {
  return name+" "+author+" "+price+" "+num_pages+" ";
   }
  void display()
   {
   System.out.println(this);
   }
```

```
class Bookvck
{
  public static void main(String args[])
  {
    Scanner in=new Scanner(System.in);

    System.out.println("Enter the no. of book objects");
    int n=in.nextInt();
    Book[] ob=new Book[n];
    for(int i=0;i<n;i++)
      ob[i]=new Book();
    for(int i=0;i<n;i++)
      { ob[i].getval(); }
    for(int i=0;i<n;i++)
      { ob[i].display(); }
    }
}</pre>
```

SAMPLE OUTPUT:

Command Prompt

```
C:\Users\Admin\Desktop\cs255>javac Bookvck.java
C:\Users\Admin\Desktop\cs255>java Bookvck
Enter the no. of book objects
Enter book name
abc
Enter author name
tom
Enter price
100
Enter No. of pages
600
Enter book name
xyz
Enter author name
sam
Enter price
500
Enter No. of pages
400
Enter book name
pjo
Enter author name
rick
Enter price
300
Enter No. of pages
900
Enter book name
haikyuu
Enter author name
furudate
Enter price
700
Enter No. of pages
abc tom 100 600
xyz sam 500 400
pjo rick 300 900
haikyuu furudate 700 1000
C:\Users\Admin\Desktop\cs255>
```

Develop a Java program to create an abstract class named Shape that contains two integers and an empty method named printArea(). Provide three classes named Rectangle, Triangle and Circle such that each one of the classes extends the class Shape. Each one of the classes contain only the method printArea() that prints the area of the given shape.

```
CODE:
import java.lang.*;
abstract class Shape{
int a,b;
 double area; final double pi=3.142;
 Shape(int x,int y) {
 a=x;b=y;area=0;
 }
 abstract void printArea();
class Rectangle extends Shape
 Rectangle(int x,int y)
  super(x,y);
 void printArea()
  area=a*b;
  System.out.println("Rectangle area="+area);
```

class Triangle extends Shape

```
{
 Triangle(int x,int y)
  super(x,y);
 void printArea()
  area=a*b*0.5;
  System.out.println("Triangle area="+area);
class Circle extends Shape
 Circle(int x)
  super(x,-1);
 void printArea()
  area=pi*Math.pow(a,2);
  System.out.println("Circle area="+area);
class demoshape1{
 public static void main(String args[])
   Rectangle r1=new Rectangle(1,2);
   Triangle t1=new Triangle(1,2);
   Circle c1=new Circle(5);
```

```
Shape ref;

ref=r1;ref.printArea();

ref=t1;ref.printArea();

ref=c1;ref.printArea();

}

SAMPLE OUTPUT:

Command Prompt

C:\Users\Admin> cd C:\Users\Admin\Desktop\cs255

C:\Users\Admin\Desktop\cs255>javac shapearea.java

C:\Users\Admin\Desktop\cs255>java shapearea
Area of rectangle is200.0

Area of triangle is25.0

Area of circle is28.25999999999998

C:\Users\Admin\Desktop\cs255>
```

Develop a Java program to create a class Bank that maintains two kinds of account for its customers, one called savings account and the other current account. The savings account provides compound interest and withdrawal facilities but no cheque book facility. The current account provides cheque book facility but no interest. Current account holders should also maintain a minimum balance and if the balance falls below this level, a service charge is imposed. Create a class Account that stores customer name, account number and type of account. From this derive the classes Cur-acct and Sav-acct to make them more specific to their requirements. Include the necessary methods in order to achieve the following tasks:

- a) Accept deposit from customer and update the balance.
- b) Display the balance.
- c) Compute and deposit interest
- d) Permit withdrawal and update the balance

Check for the minimum balance, impose penalty if necessary and update the balance.

```
CODE:
import java.lang.*;
import java.util.Scanner;
class Account
{
  public static int min=500;
  String name;
  int Account num;
  public float o_Price;
  Scanner sc=new Scanner(System.in);
  public void get_info()
    System.out.println("Enter Name:");
    name=sc.nextLine();
    System.out.println("Enter Account Number:");
    Account_num=sc.nextInt();
    System.out.println("Enter opening Ammount must>500:");
```

```
o_Price=sc.nextFloat();
    if(o_Price < 500)
      System.out.println("Enter opening Ammount must>500:");
  public void show()
    System.out.println("Name:"+name);
    System.out.println("Account_number:"+Account_num);
    System.out.println("Ammount:"+o_Price);
 }
}
class Current extends Account
   float deposit, withdraw, penality;
   public void deposit()
     System.out.println("Eneter Ammount to deposit");
     deposit =sc.nextFloat();
      show();
      o_Price=o_Price+deposit;
      System.out.println("Total Ammount is :"+o_Price);
   }
    public void check_Bal()
     if(o_Price<min);</pre>
     o_Price=o_Price-150;
      System.out.println("You have debited ammount 150 from your account Account
      balance is:"+o_Price);
```

```
}
    public void withdraw_Bal()
  System.out.println("Enter Ammount to withdraw");
  withdraw=sc.nextFloat();
  show();
  if(withdraw<o_Price)
 o_Price=o_Price-withdraw;
 System.out.println("After withdrawal Balance "+o_Price);
else
 System.out.println("Insufficient balance can not be less than 500");
check_Bal();
}
class Saving extends Account
float deposit, withdraw, intr;
public void deposit()
  System.out.println("Eneter Ammount to deposit");
  deposit =sc.nextFloat();
  show();
  o_Price=o_Price+deposit;
  System.out.println("Total Ammount is :"+o_Price);
public void check_intrest()
intr=(o_Price*2)/100;
o_Price=o_Price+intr;
System.out.println("Total Ammount with intrest is :"+o_Price);
public void withdraw_Bal()
 System.out.println("Enter Ammount to withdraw:");
 withdraw=sc.nextFloat();
 show();
 if(withdraw<o_Price)
o_Price=o_Price-withdraw;
System.out.println("After withdrawal Balance "+o_Price);
```

```
}
else{
System.out.println("Insufficient Balance!");
public class Bank
static String ch;
public static void main(String[] args)
int count=0;
Scanner sc=new Scanner(System.in);
Current cu=new Current ();
Saving sav=new Saving ();
System.out.println("Choose Account type:");
System.out.println("Press c for Current Account:");
System.out.println("Press s for Saving Account:");
ch=sc.nextLine();
if(ch.equalsIgnoreCase("c"))
   cu.get_info();
   cu.check_Bal();
   while(count!=4)
   System.out.println("1.Display\n2.Deposit\n3.Withdraw\n4.Exit");
       System.out.println("Enter Your Coice");
       int cho=sc.nextInt();
       switch(cho)
     case 1: cu.show();
        break;
     case 2: cu.deposit();
          break;
     case 3: cu.withdraw_Bal();
          break;
     case 4: System.exit(0);
          break;
    default:System.out.println("Wrong Choce!");
    }
  }
else if(ch.equalsIgnoreCase("s"))
```

```
sav.get_info();
  while(count!=5)
   System.out.println("1.Display\n2.Deposit\n3.Withdraw\n4Intrest\n5.Exit");
     System.out.println("Enter Your Coice");
     int cho=sc.nextInt();
     switch(cho)
 case 1: sav.show();
      break;
 case 2: sav.deposit();
                break;
 case 3: sav.withdraw_Bal();
               break;
   case 4: sav.check_intrest();
               break;
   case 5: System.exit(0);
                break;
          default:System.out.println("Wrong Choce!");
       }
 }
else
 System.out.println("Wrong choice!");
}
```

SAMPLE OUTPUT:

Command Prompt - java Main

```
C:\Users\Admin\Desktop\cs255>javac Main.java
C:\Users\Admin\Desktop\cs255>java Main
Enter name
kaoru
Enter acc_no
12345
Enter acc_type
0 for Savings
1 for Current
Enter balance
90000

    Deposit

2.Withdraw
3.Interest
Enter Amoumt
3000
93000.0
To continue 1 else 0
Enter name
chisato
Enter acc_no
67890
Enter acc_type
0 for Savings
1 for Current
Enter balance
80000

    Deposit

2.Withdraw
Interest
Enter Amoumt
3000
77000.0
To continue 1 else 0
```

Command Prompt - java Main

```
To continue 1 else 0
Enter name
kokoro
Enter acc_no
23456
Enter acc_type
0 for Savings
1 for Current
Enter balance
90500

    Deposit

2.Withdraw
3. Interest
Enter time period
Enter no of times
Intertest calculated is1.7172529936E22
The new balance is1.7172529936E22
To continue 1 else 0
Enter name
misaki
Enter acc_no
34567
Enter acc type
0 for Savings
1 for Current
Enter balance
70000
1.Deposit
2.Withdraw
Enter Amoumt
200
70200.0
To continue 1 else 0
Enter name
hagumi
Enter acc_no
56789
Enter acc_type
0 for Savings
1 for Current
Enter balance
80500

    Deposit


2.Withdraw
Enter Amoumt
390
80110.0
To continue 1 else 0
```


Write a program that creates a user interface to perform integer divisions. The user enters two numbers in the text fields, Num1 and Num2. The division of Num1 and Num2 is displayed in the Result field when the Divide button is clicked. If Num1 or Num2 were not an integer, the program would throw a NumberFormatException. If Num2 were Zero, the program would throw an Arithmetic Exception Display the exception in a message dialog box.

```
CODE;
import java.awt.*;
import java.awt.event.*;
import javax.swing.*
public class DivApplet extends JApplet implements ActionListener{
JTextField number1,number2,result;
JButton divide;
public void init(){
try {
SwingUtilities.invokeAndWait(
new Runnable() {
public void run() {
makeGUI();
       }
     });
}
catch (Exception exc) {
System.out.println("Can't create because of " + exc);
   }
 }
private void makeGUI(){
setLayout(new FlowLayout());
Label number1p = new Label("Number1: ",Label.RIGHT);
Label number2p = new Label("Number2: ",Label.RIGHT);
number1= new JTextField(20);
number2 = new JTextField(20);
```

```
result = new JTextField(20);
divide = new JButton("Divide");
add(number1p);
add(number1);
add(number2p);
add(number2);
add(result);
add(divide);
divide.addActionListener(this);
}
public void actionPerformed(ActionEvent e){
String snumber1, snumber2;
snumber1 = number1.getText();
snumber2 = number2.getText();
try{
int number1 = Integer.parseInt(snumber1);
int number2 = Integer.parseInt(snumber2);
if(number2==0)
JOptionPane.showMessageDialog(null, "Division by zero not defined.");
else{
double r = (double)number1/number2;
result.setText(((Double)r).toString());
}
   }
  catch(NumberFormatException ne)
JOptionPane.showMessageDialog(null,"Enter a number");
 }
}
```

OUTPUT;





Write a program that demonstrates handling of exceptions in inheritance tree. Create a base class called "Father" and derived class called "Son" which extends the base class. In Father class, implement a constructor which takes the age and throws the exception WrongAge() when the input age<0. In Son class, implement a constructor that cases both father and son's age and throws an exception if son's age is >=father's age.

```
CODE:
import java.util.*;
class Wrongage extends Exception
 int detail;
 Wrongage(int d)
  {
   detail=d;
  public String toString()
    return "Entered Wrong age is ["+detail+"]";
   }
 }
class Father
  int f:
  Scanner in=new Scanner(System.in);
  Father()
    System.out.println("Enter father age ");
    f=in.nextInt();
   void checkage() throws Wrongage
   {
```

```
if(f<0)
      throw new Wrongage(f);
     System.out.println("Father age positive");
  }
}
class Son extends Father
 int s;
 Scanner in=new Scanner(System.in);
 Son()
    super();
    System.out.println("Enter son age "); s=in.nextInt();
 void checkages() throws Wrongage
   super.checkage();
   if(s<0)
    throw new Wrongage(f);
   System.out.println("Son age positive");
  }
 void checkage() throws Wrongage
  {
    if(s \ge f)
      throw new Wrongage(s);
```

```
}
    System.out.println("Father-Son age correct");
   }
 }
class Newdemo
 public static void main(String args[])
  int f,s;
   Father fath=new Father();
   Father r;
   r=fath;
   try
     r.checkage();
    catch(Wrongage e)
     System.out.println("Father age wrong"+e);
   Son sn=new Son();
   r=sn;
    try
      sn.checkages();
      r.checkage();
    catch(Wrongage e)
      System.out.println("Son age wrong"+e);
```

	31
}	
}	
}	
SAMPLE OUTPUT:	

```
Command Prompt
C:\Users\Admin\Desktop\cs255>javac Newdemo.java
C:\Users\Admin\Desktop\cs255>java Newdemo
Enter father age
50
Father age positive
Enter father age
50
Enter son age
30
Father age positive
Son age positive
Father-Son age correct
C:\Users\Admin\Desktop\cs255>javac Newdemo.java
C:\Users\Admin\Desktop\cs255>java Newdemo
Enter father age
-10
Father age wrongEntered Wrong age is [-10]
Enter father age
30
Enter son age
40
Father age positive
Son age positive
Son age wrongEntered Wrong age is [40]
C:\Users\Admin\Desktop\cs255>javac Newdemo.java
C:\Users\Admin\Desktop\cs255>java Newdemo
Enter father age
-30
Father age wrongEntered Wrong age is [-30]
Enter father age
40
Enter son age
41
Father age positive
Son age positive
Son age wrongEntered Wrong age is [41]
C:\Users\Admin\Desktop\cs255>javac Newdemo.java
C:\Users\Admin\Desktop\cs255>java Newdemo
Enter father age
-10
Father age wrongEntered Wrong age is [-10]
Enter father age
40
Enter son age
20
Father age positive
Son age positive
Father-Son age correct
```

Write a program which creates two threads, one thread displaying "BMS College of Engineering" once every ten seconds and another displaying "CSE" once every two seconds.

```
class Call implements Runnable
{
String a;
int x,time;
Thread t;
Call(String tn,int ti,int ex)
{
a=tn;
x=ex;
time=ti;
t=new Thread(this,a);
t.start();
}
public void run()
{
try{
for(int i=0;i<x;i++)
{
System.out.println(a);
Thread.sleep(time);
}
catch(InterruptedException ie)
System.out.println("Inturrupted ");
}
```

```
class Lab8
{
public static void main(String args[])
{
new Call("BMS College of Enginnering",10000,2);
new Call("CSE",2000,10);
}
}
```

SAMPLE OUTPUT:

```
C:\Users\Admin>D:
D:\>javac Lab8.java
D:\>java Lab8
BMS College of Enginnering
CSE
CSE
CSE
CSE
CSE
BMS College of Enginnering
CSE
CSE
CSE
CSE
CSE
D:\>
```

