

Gift:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <style>
    .box{
      width: 500px;
      height: 600px;
      background-color: pink;
      border-radius: 50%;
      margin: auto;
      position: relative;
    }
    .main{
      height: 200px;
      width: 200px;
      background-image: url(D:\gift1.jpeg);
      background-size: 100% 100%;
      position: absolute;
      top: 45%;
      left: 43%;
    }
    .upper{
      height: 50px;
      width: 250px;
      background-image: url(D:\gift.jpg.jpeg);
      background-size: 100% 100%;
      position: absolute;
      top: 37.5%;
      left: 41%;
      animation-name: openbox;
      animation-duration: 3s;
      animation-delay: 2s;
    }
    @keyframes openbox{
      0%{
```



```
        top: 41.7%;
        left: 25%;
    }
    33%{
        transform: translateX(-220px) rotate(-30deg);
    }
    66%{
        transform: translateY(200px) translateX(-220px) rotate(-30deg);
    }
    100%{

    }

    }
</style>
</head>
<body>
    <div class="box"></div>
    <div class="upper"></div>
    <div class="main"></div>

</body>
</html>
```

Output:



Cricle:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <style>
    .part{

      display: flex;
    }


    .part1{
      height: 200px;
      width: 200px;
      border: 2px solid black;
      background-color: aqua;
      border-top-left-radius: 300px;
      display: flex;
    }
    .part2{
      height: 200px;
      width: 200px;
      border: 2px solid black;
      background-color: rgb(207, 18, 49);
      border-top-right-radius: 300px;
      display: flex;
    }
    .peur{
      display: flex;
    }
    .part3{
      height: 200px;
      width: 200px;
      border: 2px solid black;
      background-color: rgb(230, 156, 20);
      border-bottom-left-radius: 300px;
      display: flex;
    }
    .part4{
      height: 200px;
      width: 200px;
      border: 2px solid black;
```

```

        background-color: rgb(3, 100, 8);
        border-bottom-right-radius: 300px;
        display: flex;
    }
</style>
</head>
<body>
    <div class="part">
        <div class="part1"></div>
        <div class="part2"></div>
    </div>
    <div class="peur">
        <div class="part3"></div>
        <div class="part4"></div>
    </div>
</body>
</html>

```

Output:



Sudo:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <style>
    .circle{
      height: 100px;
      width: 100px;
      background-color: blue;
      border-radius: 50%;
      border: 2px solid black;
      animation-name: openbox;
      animation-delay: 2s;
      animation-duration: 5s;
      animation-fill-mode: backwards;
    }
    .circle2{
      height: 100px;
      width: 100px;
      background-color: #ff0000;
      border-radius: 50%;
      border: 2px solid black;
      animation-name: openbox;
      animation-delay: 2s;
      animation-duration: 3s;
      animation-fill-mode: backwards;
    }
    .circle3{
      height: 100px;
      width: 100px;
      background-color: rgb(126, 60, 126);
      border-radius: 50%;
      border: 2px solid black;
      animation-name: openbox;
      animation-delay: 2s;
      animation-duration: 2s;
      animation-fill-mode: backwards;
    }
  </style>

```

```
.circle4{
  height: 100px;
  width: 100px;
  background-color: chocolate;
  border-radius: 50%;
  border: 2px solid black;
  animation-name: openbox;
  animation-delay: 2s;
  animation-duration: 1s;
  animation-fill-mode: backwards;
}

.circle5{
  height: 100px;
  width: 100px;
  background-color: chartreuse;
  border-radius: 50%;
  border: 2px solid black;
  animation-name: openbox;
  animation-delay: 2s;
  animation-duration: 4s;
  animation-fill-mode: backwards;
}

@keyframes openbox{
  0%{
    top: 0px;
    left: 0px;

  }
  20%{
    transform: translate(200px,600px);
    background-color: aquamarine;


  }
  40%{
    transform:translate(400px,10px) ;
    background-color: bisque;

  }
  60%{
    transform: translate(600px,600px) ;
    background-color: cadetblue;
  }
}
```


```
    }
    80%{
        transform: translate(800px,10px);
        background-color: brown;
    }
    100%{
        transform: translate(1000px,1000px);
        background-color: chocolate;
    }

}
</style>
</head>
<body>
    <div class="circle1"></div>
    <div class="circle2"></div>
    <div class="circle3"></div>
    <div class="circle4"></div>
    <div class="circle5"></div>
</body>
</html>
```

Output:







Fruit:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <style>

    .square{
      height: 300px;
      width: 300px;
      background-image: url(D:\kevi.jpg.jpg);
      background-size: 100% 100%;
      box-shadow: 10px 10px 10px black;
      border: 2px solid black;
      top: 20px;
      left: 10px;
      position:absolute;
    }
    .square2{
```

```
        height: 300px;
        width: 300px;
        background-image: url(D:\orang.jpg.jpeg);
        background-size: 100% 100%;
        box-shadow: 10px 10px 10px black;
        border: 2px solid black;
        top: 180px;
        left: 140px;
        z-index: 3;
        border-radius: 20%;
        position: absolute;


    }

    .circle{
        height: 300px;
        width: 300px;
        background-image: url(D:\water.jpg.jpeg);
        background-size: 100% 100%;
        box-shadow: 10px 10px 10px black;
        border: 2px solid black;
        top: 300px;
        left: 250px;
        z-index: 3;
        border-radius: 50%;
        position: absolute;

    }
</style>
</head>
<body>
    <div class="square"></div>
    <div class="square2"></div>
    <div class="circle"></div>

</body>
</html>
```

Output:



Effect:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <style>
    .main{
      height: 700px;
      width: 300px;
      background-color: aqua;
      background-size: auto;
      display: flex;
      position: relative;

    }
  </style>
</head>
<body>
  <div class="main">
    <img alt="Kiwi slice" data-bbox="125 170 295 305" />
    <img alt="Orange" data-bbox="195 240 370 375" />
    <img alt="Watermelon slice" data-bbox="255 290 430 425" />
  </div>
</body>
</html>
```

```
.left{
  height: 100%;
  width: 50%;
  background-color: red;
}



.right{
  height: 100%;
  width: 50%;
  background-color: rgb(0, 4, 250);
}

.left:hover{
  transform:perspective(300PX) rotateY(45deg);
}

.right:hover{
  transform:perspective(300PX) rotateY(-45deg);
}

</style>
</head>
<body>
  <div class="main">
    <div class="left"><span class="circle"></span></div>
    <div class="right"><span class="circle"></span></div>
  </div>
</body>
</html>
```

Output:



Squire:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <style>
    .square{
      height: 500px;
      width: 500px;
      border: 2px solid black;
      align-items: center;
      display: flex;
      justify-content: center;
      background-color: beige;
    }
    .square2{
      height: 400px;
      width: 400px;
      border: 2px solid black;
      align-items: center;
      display: flex;
      justify-content: center;
      background-color: blue;
    }
    .square3{
      height: 300px;
      width: 300px;
      border: 2px solid black;
      align-items: center;
      display: flex;
      justify-content: center;
      background-color: blueviolet;
    }
    .square4{
      height: 200px;
      width: 200px;
```


```
        border: 2px solid black;
        align-items: center;
        display: flex;
        justify-content: center;
        background-color: brown;
    }
    .square5{
        height: 100px;
        width: 100px;
        border: 2px solid black;
        align-items: center;
        display: flex;
        justify-content: center;
        background-color: cadetblue;
    }
</style>
</head>
<body>
    <div class="square">
        <div class="square2">
            <div class="square3">
                <div class="square4">
                    <div class="square5">

                </div>
            </div>
        </div>

    </div>

</body>
</html>
```

Output:



Hover:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <style>
    img:hover{
      border-radius: 50%;
      border: 3px; solid: black;
      opacity: 0.5;
    }
  </style>
</head>
<body>
  
```





```

    
    
    
    
    
    
    
</body>
</html>

```

Output:





Z index:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <style>
    main{
      height: 200px;
      width: 200px;
      border: 3px;
      background-color: blanchedalmond;
    }

    .box1{
```

```
        background-image:
url(D:\vibhuti11\1920x7703d34f25a3b8a4f7291e750b118e494270d06216ac413418d8
2e506d09671a1fc.webp);
        height: 300px;
        width: 300px;
        background-color: aquamarine;
        position: absolute;
        top: 20px;
        left: 20px;
        z-index: 3;

    }
    .box2{
        background-image: url(D:\vibhuti11\horse.jpg.jpg);
        height: 300px;
        width: 300px;
        background-color: beige;
        position: absolute;
        top: 100px;
        left: 100px;
        z-index: 3;
        border-radius: 50%;

    }
    .box3{
        background-image: url(D:\vibhuti11\tiger.jpg.jpg);
        height: 300px;
        width: 300px;
        background-color: bisque;
        position: absolute;
        top: 200px;
        left: 200px;
        z-index: 3;
        border-radius: 30%;

    }
}
```

```

    </style>
</head>
<body style="height: 200vh;">

    <div class="main">
        <div class="box box1">1
            
        </div>
        <div class="box box2">2
            
        </div>
        <div class="box box3">3
            
        </div>
    </body>

</html>

```

Output:

