

Sample Data Folder

1. Overview

The **Sample Data Folder** contains example inputs and corresponding expected outputs used to validate the Test Case Generator system.

It demonstrates how the system converts:

User Stories → AI-generated Gherkin Test Cases

This folder is used for **testing, verification, and demonstration purposes.**

2. Purpose

- To validate correctness of AI-generated test cases
- To provide reference outputs for reviewers
- To demonstrate system reliability using real examples
- To support reproducibility of results without manual guessing

3. Folder Structure

```
sample_data/  
├── inputs/  
│   ├── 01_login_user_story.txt  
│   ├── 02_password_reset_user_story.txt  
│   └── 03_product_search_user_story.txt  
└── expected_outputs/  
    ├── 01_login_expected_output.feature  
    ├── 02_password_reset_expected_output.feature  
    └── 03_product_search_expected_output.feature
```

4. Description of Contents

A. Input Files (User Stories)

Located in:

sample_data/inputs/

These files contain natural language user stories written in standard format:

Example: As a registered user,
I want to log in with my email and password,
So that I can access my account dashboard.

Each input file represents a real-world requirement that will be processed by the AI system.

B. Expected Output Files (Gherkin Test Cases)

Located in:

sample_data/expected_outputs/

These files contain the **expected AI-generated output** in Gherkin format.

Each file includes:

- Feature definition
- @positive scenarios
- @negative scenarios
- @edge scenarios
- Given / When / Then steps

Example structure:

Feature: Login Functionality

@positive

Scenario: [Positive] Valid login credentials

@negative

Scenario: [Negative] Invalid password

@edge

Scenario: [Edge] Empty input validation

5. How It Works (Validation Flow)

User Story (input file)



AI Test Case Generator

↓
Generated Gherkin Output
↓
Compared with Expected Output

This ensures:

- Correct scenario generation
- Coverage completeness
- Format consistency (BDD standard)

6. How Reviewers Use It

Reviewers can:

1. Open any file in inputs/
2. Paste into the Test Case Generator tool
3. Generate test cases
4. Compare with expected_outputs/

This allows **direct validation of system accuracy without ambiguity.**

7. Example Pair

Input

01_login_user_story.txt

Expected Output

01_login_expected_output.feature

8. Why This is Important

This folder acts as:

- Proof of correctness of AI system
- Benchmark dataset for evaluation
- Regression testing dataset for future improvements
- Transparent validation mechanism for reviewers

