



ANDROID STATIC ANALYSIS REPORT



 Wysa (3.5.0)


File Name: Wysa_Anxiety, therapy chatbot_3.5.0_Apkpure.apk

Package Name: bot.touchkin

Scan Date: Nov. 28, 2023, 7:52 p.m.






App Security Score: 42/100 (MEDIUM RISK)

Grade:



Trackers Detection: 3/428

FINDINGS SEVERITY

|  HIGH |  MEDIUM |  INFO |  SECURE |  HOTSPOT |
|--|--|--|--|---|
| 6 | 14 | 2 | 2 | 1 |

FILE INFORMATION

File Name: Wysa_ Anxiety, therapy chatbot_3.5.0_Apkpure.apk

Size: 8.47MB

MD5: 5dac7aeb85a8b34d520c607c43fd4e0b

SHA1: 3ea61ff4a4b7d4e6d905c9626c020359ef97a96e

SHA256: caec7a5cf345a6ce5a2c58e56f65421462f24cbd52af59ac3e16dcddf744d391

APP INFORMATION

App Name: Wysa

Package Name: bot.touchkin

Main Activity: bot.touchkin.ui.InstantSplash

Target SDK: 34

Min SDK: 16

Max SDK:

Android Version Name: 3.5.0

Android Version Code: 856

APP COMPONENTS

Activities: 63

Services: 14

Receivers: 10

Providers: 4

Exported Activities: 1

Exported Services: 1

Exported Receivers: 2

Exported Providers: 0

CERTIFICATE INFORMATION

Binary is signed

v1 signature: True

v2 signature: True

v3 signature: True

v4 signature: False

X.509 Subject: C=IN, ST=Karnataka, L=Bangalore, O=Touchkin, OU=Touchkin, CN=Shubhankar Sarda

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2015-10-19 14:01:35+00:00

Valid To: 2040-10-12 14:01:35+00:00

Issuer: C=IN, ST=Karnataka, L=Bangalore, O=Touchkin, OU=Touchkin, CN=Shubhankar Sarda

Serial Number: 0x6cef5f3f

Hash Algorithm: sha256

md5: b4b8cb9a97c4c9359366e2cfe1d68958

sha1: 42cb93643b9efbce932c37cea9469d5ea6a600aa

sha256: be1cdbe8a4f676bc29fcde5508ef545eaf38c79af26a7cefd151d828845c8580

sha512: de5576dc8c13336efe5117d96c57bd78df9ca2c3e53befbc2a7053df3ced519c48ca3b5d7db6b59caa094a39cb901f7397506281eb5656781794ef93441e185c

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: 47199cc7de80eb731261bcf992fba9bfa388e3cc4c8a8884c3db570368ddb653

Found 1 unique certificates

☰ APPLICATION PERMISSIONS

| PERMISSION | STATUS | INFO | DESCRIPTION |
|--|-----------|--|--|
| android.permission.WRITE_EXTERNAL_STORAGE | dangerous | read/modify/delete external storage contents | Allows an application to write to external storage. |
| android.permission.POST_NOTIFICATIONS | dangerous | | Allows an app to post notifications |
| android.permission.FOREGROUND_SERVICE | normal | | Allows a regular application to use Service.startForeground. |
| android.permission.FOREGROUND_SERVICE_MEDIA_PLAYBACK | normal | | Allows a regular application to use Service.startForeground with the type "mediaPlayback". |
| android.permission.ACCESS_NETWORK_STATE | normal | view network status | Allows an application to view the status of all networks. |
| android.permission.INTERNET | normal | full Internet access | Allows an application to create network sockets. |
| com.android.vending.BILLING | unknown | Unknown permission | Unknown permission from android reference |
| android.permission.WAKE_LOCK | normal | prevent phone from sleeping | Allows an application to prevent the phone from going to sleep. |
| android.permission.RECORD_AUDIO | dangerous | record audio | Allows application to access the audio record path. |

| PERMISSION | STATUS | INFO | DESCRIPTION |
|--|-----------|-----------------------------|---|
| android.permission.RECEIVE_BOOT_COMPLETED | normal | automatically start at boot | Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running. |
| android.permission.SET_ALARM | normal | set alarm in alarm clock | Allows the application to set an alarm in an installed alarm clock application. Some alarm clock applications may not implement this feature. |
| android.permission.SCHEDULE_EXACT_ALARM | normal | | Allows an app to use exact alarm scheduling APIs to perform timing sensitive background work. |
| com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE | unknown | Unknown permission | Unknown permission from android reference |
| com.google.android.c2dm.permission.RECEIVE | signature | C2DM permissions | Permission for cloud to device messaging. |

APKID ANALYSIS

| FILE | DETAILS |
|------|---------|
|------|---------|

| FILE | DETAILS | |
|--------------|-----------------|---|
| classes.dex | FINDINGS | DETAILS |
| | Anti-VM Code | Build.FINGERPRINT check Build.MANUFACTURER check Build.TAGS check SIM operator check |
| | Compiler | r8 without marker (suspicious) |
| | | |
| classes2.dex | FINDINGS | DETAILS |
| | Anti Debug Code | Debug.isDebuggerConnected() check |
| | Anti-VM Code | Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check network operator name check |
| | Compiler | r8 without marker (suspicious) |

BROWSABLE ACTIVITIES

| ACTIVITY | INTENT |
|--|--|
| bot.touchkin.ui.InstantSplash | Schemes: https://, Hosts: @string/branch_host, @string/branch_alternate_host, |
| bot.touchkin.ui.bottombar.NavigationActivity | Schemes: wysabuddy://, https://, Hosts: links.wysa.io, |

NETWORK SECURITY

| NO | SCOPE | SEVERITY | DESCRIPTION |
|----|-------|----------|-------------|
|----|-------|----------|-------------|

CERTIFICATE ANALYSIS

HIGH: 0 | WARNING: 1 | INFO: 1

| TITLE | SEVERITY | DESCRIPTION |
|---|----------|---|
| Signed Application | info | Application is signed with a code signing certificate |
| Application vulnerable to Janus Vulnerability | warning | Application is signed with v1 signature scheme, making it vulnerable to Janus vulnerability on Android 5.0-8.0, if signed only with v1 signature scheme. Applications running on Android 5.0-7.0 signed with v1, and v2/v3 scheme is also vulnerable. |

Q MANIFEST ANALYSIS

HIGH: 6 | WARNING: 3 | INFO: 0 | SUPPRESSED: 0

| NO | ISSUE | SEVERITY | DESCRIPTION |
|----|--|----------|--|
| 1 | App can be installed on a vulnerable Android version [minSdk=16] | warning | This application can be installed on an older version of android that has multiple unfixed vulnerabilities. Support an Android version > 8, API 26 to receive reasonable security updates. |
| 2 | Launch Mode of activity (bot.touchkin.ui.chat.WysaChatActivity) is not standard. | high | An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent. |
| 3 | Launch Mode of activity (bot.touchkin.ui.ApplicationPinScreen) is not standard. | high | An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent. |
| 4 | Launch Mode of activity (bot.touchkin.ui.bottombar.NavigationActivity) is not standard. | high | An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent. |
| 5 | Activity (bot.touchkin.ui.bottombar.NavigationActivity) is not Protected. [android:exported=true] | high | An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. |

| NO | ISSUE | SEVERITY | DESCRIPTION |
|----|---|----------|--|
| 6 | Broadcast Receiver (com.google.firebase.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true] | warning | A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission. |
| 7 | Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true] | warning | A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission. |
| 8 | Launch Mode of activity (com.google.android.play.core.missingsplits.PlayCoreMissingSplitsActivity) is not standard. | high | An Activity should not be having the launch mode attribute set to "singleTask/singleInstance" as it becomes root Activity and it is possible for other applications to read the contents of the calling Intent. So it is required to use the "standard" launch mode attribute when sensitive information is included in an Intent. |
| 9 | Service (com.google.android.play.core.assetpacks.AssetPackExtractionService) is not Protected. [android:exported=true] | high | A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. |

CODE ANALYSIS

HIGH: 0 | WARNING: 8 | INFO: 2 | SECURE: 2 | SUPPRESSED: 0

| NO | ISSUE | SEVERITY | STANDARDS | FILES |
|----|--|----------|-----------------------------|---|
| 1 | This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel. | secure | OWASP MASVS: MSTG-NETWORK-4 | bot/touchkin/application/ChatApplicatio n.java o1/c0.java xb/a.java |
| | | | | a4/d.java c4/j.java com/bumptech/glide/b.java com/bumptech/glide/load/engine/Deco deJob.java com/bumptech/glide/load/engine/g.jav a com/bumptech/glide/load/engine/i.java com/bumptech/glide/load/engine/w.jav a com/bumptech/glide/load/resource/bit map/DefaultImageHeaderParser.java com/bumptech/glide/load/resource/bit map/c.java com/bumptech/glide/load/resource/bit map/e.java com/bumptech/glide/load/resource/bit map/f0.java com/bumptech/glide/load/resource/bit map/t.java com/bumptech/glide/load/resource/bit map/u.java com/bumptech/glide/load/resource/bit map/y.java com/bumptech/glide/manager/e.java com/bumptech/glide/request/SingleReq uest.java |

| NO | ISSUE | SEVERITY | STANDARDS | FILES |
|----|---|----------|---|---|
| 2 | The App logs information. Sensitive information should never be logged. | info | CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3 | d7/p.java g4/a.java k3/d.java k3/e.java m3/j.java m7/z.java n3/e.java o3/j.java o3/m.java org/joda/time/tz/DateTimeZoneBuilder.java org/joda/time/tz/ZoneInfoCompiler.java p3/e.java p3/i.java q0/e.java q3/b.java q4/a.java r3/r.java r3/s.java r7/a.java s7/a.java t3/o.java v6/d.java v6/i.java v6/j.java v6/t.java v9/b.java w6/n0.java w6/o.java w8/f.java x3/a.java x6/b0.java x6/e.java y6/l0.java y6/o0.java y6/q0.java z3/c.java z3/d.java |

| NO | ISSUE | SEVERITY | STANDARDS | FILES |
|----|--|----------|---|--|
| 3 | This App copies data to clipboard. Sensitive data should not be copied to clipboard as other applications can access it. | info | OWASP MASVS: MSTG-STORAGE-10 | bot/touchkin/ui/referral/ReferralActivity.java bot/touchkin/ui/settings/i0.java bot/touchkin/utis/s0.java |
| 4 | Insecure WebView Implementation. Execution of user controlled code in WebView is a critical Security Hole. | warning | CWE: CWE-749: Exposed Dangerous Method or Function OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7 | bot/touchkin/ui/ActivityWebView.java bot/touchkin/ui/dialogs/BookCoachWebView.java bot/touchkin/ui/dialogs/FullScreenCompat.java bot/touchkin/ui/dialogs/FullScreenImage.java bot/touchkin/ui/web/WebViewFragment.java |
| 5 | Files may contain hardcoded sensitive information like usernames, passwords, keys etc. | warning | CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14 | com/bumptechnology/load/engine/c.java com/bumptechnology/load/engine/n.java com/bumptechnology/load/engine/u.java l3/c.java z9/c.java |
| 6 | The App uses an insecure Random Number Generator. | warning | CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6 | ed/a.java ed/b.java fd/f.java hb/d.java x5/u.java |
| 7 | SHA-1 is a weak hash known to have hash collisions. | warning | CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4 | bot/touchkin/ui/coach/InformedConsentFragment.java l1/n.java va/a.java |

| NO | ISSUE | SEVERITY | STANDARDS | FILES |
|----|--|----------|---|--|
| 8 | App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database. | warning | CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality | u4/m0.java u4/t0.java y0/a.java |
| 9 | App can read/write to External Storage. Any App can read data written to External Storage. | warning | CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2 | bot/touchkin/utills/o.java |
| 10 | This App may request root (Super User) privileges. | warning | CWE: CWE-250: Execution with Unnecessary Privileges OWASP MASVS: MSTG-RESILIENCE-1 | bot/touchkin/utills/b0.java |
| 11 | This App may have root detection capabilities. | secure | OWASP MASVS: MSTG-RESILIENCE-1 | bot/touchkin/utills/b0.java w8/v.java |
| 12 | MD5 is a weak hash known to have hash collisions. | warning | CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4 | bot/touchkin/utills/u.java |

NIAP ANALYSIS v1.3

| NO | IDENTIFIER | REQUIREMENT | FEATURE | DESCRIPTION |
|----|------------|-------------|---------|-------------|
|----|------------|-------------|---------|-------------|

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

| DOMAIN | COUNTRY/REGION |
|--------|----------------|
|--------|----------------|

DOMAIN MALWARE CHECK

| DOMAIN | STATUS | GEOLOCATION |
|-------------------|--------|--|
| beta.touchkin.com | ok | IP: 3.162.3.73 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map |
| api.branch.io | ok | IP: 13.225.195.57 Country: Canada Region: Quebec City: Montreal Latitude: 45.508839 Longitude: -73.587807 View: Google Map |
| www.wysa.io | ok | IP: 104.26.10.44 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map |

| DOMAIN | STATUS | GEOLOCATION |
|-----------------|--------|--|
| www.youtube.com | ok | IP: 172.217.13.110 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map |
| plus.google.com | ok | IP: 172.217.13.142 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map |
| aomedia.org | ok | IP: 185.199.110.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map |
| code.google.com | ok | IP: 172.217.13.110 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map |
| ns.adobe.com | ok | No Geolocation information available. |

| DOMAIN | STATUS | GEOLOCATION |
|---------------------|--------|--|
| developer.apple.com | ok | IP: 17.253.24.200 Country: United States of America Region: Illinois City: Chicago Latitude: 41.850029 Longitude: -87.650047 View: Google Map |
| xb3k2.app.goo.gl | ok | IP: 172.217.13.110 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map |
| api.touchkin.com | ok | IP: 44.225.250.209 Country: United States of America Region: Oregon City: Portland Latitude: 45.523449 Longitude: -122.676208 View: Google Map |
| bot.wysa.io | ok | IP: 15.197.170.28 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map |

| DOMAIN | STATUS | GEOLOCATION |
|------------------------|--------|--|
| legal.wysa.io | ok | IP: 104.26.11.44 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map |
| update.crashlytics.com | ok | IP: 172.217.13.131 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map |
| help.branch.io | ok | IP: 104.16.241.118 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map |
| api.coach.wysa.io | ok | IP: 54.68.188.91 Country: United States of America Region: Oregon City: Portland Latitude: 45.523449 Longitude: -122.676208 View: Google Map |

| DOMAIN | STATUS | GEOLOCATION |
|-----------------------------|--------|--|
| branch.app.link | ok | IP: 13.225.195.66 Country: Canada Region: Quebec City: Montreal Latitude: 45.508839 Longitude: -73.587807 View: Google Map |
| console.firebase.google.com | ok | IP: 172.217.13.142 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map |
| twitter.com | ok | IP: 104.244.42.65 Country: United States of America Region: California City: San Francisco Latitude: 37.773968 Longitude: -122.410446 View: Google Map |
| reports.crashlytics.com | ok | No Geolocation information available. |
| developer.android.com | ok | IP: 172.217.13.142 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map |

| DOMAIN | STATUS | GEOLOCATION |
|-------------------------|--------|--|
| assets3.lottiefiles.com | ok | IP: 3.162.3.10 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map |
| links.wysa.io | ok | IP: 104.26.10.44 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map |
| instagram.com | ok | IP: 31.13.80.174 Country: Canada Region: Ontario City: Toronto Latitude: 43.700111 Longitude: -79.416298 View: Google Map |
| github.com | ok | IP: 140.82.112.4 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map |

| DOMAIN | STATUS | GEOLOCATION |
|---|--------|---|
| dev.bot.touchkin.com | ok | IP: 13.229.0.212 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map |
| bot-content.s3-ap-southeast-1.amazonaws.com | ok | IP: 52.219.125.94 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map |
| chatbot-b0197.firebaseio.com | ok | IP: 35.190.39.113 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map |
| legal.wysa.uk | ok | IP: 172.67.70.229 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map |

| DOMAIN | STATUS | GEOLOCATION |
|--------------------------------|--------|--|
| pagead2.google syndication.com | ok | IP: 172.217.13.162 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map |
| api2.branch.io | ok | IP: 3.161.213.3 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map |
| bot.touchkin.com | ok | IP: 54.70.46.90 Country: United States of America Region: Oregon City: Portland Latitude: 45.523449 Longitude: -122.676208 View: Google Map |
| img.youtube.com | ok | IP: 172.217.13.206 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map |

| DOMAIN | STATUS | GEOLOCATION |
|----------------------|--------|--|
| content.touchkin.com | ok | IP: 54.192.51.17 Country: United States of America Region: New York City: New York City Latitude: 40.714272 Longitude: -74.005966 View: Google Map |
| play.google.com | ok | IP: 172.217.13.142 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map |
| cdn.wysa.io | ok | IP: 104.26.11.44 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map |
| dev.app.wysa.io | ok | IP: 151.101.1.195 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map |

| DOMAIN | STATUS | GEOLOCATION |
|------------------|--------|---|
| cdn.branch.io | ok | IP: 13.225.195.32 Country: Canada Region: Quebec City: Montreal Latitude: 45.508839 Longitude: -73.587807 View: Google Map |
| www.w3.org | ok | IP: 104.18.22.19 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map |
| www.facebook.com | ok | IP: 31.13.80.36 Country: Canada Region: Ontario City: Toronto Latitude: 43.700111 Longitude: -79.416298 View: Google Map |
| app.wysa.io | ok | IP: 151.101.1.195 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map |

| DOMAIN | STATUS | GEOLOCATION |
|-----------------------------------|--------|---|
| firebase-settings.crashlytics.com | ok | IP: 172.217.13.99 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map |

FIREBASE DATABASES

| FIREBASE URL | DETAILS |
|--------------------------------------|---|
| https://chatbot-b0197.firebaseio.com | info App talks to a Firebase Database. |

EMAILS

| EMAIL | FILE |
|---|--|
| u0013android@android.com0 u0013android@android.com | w6/y.java |
| wysa@touchkin.com | bot/touchkin/ui/dialogs/InviteCodeDialog.java |
| ambassadors@wysa.io | bot/touchkin/ui/referral/ReferralActivity.java |

| EMAIL | FILE |
|-------------------|---------------------------|
| wysa@touchkin.com | bot/touchkin/utis/y0.java |
| wysa@touchkin.com | bot/touchkin/utis/b0.java |

TRACKERS

| TRACKER | CATEGORIES | URL |
|---------------------------|-----------------|---|
| Branch | Analytics | https://reports.exodus-privacy.eu.org/trackers/167 |
| Google CrashLytics | Crash reporting | https://reports.exodus-privacy.eu.org/trackers/27 |
| Google Firebase Analytics | Analytics | https://reports.exodus-privacy.eu.org/trackers/49 |

HARDCODED SECRETS

| POSSIBLE SECRETS |
|--|
| "branch_key_live" : "key_live_inKNR8pzGb94YJvDj0R7UbpcCyhU4CTq" |
| "branch_key_test" : "key_test_alOSJ1gyTcX29UBERiEmSnioyDiK0CTO" |
| "com.google.firebase.crashlytics.mapping_file_id" : "0239bc6b18784d17a613fecf4620e1a2" |
| "firebase_database_url" : "https://chatbot-b0197.firebaseio.com" |

| |
|--|
| POSSIBLE SECRETS |
| "google_api_key" : "AlzaSyDUa9waarB89qJxQcJVdmDo2d6f_UP3cDU" |
| "google_crash_reporting_api_key" : "AlzaSyDUa9waarB89qJxQcJVdmDo2d6f_UP3cDU" |
| "object_key" : "OBJECTKEY" |
| "object_key" : "OBJECTKEY" |
| "object_key" : "OBJECTKEY" |
| 470fa2b4ae81cd56ecbda9735803434cec591fa |
| edef8ba9-79d6-4ace-a3c8-27dcd51d21ed |
| 077afb28818280c36a193efe1fd312d0 |
| 258EAF5-E914-47DA-95CA-C5AB0DC85B11 |
| 832232eb0113f15d4414960b50657559 |

PLAYSTORE INFORMATION

Title: Wysa: Anxiety, therapy chatbot

Score: 4.6703863 **Installs:** 1,000,000+ **Price:** 0 **Android Version Support:** **Category:** Health & Fitness **Play Store URL:** [bot.touchkin](https://play.google.com/store/apps/details?id=com.touchkin.bot)

Developer Details: Touchkin, 6520130637621273347, Touchkin Eservices Private Limited, No. 532, "Manjusha", First Floor, 2nd main, 16th Cross, II stage, Indiranagar, Bengaluru 560038, <https://www.wysa.com>, wysa@touchkin.com,

Release Date: Oct 6, 2016 **Privacy Policy:** [Privacy link](#)

Description:

Imagine a mood tracker, mindfulness coach, anxiety helper, and mood-boosting buddy, all rolled into one. Wysa, your happiness buddy is that friendly and caring chatbot. Wysa is packed with daily spiritual meditation that improves mental health and is also a perfect way to bond over family meditation. Always there for you when you need someone to talk to, Wysa helps you keep track of your mood with friendly chats and helps fight stress and anxiety with its proven techniques and calming meditation and mindfulness audios. Checking in with Wysa regularly will improve your emotional health so you can track your happiness and mood. Talk to Wysa now and psy yourself up to fight off stress. Also, Wysa has mental health assessment with depression and anxiety tests. Wysa is your AI friend that you can chat with for free. Talk to the cute penguin or use its free mindfulness exercises for effective anxiety relief, depression and stress management. Its therapy based techniques and conversations make for a very cute and calming therapy chat app whether you're looking to cope better with mental disorders, to manage stress or to boost your mental health. Wysa, your happiness buddy, will support you through the big and small anxieties of life by using science as a foundation to strengthen your mental health. Research-backed, widely used techniques of CBT, DBT, Yoga and meditation are employed to support you with stress, anxiety, deep sleep, loss and other mental health and wellness needs. If you are dealing with stress, anxiety and depression or coping with low self-esteem, then talking to Wysa can help you relax and get unstuck - it's empathetic, helpful, and will never judge. You will overcome your mental health obstacles, through empathetic conversation and free CBT therapy based technique. So, pour your heart out to your happiness buddy, Wysa as your identity will remain anonymous and your conversations are privacy protected. Used around the clock and trusted by 500,000 people, Wysa is an emotionally intelligent chatbot that uses AI to react to the emotions you express. Unlock tools and techniques that help you cope with challenges in a fun, conversational way. For extra support, you can avail guidance from a real human coach - a skilled psychologist who will take you through the advanced coaching sessions for your needs. You can use Wysa to rewire your mind to improve your emotional health. Fight off depression or get stress relief using cbt techniques and guided sleep meditations for optimal sleep. Here's a look at what you can use Wysa for

- Vent and talk through things or just reflect on your day with your AI chatbot
- Practice CBT (Cognitive Behavioral Therapy) and DBT techniques to build resilience in a fun way
- Use one of 40 conversational coaching tools which helps in dealing with Stress, Anxiety, Depression, Panic Attacks, Worry, Loss, or Conflict
- Relax, focus and sleep peacefully with the help of 20 mindfulness meditation exercises

93% of the people who talk to Wysa - AI companion find it and the tools helpful - Build confidence, reduce self-doubt and improve your self-esteem: core meditation and mindfulness, visualisation, confidence visualisation techniques, advanced mindfulness for self-esteem - Manage anger: mindfulness meditation exercises for compassion, calming your thoughts and practice breathing - Manage anxious thoughts and anxiety: deep breathing, techniques for observing thoughts, visualization, and tension relief - Tired? Get a burst of energy! Visualisation and meditation exercises to increase positivity and get blissful sleep, quick yoga and physical exercises to get active - Dealing with worry: observe mindfulness, resolving technique, challenge negativity, practice breathing techniques - Manage conflict at work, school or in relationships: special mindfulness and visualization techniques like empty chair exercise, gratitude meditation, exercises to build skills in having difficult conversations

Report Generated by - MobSF v3.7.9 Beta

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.