



ANDROID STATIC ANALYSIS REPORT



 MyPossibleSelf (5.3.3)

File Name: _MyPossibleSelf_ Mental Health_5.3.3_Apkpure.xapk

Package Name: com.mypossibleself.app

Scan Date: Nov. 28, 2023, 7:01 p.m.






App Security Score: 30/100 (HIGH RISK)

Grade:



Trackers Detection: 7/428

FINDINGS SEVERITY

 HIGH	 MEDIUM	 INFO	 SECURE	 HOTSPOT
15	19	2	1	2

FILE INFORMATION

File Name: _MyPossibleSelf_ Mental Health_5.3.3_Apkpure.xapk

Size: 45.53MB

MD5: 70fd4eeb3a42b2dba3076a3fd99c89af

SHA1: 3b6df1293fb80b70a89f1e6bc4366c1efaf60ab5

SHA256: 14ccd30b8be3aef46d0de30155b598925f904e7b3260af22ac67ad22b13f1beb

APP INFORMATION

App Name: MyPossibleSelf

Package Name: com.mypossibleself.app

Main Activity: com.mypossibleself.app.MainActivity

Target SDK: 33

Min SDK: 21

Max SDK:

Android Version Name: 5.3.3

Android Version Code: 5000033

APP COMPONENTS

Activities: 16

Services: 25

Receivers: 26

Providers: 12

Exported Activities: 5

Exported Services: 6

Exported Receivers: 8

Exported Providers: 0

CERTIFICATE INFORMATION

Binary is signed

v1 signature: True

v2 signature: True

v3 signature: True

v4 signature: False

X.509 Subject: OU=My Possible Self

Signature Algorithm: rsassa_pkcs1v15

Valid From: 2017-07-31 14:59:20+00:00

Valid To: 2082-07-15 14:59:20+00:00

Issuer: OU=My Possible Self

Serial Number: 0xd5d8847

Hash Algorithm: sha256

md5: a442168b62d88b3ed31c5263b2279555

sha1: e920b2c3fff7b1ec11fe21acd993e122abac65da

sha256: 14a15907e1a21ea7b195b382944e7fcd16d35c735fc6c0a5a5c8e3131238934

sha512: 3451a52b631031b78a9f6343bcd27a399d96b82e694a28742cd1ca70d3686e151e93c358e9ccfcef61407a92f0926d11b8325afb1c9bb589af102285c14dbafb

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: ced892e6d96dc70cf06ea78e9b4719c576b207c996cc01f725b5784616a72fda

Found 1 unique certificates

≡ APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.
android.permission.USE_FINGERPRINT	normal	allow use of fingerprint	This constant was deprecated in API level 28. Applications should request USE_BIOMETRIC instead.
android.permission.POST_NOTIFICATIONS	dangerous		Allows an app to post notifications
android.permission.USE_BIOMETRIC	normal		Allows an app to use device supported biometric modalities.
android.permission.RECEIVE_BOOT_COMPLETED	normal	automatically start at boot	Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running.
android.permission.VIBRATE	normal	control vibrator	Allows the application to control the vibrator.
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.
android.permission.FOREGROUND_SERVICE	normal		Allows a regular application to use Service.startForeground.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACCESS_FINE_LOCATION	dangerous	fine (GPS) location	Access fine location sources, such as the Global Positioning System on the phone, where available. Malicious applications can use this to determine where you are and may consume additional battery power.
android.permission.ACCESS_COARSE_LOCATION	dangerous	coarse (network-based) location	Access coarse location sources, such as the mobile network database, to determine an approximate phone location, where available. Malicious applications can use this to determine approximately where you are.
android.permission.ACCESS_BACKGROUND_LOCATION	dangerous	access location in background	Allows an app to access location in the background.
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.USE_FULL_SCREEN_INTENT	normal		Required for apps targeting Build.VERSION_CODES.Q that want to use notification full screen intents.
android.permission.SCHEDULE_EXACT_ALARM	normal		Allows an app to use exact alarm scheduling APIs to perform timing sensitive background work.
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.READ_PHONE_STATE	dangerous	read phone state and identity	Allows the application to access the phone features of the device. An application with this permission can determine the phone number and serial number of this phone, whether a call is active, the number that call is connected to and so on.
android.permission.READ_EXTERNAL_STORAGE	dangerous	read external storage contents	Allows an application to read from external storage.
com.google.android.c2dm.permission.RECEIVE	signature	C2DM permissions	Permission for cloud to device messaging.
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	unknown	Unknown permission	Unknown permission from android reference
android.permission.CHANGE_WIFI_STATE	normal	change Wi-Fi status	Allows an application to connect to and disconnect from Wi-Fi access points and to make changes to configured Wi-Fi networks.
com.mypossibleself.app.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference
com.sec.android.provider.badge.permission.READ	normal	Show notification count on app	Show notification count or badge on application launch icon for samsung phones.
com.sec.android.provider.badge.permission.WRITE	normal	Show notification count on app	Show notification count or badge on application launch icon for samsung phones.
com.htc.launcher.permission.READ_SETTINGS	normal	Show notification count on app	Show notification count or badge on application launch icon for htc phones.

PERMISSION	STATUS	INFO	DESCRIPTION
com.htc.launcher.permission.UPDATE_SHORTCUT	normal	Show notification count on app	Show notification count or badge on application launch icon for htc phones.
com.sonyericsson.home.permission.BROADCAST_BADGE	normal	Show notification count on app	Show notification count or badge on application launch icon for sony phones.
com.sonymobile.home.permission.PROVIDER_INSERT_BADGE	normal	Show notification count on app	Show notification count or badge on application launch icon for sony phones.
com.anddoes.launcher.permission.UPDATE_COUNT	normal	Show notification count on app	Show notification count or badge on application launch icon for apex.
com.majeur.launcher.permission.UPDATE_BADGE	normal	Show notification count on app	Show notification count or badge on application launch icon for solid.
com.huawei.android.launcher.permission.CHANGE_BADGE	normal	Show notification count on app	Show notification count or badge on application launch icon for huawei phones.
com.huawei.android.launcher.permission.READ_SETTINGS	normal	Show notification count on app	Show notification count or badge on application launch icon for huawei phones.
com.huawei.android.launcher.permission.WRITE_SETTINGS	normal	Show notification count on app	Show notification count or badge on application launch icon for huawei phones.
android.permission.READ_APP_BADGE	normal	show app notification	Allows an application to show app icon badges.
com.oppo.launcher.permission.READ_SETTINGS	normal	Show notification count on app	Show notification count or badge on application launch icon for oppo phones.
com.oppo.launcher.permission.WRITE_SETTINGS	normal	Show notification count on app	Show notification count or badge on application launch icon for oppo phones.

PERMISSION	STATUS	INFO	DESCRIPTION
me.everything.badger.permission.BADGE_COUNT_READ	unknown	Unknown permission	Unknown permission from android reference
me.everything.badger.permission.BADGE_COUNT_WRITE	unknown	Unknown permission	Unknown permission from android reference
android.permission.ACTIVITY_RECOGNITION	dangerous	allow application to recognize physical activity	Allows an application to recognize physical activity.
com.google.android.gms.permission.ACTIVITY_RECOGNITION	dangerous	allow application to recognize physical activity	Allows an application to recognize physical activity.
com.huawei.hms.permission.ACTIVITY_RECOGNITION	unknown	Unknown permission	Unknown permission from android reference
android.permission.FOREGROUND_SERVICE_HEALTH	normal		Allows a regular application to use Service.startForeground with the type "health".
android.permission.FOREGROUND_SERVICE_LOCATION	normal		Allows a regular application to use Service.startForeground with the type "location".
oppo.permission.OPPO_COMPONENT_SAFE	unknown	Unknown permission	Unknown permission from android reference
com.huawei.permission.external_app_settings.USE_COMPONENT	unknown	Unknown permission	Unknown permission from android reference

FILE	DETAILS	
classes.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check possible VM check
	Compiler	r8
classes2.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check possible VM check
	Anti Debug Code	Debug.isDebuggerConnected() check
	Compiler	r8 without marker (suspicious)

FILE	DETAILS	
classes3.dex	FINDINGS	DETAILS
	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.BOARD check possible Build.SERIAL check SIM operator check network operator name check ro.kernel.qemu check possible VM check
	Compiler	r8 without marker (suspicious)

BROWSABLE ACTIVITIES

ACTIVITY	INTENT
com.mypossibleself.app.MainActivity	Schemes: mypossibleself://, Hosts: open,
com.aboutyou.dart_packages.sign_in_with_apple.SignInWithAppleCallback	Schemes: signinwithapple://, Paths: callback,

ACTIVITY	INTENT
com.facebook.CustomTabActivity	Schemes: @string/fb_login_protocol_scheme://, fbconnect://, Hosts: cct.com.mypossibleself.app,
com.google.firebase.auth.internal.GenericIdpActivity	Schemes: genericidp://, Hosts: firebase.auth, Paths: /,
com.google.firebase.auth.internal.RecaptchaActivity	Schemes: recaptcha://, Hosts: firebase.auth, Paths: /,

NETWORK SECURITY

HIGH: 1 | WARNING: 0 | INFO: 0 | SECURE: 0

NO	SCOPE	SEVERITY	DESCRIPTION
1	www.sane.org.uk	high	Domain config is insecurely configured to permit clear text traffic to these domains in scope.

CERTIFICATE ANALYSIS

HIGH: 0 | WARNING: 1 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate

TITLE	SEVERITY	DESCRIPTION
Application vulnerable to Janus Vulnerability	warning	Application is signed with v1 signature scheme, making it vulnerable to Janus vulnerability on Android 5.0-8.0, if signed only with v1 signature scheme. Applications running on Android 5.0-7.0 signed with v1, and v2/v3 scheme is also vulnerable.

Q MANIFEST ANALYSIS

HIGH: 11 | WARNING: 10 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable Android version [minSdk=21]	warning	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. Support an Android version > 8, API 26 to receive reasonable security updates.
2	App has a Network Security Configuration [android:networkSecurityConfig=@xml/network_security_config]	info	The Network Security Configuration feature lets apps customize their network security settings in a safe, declarative configuration file without modifying app code. These settings can be configured for specific domains and for a specific app.
3	Application Data can be Backed up [android:allowBackup] flag is missing.	warning	The flag [android:allowBackup] should be set to false. By default it is set to true and allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.
4	Activity (com.aboutyou.dart_packages.sign_in_with_apple.SignInWithAppleCallback) is not Protected. [android:exported=true]	high	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
5	Activity (com.facebook.CustomTabActivity) is not Protected. [android:exported=true]	high	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
6	Service (com.ryanheise.audioservice.AudioService) is not Protected. [android:exported=true]	high	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
7	Broadcast Receiver (com.ryanheise.audioservice.MediaButtonReceiver) is not Protected. [android:exported=true]	high	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
8	Broadcast Receiver (com.intivoto.geofence.GeofenceBroadcastReceiver) is not Protected. [android:exported=true]	high	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
9	Service (com.intivoto.geofence.GeofencePlugin) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

NO	ISSUE	SEVERITY	DESCRIPTION
10	Broadcast Receiver (io.flutter.plugins.firebase.messaging.FlutterFirebaseMessagingReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
11	Broadcast Receiver (com.github.florent37.assets_audio_player.notification.NotificationActionReceiver) is not Protected. [android:exported=true]	high	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
12	Broadcast Receiver (com.github.florent37.assets_audio_player.notification.CustomMediaButtonReceiver) is not Protected. [android:exported=true]	high	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
13	Service (com.github.florent37.assets_audio_player.notification.NotificationService) is not Protected. [android:exported=true]	high	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
14	Broadcast Receiver (com.google.firebase.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
15	Service (com.google.android.gms.auth.api.signin.RevocationBoundService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.auth.api.signin.permission.REVOCATION_NOTIFICATION [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
16	Activity (com.google.firebase.auth.internal.GenericIdpActivity) is not Protected. [android:exported=true]	high	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
17	Activity (com.google.firebase.auth.internal.RecaptchaActivity) is not Protected. [android:exported=true]	high	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
18	Service (androidx.work.impl.background.systemjob.SystemJobService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
19	Broadcast Receiver (androidx.work.impl.diagnostics.DiagnosticsReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

NO	ISSUE	SEVERITY	DESCRIPTION
20	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
21	Service (com.transistorsoft.tsbackgroundfetch.FetchJobService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
22	Activity (com.transistorsoft.locationmanager.activity.TSLocationManagerActivity) is not Protected. [android:exported=true]	high	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

</> CODE ANALYSIS

HIGH: 2 | WARNING: 7 | INFO: 2 | SECURE: 1 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
				android/print/PdfConvert.java br/com/rsmarques/flutter_branch_sdk/FlutterBranchSdkInit.java ch/qos/logback/classic/android/LogcatAppender.java ch/qos/logback/classic/net/SimpleSocketServer.java ch/qos/logback/classic/pattern/TargetLengthBasedClassNameAbbreviator.java ch/qos/logback/classic/spi/ThrowableProxy.java ch/qos/logback/core/net/DefaultSocketConnector.java ch/qos/logback/core/net/SocketConnectorBase.java ch/qos/logback/core/subst/Node.java com/aboutyou/dart_packages/sign_in_with_apple/SignInWithAppleCallback.java com/baseflow/geolocator/GeolocatorLocationService.java com/baseflow/geolocator/GeolocatorPlugin.java com/baseflow/geolocator/LocationServiceHandlerImpl.java com/baseflow/geolocator/MethodCallHandlerImpl.java com/baseflow/geolocator/StreamHandlerImpl.java com/baseflow/geolocator/location/FusedLocationClient.java com/baseflow/geolocator/permission/PermissionManager.java com/baseflow/location_permissions/LocationPermissionsPlugin.java com/baseflow/permissionhandler/AppSettingsManager.java com/baseflow/permissionhandler/Permission

NO	ISSUE	SEVERITY	STANDARDS	<div>nManager.java FILES com/baseflow/permissionhandler/Permissio nUtils.java com/baseflow/permissionhandler/ServiceMa nager.java com/bumptech/glide/Glide.java com/bumptech/glide/gifdecoder/GifHeaderP arser.java com/bumptech/glide/gifdecoder/StandardGi fDecoder.java com/bumptech/glide/load/data/AssetPathFet cher.java com/bumptech/glide/load/data/HttpUrlFetch er.java com/bumptech/glide/load/data/LocalUriFetc her.java com/bumptech/glide/load/data/mediastore/ ThumbFetcher.java com/bumptech/glide/load/data/mediastore/ ThumbnailStreamOpener.java com/bumptech/glide/load/engine/DecodeJo b.java com/bumptech/glide/load/engine/DecodePa th.java com/bumptech/glide/load/engine/Engine.jav a com/bumptech/glide/load/engine/GlideExce ption.java com/bumptech/glide/load/engine/SourceGe nerator.java com/bumptech/glide/load/engine/bitmap_re cycle/LruArrayPool.java com/bumptech/glide/load/engine/bitmap_re cycle/LruBitmapPool.java com/bumptech/glide/load/engine/cache/Dis kLruCacheWrapper.java com/bumptech/glide/load/engine/cache/Me morySizeCalculator.java com/bumptech/glide/load/engine/executor/ GlideExecutor.java</div>

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/bumptech/glide/load/engine/executor/ com/bumptech/glide/load/engine/prefill/BitmapPreFillRunner.java com/bumptech/glide/load/model/ByteBufferEncoder.java com/bumptech/glide/load/model/ByteBufferFileLoader.java com/bumptech/glide/load/model/FileLoader.java com/bumptech/glide/load/model/ResourceLoader.java com/bumptech/glide/load/model/StreamEncoder.java com/bumptech/glide/load/resource/DefaultOnHeaderDecodedListener.java com/bumptech/glide/load/resource/bitmap/BitmapEncoder.java com/bumptech/glide/load/resource/bitmap/BitmapImageDecoderResourceDecoder.java com/bumptech/glide/load/resource/bitmap/DefaultImageHeaderParser.java com/bumptech/glide/load/resource/bitmap/Downsampler.java com/bumptech/glide/load/resource/bitmap/DrawableToBitmapConverter.java com/bumptech/glide/load/resource/bitmap/HardwareConfigState.java com/bumptech/glide/load/resource/bitmap/TransformationUtils.java com/bumptech/glide/load/resource/bitmap/VideoDecoder.java com/bumptech/glide/load/resource/gif/ByteBufferGifDecoder.java com/bumptech/glide/load/resource/gif/GifDrawableEncoder.java com/bumptech/glide/load/resource/gif/StreamGifDecoder.java com/bumptech/glide/manager/DefaultConnectivityMonitorFactory.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				<div>com/bumptechnology/glide/manager/RequestManagerFragment.java</div> <div>com/bumptechnology/glide/manager/RequestManagerRetriever.java</div> <div>com/bumptechnology/glide/manager/RequestTracker.java</div> <div>com/bumptechnology/glide/manager/SingletonConnectivityReceiver.java</div> <div>com/bumptechnology/glide/manager/SupportRequestManagerFragment.java</div> <div>com/bumptechnology/glide/module/ManifestParser.java</div> <div>com/bumptechnology/glide/request/SingleRequest.java</div> <div>com/bumptechnology/glide/request/target/CustomViewTarget.java</div> <div>com/bumptechnology/glide/request/target/ViewTarget.java</div> <div>com/bumptechnology/glide/signature/ApplicationVersionSignature.java</div> <div>com/bumptechnology/glide/util/ContentLengthInputStream.java</div> <div>com/bumptechnology/glide/util/pool/FactoryPools.java</div> <div>com/github/florent37/assets_audio_player/Player.java</div> <div>com/github/florent37/assets_audio_player/notification/CustomMediaButtonReceiver.java</div> <div>com/github/florent37/assets_audio_player/notification/ImageDownloader.java</div> <div>com/github/florent37/assets_audio_player/playerimplem/PlayerImplemTesterExoPlayer.java</div> <div>com/github/florent37/assets_audio_player/playerimplem/PlayerImplemTesterMediaPlayer.java</div> <div>com/huawei/agconnect/AGConnectInstance.java</div> <div>com/huawei/agconnect/config/impl/Utils.java</div>

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com.huawei.agconnect.config.impl.c.java com.huawei.agconnect.config.impl.e.java com.huawei.agconnect.config.impl.h.java com.huawei.agconnect.config.impl.k.java com.huawei.agconnect.core.a.b.java com.huawei.agconnect.core.a.c.java com.huawei.agconnect.core.a.d.java com.huawei.agconnect.core.provider.AGConnectInitializeProvider.java com.huawei.hmf.tasks.a.g.java com.huawei.hms.activity.BridgeActivity.java com.huawei.hms.activity.ForegroundBusDelegate.java com.huawei.hms.activity.internal.ForegroundInnerHeader.java com.huawei.hms.adapter.AvailableAdapter.java com.huawei.hms.adapter.BaseAdapter.java com.huawei.hms.adapter.BinderAdapter.java com.huawei.hms.adapter.InnerBinderAdapter.java com.huawei.hms.adapter.OuterBinderAdapter.java com.huawei.hms.adapter.ui.BaseResolutionAdapter.java com.huawei.hms.adapter.ui.NotInstalledHmsAdapter.java com.huawei.hms.adapter.ui.UpdateAdapter.java com.huawei.hms.android.HwBuildEx.java com.huawei.hms.android.SystemUtils.java com.huawei.hms.api.BindingFailedResolution.java com.huawei.hms.api.FailedBinderCallback.java com.huawei.hms.api.HuaweiApiClientImpl.java com.huawei.hms.api.HuaweiMobileServicesUtil.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com.huawei.hms.api/IPCCallback.java com.huawei.hms.api/IPCTransport.java com.huawei.hms.api/ResolutionDelegate.java com.huawei.hms.api/b.java com.huawei.hms.availableupdate/a.java com.huawei.hms.base/ui/a.java com.huawei.hms.common/HuaweiApi.java com.huawei.hms.common/api/AvailabilityException.java com.huawei.hms.common.data/DataHolder.java com.huawei.hms.common.internal/BaseHmsClient.java com.huawei.hms.common.internal/ConnectionErrorMessages.java com.huawei.hms.common.internal/DialogRedirect.java com.huawei.hms.common.internal/HmsClient.java com.huawei.hms.common.internal/RequestHeader.java com.huawei.hms.common.internal/RequestManager.java com.huawei.hms.common.internal/ResponseHeader.java com.huawei.hms.common.internal/ResponseWrap.java com.huawei.hms.common.internal/TaskApiCall.java com.huawei.hms.common.util/AGCUtls.java com.huawei.hms.common.util/Base64Utils.java com.huawei.hms.core/aidl/MessageCodec.java com.huawei.hms.device/a.java com.huawei.hms.framework.common/Logger.java com.huawei.hms.hatool/z.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/huawei/hms/locationSdk/a.java com/huawei/hms/locationSdk/a1.java com/huawei/hms/locationSdk/b1.java com/huawei/hms/locationSdk/c0.java com/huawei/hms/locationSdk/c1.java com/huawei/hms/locationSdk/d0.java com/huawei/hms/locationSdk/d1.java com/huawei/hms/locationSdk/e.java com/huawei/hms/locationSdk/e1.java com/huawei/hms/locationSdk/f0.java com/huawei/hms/locationSdk/f1.java com/huawei/hms/locationSdk/g.java com/huawei/hms/locationSdk/g0.java com/huawei/hms/locationSdk/g1.java com/huawei/hms/locationSdk/h.java com/huawei/hms/locationSdk/h1.java com/huawei/hms/locationSdk/i0.java com/huawei/hms/locationSdk/i1.java com/huawei/hms/locationSdk/j0.java com/huawei/hms/locationSdk/k.java com/huawei/hms/locationSdk/k0.java com/huawei/hms/locationSdk/k1.java com/huawei/hms/locationSdk/l0.java com/huawei/hms/locationSdk/m0.java com/huawei/hms/locationSdk/m1.java com/huawei/hms/locationSdk/n.java com/huawei/hms/locationSdk/n0.java com/huawei/hms/locationSdk/n1.java com/huawei/hms/locationSdk/o0.java com/huawei/hms/locationSdk/p0.java com/huawei/hms/locationSdk/q.java com/huawei/hms/locationSdk/q0.java com/huawei/hms/locationSdk/r0.java com/huawei/hms/locationSdk/s0.java com/huawei/hms/locationSdk/t0.java com/huawei/hms/locationSdk/u0.java com/huawei/hms/locationSdk/v0.java com/huawei/hms/locationSdk/w0.java com/huawei/hms/locationSdk/x0.java com/huawei/hms/locationSdk/y0.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/huawei/hms/locationSdk/z0.java com/huawei/hms/stats/a.java com/huawei/hms/stats/c.java com/huawei/hms/support/api/ErrorResponseIm pl.java com/huawei/hms/support/api/PendingResul tImpl.java com/huawei/hms/support/api/client/Resolvi ngResultCallbacks.java com/huawei/hms/support/api/client/ResultC allbacks.java com/huawei/hms/support/api/core/Connect Service.java com/huawei/hms/support/api/location/com mon/HMSLocationLog.java com/huawei/hms/support/api/location/com mon/LocationClientStateManager.java com/huawei/hms/support/api/location/com mon/LocationRequestHelper.java com/huawei/hms/support/api/location/com mon/PermissionUtil.java com/huawei/hms/support/api/location/com mon/exception/ServiceErrorCodeAdaptor.jav a com/huawei/hms/support/common/Activity Mgr.java com/huawei/hms/support/hianalytics/HiAna lyticsUtil.java com/huawei/hms/support/hianalytics/HiAna lyticsUtils.java com/huawei/hms/support/log/HMSDebugge r.java com/huawei/hms/ui/AbstractDialog.java com/huawei/hms/update/note/AppSpoofRes olution.java com/huawei/hms/update/note/DoNothingRe solution.java com/huawei/hms/update/note/NotInstalled HmsResolution.java com/huawei/hms/update/ui/NotInstalledHm

NO	ISSUE	SEVERITY	STANDARDS	sDialogHelper.java FILES com.huawei/hms/utils/FileUtil.java com.huawei/hms/utils/HMSBllInitializer.java com.huawei/hms/utils/HMSPackageManager.java com.huawei/hms/utils/IOUtils.java com.huawei/hms/utils/JsonUtil.java com.huawei/hms/utils/PackageManagerHelper.java com.huawei/hms/utils/ReadApkFileUtil.java com.huawei/hms/utils/SHA256.java com.huawei/hms/utils/UIUtil.java com.huawei/hms/utils/Util.java com.huawei/location/FB.java com.huawei/location/activity/model/Vw.java com.huawei/location/lite/common/log/logwrite/LogWrite.java com.huawei/location/lite/common/log/logwrite/LogWriteApi.java com.huawei/location/lite/common/log/logwrite/LogWriteManager.java com.huawei/riemann/common/api/location/SdmLocationClient.java com.huawei/riemann/gnsslocation/api/vdr/VdrLocationClient.java com.huawei/riemann/location/yn.java com.huawei/secure/android/common/activity/a.java com.huawei/secure/android/common/anonymization/Anonymizer.java com.huawei/secure/android/common/encrypt/keystore/rsa/RSAgnKS.java com.huawei/secure/android/common/encrypt/utls/b.java com.huawei/secure/android/common/intent/SafeUri.java com.huawei/secure/android/common/ssl/utl/BksUtil.java com.huawei/secure/android/common/ssl/utl/g.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				<div>com.huawei.secure.android.common.util/ExUtil.java</div> <div>com.huawei.secure.android.common.util/HexUtil.java</div> <div>com.huawei.secure.android.common.util/IOUtil.java</div> <div>com.huawei.secure.android.common.util/LogsUtil.java</div> <div>com.huawei.secure.android.common.util/PermissionUtil.java</div> <div>com.huawei.secure.android.common.util/SafeBase64.java</div> <div>com.huawei.secure.android.common.util/SafePrintException.java</div> <div>com.huawei.secure.android.common.util/SafeString.java</div> <div>com.huawei.secure.android.common.util/SafeStringBuffer.java</div> <div>com.huawei.secure.android.common.util/SafeStringBuilder.java</div> <div>com.huawei.secure.android.common.util/ZipUtil.java</div> <div>com.huawei.secure.android.common.util/a.java</div> <div>com.huawei.secure.android.common.webview/SafeGetUrl.java</div> <div>com.huawei.secure.android.common.webview/SafeWebView.java</div> <div>com.huawei.secure.android.common.webview/UriUtil.java</div> <div>com.huawei.wisecurity.kfs.crypto/key/KeyStoreKeyManager.java</div> <div>com.huawei.wisecurity.kfs/ha/BIChecker.java</div> <div>com.huawei.wisecurity.kfs/ha/HaReporter.java</div> <div>com.huawei.wisecurity.kfs/interceptors/ReqHeaderInterceptor.java</div> <div>com.huawei.wisecurity.kfs/util/KfsDeviceUtil.java</div>

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	com/huawei/wisecurity/kfs/util/RandomUt com/huawei/wisecurity/ucs/common/log/ LogUcs.java com/huawei/wisecurity/ucs/common/log/ LogUcsDefault.java com/intentfilter/androidpermissions/helpers /Logger.java com/jhomlala/better_player/BetterPlayer\$se tupPlayerNotification\$mediaDescriptionAda pter\$1.java com/jhomlala/better_player/BetterPlayer.jav a com/jhomlala/better_player/BetterPlayerCac he.java com/jhomlala/better_player/BetterPlayerPlu gin.java com/jhomlala/better_player/CacheWorker.ja va com/jhomlala/better_player/ImageWorker.ja va com/ryanheise/audioservice/AudioService.ja va com/ryanheise/audioservice/AudioServicePl ugin.java com/ryanheise/just_audio/AudioPlayer.java com/tekartik/sqlite/Database.java com/tekartik/sqlite/SqflitePlugin.java com/tekartik/sqlite/Utils.java com/tekartik/sqlite/dev/Debug.java com/transistorsoft/flutter/backgroundfetch/ BackgroundFetchModule.java com/transistorsoft/flutter/backgroundfetch/ HeadlessTask.java com/transistorsoft/flutter/backgroundgeoloc ation/BackgroundGeolocationModule.java com/transistorsoft/flutter/backgroundgeoloc ation/HeadlessTask.java com/transistorsoft/locationmanager/BootRe ceiver.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/transistorsoft/locationmanager/a/A.java com/transistorsoft/locationmanager/activity/TSLocationManagerActivity.java com/transistorsoft/locationmanager/adapters/BackgroundGeolocation.java com/transistorsoft/locationmanager/adapters/TSConfig.java com/transistorsoft/locationmanager/config/TSAuthorization.java com/transistorsoft/locationmanager/config/TSBackgroundPermissionRationale.java com/transistorsoft/locationmanager/config/TSNotification.java com/transistorsoft/locationmanager/config/TransistorAuthorizationToken.java com/transistorsoft/locationmanager/data/LocationModel.java com/transistorsoft/locationmanager/data/sqlite/GeofenceDAO.java com/transistorsoft/locationmanager/data/sqlite/LocationOpenHelper.java com/transistorsoft/locationmanager/data/sqlite/SQLiteLocationDAO.java com/transistorsoft/locationmanager/device/DeviceInfo.java com/transistorsoft/locationmanager/device/DeviceSettings.java com/transistorsoft/locationmanager/event/ActivityChangeEvent.java com/transistorsoft/locationmanager/event/AuthorizationEvent.java com/transistorsoft/locationmanager/event/GeofenceEvent.java com/transistorsoft/locationmanager/event/GeofencesChangeEvent.java com/transistorsoft/locationmanager/event/HeartbeatEvent.java com/transistorsoft/locationmanager/event/LocationProviderChangeEvent.java com/transistorsoft/locationmanager/event/

NO	ISSUE	SEVERITY	STANDARDS	<div>MotionEvent.java Files terminateEvent.java</div>
				<div>com/transistorsoft/locationmanager/event/T e/TSGeofence.java com/transistorsoft/locationmanager/geofenc e/TSGeofenceManager.java com/transistorsoft/locationmanager/http/Htt pResponse.java com/transistorsoft/locationmanager/http/Htt pService.java com/transistorsoft/locationmanager/location /SingleLocationReceiver.java com/transistorsoft/locationmanager/location /SingleLocationRequest.java com/transistorsoft/locationmanager/location /TSLocation.java com/transistorsoft/locationmanager/location /TSLocationManager.java com/transistorsoft/locationmanager/location /TSWatchPositionRequest.java com/transistorsoft/locationmanager/logger/ TSLog.java com/transistorsoft/locationmanager/logger/ TSLogReader.java com/transistorsoft/locationmanager/logger/ TSSQLiteAppender.java com/transistorsoft/locationmanager/logger/ a.java com/transistorsoft/locationmanager/plugin/ TSPlugin.java com/transistorsoft/locationmanager/provide r/TSProviderManager.java com/transistorsoft/locationmanager/rpc/a.ja va com/transistorsoft/locationmanager/schedul er/ScheduleEvent.java com/transistorsoft/locationmanager/schedul er/TSScheduleManager.java com/transistorsoft/locationmanager/service/</div>

NO	ISSUE	SEVERITY	STANDARDS	AbstractService.java FILES com/transistorsoft/locationmanager/service/ ActivityRecognitionService.java com/transistorsoft/locationmanager/service/ BackgroundTaskService.java com/transistorsoft/locationmanager/service/ ForegroundNotification.java com/transistorsoft/locationmanager/service/ GeofencingService.java com/transistorsoft/locationmanager/service/ LocationRequestService.java com/transistorsoft/locationmanager/service/ TrackingService.java com/transistorsoft/locationmanager/settings /Settings.java com/transistorsoft/locationmanager/util/Bac kgroundTaskManager.java com/transistorsoft/locationmanager/util/Bac kgroundTaskWorker.java com/transistorsoft/locationmanager/util/Buil dConfigUtils.java com/transistorsoft/locationmanager/util/Hea dlessEventBroadcaster.java com/transistorsoft/locationmanager/util/Loc ationAuthorization.java com/transistorsoft/locationmanager/util/TSN otification.java com/transistorsoft/locationmanager/worker s/GeofenceWorker.java com/transistorsoft/tsbackgroundfetch/BGTa sk.java com/transistorsoft/tsbackgroundfetch/Backg roundFetch.java com/transistorsoft/tsbackgroundfetch/Backg roundFetchConfig.java com/transistorsoft/tsbackgroundfetch/BootR eceiver.java com/transistorsoft/tsbackgroundfetch/Fetch AlarmReceiver.java com/transistorsoft/tsbackgroundfetch/FetchJ

NO	ISSUE	SEVERITY	STANDARDS	FILES
				<div>obService.java</div> <div>com/transistorsoft/tsbackgroundfetch/LifecycleManager.java</div> <div>com/transistorsoft/xms/g/actions/SearchIntents.java</div> <div>com/transistorsoft/xms/g/common/ConnectionResult.java</div> <div>com/transistorsoft/xms/g/common/AlertDialogFragment.java</div> <div>com/transistorsoft/xms/g/common/ExtensionApiAvailability.java</div> <div>com/transistorsoft/xms/g/common/ExtensionPlayServicesNotAvailableException.java</div> <div>com/transistorsoft/xms/g/common/ExtensionPlayServicesRepairableException.java</div> <div>com/transistorsoft/xms/g/common/ExtensionPlayServicesUtil.java</div> <div>com/transistorsoft/xms/g/common/SupportErrorDialogFragment.java</div> <div>com/transistorsoft/xms/g/common/UserRecoverableException.java</div> <div>com/transistorsoft/xms/g/common/api/ApiException.java</div> <div>com/transistorsoft/xms/g/common/api/AvailabilityException.java</div> <div>com/transistorsoft/xms/g/common/api/BooleanResult.java</div> <div>com/transistorsoft/xms/g/common/api/CommonStatusCodes.java</div> <div>com/transistorsoft/xms/g/common/api/ExtensionApiClient.java</div> <div>com/transistorsoft/xms/g/common/api/OptionalPendingResult.java</div> <div>com/transistorsoft/xms/g/common/api/PendingResult.java</div> <div>com/transistorsoft/xms/g/common/api/PendingResults.java</div> <div>com/transistorsoft/xms/g/common/api/Releasable.java</div> <div>com/transistorsoft/xms/g/common/api/Reso</div>

NO	ISSUE	SEVERITY	STANDARDS	FILES
				IvbleApiException.java com/transistorsoft/xms/g/common/api/ResolvingResultCallbacks.java com/transistorsoft/xms/g/common/api/Response.java com/transistorsoft/xms/g/common/api/Result.java com/transistorsoft/xms/g/common/api/ResultCallback.java com/transistorsoft/xms/g/common/api/ResultCallbacks.java com/transistorsoft/xms/g/common/api/ResultTransform.java com/transistorsoft/xms/g/common/api/Scope.java com/transistorsoft/xms/g/common/api/Status.java com/transistorsoft/xms/g/common/api/TransformedResult.java com/transistorsoft/xms/g/common/api/UnsupportedApiCallException.java com/transistorsoft/xms/g/common/data/AbstractDataBuffer.java com/transistorsoft/xms/g/common/data/DataBuffer.java com/transistorsoft/xms/g/common/data/DataBufferObserver.java com/transistorsoft/xms/g/common/data/DataBufferUtils.java com/transistorsoft/xms/g/common/data/Freezable.java com/transistorsoft/xms/g/common/data/FreezableUtils.java com/transistorsoft/xms/g/common/images/Size.java com/transistorsoft/xms/g/common/images/WebImage.java com/transistorsoft/xms/g/location/ActivityRecognition.java com/transistorsoft/xms/g/location/ActivityRe

NO	ISSUE	SEVERITY	STANDARDS	FILES
				cognitionClient.java com/transistorsoft/xms/g/location/ActivityRe cognitionResult.java com/transistorsoft/xms/g/location/ActivityTr ansition.java com/transistorsoft/xms/g/location/ActivityTr ansitionEvent.java com/transistorsoft/xms/g/location/ActivityTr ansitionRequest.java com/transistorsoft/xms/g/location/ActivityTr ansitionResult.java com/transistorsoft/xms/g/location/Detected Activity.java com/transistorsoft/xms/g/location/FusedLoc ationProviderClient.java com/transistorsoft/xms/g/location/Geofence .java com/transistorsoft/xms/g/location/Geofence StatusCodes.java com/transistorsoft/xms/g/location/Geofenci ngClient.java com/transistorsoft/xms/g/location/Geofenci ngEvent.java com/transistorsoft/xms/g/location/Geofenci ngRequest.java com/transistorsoft/xms/g/location/Location Availability.java com/transistorsoft/xms/g/location/Location Callback.java com/transistorsoft/xms/g/location/Location Request.java com/transistorsoft/xms/g/location/Location Result.java com/transistorsoft/xms/g/location/LocationS ervices.java com/transistorsoft/xms/g/location/LocationS ettingsRequest.java com/transistorsoft/xms/g/location/LocationS ettingsResponse.java com/transistorsoft/xms/g/location/LocationS

NO	ISSUE	SEVERITY	STANDARDS	FILES
				<div>ettingsResult.java</div> <div>com/transistorsoft/xms/g/location/LocationS</div> <div>ettingsStates.java</div> <div>ettingsStatusCodes.java</div> <div>com/transistorsoft/xms/g/location/LocationS</div> <div>tatusCodes.java</div> <div>com/transistorsoft/xms/g/location/SettingsCl</div> <div>ient.java</div> <div>com/transistorsoft/xms/g/security/ProviderI</div> <div>nstaller.java</div> <div>com/transistorsoft/xms/g/tasks/Cancellation</div> <div>Token.java</div> <div>com/transistorsoft/xms/g/tasks/Cancellation</div> <div>TokenSource.java</div> <div>com/transistorsoft/xms/g/tasks/Continuatio</div> <div>n.java</div> <div>com/transistorsoft/xms/g/tasks/OnCanceled</div> <div>Listener.java</div> <div>com/transistorsoft/xms/g/tasks/OnComplete</div> <div>Listener.java</div> <div>com/transistorsoft/xms/g/tasks/OnFailureLi</div> <div>tener.java</div> <div>com/transistorsoft/xms/g/tasks/OnSuccessLi</div> <div>stener.java</div> <div>com/transistorsoft/xms/g/tasks/SuccessCont</div> <div>inuation.java</div> <div>com/transistorsoft/xms/g/tasks/Task.java</div> <div>com/transistorsoft/xms/g/tasks/TaskComple</div> <div>tionSource.java</div> <div>com/transistorsoft/xms/g/tasks/TaskExecuto</div> <div>rs.java</div> <div>com/transistorsoft/xms/g/tasks/Tasks.java</div> <div>com/transistorsoft/xms/g/utis/Utils.java</div> <div>com/transistorsoft/xms/g/utis/XObject.java</div> <div>com/transistorsoft/xms/g/utis/XmsLog.java</div> <div>dev/britannio/in_app_review/InAppReviewPl</div> <div>ugin.java</div> <div>io/branch/referral/BranchJsonConfig.java</div> <div>io/branch/referral/BranchLogger.java</div>

NO	ISSUE	SEVERITY	STANDARDS	FILES
				<div>io/branch/referral/validators/IntegrationVali</div> <div>io/flutter/Log.java</div> <div>io/flutter/app/FlutterActivityDelegate.java</div> <div>io/flutter/embedding/android/FlutterActivity.java</div> <div>io/flutter/embedding/android/FlutterActivityAndFragmentDelegate.java</div> <div>io/flutter/embedding/android/FlutterFragment.java</div> <div>io/flutter/embedding/android/FlutterFragmentActivity.java</div> <div>io/flutter/embedding/android/FlutterImageView.java</div> <div>io/flutter/embedding/android/FlutterSplashView.java</div> <div>io/flutter/embedding/android/FlutterSurfaceView.java</div> <div>io/flutter/embedding/android/FlutterTextureView.java</div> <div>io/flutter/embedding/android/FlutterView.java</div> <div>io/flutter/embedding/android/KeyboardManager.java</div> <div>io/flutter/embedding/engine/FlutterEngine.java</div> <div>io/flutter/embedding/engine/FlutterEngineConnectionRegistry.java</div> <div>io/flutter/embedding/engine/FlutterJNI.java</div> <div>io/flutter/embedding/engine/dart/DartExecutor.java</div> <div>io/flutter/embedding/engine/dart/DartMessenger.java</div> <div>io/flutter/embedding/engine/deferredcomponents/PlayStoreDeferredComponentManager.java</div> <div>io/flutter/embedding/engine/loader/FlutterLoader.java</div> <div>io/flutter/embedding/engine/loader/ResourceExtractor.java</div>

NO	ISSUE	SEVERITY	STANDARDS	FILES
				io/flutter/embedding/engine/plugins/shim/S himRegistrar.java io/flutter/embedding/engine/plugins/util/Ge neratedPluginRegister.java io/flutter/embedding/engine/renderer/Flutte rRenderer.java io/flutter/embedding/engine/systemchannel s/AccessibilityChannel.java io/flutter/embedding/engine/systemchannel s/DeferredComponentChannel.java io/flutter/embedding/engine/systemchannel s/KeyEventChannel.java io/flutter/embedding/engine/systemchannel s/LifecycleChannel.java io/flutter/embedding/engine/systemchannel s/LocalizationChannel.java io/flutter/embedding/engine/systemchannel s/MouseCursorChannel.java io/flutter/embedding/engine/systemchannel s/NavigationChannel.java io/flutter/embedding/engine/systemchannel s/PlatformChannel.java io/flutter/embedding/engine/systemchannel s/PlatformViewsChannel.java io/flutter/embedding/engine/systemchannel s/RestorationChannel.java io/flutter/embedding/engine/systemchannel s/SettingsChannel.java io/flutter/embedding/engine/systemchannel s/SpellCheckChannel.java io/flutter/embedding/engine/systemchannel s/SystemChannel.java io/flutter/embedding/engine/systemchannel s/TextInputChannel.java io/flutter/plugin/common/BasicMessageCha nnel.java io/flutter/plugin/common/EventChannel.java io/flutter/plugin/common/MethodChannel.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				va io/flutter/plugin/editing/InputConnectionAdaptor.java io/flutter/plugin/editing/ListenableEditingState.java io/flutter/plugin/editing/TextEditingDelta.java io/flutter/plugin/editing/TextInputPlugin.java io/flutter/plugin/platform/PlatformViewWrapper.java io/flutter/plugin/platform/PlatformViewsController.java io/flutter/plugin/platform/SingleViewPresentation.java io/flutter/plugins/GeneratedPluginRegistrant.java io/flutter/plugins/androidintent/IntentSender.java io/flutter/plugins/androidintent/MethodCallHandlerImpl.java io/flutter/plugins/deviceinfo/DeviceInfoPlugin.java io/flutter/plugins/firebase/crashlytics/FlutterFirebaseCrashlyticsPlugin.java io/flutter/plugins/firebase/messaging/ContextHolder.java io/flutter/plugins/firebase/messaging/FlutterFirebaseMessagingBackgroundExecutor.java io/flutter/plugins/firebase/messaging/FlutterFirebaseMessagingBackgroundService.java io/flutter/plugins/firebase/messaging/FlutterFirebaseMessagingReceiver.java io/flutter/plugins/firebase/messaging/JobIntentService.java io/flutter/plugins/googlemaps/GoogleMapController.java io/flutter/plugins/googlemaps/TileProviderController.java io/flutter/plugins/googlesignin/GoogleSignInPlugin.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
				io/flutter/plugins/imagepicker/FileUtils.java io/flutter/plugins/imagepicker/ImageResizer.java
				io/flutter/plugins/inapppurchase/MethodCallHandlerImpl.java io/flutter/plugins/pathprovider/PathProviderPlugin.java io/flutter/plugins/sharedpreferences/SharedPreferencesPlugin.java
2	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	io/flutter/plugins/url_launcher/UrlLauncherPlugin.java io/flutter/plugins/printing/PrintingJob.java io/flutter/plugins/videooplayer/VideoPlayerPlugin.java
3	IP Address disclosure	warning	CWE: CWE-200: Information Exposure	io/flutter/plugins/webviewflutter/DisplayListCompositorProxy.java io/flutter/plugins/webviewflutter/InputAwareWebView.java io/flutter/view/AccessibilityBridge.java io/flutter/view/AccessibilityViewEmbedder.java com.huawei/hms/base/device/BuildConfig.java io/flutter/view/FlutterNativeView.java io/flutter/view/FlutterView.java com.huawei/hms/common/PackageConstants.java com.huawei/hms/framework/common/BuildConfig.java com.huawei/hms/framework/common/PackageManagerCompat.java com.huawei/hms/framework/common/hianalytics/HianalyticsHelper.java com.huawei/hms/framework/network/frameworkcompat/BuildConfig.java com.huawei/hms/framework/network/grs/BuildConfig.java com.huawei/hms/framework/network/grs/gk/a.java com.huawei/hms/framework/network/grs/h/a.java com.huawei/hms/hatool/g1.java com.huawei/hms/hatool/v.java com.huawei/hms/hatool/z.java

NO	ISSUE	SEVERITY	OWASP MASVS: MSTG-CODE-2 STANDARDS	FILES
				com/huawei/hms/location/BuildConfig.java com/huawei/hms/location/base/BuildConfig.java com/huawei/hms/support/api/PendingResultImpl.java com/huawei/hms/support/hianalytics/HianalyticsUtil.java com/huawei/hms/support/hianalytics/a.java com/huawei/location/router/BuildConfig.java com/huawei/secure/android/common/base/a.java com/huawei/secure/android/common/encrypt/a.java com/huawei/secure/android/common/intent/BuildConfig.java com/huawei/secure/android/common/ssl/a.java com/huawei/secure/android/common/ssl/util/BksUtil.java com/huawei/secure/android/common/util/e.java com/huawei/wisecurity/kfs/BuildConfig.java com/huawei/wisecurity/ucs/credential/CredentialClient.java com/huawei/wisecurity/ucs_credential/l.java
4	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	ch/qos/logback/classic/android/SQLiteAppender.java com/tekartik/sqlite/Database.java com/transistorsoft/locationmanager/data/sqlite/GeofenceDAO.java com/transistorsoft/locationmanager/data/sqlite/LocationOpenHelper.java com/transistorsoft/locationmanager/data/sqlite/SQLiteLocationDAO.java com/transistorsoft/locationmanager/logger/TSSQLiteAppender.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
5	Files may contain hardcoded sensitive information like usernames, passwords, keys etc	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering	ch/qos/logback/classic/joran/action/ConfigurationAction.java ch/qos/logback/classic/sift/ContextBasedDiscriminator.java ch/qos/logback/core/CoreConstants.java ch/qos/logback/core/net/ssl/SSL.java ch/qos/logback/core/rolling/helper/DateTokenConverter.java ch/qos/logback/core/rolling/helper/IntegerTokenConverter.java com/baseflow/permissionhandler/PermissionUtils.java com/bumptech/glide/load/engine/DataCacheKey.java com/bumptech/glide/load/engine/EngineResource.java com/bumptech/glide/load/engine/ResourceCacheKey.java com/bumptech/glide/manager/RequestManagerRetriever.java com/dexterous/flutterlocalnotifications/FlutterLocalNotificationsPlugin.java com/dexterous/flutterlocalnotifications/models/NotificationDetails.java com/huawei/hms/framework/common/hianalytics/HianalyticsBaseData.java com/huawei/hms/location/LocationAvailability.java com/huawei/hms/location/LocationResult.java com/huawei/hms/support/api/location/common/LocationClientStateManager.java com/huawei/hms/support/hianalytics/HiAnalyticsConstant.java com/huawei/location/lite/common/agc/AGCManager.java com/huawei/location/lite/common/config/ConfigManager.java com/huawei/location/lite/common/util/filedownload/DownloadConstants.java

NO	ISSUE	SEVERITY	OWASP MASVS: MSTG-STORAGE-14 STANDARDS	com/huawei/wisecurity/kfs/util/KfsDevice FILES com/tekartik/sqlite/Constant.java
				io/branch/referral/Branch.java io/branch/referral/BranchPreinstall.java io/branch/referral/DeferredAppLinkDataHan dler.java io/branch/referral/PrefHelper.java io/branch/referral/ServerRequest.java io/branch/referral/ServerRequestQueue.java io/branch/referral/UniversalResourceAnalyse r.java io/branch/referral/validators/DeepLinkRouti ngValidator.java io/flutter/app/FlutterActivityDelegate.java io/flutter/embedding/android/FlutterActivity AndFragmentDelegate.java io/flutter/embedding/android/FlutterActivity LaunchConfigs.java io/flutter/embedding/engine/loader/Applicat ionInfoLoader.java io/flutter/embedding/engine/loader/FlutterL oader.java io/flutter/embedding/engine/systemchannel s/SettingsChannel.java io/flutter/plugin/editing/SpellCheckPlugin.jav a io/flutter/plugins/firebase/auth/Constants.ja va io/flutter/plugins/firebase/crashlytics/Consta nts.java io/flutter/plugins/firebase/messaging/Flutter FirebaseMessagingBackgroundExecutor.java io/flutter/plugins/firebase/messaging/Flutter FirebaseMessagingUtils.java io/flutter/plugins/imagepicker/ImagePickerC ache.java io/flutter/plugins/inappppurchase/InAppPurch asePlugin.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
6	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/huawei/agconnect/config/impl/i.java com/huawei/hms/hatool/e.java
7	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	ch/qos/logback/core/android/AndroidContextUtil.java io/flutter/plugins/pathprovider/Messages.java io/flutter/plugins/pathprovider/PathProviderPlugin.java
8	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	com/huawei/hms/common/internal/TransactionIdCreator.java com/ryanheise/just_audio/AudioPlayer.java
9	Insecure WebView Implementation. WebView ignores SSL Certificate errors and accept any SSL Certificate. This application is vulnerable to MITM attacks	high	CWE: CWE-295: Improper Certificate Validation OWASP Top 10: M3: Insecure Communication OWASP MASVS: MSTG-NETWORK-3	com/huawei/secure/android/common/webview/SafeWebView.java
10	This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel.	secure	OWASP MASVS: MSTG-NETWORK-4	ch/qos/logback/core/net/ssl/SSLContextFactoryBean.java com/huawei/secure/android/common/ssl/SecureX509TrustManager.java
11	This App copies data to clipboard. Sensitive data should not be copied to clipboard as other applications can access it.	info	OWASP MASVS: MSTG-STORAGE-10	io/branch/referral/ShareLinkManager.java io/flutter/plugin/editing/InputConnectionAdapter.java io/flutter/plugin/platform/PlatformPlugin.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
12	The App uses the encryption mode CBC with PKCS5/PKCS7 padding. This configuration is vulnerable to padding oracle attacks.	high	CWE: CWE-649: Reliance on Obfuscation or Encryption of Security-Relevant Inputs without Integrity Checking OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-3	com/huawei/agconnect/config/impl/i.java

NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
--------	--------	-------------

DOMAIN	STATUS	GEOLOCATION
xml.org	ok	IP: 104.239.240.11 Country: United States of America Region: Texas City: Windcrest Latitude: 29.499678 Longitude: -98.399246 View: Google Map
bnc.lt	ok	IP: 54.192.51.116 Country: United States of America Region: New York City: New York City Latitude: 40.714272 Longitude: -74.005966 View: Google Map
play.google.com	ok	IP: 172.217.13.174 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
api.branch.io	ok	IP: 13.225.195.46 Country: Canada Region: Quebec City: Montreal Latitude: 45.508839 Longitude: -73.587807 View: Google Map

DOMAIN	STATUS	GEOLOCATION
github.com	ok	IP: 140.82.113.3 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
xmlpull.org	ok	IP: 185.199.110.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
help.branch.io	ok	IP: 104.16.241.118 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www.slf4j.org	ok	IP: 159.100.250.151 Country: Switzerland Region: Vaud City: Lausanne Latitude: 46.515999 Longitude: 6.632820 View: Google Map

DOMAIN	STATUS	GEOLOCATION
logback.qos.ch	ok	IP: 159.100.250.151 Country: Switzerland Region: Vaud City: Lausanne Latitude: 46.515999 Longitude: 6.632820 View: Google Map
cdn.branch.io	ok	IP: 3.161.213.100 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
www.w3.org	ok	IP: 104.18.22.19 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
branch.app.link	ok	IP: 13.225.195.123 Country: Canada Region: Quebec City: Montreal Latitude: 45.508839 Longitude: -73.587807 View: Google Map

DOMAIN	STATUS	GEOLOCATION
my-possible-self-7198f.firebaseio.com	ok	IP: 34.120.160.131 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
developer.android.com	ok	IP: 172.217.13.174 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
api2.branch.io	ok	IP: 3.161.213.3 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map

FIREBASE DATABASES

FIREBASE URL	DETAILS
https://my-possible-self-7198f.firebaseio.com	info App talks to a Firebase Database.

TRACKERS

TRACKER	CATEGORIES	URL
Branch	Analytics	https://reports.exodus-privacy.eu.org/trackers/167
Facebook Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/66
Facebook Login	Identification	https://reports.exodus-privacy.eu.org/trackers/67
Facebook Share		https://reports.exodus-privacy.eu.org/trackers/70
Google CrashLytics	Crash reporting	https://reports.exodus-privacy.eu.org/trackers/27
Google Firebase Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/49
Huawei Mobile Services (HMS) Core	Analytics, Advertisement, Location	https://reports.exodus-privacy.eu.org/trackers/333

HARDCODED SECRETS

POSSIBLE SECRETS
"facebook_client_token" : "d9aa336eedfb8bca224773cdd522cbc1"
"file_provider_authority" : "com.transistorsoft.tslocationmanager.fileprovider"
"firebase_database_url" : "https://my-possible-self-7198f.firebaseio.com"

POSSIBLE SECRETS
"google_api_key" : "AlzaSyAxY5X-S3bubaT4uVaKYDuUCwRchVTdrZ4"
"google_crash_reporting_api_key" : "AlzaSyAxY5X-S3bubaT4uVaKYDuUCwRchVTdrZ4"
115792089210356248762697446949407573530086143415290314195533631308867097853951
edef8ba9-79d6-4ace-a3c8-27dcd51d21ed
3081a0adab3018d57165e6dd24074bdbac640f6dbe21a9e24d3474a87ebf38b8
07ff9b7aeeff969173c45b285fe0fecdbaae244576ff7a2796a36f1c0c11adb4
11839296a789a3bc0045c8a5fb42c7d1bd998f54449579b446817afb17273e662c97ee72995ef42640c550b9013fad0761353c7086a272c24088be94769fd16650
db48223fd9e143f7e133c57f5d08a4e38549ce3ebd921fe3b4003c26e5e35bed
6864797660130609714981900799081393217269435300143305409394463459185543183397656052122559640661454554977296311391480858037121987999716643812574028291115057151
051953eb9618e1c9a1f929a21a0b68540eea2da725b99b315f3b8b489918ef109e156193951ec7e937b1652c0bd3bb1bf073573df883d2c34f1ef451fd46b503f00
403f14ad2f0e5eb3c4f3a0bcd5c1592cc4492662ad53191c92905255d4990656
6b17d1f2e12c4247f8bce6e563a440f277037d812deb33a0f4a13945d898c296
ae2044fb577e65ee8bb576ca48a2f06e
16a09e667f3bcc908b2fb1366ea957d3e3adec17512775099da2f590b0667322a
e9702f1e92e97fce49cdf81a5fa730a4e913554d09b3fe41e1d8a7fba00a8459

POSSIBLE SECRETS
c56fb7d591ba6704df047fd98f535372fea00211
470fa2b4ae81cd56ecbcd9735803434cec591fa
E49D5C2C0E11B3B1B96CA56C6DE2A14EC7DAB5CCC3B5F300D03E5B4DBA44F539
0123456789ABCDEFabcdef
cc2751449a350f668590264ed76692694a80308a
4bdecdf772491e35c4e8b48f88aee22bae1311984f2e1da4dfad0b78ee7f5163
2438bce1ddb7bd026d5ff89f598b3b5e5bb824b3
df6b721c8b4d3b6eb44c861d4415007e5a35fc95
e2719d58-a985-b3c9-781a-b030af78d30e
5fed96c85bd58c58aadbd465c172a4c9a794d8eb2f86cbc7bcee6caf4c7a2c5f
e2f856b9f9a4fd4cb2795aeaf83268e4bff189aaec05d691ffde76e075b82648
6864797660130609714981900799081393217269435300143305409394463459185543183397655394245057746333217197532963996371363321113864768612440380340372808892707005449
b3312fa7e23ee7e4988e056be3f82d19181d9c6efe8141120314088f5013875ac656398d8a2ed19d2a85c8edd3ec2aef
b368b110e3b565fe97c91f786e11bc48754cc8e4e6f21d8a94a68ac6ad67aaaf
f6040d0e807aaec325ecf44823765544e92905158169f694b282bf17388632cf95a83bae7d2d235c1f039b0df1dcca5fda619b6f7f459f2ff8d70ddb7b601592fe29fcae58c028f319b3b12495e67aa5390942a997a8cb572c8030b2df5c2b622608bea02b0c3e5d4dff3f72c9e3204049a45c0760cd3604af8d57f0e0c693cc

POSSIBLE SECRETS

92974c6802419e4d18b5ec536cbfa167b8e8eff09ec4c8510a5b95750b1e0c82

5ac635d8aa3a93e7b3ebbd55769886bc651d06b0cc53b0f63bce3c3e27d2604b

24fbae40bcd50b759b26e3ba0f46aa25e932fa7da05f226d75ec507bcf53bce5

db53fcdc9ab71e9bdd4eab257fe1aba7989ad2b24fbe3a85dfef72ea1dd6bae2

30820122300d06092a864886f70d01010105000382010f003082010a0282010100a3d269348ac59923f65e8111c337605e29a1d1bc54fa96c1445050dd14d8d63b10f9f02
30bb87ef348183660bedcabfdec045e235ed96935799fcdb4af5c97717ff3b0954eaf1b723225b3a00f81cbd67ce6dc5a4c07f7741ad3bf1913a480c6e267ab1740f409edd2
dc33c8b718a8e30e56d9a93f321723c1d0c9ea62115f996812ceef186954595e39a19b74245542c407f7dddb1d12e6eedcfc0bd7cd945ef7255ad0fc9e796258e0fb5e52a2
3013d15033a32b4071b65f3f924ae5c5761e22327b4d2ae60f4158a5eb15565ba079de29b81540f5fbb3be101a95357f367fc661d797074ff3826950029c52223e4594673a
24a334cae62d63b838ba3df9770203010001

4230baa077b401374d0fc012375047e79ea0790d58d095ef18d97d95470c738d

f8d927750a0952ffb5bd87dfb83d781ae65f7bed043a7886d1d3cdcfc94bb77a

9b8f518b086098de3d77736f9458a3d2f6f95a37

39402006196394479212279040100143613805079739270465446667946905279627659399113263569398956308152294913554433653942643

ChNjb20uYW5kcm9pZC52ZW5kaW5nCiBjb20uZ29vZ2xlLmFuZlJvaWQuYXBwcy5tZWV0aW5ncwohY29tLmdvb2dsZS5hbmRyb2lkLmFwcHMubWVzc2FnaW5n

9a04f079-9840-4286-ab92-e65be0885f95

3617de4a96262c6f5d9e98bf9292dc29f8f41dbd289a147ce9da3113b5f0b8c00a60b1ce1d7e819d7a431d7c90ea0e5f

POSSIBLE SECRETS
173cf86fe9894a0f70dadd09d4fd88c380836099d4939f8c3754361bdc16a32b
115792089210356248762697446949407573529996955224135760342422259061068512044369
B92825C2BD5D6D6D1E7F39EECD17843B7D9016F611136B75441BC6F4D3F00F05
39402006196394479212279040100143613805079739270465446667948293404245721771496870329047266088258938001861606973112319
aa87ca22be8b05378eb1c71ef320ad746e1d3b628ba79b9859f741e082542a385502f25dbf55296c3a545e3872760ab7
c6858e06b70404e9cd9e3ecb662395b4429c648139053fb521f828af606b4d3dbaa14b5e77efe75928fe1dc127a2ffa8de3348b3c1856a429bf97e7e31c2e5bd66
258EAF5-E914-47DA-95CA-C5AB0DC85B11
d80f18e8081b624cc64985f87f70118f1702985d2e10dbc985ee7be334fd3c7d
3517262215D8D3008CBF888750B6418EDC4D562AC33ED6874E0D73ABA667BC3C
4fe342e2fe1a7f9b8ee7eb4a7c0f9e162bce33576b315ececbb6406837bf51f5
a4b7452e2ed8f5f191058ca7bbfd26b0d3214bfc
5181942b9ebc31ce68dacb56c16fd79f
VGhpcyBpcyB0aGUgcHJlZml4IGZvciBCaWdjbnRlZ2Vy
8a3c4b262d721acd49a4bf97d5213199c86fa2b9

Title: MyPossibleSelf: Mental Health

Score: 4.4919353 **Installs:** 100,000+ **Price:** 0 **Android Version Support:** **Category:** Health & Fitness **Play Store URL:** [com.mypossibleself.app](https://play.google.com/store/apps/details?id=com.mypossibleself.app)

Developer Details: My Possible Self Ltd, My+Possible+Self+Ltd, Cardale House Cardale Park Beckwith Head Road Harrogate HG3 1RY, <http://www.mypossibleself.com>, techsupport@mypossibleself.com,

Release Date: Mar 23, 2021 **Privacy Policy:** [Privacy link](#)

Description:

We want to give you access to the best toolkits available to improve your mind. Teaming up with our friends at Priory, world leaders in mental health, we have created interactive tools and coping strategies, using cognitive behavioural therapy (CBT), customised for digital use. Together, we'll guide you through life's challenges and help you take care of yourself. Imagine the possibilities. STRATEGIES THAT WORK FOR YOU Using innovative ideas designed with you in mind. Here are just a few: Toolkit - to help you identify behaviours and monitor progress Tags - to help you recognise the activities, people and places that influence your mood Mood trackers - to record how you feel and help you understand your moods Visual and audio exercises - to help boost your mood, relax your mind or drift off to sleep Insights - to help you understand yourself better and do more of the things you like Journals - to record worries, emotions, and actions in the moment Motivational messages and tips - to encourage you every step of the way Are you ready to get started on your journey to a happier and healthier life? WHAT THEY SAY "My Possible Self is the doctor-approved self-care app to keep anxiety in check." - London Evening Standard "If your mental health is a concern, My Possible Self may be the app for you." - Hello Magazine "It's kind of like having a pocket therapist." - BuzzFeed JOIN OUR COMMUNITY [Instagram.com/mypossibleself](https://www.instagram.com/mypossibleself) [Facebook.com/mypossibleselfapp](https://www.facebook.com/mypossibleselfapp) [Twitter.com/mypossibleself](https://twitter.com/mypossibleself) Privacy policy - <https://app.mypossibleself.com/our-privacy-statement.html> Terms and conditions - <https://app.mypossibleself.com/our-terms-and-conditions.html>

Report Generated by - MobSF v3.7.9 Beta

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2023 Mobile Security Framework - MobSF | [Ajin Abraham](#) | [OpenSecurity](#).