

GitHub URL

Vercel URL

W12-P1: Show answer of p1_43, p2_43, p3_43 in midterm exam

=> show p1_43

The screenshot shows a web browser window with multiple tabs open. The main content area displays a grid of 8 cards, each containing a small image and some placeholder text. The cards are numbered 3 to 10. Each card has a 'Sign In' button at the bottom. A red box highlights the first card (3-First Card). Another red box highlights the CSS code for the 'show-midterm-answer' section in the developer tools' Elements tab. The developer tools also show the global styles and a console log with errors.

Developer Tools Elements Tab:

```
.show-midterm-answer {
    height: 96vh;
    transition: var(--transition);
}
```

Developer Tools Global Styles:

```
body {
    background-color: var(--backgroundColor);
    font-family: var(--bodyFont);
    font-weight: 400;
    line-height: 1.75;
    color: var(--textColor);
}
```

Developer Tools Console Log:

```
Uncaught (in promise) Error: A listener indicated an asynchronous response by returning true, but the message channel closed before a response was received
Uncaught (in promise) Error: A listener indicated an asynchronous response by returning true, but the message channel closed before a response was received
```

Midterm VICTOR HSU, 213410243

P1_43 P2_43 P3_43

VICTOR HSU, 213410243

3-First Card 4-Second Card 5-Third Card 6-Fourth Card


Sign In


Sign In


Sign In


Sign In






3-First Card
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Minima, quae!
Sign In

4-Second Card
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Minima, quae!
Sign In

5-Third Card
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Minima, quae!
Sign In

6-Fourth Card
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Minima, quae!
Sign In

127.0.0.1:5501/demo/w12_nav_bar_43/#

Element Inspector (Screenshot of browser developer tools showing the DOM structure and CSS styles for the active card section.)

```
<!DOCTYPE html>
<html lang="en">
  <head></head>
  <body>
    <div class="nav">
      <div class="nav-center"></div>
    </div>
    <section class="show-midterm-answer active"> == $0
      <div id="show-midterm-answer_frame" src="/p1_43/p1_43.html" width="100%" height="100%"></div>
    </section>
    <!-- Code injected by live-server -->
    <script></script>
    <div id="screenuity-ui"></div>
  </body>
</html>
```

.show-midterm-answer.active {
height: 76dvh;
} .show-midterm-answer {
height: 90dvh;
transition: height 0.5s ease-in-out;
} *::before, *::after {
box-sizing: border-box;
} section {
display: block;
unicode-bidi: isolate;
} Inherited from body
body {
background: var(--background-color);
font-family: var(--bodyFont);
font-weight: 400;
line-height: 1.75;
color: var(--textColor);
} Inherited from html
.root {
--primary-100: #e2e0ff;
--primary-200: #e1cbeff;
--primary-300: #e2a9dff;
--primary-400: #f4c2eff;
--primary-500: #f4d4cff;
--primary-600: #f5d9acc;
--primary-700: #f3c7799;
--primary-800: #f3c7799;
--primary-900: #f4a1233;
--grey-50: #f1fafa;
--grey-100: #f1f1f9;
--grey-200: #e2e2e1;
--grey-300: #dcdce1;
--grey-400: #d4a3b8;
--grey-500: #d4d4d4;
--grey-600: #d4d4d4;
--grey-700: #d3d3d3;
--grey-800: #e1e1e1;
} html body section.show-midterm-answer.active

Console (Screenshot of browser developer tools showing errors related to promise listeners.)


```
Unc caught (in promise) Error: A listener indicated an asynchronous response by returning true, but the message channel closed before a response was received w12_nav_bar_43/#:1  
Unc caught (in promise) Error: A listener indicated an asynchronous response by returning true, but the message channel closed before a response was received p1_43.html:1
```

=> show p2_43

Midterm VICTOR HSU, 213410243

P1_43 P2_43 P3_43

VICTOR HSU, 213410243










127.0.0.1:5501/demo/w12_nav_bar_43/#

Element Inspector (Screenshot of browser developer tools showing the DOM structure and CSS styles for the active card section.)

```
<!DOCTYPE html>
<html lang="en">
  <head></head>
  <body>
    <div class="nav">
      <div class="nav-center"></div>
    </div>
    <section class="show-midterm-answer"> == $0
      <div id="show-midterm-answer_frame" src="/p2_43/p2_43.html" width="100%" height="100%"></div>
    </section>
    <!-- Code injected by live-server -->
    <script></script>
    <div id="screenuity-ui"></div>
  </body>
</html>
```

.show-midterm-answer {
height: 90dvh;
transition: height 0.5s ease-in-out;
} *::before, *::after {
box-sizing: border-box;
} section {
display: block;
unicode-bidi: isolate;
} Inherited from body
body {
background: var(--background-color);
font-family: var(--bodyFont);
font-weight: 400;
line-height: 1.75;
color: var(--textColor);
} Inherited from html
.root {
--primary-100: #e2e0ff;
--primary-200: #e1cbeff;
--primary-300: #e2a9dff;
--primary-400: #f4c2eff;
--primary-500: #f4d4cff;
--primary-600: #f5d9acc;
--primary-700: #f3c7799;
--primary-800: #f3c7799;
--primary-900: #f4a1233;
--grey-50: #f1fafa;
--grey-100: #f1f1f9;
--grey-200: #e2e2e1;
--grey-300: #dcdce1;
--grey-400: #d4a3b8;
--grey-500: #d4d4d4;
--grey-600: #d4d4d4;
--grey-700: #d3d3d3;
--grey-800: #e1e1e1;
} html body section.show-midterm-answer

Console (Screenshot of browser developer tools showing errors related to promise listeners.)

```
Unc caught (in promise) Error: A listener indicated an asynchronous response by returning true, but the message channel closed before a response was received w12_nav_bar_43/#:1  
Unc caught (in promise) Error: A listener indicated an asynchronous response by returning true, but the message channel closed before a response was received p1_43.html:1
```

Midterm VICTOR HSU, 213410243

P1_43 P2_43 P3_43

VICTOR HSU, 213410243

127.0.0.1:5501/demo/w12_nav_bar_43/#

Elements Console Sources Network Performance Memory Application Security Lighthouse Recorder > Styles Computed Layout Event Listeners DOM Breakpoints Properties >

```
<!DOCTYPE html>
<html lang="en">
  <head> ...
  <body>
    <div class="nav">
      <div class="nav-center"> ...
    </div>
    <div class="show-midterm-answer active"> ...
      <iframe id="show-midterm-answer_iframe" src="/p2_43/p2_43.html" width="100%" height="100%"> ...
    </div>
    <script> ...
    <div id="screenity-ui"> ...
  </body>
</html>
```

.show-midterm-answer.active {
height: 76dhv;
} .show-midterm-answer {
height: 90dhv;
transition: h var(--transition);
} *,:safer,::before {
box-sizing: border-box;
} section {
display: block;
unicode-bidi: isolate;
} Inherited from body
body {
background: var(--background-color);
font-family: var(--bodyFont);
font-weight: 400;
line-height: 1.75;
color: var(--textColor);
} Inherited from html
.root {
--primary-100: #e2e0ff;
--primary-200: #e1cbeff;
--primary-300: #e2a9dff;
--primary-400: #f4d4cff;
--primary-500: #f4d4cff;
--primary-600: #f5d8acc;
--primary-700: #f3c7799;
--primary-800: #f3c7799;
--primary-900: #f4a3233;
--grey-100: #f1fafa;
--grey-200: #f1f59;
--grey-300: #fcb5e1;
--grey-400: #f4a3b8;
--grey-500: #f4a3b8;
--grey-600: #f4a3b8;
--grey-700: #f33455;
--grey-800: #1e2e93b;

Console What's new Default levels | No Issues |

Uncaught (in promise) Error: A listener indicated an asynchronous response by returning true, but the message channel closed before a response was received w12_nav_bar_43/#:1
Uncaught (in promise) Error: A listener indicated an asynchronous response by returning true, but the message channel closed before a response was received p1_43.html:1

=> show p3_43

Midterm VICTOR HSU, 213410243 P1_43 P2_43 P3_43

Midterm -- VICTOR HSU, 213410243

high-back bench \$9.99 albany table \$79.99 accent chair wooden table

127.0.0.1:5501/demo/w12_nav_bar_43/#

Elements Console Sources Network Performance Memory Application Security Lighthouse Recorder > Styles Computed Layout Event Listeners DOM Breakpoints Properties >

```
<!DOCTYPE html>
<html lang="en">
  <head> ...
  <body>
    <div class="nav">
      <div class="nav-center"> ...
    </div>
    <div class="show-midterm-answer"> ...
      <iframe id="show-midterm-answer_iframe" src="/p3_43/p3_43.html" width="100%" height="100%"> ...
    </div>
    <script> ...
    <div id="screenity-ui"> ...
  </body>
</html>
```

.show-midterm-answer {
height: 90dhv;
transition: h var(--transition);
} *,:safer,::before {
box-sizing: border-box;
} section {
display: block;
unicode-bidi: isolate;
} Inherited from body
body {
background: var(--background-color);
font-family: var(--bodyFont);
font-weight: 400;
line-height: 1.75;
color: var(--textColor);
} Inherited from html
.root {
--primary-100: #e2e0ff;
--primary-200: #e1cbeff;
--primary-300: #e2a9dff;
--primary-400: #f4d4cff;
--primary-500: #f4d4cff;
--primary-600: #f5d8acc;
--primary-700: #f3c7799;
--primary-800: #f3c7799;
--primary-900: #f4a3233;
--grey-100: #f1fafa;
--grey-200: #f1f59;
--grey-300: #fcb5e1;
--grey-400: #f4a3b8;
--grey-500: #f4a3b8;
--grey-600: #f4a3b8;
--grey-700: #f33455;
--grey-800: #1e2e93b;

Console What's new Default levels | No Issues |

Uncaught (in promise) Error: A listener indicated an asynchronous response by returning true, but the message channel closed before w12_nav_bar_43/#:1 a response was received
Uncaught (in promise) Error: A listener indicated an asynchronous response by returning true, but the message channel closed before a p1_43.html:1 response was received

The screenshot shows a web browser window with multiple tabs open. The active tab displays a product listing for a 'high-back bench' with a price of \$9.99. The developer tools are open on the right side, specifically the Elements and Styles panels. The Styles panel highlights a CSS rule for the class '.show-midterm-answer.active' in the file 'main_43.scss'. This rule sets the height to 76dh. Other visible CSS rules include '.show-midterm-answer' (height: 90dh; transition: height 0.1s ease-in-out), '.taffter, ::before, ::after' (box-sizing: border-box), and various global styles for colors and font weights.

P1_43
P2_43
P3_43

Midterm -- VICTOR HSU, 213410243



high-back bench


\$9.99



127.0.0.1:5501/demo/w12_nav_bar_43/#

W12-P2: Embed p1_43, p2_43, p3_43 content into index.html, and make it to work correctly

=> select p3_43 nav link, navbar-fixed will be displayed



=> select p1_43 nav link, navbar-fixed will be removed

Midterm VICTOR HSU, 213410243

P1_43 P2_43 P3_43

3-First Card

4-Second Card

5-Third Card

6-Fourth Card

7-Fifth Card

8-Sixth Card

9-Seventh Card

1-Eighth Card

```
<!DOCTYPE html>
<html lang="en">
  <head> ...
    <script src="js/main_43.js"></script>
    <!-- Code injected by live-server -->
  </head>
  <body>
    <div id="screenney-ul"></div>
  </body>
</html>
```

Inherited from body

body { background: # var(--backgroundColor); font-family: var(--bodyFont); font-weight: 400; line-height: 1.75; color: # var(--textColor); }

Inherited from html

:root { --primary-100: #e2e0ff; --primary-200: #e1beff; --primary-300: #e22dff; --primary-400: #e83dff; --primary-500: #f04eff; --primary-600: #f59acc; }

=> select p2_43 nav link, navbar-fixed will be displayed

Midterm VICTOR HSU, 213410243

P1_43 P2_43 P3_43

```
<!DOCTYPE html>
<html lang="en">
  <head> ...
    <script src="js/main_43.js"></script>
    <!-- Code injected by live-server -->
  </head>
  <body>
    <div id="screenney-ul"></div>
  </body>
</html>
```

Inherited from body

body { background: # var(--backgroundColor); font-family: var(--bodyFont); font-weight: 400; line-height: 1.75; color: # var(--textColor); }

W12-P3: git logs for W12

2b057a9 victor_xu	Sat Nov 30 15:33:39 2024 +0800	W12-P2: Embed p1_43, p2_43, p3_
50696d5 victor_xu	Sat Nov 30 15:32:51 2024 +0800	W12-P1: Show answer of p1_43, p