

GitHub URL

GitHub URL for Vercel

Vercel URL

W11-P1: Implement route `/api/shop_43/:category` in server

=> create tables `category2_43` and `shop2_43` using SQL and set foreign key of `cat_id` referencing to `cid` in `category2_43`

The screenshot shows the pgAdmin 4 interface. On the left, the Object Explorer displays the database structure. The `shop2_43` table is highlighted, showing its columns: `pid`, `pname`, `cat_id`, `price`, `img_url`, and `remote_img_url`. A red box highlights the `shop2_43` table and its columns. The `category2_43` table is also visible, with columns `cid`, `cname`, `size`, `image_url`, `remote_image_url`, and `link_url`. The `shop2_43` table has a foreign key constraint `fkey_cat_id` that references the `cid` column in the `category2_43` table. The `shop2_43` table also has a primary key constraint `shop2_43_pkey` on the `pid` column.

The main pane shows a query window with the following SQL:

```
1 select * from shop2_43
2 order by pid asc
```

The query result is displayed in the Data Output pane, showing 11 rows of data. A red box highlights the query result table.

pid	pname	cat_id	price	img_url	remote_img_url
1	Brown Brim	1	25	/images/ midterm/hats/brown-brim.png	https://i.ibb.co/ZYW3VTp/brown-brim.png
2	Blue Beanie	1	18	/images/ midterm/hats/blue-beanie.png	https://i.ibb.co/ykgK0X/blue-beanie.png
3	Brown Cowboy	1	35	/images/ midterm/hats/brown-cowboy.png	https://i.ibb.co/QdJwgmp/brown-cowboy.png
4	Grey Brim	1	25	/images/ midterm/hats/grey-brim.png	https://i.ibb.co/RjBLWxB/grey-brim.png
5	Green Beanie	1	18	/images/ midterm/hats/green-beanie.png	https://i.ibb.co/YTJW3vF/green-beanie.png
6	Palm Tree Cap	1	14	/images/ midterm/hats/palm-tree-cap.png	https://i.ibb.co/rKBDvJX/palm-tree-cap.png
7	Red Beanie	1	18	/images/ midterm/hats/red-beanie.png	https://i.ibb.co/bLB646Z/red-beanie.png
8	Wolf Cap	1	14	/images/ midterm/hats/wolf-cap.png	https://i.ibb.co/1f2nWMM/wolf-cap.png
9	Blue Snapback	1	16	/images/ midterm/hats/blue-snapback.png	https://i.ibb.co/X2VJP2W/blue-snapback.png
10	Black Jean Shearling	2	125	/images/ midterm/jackets/black-shearling.png	https://i.ibb.co/XzcwL5s/black-shearling.png
11	Blue Jean Jacket	2	90	/images/ midterm/jackets/blue-jean-jacket.png	https://i.ibb.co/mJS6vz0/blue-jean-jacket.png

Total rows: 35 Query complete 00:00:00.080

The screenshot displays the pgAdmin 4 interface. On the left, the 'Object Explorer' shows a database structure with tables like 'blog_43', 'category2_43', 'shop2_43', and 'shop2_43'. The 'shop2_43' table is selected, showing its columns (pid, pname, cat_id, price, img_url, remote_img_url) and constraints (fkey_cat_id, shop2_43_pkey). The 'fkey_cat_id' constraint is highlighted.

In the center, the 'Query Editor' shows a SQL query: `select * from shop2_43 order by pid asc`. Below the query, the 'Data Output' tab displays the results of the query in a table format:

	pid [PK] integer	pname character varying (255)	cat_id integer		
1	1	Brown Brim	1	25	/images/midterm/hats/brown-brim.png https://i.ibb.co/ZYW3V
2	2	Blue Beanie	1	18	/images/midterm/hats/blue-beanie.png https://i.ibb.co/ypkgK0
3	3	Brown Cowboy	1	35	/images/midterm/hats/brown-cowboy.png https://i.ibb.co/QdJwg
4	4	Grey Brim	1	25	/images/midterm/hats/grey-brim.png https://i.ibb.co/RjBLW
5	5	Green Beanie	1	18	/images/midterm/hats/green-beanie.png https://i.ibb.co/YTJW3
6	6	Palm Tree Cap	1	14	/images/midterm/hats/palm-tree-cap.png https://i.ibb.co/rKBDvJ
7	7	Red Beanie	1	18	/images/midterm/hats/red-beanie.png https://i.ibb.co/bLB64


On the right, the 'fkey_cat_id' constraint properties are shown. The 'On update' action is set to 'CASCADE' and the 'On delete' action is set to 'SET NULL'.

The screenshot displays a development environment with a code editor on the left and a web browser on the right.

Code Editor (Left):

- Explorer:** Shows the project structure with files like `demo`, `md`, `w01-intro-43`, `w02-booklist-43`, `w03-blogs-43`, `w04-blogs-fullstack-43`, `w05-navbar-fullstack-43`, `w06-tutorials-43`, `w07-hooks-tailwind-43`, `w10-next-43`, `w11-create-react-app`, `w12-vite-app`, `w13-booklist-43`, `w14-blogs-43`, `w15-navbar-fullstack-43`, `w16-tutorials-43`, `w17-hooks-tailwind-43`, `w18-next-43`, `w19-booklist-43`, `w20-blogs-43`, `w21-blogs-fullstack-43`, `w22-navbar-fullstack-43`, `w23-tutorials-43`, `w24-hooks-tailwind-43`, `w25-next-43`, `w26-booklist-43`, `w27-blogs-43`, `w28-blogs-fullstack-43`, `w29-navbar-fullstack-43`, `w30-tutorials-43`, `w31-hooks-tailwind-43`, `w32-next-43`, `w33-booklist-43`, `w34-blogs-43`, `w35-blogs-fullstack-43`, `w36-navbar-fullstack-43`, `w37-tutorials-43`, `w38-hooks-tailwind-43`, `w39-next-43`, `w40-booklist-43`, `w41-blogs-43`, `w42-blogs-fullstack-43`, `w43-navbar-fullstack-43`, `w44-tutorials-43`, `w45-hooks-tailwind-43`, `w46-next-43`, `w47-booklist-43`, `w48-blogs-43`, `w49-blogs-fullstack-43`, `w50-navbar-fullstack-43`, `w51-tutorials-43`, `w52-hooks-tailwind-43`, `w53-next-43`, `w54-booklist-43`, `w55-blogs-43`, `w56-blogs-fullstack-43`, `w57-navbar-fullstack-43`, `w58-tutorials-43`, `w59-hooks-tailwind-43`, `w60-next-43`, `w61-booklist-43`, `w62-blogs-43`, `w63-blogs-fullstack-43`, `w64-navbar-fullstack-43`, `w65-tutorials-43`, `w66-hooks-tailwind-43`, `w67-next-43`, `w68-booklist-43`, `w69-blogs-43`, `w70-blogs-fullstack-43`, `w71-navbar-fullstack-43`, `w72-tutorials-43`, `w73-hooks-tailwind-43`, `w74-next-43`, `w75-booklist-43`, `w76-blogs-43`, `w77-blogs-fullstack-43`, `w78-navbar-fullstack-43`, `w79-tutorials-43`, `w80-hooks-tailwind-43`, `w81-next-43`, `w82-booklist-43`, `w83-blogs-43`, `w84-blogs-fullstack-43`, `w85-navbar-fullstack-43`, `w86-tutorials-43`, `w87-hooks-tailwind-43`, `w88-next-43`, `w89-booklist-43`, `w90-blogs-43`, `w91-blogs-fullstack-43`, `w92-navbar-fullstack-43`, `w93-tutorials-43`, `w94-hooks-tailwind-43`, `w95-next-43`, `w96-booklist-43`, `w97-blogs-43`, `w98-blogs-fullstack-43`, `w99-navbar-fullstack-43`, `w100-tutorials-43`, `w101-hooks-tailwind-43`, `w102-next-43`, `w103-booklist-43`, `w104-blogs-43`, `w105-blogs-fullstack-43`, `w106-navbar-fullstack-43`, `w107-tutorials-43`, `w108-hooks-tailwind-43`, `w109-next-43`, `w110-booklist-43`, `w111-blogs-43`, `w112-blogs-fullstack-43`, `w113-navbar-fullstack-43`, `w114-tutorials-43`, `w115-hooks-tailwind-43`, `w116-next-43`, `w117-booklist-43`, `w118-blogs-43`, `w119-blogs-fullstack-43`, `w120-navbar-fullstack-43`, `w121-tutorials-43`, `w122-hooks-tailwind-43`, `w123-next-43`, `w124-booklist-43`, `w125-blogs-43`, `w126-blogs-fullstack-43`, `w127-navbar-fullstack-43`, `w128-tutorials-43`, `w129-hooks-tailwind-43`, `w130-next-43`, `w131-booklist-43`, `w132-blogs-43`, `w133-blogs-fullstack-43`, `w134-navbar-fullstack-43`, `w135-tutorials-43`, `w136-hooks-tailwind-43`, `w137-next-43`, `w138-booklist-43`, `w139-blogs-43`, `w140-blogs-fullstack-43`, `w141-navbar-fullstack-43`, `w142-tutorials-43`, `w143-hooks-tailwind-43`, `w144-next-43`, `w145-booklist-43`, `w146-blogs-43`, `w147-blogs-fullstack-43`, `w148-navbar-fullstack-43`, `w149-tutorials-43`, `w150-hooks-tailwind-43`, `w151-next-43`, `w152-booklist-43`, `w153-blogs-43`, `w154-blogs-fullstack-43`, `w155-navbar-fullstack-43`, `w156-tutorials-43`, `w157-hooks-tailwind-43`, `w158-next-43`, `w159-booklist-43`, `w160-blogs-43`, `w161-blogs-fullstack-43`, `w162-navbar-fullstack-43`, `w163-tutorials-43`, `w164-hooks-tailwind-43`, `w165-next-43`, `w166-booklist-43`, `w167-blogs-43`, `w168-blogs-fullstack-43`, `w169-navbar-fullstack-43`, `w170-tutorials-43`, `w171-hooks-tailwind-43`, `w172-next-43`, `w173-booklist-43`, `w174-blogs-43`, `w175-blogs-fullstack-43`, `w176-navbar-fullstack-43`, `w177-tutorials-43`, `w178-hooks-tailwind-43`, `w179-next-43`, `w180-booklist-43`, `w181-blogs-43`, `w182-blogs-fullstack-43`, `w183-navbar-fullstack-43`, `w184-tutorials-43`, `w185-hooks-tailwind-43`, `w186-next-43`, `w187-booklist-43`, `w188-blogs-43`, `w189-blogs-fullstack-43`, `w190-navbar-fullstack-43`, `w191-tutorials-43`, `w192-hooks-tailwind-43`, `w193-next-43`, `w194-booklist-43`, `w195-blogs-43`, `w196-blogs-fullstack-43`, `w197-navbar-fullstack-43`, `w198-tutorials-43`, `w199-hooks-tailwind-43`, `w200-next-43`, `w201-booklist-43`, `w202-blogs-43`, `w203-blogs-fullstack-43`, `w204-navbar-fullstack-43`, `w205-tutorials-43`, `w206-hooks-tailwind-43`, `w207-next-43`, `w208-booklist-43`, `w209-blogs-43`, `w210-blogs-fullstack-43`, `w211-navbar-fullstack-43`, `w212-tutorials-43`, `w213-hooks-tailwind-43`, `w214-next-43`, `w215-booklist-43`, `w216-blogs-43`, `w217-blogs-fullstack-43`, `w218-navbar-fullstack-43`, `w219-tutorials-43`, `w220-hooks-tailwind-43`, `w221-next-43`, `w222-booklist-43`, `w223-blogs-43`, `w224-blogs-fullstack-43`, `w225-navbar-fullstack-43`, `w226-tutorials-43`, `w227-hooks-tailwind-43`, `w228-next-43`, `w229-booklist-43`, `w230-blogs-43`, `w231-blogs-fullstack-43`, `w232-navbar-fullstack-43`, `w233-tutorials-43`, `w234-hooks-tailwind-43`, `w235-next-43`, `w236-booklist-43`, `w237-blogs-43`, `w238-blogs-fullstack-43`, `w239-navbar-fullstack-43`, `w240-tutorials-43`, `w241-hooks-tailwind-43`, `w242-next-43`, `w243-booklist-43`, `w244-blogs-43`, `w245-blogs-fullstack-43`, `w246-navbar-fullstack-43`, `w247-tutorials-43`, `w248-hooks-tailwind-43`, `w249-next-43`, `w250-booklist-43`, `w251-blogs-43`, `w252-blogs-fullstack-43`, `w253-navbar-fullstack-43`, `w254-tutorials-43`, `w255-hooks-tailwind-43`, `w256-next-43`, `w257-booklist-43`, `w258-blogs-43`, `w259-blogs-fullstack-43`, `w260-navbar-fullstack-43`, `w261-tutorials-43`, `w262-hooks-tailwind-43`, `w263-next-43`, `w264-booklist-43`, `w265-blogs-43`, `w266-blogs-fullstack-43`, `w267-navbar-fullstack-43`, `w268-tutorials-43`, `w269-hooks-tailwind-43`, `w270-next-43`, `w271-booklist-43`, `w272-blogs-43`, `w273-blogs-fullstack-43`, `w274-navbar-fullstack-43`, `w275-tutorials-43`, `w276-hooks-tailwind-43`, `w277-next`

=> Chrome, show /api/shop_43/mens with code (you need to use last two digits of your id)



7f3e2ba victor_xu

Sun Nov 30 17:36:58 2025 +0800 W11-P1: Implement route /api/sh

W11-P2: Implement /demo/shop_43/node and /demo/shop/node/:category in client

=> show how to get category from params

The screenshot displays a web application development environment with two main panels. The left panel shows the file explorer and code editor for a project named '1141-2N-DEMO-VICTORHSU-43'. The file explorer highlights the 'client_43' directory, specifically the 'page.jsx' file. The code editor shows the following code:

```
1 'use client';
2 import Wrapper from '@assets/urappers/midterm/Shop_43';
3 import { useState, useEffect } from 'react';
4 import { useParams } from 'next/navigation';
5 import Link from 'next/link';
6
7 const FetchShopByCategory_43 = () => {
8   const [shop_43, setShop_43] = useState([]);
9   const params = useParams();
10   const category = params.category;
11   console.log('category', category);
12
13   return (
14     <Wrapper>
15       <div className="shop-page">
16         <div>
17           </div>
18         </div>
19       </Wrapper>
20     );
21   };
22
23 export default FetchShopByCategory_43;
```


The right panel shows the running application at `localhost:3000/demo/shop_43/node/mens`. The application displays a page titled 'P1_StaticPage_43' with the user 'Victor Hsu, 213410243'. The main content is a section titled 'MENS' featuring a grid of sneakers. The sneakers are categorized by brand and model, with prices listed below each image:

- Adidas NMD 220
- Adidas Yeezy 280
- Black Converse 110
- Nike White AirForce 160
- Nike Brown High Tops 160
- Air Jordan Limited 190
- Timberlands 200

The console on the right shows the following log:

```
[INFO] forward-logs:shared.ts:95
connected
category hats page.jsx:11
category hats installHook.jsx:1
category jackets page.jsx:11
category jackets installHook.jsx:1
category sneakers page.jsx:11
category sneakers installHook.jsx:1
category womens page.jsx:11
category womens installHook.jsx:1
category mens page.jsx:11
category mens installHook.jsx:1
```

=> show how to fetch category from the category main page



=> Chrome, show FetchShopByCategory_43.jsx by click Mens

localhost:3000/demo/shop_43/node/womens

TKUdemo Shop Contact Sign In

Victor Hsu, 213410243


Womens



Blue Tanktop 25



Floral Blouse 20




Floral Dress 80




Red Dots Dress 80



Striped Sweater 45



Yellow Track Suit 135



White Blouse 20

Add to Cart

N

Console

```
[HMR] connected forward-logs-shared.ts:95
category mens page.jsx:12
category mens installHook.js:1
shop_43_data page.jsx:18
(6) [{"cid": 5, "name": "mens", "size": "large", "image": "https://img1.dukuu.com/2020/07/20/20200720150618688.jpg"}, {"cid": 5, "name": "mens", "size": "large", "image": "https://img1.dukuu.com/2020/07/20/20200720150618688.jpg"}, {"cid": 5, "name": "mens", "size": "large", "image": "https://img1.dukuu.com/2020/07/20/20200720150618688.jpg"}, {"cid": 5, "name": "mens", "size": "large", "image": "https://img1.dukuu.com/2020/07/20/20200720150618688.jpg"}, {"cid": 5, "name": "mens", "size": "large", "image": "https://img1.dukuu.com/2020/07/20/20200720150618688.jpg"}, {"cid": 5, "name": "mens", "size": "large", "image": "https://img1.dukuu.com/2020/07/20/20200720150618688.jpg"}]
category mens page.jsx:12
category mens installHook.js:1
category womens page.jsx:12
category womens installHook.js:1
shop_43_data page.jsx:18
(7) [{"cid": 4, "name": "womens", "size": "large", "image": "https://img1.dukuu.com/2020/07/20/20200720150618688.jpg"}, {"cid": 4, "name": "womens", "size": "large", "image": "https://img1.dukuu.com/2020/07/20/20200720150618688.jpg"}, {"cid": 4, "name": "womens", "size": "large", "image": "https://img1.dukuu.com/2020/07/20/20200720150618688.jpg"}, {"cid": 4, "name": "womens", "size": "large", "image": "https://img1.dukuu.com/2020/07/20/20200720150618688.jpg"}, {"cid": 4, "name": "womens", "size": "large", "image": "https://img1.dukuu.com/2020/07/20/20200720150618688.jpg"}, {"cid": 4, "name": "womens", "size": "large", "image": "https://img1.dukuu.com/2020/07/20/20200720150618688.jpg"}, {"cid": 4, "name": "womens", "size": "large", "image": "https://img1.dukuu.com/2020/07/20/20200720150618688.jpg"}]
category womens page.jsx:12
category womens installHook.js:1
shop_43_data page.jsx:18
(7) [{"cid": 4, "name": "womens", "size": "large", "image": "https://img1.dukuu.com/2020/07/20/20200720150618688.jpg"}, {"cid": 4, "name": "womens", "size": "large", "image": "https://img1.dukuu.com/2020/07/20/20200720150618688.jpg"}, {"cid": 4, "name": "womens", "size": "large", "image": "https://img1.dukuu.com/2020/07/20/20200720150618688.jpg"}, {"cid": 4, "name": "womens", "size": "large", "image": "https://img1.dukuu.com/2020/07/20/20200720150618688.jpg"}, {"cid": 4, "name": "womens", "size": "large", "image": "https://img1.dukuu.com/2020/07/20/20200720150618688.jpg"}, {"cid": 4, "name": "womens", "size": "large", "image": "https://img1.dukuu.com/2020/07/20/20200720150618688.jpg"}, {"cid": 4, "name": "womens", "size": "large", "image": "https://img1.dukuu.com/2020/07/20/20200720150618688.jpg"}]
category womens page.jsx:12
category womens installHook.js:1
> [cmd] i to turn on code suggestions. Don't show again NEW
```


=> relevant code for FetchShopByCategory_43

The screenshot shows a VS Code editor with the following components:

- EXPLORER:** The file tree on the left shows the project structure. The file `page.jsx` in the `demo/shop_43/[category]` directory is selected and highlighted with a red box.
- EDITOR:** The main editor area displays the code for `page.jsx`. The code is as follows:

```
8  const FetchShopByCategory_43 = () => {
12 console.log('category', category);
13
14  const fetchShopFromNode = async () => {
15    try {
16      const res = await fetch(`http://localhost:5000/api/shop_43/${category}`)
17      const data = await res.json()
18      console.log('shop_43_data', data)
19      if (data.length) {
20        setShop_43(data)
21      }
22    } catch (error) {
23      console.error(error)
24    }
25  }
26
29  }, [])
30
31  return (
32    <Wrapper>
33      <div className='shop-page'>
34        <div className='section-title'>
35          <h3>Victor Hsu, 213410243</h3>
36        </div>
37        <div className='collection-page'>
38          <h1 className='title'>{category[0].toLowerCase() + category.slice(1)}</h1>
39          <div className='items'>
40            {shop_43.map(({ pid, pname, img_url, price }) => <Product_43 key={pid} name={pname} price={price} img_url={img_url} />)}
41          </div>
42        </div>
43      </div>
44    </Wrapper>
  )
}
```

The code is divided into two sections by a red box. The top section (lines 8-25) contains the `FetchShopByCategory_43` function and the `fetchShopFromNode` async function. The bottom section (lines 29-44) contains the JSX rendering logic, including the `<div className='items'>` block.
- TERMINAL:** The terminal at the bottom shows the output of the `npm run dev` command, indicating that the server is running on port 5000 and displaying the category data for 'womens' and 'mens'.

453a670 victor_xu

Sun Nov 30 18:04:10 2025 +0800 W11-P2: Implement /demo/shop_43

W11-logs: git logs of W11

vic0627 / 1141-2N-demo-victorhsu-43

Q Type to search

<> Code

Issues

Pull requests

Actions

Projects

Wiki

Security

Insights

Settings

Commits

master

All users

All time

Commits on Nov 30, 2025

W11-P2: Implement /demo/shop_43/node and /demo/shop/node/:category in client

vic0627 committed 2 minutes ago

453a670

<>

W11-P1: Implement route /api/shop_43/:category in server

vic0627 committed 30 minutes ago

7f3e2ba

<>

Commits on Nov 22, 2025