

W04-P1: Create tables and data using Prisma with Studio

=> npx prisma db push

EXPLORER

1142-DEMO-VICTORHSU...

- demo
 - w02-typescript-43
 - w03-nextjs-demo-43
 - w04-prisma-43
 - .next
 - node_modules
 - prisma
 - schema.prisma U
 - public
 - src
 - app
 - components
 - generated/prisma
 - internal
 - models
 - browser.ts
 - client.ts
 - commonInputT...
 - enums.ts
 - models.ts
 - .env
 - .gitignore U
 - eslint.config... U
 - next-env.d.ts
 - next.config.ts U
 - package-lock... U
 - package.json U
 - postcss.conf... U
 - prisma.config... U
 - README.md U
 - tsconfig.json U
- OUTLINE
- TIMELINE
- ILSPY: ASSEMBLIES

schema.prisma U X .env

demo > w04-prisma-43 > prisma > schema.prisma

```
1 // This is your Prisma schema file,
2 // learn more about it in the docs: https://pris.ly/d/prisma-schema
3
4 // Get a free hosted Postgres database in seconds: `npx create-c
5
6 generator client {
7   provider = "prisma-client"
8   output   = "../src/generated/prisma"
9 }
10
11 datasource db {
12   provider = "postgresql"
13 }
14
15 model User {
16   id Int @id @default(autoincrement())
17   email String @unique
18   name String?
19   post Post[]
20 }
21
22 model Post {
23   id Int @id @default(autoincrement())
24   title String
25   content String?
26   published Boolean @default(false)
27   author User @relation(fields: [authorId], references: [id])
28   authorId Int
29 }
```

PROBLEMS 2 TERMINAL

zsh - w04-prisma-43 + v ...

```
• w04-prisma-43 git:(master) * npx prisma db push
Loaded Prisma config from prisma.config.ts

Prisma schema loaded from prisma/schema.prisma
Datasource "db": PostgreSQL database "wp2_demo_43", schema "public" at "localhost:5432"

PostgreSQL database wp2_demo_43 created at localhost:5432

Your database is now in sync with your Prisma schema. Done in 34ms
```

FTS Dictionaries

FTS Parsers

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (2)

Post

- Columns (5)
 - id
 - title
 - content
 - published
 - authorId
- Constraints
- Indexes
- RLS Policies
- Rules
- Triggers

User

- Columns (3)
 - id
 - email
 - name
- Constraints
- Indexes
- RLS Policies
- Rules
- Triggers

Trigger Functions

Types

Views

Subscriptions

Login/Group Roles (13)

=> add one user (your info), show in Prisma Studio and pgAdmin

Prisma Studio

Schema: public

Visualizer

Console

SQL

Tables

Post

User

id int4

email text

name text

1

213410243@o365.tku.edu.tw

victorhsu

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (2)

Post

Columns (5)

id

title

content

published

authorid

Constraints

Indexes

RLS Policies

Rules

Triggers

User

Columns (3)

id

email

name

Constraints

Indexes

RLS Policies

Rules

Triggers

Trigger Functions

Types

Views

Subscriptions

Login/Group Roles (13)

Tablespaces

wp2_demo_43/pure90719@PostgreSQL 15

No limit

Query

Query Histc

Scratch Pad

1 SELECT * FROM "User"

2 ORDER BY id ASC

3

Data Output

Messages

Notifications

Showing rows: 1 to 1

Page No: 1 of 1

id [PK] integer

email text

name text

1

1

213410243@o365.tku.edu.tw

victorhsu

Total rows: 1

Query complete 00:00:00.082

LF

Ln 2, Col 16

1b3ddb3 victor_xu Sun Mar 22 15:09:41 2026 +0800 W04-P1: Create tables and data

公開 db 密碼 ? ? ? ? ? ? ? sure ?

=> npx prisma db push & run test.ts to add 1 user with 1 post

The screenshot displays a development environment with a code editor on the left and a Supabase Table Editor on the right.

Code Editor (Left):

- EXPLORER:** Shows a file tree with folders like `demo`, `node_modules`, `prisma`, `public`, `src`, `app`, `components`, `generated`, `internal`, `models`, `ts`, `enums`, and `models`.
- schema.prisma:** Contains Prisma schema definitions. A red box highlights the `direct` connection URL: `direct:postgresql://postgres:qxjyubaprfizyhiczbkq@aws-1-ap-northeast-2.pooler.supabase.com:5432`.
- .env:** Contains environment variables. A red box highlights the `prisma` dev CLI command: `prisma dev`.
- tsconfig.json:** Contains TypeScript configuration.

Supabase Table Editor (Right):

- Table Editor:** Shows the `public` schema with a table named `User`. The table has columns `id`, `email`, and `name`.
- User Table:** Contains two rows of data:


id	email	name
1	alice+1774161862878@prisma.io	Alice
2	alice+1774161925115@prisma.io	Alice

91b3c30 victor_xu


Sun Mar 22 15:09:57 2026 +0800 W04-P2: Repeat W04-P1, but work

W04-P3: implement User_db_43 using server action

=> Chrome, show 2 users fetch from Supabase



=> show the code, the concept of server action



W04-logs: git logs of W04

vic0627 / 1142-demo-victorhsu-43

Type to search

<> Code

Issues

Pull requests

Actions

Projects

Wiki

Security

Insights

Settings

Commits

🔗 master

All users

All time

Commits on Mar 22, 2026

W04-P3: implement User_db_xx using server action

vic0627

committed 2 minutes ago

ca04782

W04-P2: Repeat W04-P1, but work on Supabase

vic0627

committed 2 minutes ago

91b3c30

W04-P1: Create tables and data using Prisma with Studio

vic0627

committed 2 minutes ago

1b3ddb3

Commits on Mar 14, 2026