

(70%) Web 程式設計二 期末考-1 -- 斷網考試

2026-6-17, at E201

Note:

1. 嚴禁作弊，請不要透過手機網路連上網路，考試時會檢查。請不要發揮同學愛，作弊雙方除了本次考試 0 分外，平常分數另扣 20 分，情節嚴重者會送校。
2. iClass 上請繳交 ans_final1_xx.pdf，還有 md_final1_xx.zip, src.zip 三個壓縮檔。
3. 請直接將答案寫在 md_final1_xx/ans_final1_xx.md 上，老師出題及圖片放在 ans_final1_htc.pdf 上，請依照老師所給的圖片來實作並標註
4. 跟小考相關的檔案及目錄名稱有 xx 時，必須要改成學號後 2 碼，沒有修改時，會視違犯情況扣分。
5. 每一張圖片要有機房左側背景，圖片上要有你的學號(或後兩碼)，圖片標註要跟老師所標註的類似。違者會依情節扣分。
6. 請自評分數，將每一題的？填入分數，沒有填者，不會批改，以 0 分計算。

Your (Name, ID): (? , ?)

期末考-1: 70% (斷網考試)

- P1 (10%): ? 分
- P2 (10%): ? 分
- P3 (15%): ? 分
- P4 (15%): ? 分
- P5 (15%): ? 分
- P6 (5%): ? 分

期末考-2: 30% (開放網路)

- P7 (12%): ? 分
- P8 (8%): ? 分
- P9 (10%): ? 分

總分: ? 分

(10%) P1: 請透過提供的 sql，將 Category2_xx 及 Shop2_xx 資料匯入 pgAdmin 中。

資料庫名稱：wp2_final_xx

sql 檔案放在 final_xx/_assets/data/shop2_xx.sql，其中 pid 是 UUID，是透過系統產生

local 圖片已經放在 public/images/midterm 中

本次期末考所用的圖片會用到期中考之圖片，不再另外產生新的目錄

```
model Category2_xx {
  cid          Int      @id
  cname        String   @db.VarChar(255)
  size         String?  @db.VarChar(255)
  image_url    String
  remote_image_url String
  link_url     String
}

model Shop2_xx {
  pid          String @id @default(uuid())
  pname        String @db.VarChar(255)
  cat_id       Int
  price        Float   @db.Real
  img_url      String
  remote_img_url String
}
```

=> Chrome 顯示

Object Explorer

FTS Templates

Foreign Tables

Functions

Materialized Views

Operators

Procedures

Sequences

Tables (15)

Blog2_xx

Blog_xx

Cart

CartItem

Category2_xx

Category_xx

Favorite

Grocery

Order

Post

Product

Review

Shop2_xx

Columns (6)

pid

pname

cat_id

price

img_url

remote_img_url

Constraints

Indexes

RLS Policies

Rules

Triggers

Shop_xx

User

Trigger Functions

Types

Views

wp2_final_xx/postgres@127.0.0.1

Query

Query History

Scratch Pad

```
11 INSERT INTO "Category2_xx" (cid, cname, size, image_url, remote_image_url, link_url)
12 VALUES
13 (1, 'hats', null, '/images/midterm/homepage/hats.png', 'https://i.1bb.co/cvpntL1/hats.png', '/mid_xx/hats'),
14 (2, 'jackets', null, '/images/midterm/homepage/jackets.png', 'https://i.1bb.co/px2tCc3/jackets.png', '/mid_x
15 (3, 'sneakers', null, '/images/midterm/homepage/sneakers.png', 'https://i.1bb.co/eqqHnp/sneakers.png', '/mi
16 (4, 'womens', 'large', '/images/midterm/homepage/womens.png', 'https://i.1bb.co/GCCdy8t/womens.png', '/mid_x
17 (5, 'mens', 'large', '/images/midterm/homepage/mens.png', 'https://i.1bb.co/R70vBrQ/men.png', '/mid_xx/mens'
18
19
20
21 select count(*) from "Shop2_xx"
22
23
24 CREATE EXTENSION IF NOT EXISTS "pgcrypto";
25 CREATE TABLE "Shop2_xx" (
26     pid varchar(255) NOT NULL PRIMARY KEY DEFAULT gen_random_uuid(),
27     pname varchar(255),
28     cat_id int,
29     price real,
30     img_url text,
31     remote_img_url text
32 );
33
34 INSERT INTO "Shop2_xx" (pname, cat_id, price, img_url, remote_img_url)
35 VALUES
36 ('Brown Brim', 1, 25, '/images/midterm/hats/brown-brim.png', 'https://i.1bb.co/ZYw3VTp/brown-brim.png'),
37 ('Blue Beanie', 1, 18, '/images/midterm/hats/blue-beanie.png', 'https://i.1bb.co/ypkgK8X/blue-beanie.png'),
38 ('Brown Cowboy', 1, 35, '/images/midterm/hats/brown-cowboy.png', 'https://i.1bb.co/QdJwgmp/brown-cowboy.png'),
39 ('Grey Brim', 1, 25, '/images/midterm/hats/grey-brim.png', 'https://i.1bb.co/RjBLWxB/grey-brim.png'),
40 ('Green Beanie', 1, 18, '/images/midterm/hats/green-beanie.png', 'https://i.1bb.co/YTjW3vF/green-beanie.png'),
41 ('Palm Tree Cap', 1, 14, '/images/midterm/hats/palm-tree-cap.png', 'https://i.1bb.co/rKBDvJX/palm-tree-cap.p
42 ('Red Beanie', 1, 18, '/images/midterm/hats/red-beanie.png', 'https://i.1bb.co/bLB646Z/red-beanie.png').
```

Data Output

Messages

Notifications

Showing rows: 1 to 1

Page No: 1

of 1

	count
1	35


Total rows: 1

Query complete 00:00:00.060

CRLF Ln 19. Col 1


Your Answer

=> Chrome 顯示




(10%) P2: 實作路由 /final_xx，要顯示選單及主畫面

=> Chrome 顯示 final1 選單，及主畫面




=> 檔案結構

選單 NavbarFinal_xx 放在 final_xx/_components/navbar/NavbarFinal_xx 中




Your Answer

=> Chrome 顯示 final1 選單，及主畫面



=> final_xx/page.tsx 完整 code



(15%) P3: 於 P2 主畫面中，可以點選任何一個 category，並顯示該 category 所有產品

=> Chrome，主畫面點選某 category，會顯示該 category 的所有產品

請以你的學號最後一碼除 5 取餘數，來顯示該 category 下所有產品，本範例顯示 4, 所有 womens 產品

hats - 1, 6

jackets - 2, 7

sneakers - 3, 8

womens - 4, 9

mens - 5, 0

Final-123456789

search product ...

TKUdemo

Hsingtai Chung, 123456789

Womens

Blue Tanktop 25 Floral Blouse 20 Floral Dress 80 Red Dots Dress 80

Striped Sweater 45 Yellow Track Suit 13 White Blouse 20

Add to Cart

Server: category param: womens page.tsx:21

Server: Products by category : page.tsx:35

(7) [(-), (-), (-), (-), (-), (-), (-), _debugInfo: Array(0)]

0: {pid: '9200c9d0-a4a0-4083-ae0e-57eb2c86dd8f', pname: 'Blue Tankt

1: {pid: 'd09a49e3-a70b-4153-b655-666888bc8de5', pname: 'Floral Blo

2: {pid: '496cf5f1-eb60-48e4-9da9-1bd9156d9299', pname: 'Floral Dre

3: {pid: 'dbab5e61-820c-4ada-8812-37d46a4ff7e8', pname: 'Red Dots D

4: {pid: 'b2f52ad6-5887-43d4-8e1d-95156ce62aa8', pname: 'Striped Sw

5: {pid: '2fca1dd8-8272-4dbd-b6d0-5ab59aa04e0c', pname: 'Yellow Tra

6: {cat_id: 4, img_url: '/images/midterm/womens/white-vest.png', pid: 'e02ceb69-0053-4cbf-a08f-3173c83b5656', pname: 'White Blouse', price: 20, remote_img_url: 'https://i.ibb.co/q8crsJg/white-vest.png', [[Prototype]]: Object, length: 7, _debugInfo: [], [[Prototype]]: Array(0)}

[HMR] connected forward-logs-shared.ts:95


Clerk: Clerk has been loaded with development keys. installHook.js:1 Development instances have strict usage limits and should not be used when deploying your application to production. Learn more: https://clerk.com/docs/deployments/overview

=> 檔案結構

主要檔案

final_xx/[category]/page.tsx (顯示所有 category 產品)


final_xx/_component/shop/Product_xx.jsx (顯示某一個產品)




Your Answer

=> Chrome，主畫面點選某 category，會顯示該 category 的所有產品


請以你的學號最後一碼除 5 取餘數，來顯示該 category 下所有產品



=> final_xx/[category]/page.tsx，相關 code




=> final_xx/_component/shop/Product_xx.jsx，相關 code




(15%) P4: Shop2_xx CRUD -- list all (5%) and list each category (2% each)

=> 檔案結構



=> Chrome 顯示 all products

需要實作 final_xx/admin_xx/shop2_xx/page.tsx



以下 5 個，需要實作 `final_xx/admin_xx/[category]/page.tsx`

=> Chrome 顯示 jackets products

The screenshot shows a web application interface for a clothing store. The URL is `http://localhost:3000/final_xx/admin_xx/shop2_xx/jackets`. The page title is "Final-123456789". The sidebar on the left shows the "Jackets" category selected. The main content area displays a table of jackets. A red box highlights the "Shop2_xx - Jack" filter in the sidebar and a specific product row in the table. The product details are shown in the console log on the right, with another red box highlighting the product information.

Product ID	Product Name	Category ID	Price	Actions
348f07dc-fc9d-4d49-a52c-8fe68958a497	Black Jean Shearling	2	125	Edit Delete
59e36f19-72d2-4843-98a9-1b3fc7d5f384	Blue Jean Jacket	2	90	Edit Delete
6fba72a7-422b-4c4f-81b2-365709910d62	Grey Jean Jacket	2	90	Edit Delete
adc2e2b0-24f6-48da-855a-8171b0c9e359	Brown Shearling	2	165	Edit Delete
1849ed54-4bb5-4438-8ded-26165d5f3e42	Tan Trench	2	185	Edit Delete

Total Products : 5

```

Server category param: hats page.tsx:36
Server Products by category : page.tsx:50
  (9) [(-), (-), (-), (-), (-), (-), (-), (-), (-), _debugInfo: Array (0)]
[IMMR] connected forward-logs-shared.ts:95
⚠ Clerk: Clerk has been loaded with development keys. installHook.js:1
  Development instances have strict usage limits and should not be used
  when deploying your application to production. Learn more:
  https://clerk.com/docs/deployments/overview
Server category param: jackets page.tsx:36
Server Products by category : page.tsx:50
  (5) [(-), (-), (-), (-), (-), _debugInfo: Array (1)]
    0: {pid: '348f07dc-fc9d-4d49-a52c-8fe68958a497', pname: 'Black Jean
    1: {pid: '59e36f19-72d2-4843-98a9-1b3fc7d5f384', pname: 'Blue Jean
    2: {pid: '6fba72a7-422b-4c4f-81b2-365709910d62', pname: 'Grey Jean
    3: {pid: 'adc2e2b0-24f6-48da-855a-8171b0c9e359', pname: 'Brown Shea
    4:
      cat_id: 2
      img_url: "/images/term/jackets/brown-trench.png"
      pid: "1849ed54-4bb5-4438-8ded-26165d5f3e42"
      pname: "Tan Trench"
      price: 185
      remote_img_url: "https://i.ibb.co/M6hHc3F/brown-trench.png"
    [[Prototype]]: Object
    length: 5
    _debugInfo: [(-)]
    [[Prototype]]: Array(0)
  
```

[illegible]

The screenshot shows a web application interface for managing products. The browser's address bar indicates the URL is `http://localhost:3000/final_xx/admin_xx/shop2_xx/womens`. The page features a yellow header with the identifier "Final-123456789" and a search input field labeled "search product...". Below the header is a "Dashboard" section.

A sidebar on the left contains navigation links under the heading "Category2_xx":


- Shop2_xx - All
- Shop2_xx - Hats
- Shop2_xx - Jackets
- Shop2_xx - Sneakers
- Shop2_xx - Womens** (highlighted with a red box)
- Shop2_xx - Mens

The main content area displays a table titled "Womens" with a "Create New" button. The table lists products with the following columns: Product ID, Product Name, Category ID, Price, and Actions. One product entry is highlighted with a red box:

Product ID	Product Name	Category ID	Price	Actions
9200c9d0-a4a0-4083-ae0e-57eb2c86dd8f	Blue Tanktop	4	25	[edit] [delete]
d09a49e3-a70b-4153-b655-666888bc8de5	Floral Blouse	4	20	[edit] [delete]
496cf5f1-e6b0-48e4-9da9-1bd9156d9299	Floral Dress	4	80	[edit] [delete]
dbab5e61-820c-4ada-8812-37d46a4ff7e8	Red Dots Dress	4	80	[edit] [delete]
b2f52ad6-5887-43d4-8e1d-95156ce62aa8	Striped Sweater	4	45	[edit] [delete]
2fce1dd8-8272-4dbd-b6d0-5ab59aa04e0c	Yellow Track Suit	4	135	[edit] [delete]
e02ceb69-0053-4cbf-a08f-3173c83b5656	White Blouse	4	20	[edit] [delete]

At the bottom of the table, it states "Total Products : 7". On the right side of the image, a portion of the Chrome DevTools console is visible, showing network requests and their responses, which appear to be JSON objects containing product details.

=> Chrome 顯示 mens products



Final-123456789

search product...

TKUdemo

Dashboard

Category2_xx

Shop2_xx - All

Shop2_xx - Hats

Shop2_xx - Jackets

Shop2_xx - Sneakers

Shop2_xx - Womens

Shop2_xx - Mens

Mens

Create New

Product ID	Product Name	Category ID	Price	Actions
f375f894-adbd-40f7-92bb-59738dd51c12	Camo Down Vest	5	325	
7f79cb8c-9f91-459d-87fa-3e71ce08e2dd	Floral T-shirt	5	20	
ac93fbd1-2d17-4f63-aba5-44c50e1233ab	Black & White Longsleeve	5	25	
984468ac-73ae-49ca-a0b9-58cf80a08273	Pink T-shirt	5	25	
3e27dbad-0e3d-4cb5-b251-b953411e804c	Jean Long Sleeve	5	40	
e091c96d-ef61-4a86-bc67-3fcf393ff9ee	Burgundy T-shirt	5	25	

Total Products : 6

Server category param: hats page.tsx:36

Server Products by category : page.tsx:50

Server category param: jackets page.tsx:36

Server Products by category : page.tsx:50

Server category param: sneakers page.tsx:36

Server Products by category : page.tsx:50

Server category param: womens page.tsx:36

Server Products by category : page.tsx:50

Server category param: mens page.tsx:36

Server Products by category : page.tsx:50

cat_id: 5

img_url: "/images/ midterm/mens/polka-dot-shirt.png"

pid: "e091c96d-ef61-4a86-bc67-3fcf393ff9ee"

pname: "Burgundy T-shirt"

price: 25

remote_img_url: "https://i.ibb.co/mh3VM1f/polka-dot-shirt.png"

length: 6


Your Answer

=> Chrome 顯示 all products

需要實作 final_xx/admin_xx/shop2_xx/page.tsx



=> final_xx/admin_xx/shop2_xx/page.tsx 相關 code




=> Chrome 顯示 hats products

以下 5 個 category，需要實作 final_xx/admin_xx/[category]/page.tsx




=> final_xx/admin_xx/[category]/page.tsx 相關 code




=> Chrome 顯示 jackets products




=> Chrome 顯示 sneakers products



=> Chrome 顯示 womens products




=> Chrome 顯示 mens products



(15%) P5: Shop2_xx CRUD -- Create, Edit, Delete (5% each)

=> 檔案結構



=> Chrome 顯示 Create New (product)

Product Name -- 輸入 你的姓名代號-學號

Category ID -- 輸入本次考試你所屬的 cat_id，老師輸入 4

Price -- 輸入 \$150

Final-123456789 search product ... TKUdemo

Create Product

Product Name: htchung-123456789 Category Id: 4

Image Url: /images/ midterm/ hats/ blue- beanie. png Remote Image Url: https:// example. com/ images/ midterm/ hats/ blue- beanie. png

Price (\$): 150

Create Product

Browser Console: [HMR] connected forward-logs-shared.ts:95

```
Server: category param: womens page.tsx:36
Server: Products by category: page.tsx:50
(7) [(-), (-), (-), (-), (-), (-), (-), (-)]
0: {pid: '9200c9d0-a4a0-4083-ae0e-57eb2c86dd8f', pname: 'Blue Tankt...'}
1: {pid: 'd09a49e3-a70b-4153-b655-666888bc8de5', pname: 'Floral Blo...'}
2: {pid: '496cf5f1-eb60-48e4-9da9-1bd9156d9299', pname: 'Floral Dre...'}
3: {pid: 'dbab5e61-820c-4ada-8812-37d46a4ff7e8', pname: 'Red Dots D...'}
4: {pid: 'b2f52ad6-5887-43d4-8e1d-95156ce62aa8', pname: 'Striped Sw...'}
5: {pid: '2fce1dd8-8272-4dbd-b6d0-5ab59aa04e0c', pname: 'Yellow Tra...'}
6: {pid: 'e02ceb69-0053-4cbf-a08f-3173c83b5656', pname: 'White Blou...'}
length: 7
_debugInfo: [(-)]
[[Prototype]]: Array(0)
```

=> Chrome 顯示 Create New 之結果，要看到你新增的那一筆資料

Final-123456789 search product ... TKUdemo

Womens

Create New

Product ID	Product Name	Category ID	Price	Actions
9200c9d0-a4a0-4083-ae0e-57eb2c86dd8f	Blue Tanktop	4	25	
d09a49e3-a70b-4153-b655-666888bc8de5	Floral Blouse	4	20	
496cf5f1-eb60-48e4-9da9-1bd9156d9299	Floral Dress	4	80	
dbab5e61-820c-4ada-8812-37d46a4ff7e8	Red Dots Dress	4	80	
b2f52ad6-5887-43d4-8e1d-95156ce62aa8	Striped Sweater	4	45	
2fce1dd8-8272-4dbd-b6d0-5ab59aa04e0c	Yellow Track Suit	4	135	
e02ceb69-0053-4cbf-a08f-3173c83b5656	White Blouse	4	20	
4cabdf9e-0b99-483a-8abb-abb8d20515ac	htchung-123456789	4	150	

Total Products : 8

Browser Console: [HMR] connected forward-logs-shared.ts:95

```
Server: category param: womens page.tsx:36
Server: Products by category: page.tsx:50
(8) [(-), (-), (-), (-), (-), (-), (-), (-)]
0: {pid: '9200c9d0-a4a0-4083-ae0e-57eb2c86dd8f', pname: 'Blue Tan...'}
1: {pid: 'd09a49e3-a70b-4153-b655-666888bc8de5', pname: 'Floral I...'}
2: {pid: '496cf5f1-eb60-48e4-9da9-1bd9156d9299', pname: 'Floral I...'}
3: {pid: 'dbab5e61-820c-4ada-8812-37d46a4ff7e8', pname: 'Red Dot...'}
4: {pid: 'b2f52ad6-5887-43d4-8e1d-95156ce62aa8', pname: 'Striped...'}
5: {pid: '2fce1dd8-8272-4dbd-b6d0-5ab59aa04e0c', pname: 'Yellow...'}
6: {pid: 'e02ceb69-0053-4cbf-a08f-3173c83b5656', pname: 'White B...'}
7: {cat_id: 4, img_url: '/images/ midterm/ hats/ blue- beanie. png', pid: '4cabdf9e-0b99-483a-8abb-abb8d20515ac', pname: 'htchung-123456789', price: 150, remote_img_url: 'https:// example. com/ images/ midterm/ hats/ blue- l...'}
length: 8
_debugInfo: [(-)]
[[Prototype]]: Array(0)
```

=> Chrome 顯示 Edit (product)

Product Name -- 修改你的姓名代號-學號
Price -- 修改成 \$175

Final-123456789 search product... TKUdemo

Dashboard

Category2_xx

Shop2_xx - All

Shop2_xx - Hats

Shop2_xx - Jackets

Shop2_xx - Sneakers

Shop2_xx - Womens

Shop2_xx - Mens

Update Product

Product Name
htc-123456789

Category Id
4

ImageUrl
/images/midterm/hats/blue-beanie.png

Remote Image Url
https://example.com/images/midterm/hats/blue

Price (\$)
175

Update Product

```
4: {pid: '496cf5f1-eb60-48e4-9da9-1bd9156d9299', pname: 'Floral I
3: {pid: 'dbab5e61-820c-4ada-8812-37d46a4ff7e8', pname: 'Red Dot
4: {pid: 'b2f52ad6-5887-43d4-8e1d-95156ce62aa8', pname: 'Striped
5: {pid: '2fce1dd8-8272-4dbd-b6d0-5ab59aa04e0c', pname: 'Yellow
6: {pid: 'e02ceb69-0053-4cbf-a08f-3173c83b5656', pname: 'White B
length: 7
_debugInfo: [{-}]
[[Prototype]]: Array(0)
[Fast Refresh] rebuilding forward-logs-shared.ts:95
```

=> Chrome 顯示 Edit (product) 之結果，要看到你修改的那一筆資料

Final-123456789 search product... TKUdemo

Dashboard

Category2_xx

Shop2_xx - All

Shop2_xx - Hats

Shop2_xx - Jackets

Shop2_xx - Sneakers

Shop2_xx - Womens

Shop2_xx - Mens

Womens

Create New

Product ID	Product Name	Category ID	Price	Actions
9200c9d0-a4a0-4083-ae0e-57eb2c86dd8f	Blue Tanktop	4	25	 
d09a49e3-a70b-4153-b655-666888bc8de5	Floral Blouse	4	20	 
496cf5f1-eb60-48e4-9da9-1bd9156d9299	Floral Dress	4	80	 
dbab5e61-820c-4ada-8812-37d46a4ff7e8	Red Dots Dress	4	80	 
b2f52ad6-5887-43d4-8e1d-95156ce62aa8	Striped Sweater	4	45	 
2fce1dd8-8272-4dbd-b6d0-5ab59aa04e0c	Yellow Track Suit	4	135	 
e02ceb69-0053-4cbf-a08f-3173c83b5656	White Blouse	4	20	 
4cabdf9e-0b99-483a-8abb-abb8d20515ac	htc-123456789	4	175	 

Total Products : 8

=> Chrome 顯示要刪除前的資料

Final-123456789

search product...

TKUdemo

Dashboard

Category2_xx

Shop2_xx - All

Shop2_xx - Hats

Shop2_xx - Jackets

Shop2_xx - Sneakers

Shop2_xx - Wome

Shop2_xx - Mens

Womens

Create New

Product ID	Product Name	Category ID	Price	Actions
9200c9d0-a4a0-4083-ae0e-57eb2c86dd8f	Blue Tanktop	4	25	 
d09a49e3-a70b-4153-b655-666888bc8de5	Floral Blouse	4	20	 
496cf5f1-eb60-48e4-9da9-1bd9156d9299	Floral Dress	4	80	 
dbab5e61-820c-4ada-8812-37d46a4ff7e8	Red Dots Dress	4	80	 
b2f52ad6-5887-43d4-8e1d-95156ce62aa8	Striped Sweater	4	45	 
2fce1dd8-8272-4dbd-b6d0-5ab59aa04e0c	Yellow Track Suit	4	135	 
e02ceb69-0053-4cbf-a08f-3173c83b5656	White Blouse	4	20	 
4cabdf9e-0b99-483a-8abb-abb8d20515ac	htc-123456789	4	175	 

Total Products : 8

Server category param: womens page.tsx:36

Server Products by category : page.tsx:50

(8) [(-), (-), (-), (-), (-), (-), (-), (-)] _debugInfo: Array(0)

0: {pid: '9200c9d0-a4a0-4083-ae0e-57eb2c86dd8f', pname: 'Blue Tankt...

1: {pid: 'd09a49e3-a70b-4153-b655-666888bc8de5', pname: 'Floral Blo...

2: {pid: '496cf5f1-eb60-48e4-9da9-1bd9156d9299', pname: 'Floral Dre...

3: {pid: 'dbab5e61-820c-4ada-8812-37d46a4ff7e8', pname: 'Red Dots D...

4: {pid: 'b2f52ad6-5887-43d4-8e1d-95156ce62aa8', pname: 'Striped Sw...

5: {pid: '2fce1dd8-8272-4dbd-b6d0-5ab59aa04e0c', pname: 'Yellow Tra...

6: {pid: 'e02ceb69-0053-4cbf-a08f-3173c83b5656', pname: 'White Blou...

7: {cat_id: 4, img_url: '/images/midterm/hats/blue-beanie.png', pid: '4cabdf9e-0b99-483a-8abb-abb8d20515ac', pname: 'htc-123456789', price: 175, remote_img_url: 'https://example.com/images/midterm/hats/blue-bea... length: 8, _debugInfo: [], [[Prototype]]: Object}

[[Prototype]]: Array(0)

[HMR] connected forward-logs-shared.ts:95

Clerk: Clerk has been loaded with development keys. installHook.js:1 Development instances have strict usage limits and should not be used when deploying your application to production. Learn more: https://clerk.com/docs/deployments/overview

=> Chrome 透過 Delete 按鈕，刪除你新增的資料，透過 console.log 要顯示少一筆資料

Final-123456789

search product...

TKUdemo

Dashboard

Category2_xx

Shop2_xx - All

Shop2_xx - Hats

Shop2_xx - Jackets

Shop2_xx - Sneakers

Shop2_xx - Wome

Shop2_xx - Mens

Womens

Create New

Product ID	Product Name	Category ID	Price	Actions
9200c9d0-a4a0-4083-ae0e-57eb2c86dd8f	Blue Tanktop	4	25	 
d09a49e3-a70b-4153-b655-666888bc8de5	Floral Blouse	4	20	 
496cf5f1-eb60-48e4-9da9-1bd9156d9299	Floral Dress	4	80	 
dbab5e61-820c-4ada-8812-37d46a4ff7e8	Red Dots Dress	4	80	 
b2f52ad6-5887-43d4-8e1d-95156ce62aa8	Striped Sweater	4	45	 
2fce1dd8-8272-4dbd-b6d0-5ab59aa04e0c	Yellow Track Suit	4	135	 
e02ceb69-0053-4cbf-a08f-3173c83b5656	White Blouse	4	20	 

Total Products : 7

Server category param: womens page.tsx:36

Server Products by category : page.tsx:50

(7) [(-), (-), (-), (-), (-), (-), (-)] _debugInfo: Array(1)

0: {pid: '9200c9d0-a4a0-4083-ae0e-57eb2c86dd8f', pname: 'Blue Ta...

1: {pid: 'd09a49e3-a70b-4153-b655-666888bc8de5', pname: 'Floral...

2: {pid: '496cf5f1-eb60-48e4-9da9-1bd9156d9299', pname: 'Floral...

3: {pid: 'dbab5e61-820c-4ada-8812-37d46a4ff7e8', pname: 'Red Dot...

4: {pid: 'b2f52ad6-5887-43d4-8e1d-95156ce62aa8', pname: 'Striped...

5: {pid: '2fce1dd8-8272-4dbd-b6d0-5ab59aa04e0c', pname: 'Yellow...

6: {cat_id: 4, img_url: '/images/midterm/womens/white-vest.png', pid: 'e02ceb69-0053-4cbf-a08f-3173c83b5656', pname: 'White Blouse', price: 20, _debugInfo: [], [[Prototype]]: Object}

[[Prototype]]: Array(0)

[HMR] connected forward-logs-shared.ts:95

Clerk: Clerk has been loaded with development keys. installHook.js:1 Development instances have strict usage limits and should not be used when deploying your application to production. Learn more: https://clerk.com/docs/deployments/overview


Your Answer

=> Chrome 顯示 Create New (product)


Product Name -- 輸入 你的姓名代號-學號

Category ID -- 輸入本次考試你所屬的 cat_id，老師輸入 4



Price -- 輸入 \$150



=> Chrome 顯示 Create New 之結果，要看到你新增的那一筆資料



=> Create New 相關 code



=> Chrome 顯示 Edit (product)

Product Name -- 修改你的姓名代號-學號


Price -- 修改成 \$175



=> Chrome 顯示 Edit (product) 之結果，要看到你修改的那一筆資料




=> Edit (product) 相關 code



=> Chrome 顯示要刪除前的資料




=> Chrome 透過 Delete 按鈕，刪除你新增的資料，透過 console.log 要顯示少一筆資料



=> Delete (product) 相關 code





(5%) P6: npm run build -- make it successful

=> 顯示 npm run build 成功之截圖

```
FINAL_XX_ANG
├── src
│   └── actions
├── app
│   ├── _assets
│   ├── (demo)
│   └── final_xx
│       ├── _assets
│       ├── _components
│       ├── _utils
│       ├── [category]
│       │   └── page.tsx
│       ├── admin_xx
│       │   ├── category2_xx
│       │   └── shop2_xx
│       │       ├── [category]
│       │       │   └── page.tsx
│       │       ├── create
│       │       │   └── page.tsx
│       │       ├── edit/[pid]
│       │       │   ├── page.tsx
│       │       │   ├── loading.tsx
│       │       │   ├── page.tsx
│       │       │   ├── layout.tsx
│       │       │   ├── Sidebar_xx.tsx
│       │       │   └── layout.tsx
│       │       └── page.tsx
│       ├── mid_xx
│       ├── quiz1_xx
│       ├── quiz2_xx
│       ├── store_xx
│       └── favicon.ico
├── OUTLINE
└── TIMELINE

TERMINAL
$ npm run build

> nextjs-demo-xx@0.1.0 build
> npx prisma generate && next build


Loaded Prisma config from prisma.config.ts.
Prisma schema loaded from prisma/schema.prisma.

✓ Generated Prisma Client (7.5.0) to .src\generated\prisma in 162ms

▲ Next.js 16.1.6 (Turbopack)
- Environments: .env

Creating an optimized production build ...
✓ Compiled successfully in 10.2s
✓ Finished TypeScript in 7.3s
✓ Collecting page data using 11 workers in 1584.2ms
users []
✓ Generating static pages using 11 workers (16/16) in 850.9ms
✓ Finalizing page optimization in 22.6ms

Route (app)
├── /
├── /_not-found
├── /counter_xx
├── /final_xx
├── /final_xx/[category]
├── /final_xx/admin_xx/category2_xx
├── /final_xx/admin_xx/shop2_xx
├── /final_xx/admin_xx/shop2_xx/[category]
├── /final_xx/admin_xx/shop2_xx/create
├── /final_xx/admin_xx/shop2_xx/edit/[pid]
├── /grocery_db_xx
├── /grocery_xx
├── /grocery2_db_xx
├── /mid_xx
├── /mid_xx/[category]
├── /mid_xx/static
└── /mid_xx/static/[category]
```



Your Answer

=> 顯示 npm run build 成功之截圖

