

ArquivoEditarSeleçãoVerAcessarExecutarTerminalAjuda

aulafateczspring

J Aluno.javaJ AlunoRepository.javaJ AlunoService.javaJ AlunoController.javaJ Sexo.javaJ AulafateczspringApplication.java

```
src > main > java > br > edu > fateczl > aulafateczspring > J AulafateczspringApplication.java > Language Support for Java
1 package br.edu.fateczl.aulafateczspring;
2
3 import org.springframework.boot.SpringApplication;
4 import org.springframework.boot.autoconfigure.SpringBootApplication;
5
6 @SpringBootApplication
7 public class AulafateczspringApplication {
8
9     Run | Debug
10    public static void main(String[] args) {
11        SpringApplication.run(AulafateczspringApplication.class, args);
12    }
13 }
14
```

PROBLEMAS 3SAÍDA TERMINALPORTASSQL CONSOLEAZURECODEWHISPERER REFERENCE LOGROBOT DOCUMENTATIONROBOT OUTPUTROBO TASKS OUTPUTCONSOLE DE DEPUAÇÃO

Spring Boot (v3.1.6)

```
2023-11-25T14:28:33.245-03:00 INFO 7092 --- [main] b.e.f.a.AulafateczspringApplication : Starting AulafateczspringApplication using Java 17.0.9 with PID 7092 (C:\Users\Lenovo\Documents\_6S\6S_aulafateczspring\aulafateczspring\target\classes started by Lenovo in C:\Users\Lenovo\Documents\_6S\6S_aulafateczspring)
2023-11-25T14:28:33.257-03:00 INFO 7092 --- [main] b.e.f.a.AulafateczspringApplication : No active profile set, falling back to 1 default profile: "default"
2023-11-25T14:28:36.451-03:00 INFO 7092 --- [main] .s.d.r.c.RepositoryConfigurationDelegate : Bootstrapping Spring Data JPA repositories in DEFAULT mode.
2023-11-25T14:28:36.698-03:00 INFO 7092 --- [main] .s.d.r.c.RepositoryConfigurationDelegate : Finished Spring Data repository scanning in 218 ms. Found 1 JPA repository interface.
2023-11-25T14:28:40.321-03:00 INFO 7092 --- [main] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat initialized with port(s): 8080 (http)
2023-11-25T14:28:40.360-03:00 INFO 7092 --- [main] o.apache.catalina.core.StandardService : Starting service [Tomcat]
2023-11-25T14:28:40.361-03:00 INFO 7092 --- [main] o.apache.catalina.core.StandardEngine : Starting Servlet engine: [Apache Tomcat/10.1.16]
2023-11-25T14:28:41.054-03:00 INFO 7092 --- [main] o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring embedded WebApplicationContext
2023-11-25T14:28:41.100-03:00 INFO 7092 --- [main] w.s.c.ServletWebServerApplicationContext : Root WebApplicationContext: initialization completed in 7533 ms
2023-11-25T14:28:43.069-03:00 INFO 7092 --- [main] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Starting...
2023-11-25T14:28:43.666-03:00 INFO 7092 --- [main] com.zaxxer.hikari.pool.HikariPool : HikariPool-1 - Added connection com.mysql.cj.jdbc.ConnectionImpl@74834afd
2023-11-25T14:28:43.672-03:00 INFO 7092 --- [main] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Start completed.
2023-11-25T14:28:44.015-03:00 INFO 7092 --- [main] o.hibernate.jpa.internal.util.LogHelper : HHH000204: Processing PersistenceUnitInfo [name: default]
2023-11-25T14:28:44.447-03:00 INFO 7092 --- [main] org.hibernate.Version : HHH000412: Hibernate ORM core version 6.2.13.Final
2023-11-25T14:28:44.456-03:00 INFO 7092 --- [main] org.hibernate.cfg.Environment : HHH000406: Using bytecode reflection optimizer
2023-11-25T14:28:45.738-03:00 INFO 7092 --- [main] o.s.o.j.p.SpringPersistenceUnitInfo : No LoadTimeWeaver setup: ignoring JPA class transformer
2023-11-25T14:28:46.061-03:00 WARN 7092 --- [main] org.hibernate.dialect.Dialect : HHH000511: The 5.5.0 version for [org.hibernate.dialect.MySQLDialect] is no longer supported, hence certain features may not work properly. The minimum supported version is 5.7.0. Check the community dialects project for available legacy versions.
2023-11-25T14:28:48.910-03:00 INFO 7092 --- [main] o.h.e.t.j.p.i.JtaPlatformInitiator : HHH000489: No JTA platform available (set 'hibernate.transaction.jta.platform' to enable JTA platform integration)
2023-11-25T14:28:49.063-03:00 INFO 7092 --- [main] j.LocalContainerEntityManagerFactoryBean : Initialized JPA EntityManagerFactory for persistence unit 'default'
2023-11-25T14:28:50.192-03:00 WARN 7092 --- [main] JpaBaseConfiguration$JpaWebConfiguration : spring.jpa.open-in-view is enabled by default. Therefore, database queries may be performed during view rendering. Explicitly configure spring.jpa.open-in-view to disable this warning
2023-11-25T14:28:52.110-03:00 INFO 7092 --- [main] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat started on port(s): 8080 (http) with context path ''
2023-11-25T14:28:52.222-03:00 INFO 7092 --- [main] b.e.f.a.AulafateczspringApplication : Started AulafateczspringApplication in 20.195 seconds (process running for 21.227)
```

Ln 1, Col 1Tamanho da Tecla Tab: 4UTF-8LFJavaPrettier

ArquivoEditarSeleçãoVerAcessarExecutarTerminalAjuda

aulafateczlspring

Aluno.javaAlunoRepository.javaAlunoService.javaAlunoController.javaSexo.javaAulafateczlspringApplication.java

src > main > java > br > edu > fateczl > aulafateczlspring > entity > Aluno.java > Aluno

1package br.edu.fateczl.aulafateczlspring.entity;
2
3import br.edu.fateczl.aulafateczlspring.enumeration.Sexo;
4import jakarta.persistence.Entity;
5import jakarta.persistence.Id;
6import jakarta.persistence.EnumType;
7import jakarta.persistence.Enumerated;
8import jakarta.persistence.GeneratedValue;
9import jakarta.persistence.Table;
10
11@Entity
12@Table(name="aluno")
13public class Aluno {
14 @Id
15 @GeneratedValue
16 private long id;
17
18 private String nome;
19
20 @Enumerated(EnumType.STRING)
21 private Sexo sexo;
22
23 public long getId(){
24 return id;
25 }
26
27 public void setId(long id){
28 this.id = id;
29 }
30
31 public String getNome(){
32 return nome;
33 }
34
35 public void setNome(String nome){
36 this.nome = nome;
37 }
38
39 public Sexo getSexo(){

Ln 12, Col 21Espaços: 4UTF-8CRLFJavaPrettier

ArquivoEditarSeleçãoVerAcessarExecutarTerminalAjuda


aulafateczspring


Aluno.javaAlunoRepository.javaAlunoService.javaAlunoController.javaSexo.javaAulafateczspringApplication.java


src > main > java > br > edu > fatecz > aulafateczspring > entity > Aluno.java > Aluno


13 public class Aluno {
14 @Id
15 @GeneratedValue
16 private long id;
17
18 private String nome;
19
20 @Enumerated(EnumType.STRING)
21 private Sexo sexo;
22
23 public long getId(){
24 return id;
25 }
26
27 public void setId(long id){
28 this.id = id;
29 }
30
31 public String getNome(){
32 return nome;
33 }
34
35 public void setNome(String nome){
36 this.nome = nome;
37 }
38
39 public Sexo getSexo(){
40 return sexo;
41 }
42
43 public void setSexo(Sexo sexo){
44 this.sexo = sexo;
45 }
46
47 }
48


Ln 12, Col 21Espaços: 4UTF-8CRLF() JavaPrettier











notasparciais do estudanteMaven – Download Apache MavenSpring Initializrlocalhost / 127.0.0.1 / fateczsprinaluno | aulaSpringFatec | Postmanlocalhost:8080/aluno

HomeWorkspacesAPI NetworkExploreSearch Postman

aulaSpringFatecNewImportOverviewNew CollectionPOST aluno

CollectionsNew CollectionPOST aluno

EnvironmentsHistory

New Collection / aluno

POSThttp://localhost:8080/aluno

ParamsAuthorizationHeaders (9)BodyPre-request ScriptTestsSettings

noneform-data x-www-form-urlencodedrawbinaryGraphQLJSON

```
1 {
2   "nome": "Fernanda Goncalves de Lima 3",
3   "sexo": "F"
4 }
```

BodyCookiesHeaders (5)Test Results

PrettyRawPreviewVisualizeJSON

```
1 {
2   "id": 52,
3   "nome": "Fernanda Goncalves de Lima 3",
4   "sexo": "F"
5 }
```

Status: 200 OKTime: 536 msSize: 222 BSave as example

PostbotRunnerDesktop AgentCookiesTrash

notasparciais do estudanteMaven – Download Apache MavSpring Initializrlocalhost / 127.0.0.1 / fateczlsprinaluno | aulaSpringFatec | Postmalocalhost:8080/aluno

postman.com/payload-physicist-29020731/workspace/aulaspringfatec/request/31400502-697042a2-9b8b-42b4-a0c9-97ca6eba6d4c

HomeWorkspacesAPI NetworkExplore

aulaSpringFatecNewImportOverviewNew CollectionPOST aluno

CollectionsNew CollectionPOST aluno

EnvironmentsHistory

New Collection / aluno

POSThttp://localhost:8080/aluno

ParamsAuthorizationHeaders (9)BodyPre-request ScriptTestsSettings

noneform-datax-www-form-urlencodedrawbinaryGraphQLJSON

```
1 {
2   "nome": "Teste Novo Aluno",
3   "sexo": "M"
4 }
```

BodyCookiesHeaders (5)Test Results

PrettyRawPreviewVisualizeJSON

```
1 {
2   "id": 54,
3   "nome": "Teste Novo Aluno",
4   "sexo": "M"
5 }
```

Status: 200 OKTime: 31 msSize: 210 BSave as example

CustomClear

No logs yet

Send a request to view its details in the console.

notasparciais do estudanteMaven – Download Apache MavSpring Initializrlocalhost / 127.0.0.1 / fateczspringauloaluno | aulaSpringFatec | Postmlocalhost:8080/aluno

localhost/phpmyadmin/index.php?route=/sql&pos=0&db=fateczspringaula&ttable=aluno

phpMyAdmin

RecenteFavoritos

Novo

data_mining

fateczspringaula

Nova

aluno

aluno_seq

information_schema

mysql

performance_schema

phpmyadmin

projetoweb

projeto_nodejs_crud

test

Servidor: 127.0.0.1 Banco de dados: fateczspringaula Tabela: aluno

VisualizarEstruturaSQLProcurarInserirExportarImportarPrivilégiosOperaçõesMonitoramentoAcionadores

Mostrando registros 0 - 2 (3 no total. Consulta levou 0.0005 segundos.)

SELECT * FROM `aluno`

Perfil [Editar em linha] [Editar] [Demonstrar SQL] [Criar código PHP] [Atualizar]

☐ Mostrar tudo | Número de linhas: 25 | Filtrar linhas: Procurar nesta tabela | Ordenar pela chave: Nenhum

Opções extras

id

nome

sexo

☐ 1 Fernanda Goncalves de Lima F

☐ 2 Fernanda Goncalves de Lima 2 F

☐ 54 Teste Novo Aluno M

☐ Marcar todos | Com marcados:

☐ Mostrar tudo | Número de linhas: 25 | Filtrar linhas: Procurar nesta tabela | Ordenar pela chave: Nenhum

Operações resultantes das consultas

Rótulo: ☐ Deixar qualquer usuário acessar esse marcador

Marcar essa consulta SQL

Console

FavoritosOpçõesHistóricoLimpar

Pressione Ctrl+Enter para executar consulta

>SELECT * FROM `aluno_seq`

>SELECT * FROM `aluno`

>