

Enter password: *****

Welcome to the MySQL monitor. Commands end with ; or \g.

Your MySQL connection id is 11

Server version: 8.0.46 MySQL Community Server - GPL

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

```
mysql> create database college;
Query OK, 1 row affected (0.01 sec)
```

```
mysql> use college;
```

Database changed

```
mysql> use college;
```

Database changed

```
mysql> create table student(regno int(3),name varchar(15),gender char(1),dob
date,mobileNo BIGINT,city varchar(15));
```

```
Query OK, 0 rows affected, 1 warning (0.08 sec)
```

```
mysql> desc student;
```

Field	Type	Null	Key	Default	Extra
regno	int	YES		NULL	
name	varchar(15)	YES		NULL	
gender	char(1)	YES		NULL	
dob	date	YES		NULL	
mobileNo	bigint	YES		NULL	
city	varchar(15)	YES		NULL	

6 rows in set (0.05 sec)

```
mysql> create table faculty(facno varchar(4),facname varchar(15),gender cah(1),dob
date,dof date,mobileNo bigint);
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'cahr(1),dob date,dof date,mobileNo bigint)' at line 1

```
mysql> create table faculty(facno varchar(4),facname varchar(15),gender char(1),dob
date,dof date,mobileNo bigint);
```

```
Query OK, 0 rows affected (0.07 sec)
```

```
mysql> desc faculty;
```

Field	Type	Null	Key	Default	Extra
facno	varchar(4)	YES		NULL	
facname	varchar(15)	YES		NULL	
gender	char(1)	YES		NULL	
dob	date	YES		NULL	
dof	date	YES		NULL	
mobileNo	bigint	YES		NULL	

6 rows in set (0.03 sec)

```
mysql> create table department(deptno varchar(4),deptname varchar(15),depthead
```

```
varchar(4));
Query OK, 0 rows affected (0.07 sec)
```

```
mysql> desc department;
```

Field	Type	Null	Key	Default	Extra
deptno	varchar(4)	YES		NULL	
deptname	varchar(15)	YES		NULL	
depthead	varchar(4)	YES		NULL	

```
3 rows in set (0.00 sec)
```

```
mysql> create table course(course varchar(3),coursedesc varchar(14),coursetype
char(1),semno char(1),hallno varchar(4),facno varchar(4));
Query OK, 0 rows affected (0.04 sec)
```

```
mysql> desc course;
```

Field	Type	Null	Key	Default	Extra
course	varchar(3)	YES		NULL	
coursedesc	varchar(14)	YES		NULL	
coursetype	char(1)	YES		NULL	
semno	char(1)	YES		NULL	
hallno	varchar(4)	YES		NULL	
facno	varchar(4)	YES		NULL	

```
6 rows in set (0.00 sec)
```

```
mysql> alter table faculty add dept varchar(10);
Query OK, 0 rows affected (0.13 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> desc faculty;
```

Field	Type	Null	Key	Default	Extra
facno	varchar(4)	YES		NULL	
facname	varchar(15)	YES		NULL	
gender	char(1)	YES		NULL	
dob	date	YES		NULL	
doj	date	YES		NULL	
mobileNo	bigint	YES		NULL	
dept	varchar(10)	YES		NULL	

```
7 rows in set (0.00 sec)
```

```
mysql> show tables;
```

Tables_in_college
course
department
faculty
student

```
4 rows in set (0.04 sec)
```

```
mysql> desc student;desc faculty;desc department;desc course;
```

Field	Type	Null	Key	Default	Extra
regno	int	YES		NULL	
name	varchar(15)	YES		NULL	
gender	char(1)	YES		NULL	
dob	date	YES		NULL	
mobileNo	bigint	YES		NULL	
city	varchar(15)	YES		NULL	

6 rows in set (0.03 sec)

Field	Type	Null	Key	Default	Extra
facno	varchar(4)	YES		NULL	
facname	varchar(15)	YES		NULL	
gender	char(1)	YES		NULL	
dob	date	YES		NULL	
doj	date	YES		NULL	
mobileNo	bigint	YES		NULL	
dept	varchar(10)	YES		NULL	

7 rows in set (0.00 sec)

Field	Type	Null	Key	Default	Extra
deptno	varchar(4)	YES		NULL	
deptname	varchar(15)	YES		NULL	
depthead	varchar(4)	YES		NULL	

3 rows in set (0.00 sec)

Field	Type	Null	Key	Default	Extra
course	varchar(3)	YES		NULL	
coursedes	varchar(14)	YES		NULL	
coursetype	char(1)	YES		NULL	
semno	char(1)	YES		NULL	
hallno	varchar(4)	YES		NULL	
facno	varchar(4)	YES		NULL	

6 rows in set (0.00 sec)

mysql>