

Enter password: *****

Welcome to the MySQL monitor. Commands end with ; or \g.

Your MySQL connection id is 12

Server version: 8.0.46 MySQL Community Server - GPL

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

```
mysql> CREATE DATABASE shopping;
Query OK, 1 row affected (0.01 sec)
```

```
mysql> USE shopping;
Database changed
mysql> CREATE TABLE Product(
  -> ProductID VARCHAR(10) PRIMARY KEY,
  -> ProductName VARCHAR(30),
  -> Category VARCHAR(20)
  -> );
Query OK, 0 rows affected (0.04 sec)
```

```
mysql> CREATE TABLE Customer(
  -> CustomerID VARCHAR(10) PRIMARY KEY,
  -> CustomerName VARCHAR(30),
  -> City VARCHAR(20)
  -> );
Query OK, 0 rows affected (0.03 sec)
```

```
mysql> CREATE TABLE Orders(
  -> OrderID VARCHAR(10) PRIMARY KEY,
  -> CustomerID VARCHAR(10),
  -> ProductID VARCHAR(10),
  -> Amount INT
  -> );
Query OK, 0 rows affected (0.03 sec)
```

```
mysql> CREATE TABLE Payment(
  -> PaymentID VARCHAR(10) PRIMARY KEY,
  -> OrderID VARCHAR(10),
  -> PaymentMode VARCHAR(20)
  -> );
Query OK, 0 rows affected (0.07 sec)
```

```
mysql> CREATE TABLE Delivery(
  -> DeliveryID VARCHAR(10) PRIMARY KEY,
  -> OrderID VARCHAR(10),
  -> Status VARCHAR(20)
  -> );
Query OK, 0 rows affected (0.07 sec)
```

```
mysql> INSERT INTO Product VALUES
  -> ('P101','Laptop','Electronics'),
  -> ('P102','Mobile','Electronics'),
  -> ('P103','Chair','Furniture'),
  -> ('P104','Table','Furniture');
Query OK, 4 rows affected (0.04 sec)
```

Records: 4 Duplicates: 0 Warnings: 0

```
mysql> INSERT INTO Customer VALUES
-> ('C001','Arun','Chennai'),
-> ('C002','Priya','Salem'),
-> ('C003','Rahul','Madurai'),
-> ('C004','Kiran','Coimbatore');
```

Query OK, 4 rows affected (0.04 sec)
Records: 4 Duplicates: 0 Warnings: 0

```
mysql> INSERT INTO Orders VALUES
-> ('O001','C001','P101',65000),
-> ('O002','C002','P102',18000),
-> ('O003','C003','P103',7000),
-> ('O004','C001','P104',9000),
-> ('O005','C004','P102',22000);
```

Query OK, 5 rows affected (0.05 sec)
Records: 5 Duplicates: 0 Warnings: 0

```
mysql> INSERT INTO Payment VALUES
-> ('PM01','O001','UPI'),
-> ('PM02','O002','Card'),
-> ('PM03','O003','Cash'),
-> ('PM04','O004','Card'),
-> ('PM05','O005','UPI');
```

Query OK, 5 rows affected (0.01 sec)
Records: 5 Duplicates: 0 Warnings: 0

```
mysql> INSERT INTO Delivery VALUES
-> ('D001','O001','Delivered'),
-> ('D002','O002','Pending'),
-> ('D003','O003','Delivered'),
-> ('D004','O004','Shipped'),
-> ('D005','O005','Delivered');
```

Query OK, 5 rows affected (0.04 sec)
Records: 5 Duplicates: 0 Warnings: 0

```
mysql> SELECT *
-> FROM Product
-> WHERE Category IN ('Electronics','Furniture');
```

ProductID	ProductName	Category
P101	Laptop	Electronics
P102	Mobile	Electronics
P103	Chair	Furniture
P104	Table	Furniture

4 rows in set (0.00 sec)

```
mysql> SELECT *
-> FROM Orders
-> WHERE Amount BETWEEN 8000 AND 25000;
```

OrderID	CustomerID	ProductID	Amount
O002	C002	P102	18000
O004	C001	P104	9000
O005	C004	P102	22000

3 rows in set (0.02 sec)

```
mysql> SELECT AVG(Amount) AS Average_Amount
-> FROM Orders;
```

Average_Amount
24200.0000

1 row in set (0.00 sec)

```
mysql> SELECT MAX(Amount) AS Maximum_Amount,
-> MIN(Amount) AS Minimum_Amount
-> FROM Orders;
```

Maximum_Amount	Minimum_Amount
65000	7000

1 row in set (0.01 sec)

```
mysql> SELECT ProductID,
-> MAX(Amount) AS Maximum,
-> MIN(Amount) AS Minimum,
-> AVG(Amount) AS Average
-> FROM Orders
-> GROUP BY ProductID;
```

ProductID	Maximum	Minimum	Average
P101	65000	65000	65000.0000
P102	22000	18000	20000.0000
P103	7000	7000	7000.0000
P104	9000	9000	9000.0000

4 rows in set (0.00 sec)

```
mysql> SELECT ProductID,
-> MAX(Amount) AS Maximum,
-> MIN(Amount) AS Minimum,
-> AVG(Amount) AS Average
-> FROM Orders
-> GROUP BY ProductID;
```

ProductID	Maximum	Minimum	Average
P101	65000	65000	65000.0000
P102	22000	18000	20000.0000
P103	7000	7000	7000.0000
P104	9000	9000	9000.0000

4 rows in set (0.00 sec)

```
mysql> SELECT Product.ProductName,
-> AVG(Orders.Amount) AS Average_Amount
-> FROM Product
-> JOIN Orders
-> ON Product.ProductID=Orders.ProductID
-> GROUP BY Product.ProductName;
```

Product.ProductName

```
| ProductName | Average_Amount |
+-----+-----+
| Laptop      |      65000.0000 |
| Mobile      |      20000.0000 |
| Chair       |       7000.0000 |
| Table       |       9000.0000 |
+-----+-----+
4 rows in set (0.00 sec)
```

```
mysql> SELECT SUM(Amount) AS Total_Amount
-> FROM Orders;
+-----+
| Total_Amount |
+-----+
|      121000 |
+-----+
1 row in set (0.00 sec)
```

```
mysql> SELECT Product.ProductName,
-> COUNT(Orders.CustomerID) AS Customers
-> FROM Product
-> JOIN Orders
-> ON Product.ProductID=Orders.ProductID
-> GROUP BY Product.ProductName;
+-----+-----+
| ProductName | Customers |
+-----+-----+
| Laptop      |          1 |
| Mobile      |          2 |
| Chair       |          1 |
| Table       |          1 |
+-----+-----+
4 rows in set (0.00 sec)
```

```
mysql> SELECT Customer.CustomerName,
-> COUNT(Orders.ProductID) AS Total_Orders
-> FROM Customer
-> JOIN Orders
-> ON Customer.CustomerID=Orders.CustomerID
-> GROUP BY Customer.CustomerName;
+-----+-----+
| CustomerName | Total_Orders |
+-----+-----+
| Arun         |            2 |
| Priya        |            1 |
| Rahul        |            1 |
| Kiran        |            1 |
+-----+-----+
4 rows in set (0.00 sec)
```

```
mysql>
```