


Performance

Metrics

First Contentful Paint	1.0 s	Time to Interactive	1.7 s
Speed Index	1.4 s	Total Blocking Time	0 ms
 Largest Contentful Paint	2.7 s	Cumulative Layout Shift	0.019

Values are estimated and may vary. The [performance score is calculated](#) directly from these metrics. [See calculator.](#)

View Original Trace



Opportunities — These suggestions can help your page load faster. They don't [directly affect](#) the performance score.

Opportunity


Estimated Savings

Eliminate render-blocking resources0.54 s ^

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. [Learn more.](#)

☒ Show 3rd-party resources (1)

URL	Transfer size	Potential savings
...css/bootstrap.min.css (localhost)	179.6 KiB	630 ms
/css?family=Montserrat:400,400i,700,700i,600,600i (fonts.googleapis.com)	0.9 KiB	230 ms
...css/Footer-Basic.css (localhost)	1.2 KiB	110 ms
...css/Bootstrap-cards-v2.css (localhost)	0.4 KiB	110 ms

URL	Transfer size	Potential savings
...css/payment.css (localhost)	1.4 KiB	110 ms
Remove unused CSS		0.2 s ^
Remove dead rules from style sheets and defer the loading of CSS not used for above-the-fold content to reduce unnecessary bytes consumed by network activity. Learn more.		
<input type="checkbox"/> Show 3rd-party resources (0)		
URL	Transfer size	Potential savings
...css/bootstrap.min.css (localhost)	179.6 KiB	172.7 KiB
Diagnostics — More information about the performance of your application. These numbers don't directly affect the performance score.		
▲ Ensure text remains visible during webfont load		^
Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading. Learn more.		
<input checked="" type="checkbox"/> Show 3rd-party resources (2)		
URL		Potential savings
...v15/JTUSjlg1_....woff2 (fonts.gstatic.com)		10 ms
...v15/JTURjlg1_....woff2 (fonts.gstatic.com)		20 ms
▲ Image elements do not have explicit width and height		^
Set an explicit width and height on image elements to reduce layout shifts and improve CLS. Learn more		
<input type="checkbox"/> Show 3rd-party resources (0)		
URL	Failing elements	
 ...img/subbologo.png (localhost)	img	
▲ Serve static assets with an efficient cache policy — 18 resources found		^
A long cache lifetime can speed up repeat visits to your page. Learn more.		
<input checked="" type="checkbox"/> Show 3rd-party resources (2)		
URL	Cache TTL	Transfer size
/v3/ (js.stripe.com)	5 m	53 KiB
...js/m-outer-a7fed99....js (js.stripe.com)	5 m	2 KiB
...img/apartments.png (localhost)	12 h	1,542 KiB
...css/bootstrap.min.css (localhost)	12 h	180 KiB
...js/jquery.min.js (localhost)	12 h	88 KiB

URL	Cache TTL	Transfer size
...js/bootstrap.min.js (localhost)	12 h	83 KiB
...img/subbologo.png (localhost)	12 h	6 KiB
...js/mypages.js (localhost)	12 h	3 KiB
...js/advert.js (localhost)	12 h	2 KiB
...js/housing.js (localhost)	12 h	2 KiB
...js/createadvert.js (localhost)	12 h	2 KiB
...css/payment.css (localhost)	12 h	1 KiB
...css/Footer-Basic.css (localhost)	12 h	1 KiB
...js/registration.js (localhost)	12 h	1 KiB
...js/login.js (localhost)	12 h	1 KiB
...js/allmain.js (localhost)	12 h	1 KiB
...css/Bootstrap-cards-v2.css (localhost)	12 h	0 KiB
...js/index.js (localhost)	12 h	0 KiB

Avoid chaining critical requests — 18 chains found



The critical request chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources or deferring the download of unnecessary resources to improve page load.

[Learn more.](#)

Maximum critical path latency: **360 ms**

Initial Navigation

http://localhost:5000

...css/bootstrap.min.css (localhost) - **30 ms, 179.64 KiB**

/css?family=Montserrat:400,400i,700,700i,600,600i (fonts.googleapis.com)

...v15/JTUSjlg1_....woff2 (fonts.gstatic.com) - **10 ms, 13.45 KiB**

...v15/JTURjlg1_....woff2 (fonts.gstatic.com) - **20 ms, 13.23 KiB**

...css/Footer-Basic.css (localhost) - **10 ms, 1.18 KiB**

...css/Bootstrap-cards-v2.css (localhost) - **40 ms, 0.38 KiB**

...css/payment.css (localhost) - **40 ms, 1.39 KiB**

...js/jquery.min.js (localhost) - **50 ms, 87.71 KiB**

...1.11.6/page.js (cdnjs.cloudflare.com) - **40 ms, 9.08 KiB**

/v3/ (js.stripe.com) - **60 ms, 53.21 KiB**

...js/index.js (localhost) - **30 ms, 0.32 KiB**

...js/housing.js (localhost) - **40 ms, 2.00 KiB**

...js/login.js (localhost) - **30 ms, 0.82 KiB**

...js/mypages.js (localhost) - **90 ms, 3.11 KiB**

...js/registration.js (localhost) - **60 ms, 0.85 KiB**

...js/createadvert.js (localhost) - **90 ms, 1.63 KiB**

...js/advert.js (localhost) - 60 ms, 2.00 KiB

...js/allmain.js (localhost) - 90 ms, 0.75 KiB

...js/bootstrap.min.js (localhost) - 80 ms, 82.73 KiB

Keep request counts low and transfer sizes small — 26 requests • 2,045 KiB


To set budgets for the quantity and size of page resources, add a budget.json file. [Learn more.](#)

Resource type	Requests	Transfer size
Total	26	2,045.3 KiB
Image	2	1,548.0 KiB
Script	13	245.8 KiB
Stylesheet	5	183.5 KiB
Document	3	40.8 KiB
Font	2	26.7 KiB
Other	1	0.5 KiB
Media	0	0.0 KiB
Third-party	9	104.9 KiB

Largest contentful paint element — 1 element found

This is the largest contentful element painted within the viewport. [Learn more](#)

Element



Avoid large layout shifts — 2 elements found


These DOM elements contribute most to the CLS of the page.

Element



CLS contribution

0.018

Element	CLS contribution
<div></div> <div>a.navbar-brand.logo</div>	0.001

Avoid long main-thread tasks — 2 long tasks found

Lists the longest tasks on the main thread –useful for identifying worst contributors to input delay. [Learn more](#)

☐ Show 3rd-party resources (0)

URL	Start Time	Duration
Unattributable	283 ms	79 ms
...js/jquery.min.js (localhost)	2,450 ms	55 ms

Passed audits (27)

Properly size images — Potential savings of 5 KiB

Serve images that are appropriately-sized to save mobile data and improve load time. [Learn more](#).

☐ Show 3rd-party resources (0)

URL	Resource size	Potential savings
<div></div> <div>...img/subbologo.png (localhost)</div>	5.5 KiB	5.0 KiB

Defer off-screen images

Consider lazy loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. [Learn more](#).

Minify CSS

Minifying CSS files can reduce network payload sizes. [Learn more](#).

Minify JavaScript

Minifying JavaScript files can reduce payload sizes and script parse time. [Learn more](#).

Remove unused JavaScript — Potential savings of 167 KiB

Remove unused JavaScript to reduce bytes consumed by network activity. [Learn more](#).

☒ Show 3rd-party resources (1)

URL	Transfer size	Potential savings
...js/bootstrap.min.js (localhost)	82.7 KiB	68.7 KiB
...js/jquery.min.js (localhost)	87.7 KiB	57.3 KiB

URL	Transfer size	Potential savings
/v3/ (js.stripe.com)	53.2 KiB	40.6 KiB
Efficiently encode images ^		
Optimised images load faster and consume less mobile data. Learn more.		
Serve images in next-gen formats ^		
Image formats like JPEG 2000, JPEG XR and WebP often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. Learn more.		
Enable text compression ^		
Text-based resources should be served with compression (gzip, deflate or brotli) to minimise total network bytes. Learn more.		
Pre-connect to required origins ^		
Consider adding `preconnect` or `dns-prefetch` resource hints to establish early connections to important third-party origins. Learn more.		
Initial server response time was short — Root document took 0 ms ^		
Keep the server response time for the main document short because all other requests depend on it. Learn more.		
<input type="checkbox"/> Show 3rd-party resources (0)		
URL	Time Spent	
http://localhost:5000	0 ms	
Avoid multiple page redirects ^		
Redirects introduce additional delays before the page can be loaded. Learn more.		
Pre-load key requests ^		
Consider using ` <link rel="preload"/> ` to prioritise fetching resources that are currently requested later in page load. Learn more.		
Use HTTP/2 — 18 requests not served via HTTP/2 ^		
HTTP/2 offers many benefits over HTTP/1.1, including binary headers, multiplexing and server push. Learn more.		
<input type="checkbox"/> Show 3rd-party resources (0)		
URL	Protocol	
http://localhost:5000	http/1.0	
...css/bootstrap.min.css (localhost)	http/1.0	
...css/Footer-Basic.css (localhost)	http/1.0	
...css/Bootstrap-cards-v2.css (localhost)	http/1.0	
...css/payment.css (localhost)	http/1.0	
...img/subbologo.png (localhost)	http/1.0	

URL	Protocol
...js/jquery.min.js (localhost)	http/1.0
...js/index.js (localhost)	http/1.0
...js/housing.js (localhost)	http/1.0
...js/login.js (localhost)	http/1.0
...js/mypages.js (localhost)	http/1.0
...js/registration.js (localhost)	http/1.0
...js/createadvert.js (localhost)	http/1.0
...js/advert.js (localhost)	http/1.0
...js/allmain.js (localhost)	http/1.0
...js/bootstrap.min.js (localhost)	http/1.0
...img/apartments.png (localhost)	http/1.0
/favicon.ico (localhost)	http/1.0

Use video formats for animated content ^

Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. [Learn more](#)

Remove duplicate modules in JavaScript bundles ^

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity.

Avoid serving legacy JavaScript to modern browsers ^

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule feature detection to reduce the amount of code delivered to modern browsers, while retaining support for legacy browsers. [Learn more](#)

Preload largest contentful paint image ^

Preload the image used by the LCP element in order to improve your LCP time. [Learn more](#).

☐ Show 3rd-party resources (0)

URL	Potential savings
 ...img/apartments.png (localhost)	0 ms

Avoids enormous network payloads — Total size was 2,073 KiB ^

Large network payloads cost users real money and are highly correlated with long load times. [Learn more](#).

☒ Show 3rd-party resources (4)

URL	Transfer size
...img/apartments.png (localhost)	1,542.2 KiB

URL	Transfer size
...css/bootstrap.min.css (localhost)	179.6 KiB
...js/jquery.min.js (localhost)	87.7 KiB
...js/bootstrap.min.js (localhost)	82.7 KiB
/v3/ (js.stripe.com)	53.2 KiB
http://localhost:5000	27.9 KiB
/favicon.ico (localhost)	27.9 KiB
...v15/JTUSjlg1_....woff2 (fonts.gstatic.com)	13.4 KiB
...v15/JTURjlg1_....woff2 (fonts.gstatic.com)	13.2 KiB
/inner.html (m.stripe.network)	12.4 KiB

Avoids an excessive DOM size — 93 elements

A large DOM will increase memory usage, cause longer [style calculations](#) and produce costly [layout reflows](#). [Learn more](#).

Statistic	Element	Value
Total DOM Elements		93
Maximum DOM Depth	path	8
Maximum Child Elements	body	25

User Timing marks and measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. [Learn more](#).

JavaScript execution time — 0.1 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn more](#).

☐ Show 3rd-party resources (0)

URL	Total CPU Time	Script Evaluation	Script Parse
Unattributable	277 ms	1 ms	0 ms
http://localhost:5000	151 ms	8 ms	3 ms
...js/jquery.min.js (localhost)	58 ms	52 ms	3 ms

Minimises main-thread work — 0.6 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. [Learn more](#)

Category	Time Spent
Other	309 ms

Category	Time Spent
Script Evaluation	105 ms
Rendering	70 ms
Style & Layout	40 ms
Parse HTML & CSS	24 ms
Script Parsing & Compilation	22 ms

Minimise third-party usage — Third-party code blocked the main thread for 0 ms

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. [Learn more.](#)

☐ Show 3rd-party resources (0)

Third-party	Transfer size	Main-Thread Blocking Time
Stripe	68 KiB	0 ms
/v3/ (js.stripe.com)	53 KiB	0 ms
/inner.html (m.stripe.network)	12 KiB	0 ms
Google Fonts	28 KiB	0 ms
...v15/JTUSjlg1_...woff2 (fonts.gstatic.com)	13 KiB	0 ms
...v15/JTURjlg1_...woff2 (fonts.gstatic.com)	13 KiB	0 ms
Cloudflare CDN	9 KiB	0 ms
...1.11.6/page.js (cdnjs.cloudflare.com)	9 KiB	0 ms

Lazy load third-party resources with facades

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. [Learn more.](#)

Uses passive listeners to improve scrolling performance

Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance. [Learn more.](#)

Avoids `document.write()`

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. [Learn more.](#)

Avoid non-composited animations

Animations which are not composited can be poor, slow and increase CLS. [Learn more](#)



Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Only a subset of accessibility issues can be automatically

detected so manual testing is also encouraged.

Navigation — These are opportunities to improve keyboard navigation in your application.

▲ Heading elements are not in a sequentially-descending order ^

Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. [Learn more](#).

Failing elements




Internationalisation and localisation — These are opportunities to improve the interpretation of your content by users in different locales.

▲ <html> element does not have a [lang] attribute ^

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. [Learn more](#).

Failing elements




Names and labels — These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, such as a screen reader.

▲ Image elements do not have [alt] attributes ^

Informative elements should aim for short, descriptive alternative text. Decorative elements can be ignored with an empty alt attribute. [Learn more](#).

Failing elements

Failing elements



img

Additional items to manually check (10) — These items address areas which an automated testing tool cannot cover. [Learn more in our guide on conducting an accessibility review.](#)

The page has a logical tab order

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. [Learn more.](#)

Interactive controls are keyboard focusable

Custom interactive controls are keyboard focusable and display a focus indicator. [Learn more.](#)

Interactive elements indicate their purpose and state

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. [Learn more.](#)

The user's focus is directed to new content added to the page

If new content, such as a dialog, is added to the page, the user's focus is directed to it. [Learn more.](#)

User focus is not accidentally trapped in a region

A user can tab into and out of any control or region without accidentally trapping their focus. [Learn more.](#)

Custom controls have associated labels

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. [Learn more.](#)

Custom controls have ARIA roles

Custom interactive controls have appropriate ARIA roles. [Learn more.](#)

Visual order on the page follows DOM order

DOM order matches the visual order, improving navigation for assistive technology. [Learn more.](#)

Offscreen content is hidden from assistive technology

Offscreen content is hidden with display: none or aria-hidden=true. [Learn more.](#)

HTML5 landmark elements are used to improve navigation

Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. [Learn more.](#)

Passed audits (10)

[aria-hidden="true"] is not present on the document <body>

Assistive technologies, like screen readers, work inconsistently when ``aria-hidden="true"`` is set on the document ``<body>``. [Learn more.](#)

`[aria-hidden="true"]` elements do not contain focusable descendents

Focusable descendents within an ``[aria-hidden="true"]`` element prevent those interactive elements from being available to users of assistive technologies like screen readers. [Learn more.](#)

Buttons have an accessible name

When a button doesn't have an accessible name, screen readers announce it as 'button', making it unusable for users who rely on screen readers. [Learn more.](#)

The page contains a heading, skip link or landmark region

Adding ways to bypass repetitive content lets keyboard users navigate the page more efficiently. [Learn more.](#)

Background and foreground colours have a sufficient contrast ratio

Low-contrast text is difficult or impossible for many users to read. [Learn more.](#)

Document has a `<title>` element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more.](#)

Links have a discernible name

Link text (and alternative text for images, when used as links) that is discernible, unique and focusable improves the navigation experience for screen reader users. [Learn more.](#)

Lists contain only `` elements and script supporting elements (`<script>` and `<template>`).

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. [Learn more.](#)

List items (``) are contained within `` or `` parent elements

Screen readers require list items (``) to be contained within a parent ```` or ```` to be announced properly. [Learn more.](#)

`[user-scalable="no"]` is not used in the `<meta name="viewport">` element and the `[maximum-scale]` attribute is not less than 5.

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. [Learn more.](#)

Not applicable (31)

`[accesskey]` values are unique

Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. [Learn more.](#)

`[aria-*]` attributes match their roles

Each ARIA ``role`` supports a specific subset of ``aria-*`` attributes. Mismatching these invalidates the ``aria-*`` attributes. [Learn more.](#)

button, link, and menuitem elements have accessible names ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more.](#)

ARIA input fields have accessible names ^

When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more.](#)

ARIA meter elements have accessible names ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more.](#)

ARIA progressbar elements have accessible names ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more.](#)

[role]s have all required [aria-*] attributes ^

Some ARIA roles have required attributes that describe the state of the element to screen readers. [Learn more.](#)

Elements with an ARIA [role] that require children to contain a specific [role] have all required children. ^

Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. [Learn more.](#)

[role]s are contained by their required parent element ^

Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. [Learn more.](#)

[role] values are valid ^

ARIA roles must have valid values in order to perform their intended accessibility functions. [Learn more.](#)

ARIA toggle fields have accessible names ^

When a toggle field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more.](#)

ARIA tooltip elements have accessible names ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more.](#)

ARIA treeitem elements have accessible names ^

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. [Learn more.](#)

[aria-*] attributes have valid values ^

Assistive technologies, such as screen readers, can't interpret ARIA attributes with invalid values. [Learn more.](#)

[aria-*] attributes are valid and not misspelled ^

Assistive technologies, such as screen readers, can't interpret ARIA attributes with invalid names. [Learn more.](#)

<dl>'s contain only properly-ordered <dt> and <dd> groups, <script>, <template> or <div> elements. ^

When definition lists are not properly marked up, screen readers may produce confusing or inaccurate output. [Learn more.](#)

Definition list items are wrapped in `<dl>` elements ^

Definition list items (`<dt>` and `<dd>`) must be wrapped in a parent `<dl>` element to ensure that screen readers can properly announce them. [Learn more.](#)

`[id]` attributes on active, focusable elements are unique ^

All focusable elements must have a unique `id` to ensure that they're visible to assistive technologies. [Learn more.](#)

ARIA IDs are unique ^

The value of an ARIA ID must be unique to prevent other instances from being overlooked by assistive technologies. [Learn more.](#)

No form fields have multiple labels ^

Form fields with multiple labels can be confusingly announced by assistive technologies, like screen readers, which use either the first, the last or all of the labels. [Learn more.](#)

`<frame>` or `<iframe>` elements have a title ^

Screen reader users rely on frame titles to describe the contents of frames. [Learn more.](#)

`<html>` element has a valid value for its `[lang]` attribute ^

Specifying a valid [BCP 47 language](#) helps screen readers announce text properly. [Learn more.](#)

`<input type="image">` elements have `[alt]` text ^

When an image is being used as an `<input>` button, providing alternative text can help screen reader users understand the purpose of the button. [Learn more.](#)

Form elements have associated labels ^

Labels ensure that form controls are announced properly by assistive technologies, such as screen readers. [Learn more.](#)

The document does not use `<meta http-equiv="refresh">` ^

Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. [Learn more.](#)

`<object>` elements have `[alt]` text ^

Screen readers cannot translate non-text content. Adding alt text to `<object>` elements helps screen readers convey meaning to users. [Learn more.](#)

No element has a `[tabindex]` value greater than 0 ^

A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. [Learn more.](#)

Cells in a `<table>` element that use the `[headers]` attribute refer to table cells within the same table. ^

Screen readers have features to make navigating tables easier. Ensuring `<td>` cells using the `[headers]` attribute only refer to other cells in the same table may improve the experience for screen reader users. [Learn more.](#)

`<th>` elements and elements with `[role="columnheader"/"rowheader"]` have data cells they describe. ^

Screen readers have features to make navigating tables easier. Ensuring that table headers always refer to some set of cells may improve the experience for screen reader users. [Learn more](#).

`[lang]` attributes have a valid value ^

Specifying a valid [BCP 47 language](#) on elements helps ensure that text is pronounced correctly by a screen reader. [Learn more](#).

`<video>` elements contain a `<track>` element with `[kind="captions"]` ^

When a video provides a caption it is easier for deaf and hearing-impaired users to access its information. [Learn more](#).



Best Practices

Passed audits (17) ^

Uses HTTPS ^

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding [mixed content](#), where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. [Learn more](#).

Links to cross-origin destinations are safe ^

Add ``rel="noopener"`` or ``rel="noreferrer"`` to any external links to improve performance and prevent security vulnerabilities. [Learn more](#).

Avoids requesting the geolocation permission on page load ^

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. [Learn more](#).

Avoids requesting the notification permission on page load ^

Users are mistrustful of or confused by sites that request to send notifications without context. Consider tying the request to user gestures instead. [Learn more](#).

Avoids front-end JavaScript libraries with known security vulnerabilities ^

Some third-party scripts may contain known security vulnerabilities that are easily identified and exploited by attackers. [Learn more](#).

Allows users to paste into password fields ^

Preventing password pasting undermines good security policy. [Learn more](#).

Displays images with correct aspect ratio ^

Image display dimensions should match natural aspect ratio. [Learn more](#).

Serves images with appropriate resolution

Image natural dimensions should be proportional to the display size and the pixel ratio to maximise image clarity. [Learn more.](#)

Page has the HTML doctype

Specifying a DOCTYPE prevents the browser from switching to quirks mode. [Learn more.](#)

Properly defines charset

A character encoding declaration is required. It can be done with a `` tag in the first 1,024 bytes of the HTML or in the Content-Type HTTP response header. [Learn more.](#)

Avoids `unload` event listeners

The `unload` event does not fire reliably and listening for it can prevent browser optimisations like the back-forward cache. Consider using the `pagehide` or `visibilitychange` events instead. [Learn More](#)

Avoids application cache

Application cache is deprecated. [Learn more.](#)

Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. [Learn more.](#)

Name	Version
Bootstrap	4.6.0
jQuery	3.5.1

Avoids deprecated APIs

Deprecated APIs will eventually be removed from the browser. [Learn more.](#)

No browser errors logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. [Learn more](#)

Page has valid source maps

Source maps translate minified code to the original source code. This helps developers to debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. [Learn more.](#)

☐ Show 3rd-party resources (0)

URL**Map URL**

...js/bootstrap.min.js (localhost)

...js/bootstrap.bundle.min.js.map (localhost)

Error: Invalid response status code: 302

No issues in the [Issues](#) panel in Chrome Devtools

Issues logged to the `Issues` panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

Not applicable (1)



Fonts with `font-display: optional` are preloaded



Preload `optional` fonts so that first-time visitors may use them. [Learn more](#)



SEO

These checks ensure that your page is optimised for search engine results ranking. There are additional factors that Lighthouse does not check that may affect your search ranking. [Learn more](#).

Content Best Practices — Format your HTML in a way that enables crawlers to better understand your app’s content.

▲ Document does not have a meta description




Meta descriptions may be included in search results to concisely summarise page content. [Learn more](#).

▲ Image elements do not have `[alt]` attributes



Informative elements should aim for short, descriptive alternative text. Decorative elements can be ignored with an empty alt attribute. [Learn more](#).

Failing elements



img

Crawling and Indexing — To appear in search results, crawlers need access to your app.

▲ robots.txt is not valid — 451 errors found



If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. [Learn more](#).

Line #	Content	Error
1	<!DOCTYPE html>	Syntax not understood
2	<html>	Syntax not understood
4	<head>	Syntax not understood

Line #	Content	Error
5	<meta charset="utf-8">	Syntax not understood
6	<meta name="viewport" content="width=device-width, initial-scale=1.0, shrink-to-fit=no">	Syntax not understood
7	<title>Subbo</title>	Syntax not understood
8	<link rel="stylesheet" href="assets/bootstrap/css/bootstrap.min.css">	Syntax not understood
9	<link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Montserrat:400,400i,700,700i,600,600i">	Unknown directive
10	<link rel="stylesheet" href="assets/css/Footer-Basic.css">	Syntax not understood
11	<link rel="stylesheet" href="assets/css/Bootstrap-cards-v2.css">	Syntax not understood
12	<link rel="stylesheet" href="assets/css/payment.css">	Syntax not understood
13	</head>	Syntax not understood
14	<!-- NAVBAR -> WRAPPER -> FOOTER -->	Syntax not understood
15	<body>	Syntax not understood
16	<nav class="navbar navbar-dark navbar-expand-lg fixed-top clean-navbar" style="background: #131f28;">	Unknown directive
17	<div class="container">Subbo<button data-toggle="collapse" class="navbar-toggler" data-target="#navcol-1">Toggle navigation</button>	Unknown directive
18	<div class="collapse navbar-collapse" id="navcol-1" style="margin-top: 20px;">	Unknown directive
19	<ul class="navbar-nav ml-auto">	Syntax not understood
20	<li class="nav-item">Hem	Syntax not understood
21	<li class="nav-item">FAQ	Syntax not understood
22	<li class="nav-item signed-out">Logga in	Syntax not understood
23	<li id="logout" class="nav-item signed-in">logga ut	Syntax not understood
24	<li class="nav-item signed-out">bli medlem	Syntax not understood
25	<li id="mypages-button" class="nav-item signed-in">Mina sidor	Syntax not understood
26	<li class="nav-item signed-in">skapa annons	Syntax not understood
27	<li class="nav-item housing-button">bostäder	Syntax not understood

Line #	Content	Error
28		Syntax not understood
29	</div>	Syntax not understood
30	</div>	Syntax not understood
31	</nav>	Syntax not understood
32	<main class="page main" id="wrapper">	Syntax not understood
33	<!-- WRAPPER: inject scripts here with JQUERY -->	Unknown directive
34	</main>	Syntax not understood
35	<footer class="footer-basic" style="background: #131f28;">	Unknown directive
36	<ul class="list-inline">	Syntax not understood
37	<li class="list-inline-item">Hem	Unknown directive
38	<li class="list-inline-item housing-button">Bostäder	Unknown directive
39	<li class="list-inline-item">FAQ	Unknown directive
40		Syntax not understood
41	<p class="copyright">Subbo © 2021</p>	Syntax not understood
42	</footer>	Syntax not understood
44	<!-- BELOW ARE ALL SCRIPTS FOR DIFFERENT VIEWS -->	Syntax not understood
46	<!-- home view -->	Syntax not understood
48	<script id="view-home" type="text/html">	Syntax not understood
49	<section class="clean-block clean-hero" style="color: rgba(19,31,40,0.95);background: url("assets/img/apartments.png"); bottom / cover no-repeat;">	Unknown directive
50	<div class="text">	Syntax not understood
51	<h2 style="margin-top: 35px;">Hyr eller hyr ut din bostad idag!</h2>	Unknown directive
52	<p></p><button class="btn btn-outline-light btn-lg" type="button" style="color: rgb(248, 249, 250);margin-left: 0px;">Se tillgängliga bostäder</button>	Unknown directive
53	<div>	Syntax not understood

Line #	Content	Error
54	<code><h5 style="margin-top: 28px;">eller</h5><button class="btn btn-outline-light btn-lg" type="button" style="color: rgb(248, 249, 250);margin-left: 0px;margin-top: 22px;margin-bottom: 107px;">Hyr ut din bostad</button></code>	Unknown directive
55	<code></div></code>	Syntax not understood
56	<code></div></code>	Syntax not understood
57	<code></section></code>	Syntax not understood
58	<code><section style="background: #f6f6f6;"></code>	Unknown directive
59	<code><div class="container"></code>	Syntax not understood
60	<code><div style="padding-top: 59px;padding-bottom: 34px;"></code>	Unknown directive
61	<code><h1 class="text-center" style="border-width: -9px;color: #131f28;padding-bottom: 5px;padding-top: 9px;">Varför Subbo?</h1></code>	Unknown directive
62	<code></div></code>	Syntax not understood
63	<code><div class="row justify-content-center" style="padding-bottom: 70px;"></code>	Unknown directive
64	<code><div class="col-md-5 feature-box"><svg xmlns="http://www.w3.org/2000/svg" width="1em" height="1em" viewBox="0 0 16 16" fill="currentColor" class="bi bi-house-fill icon" style="color: #131f28;"></code>	Unknown directive
65	<code><path fill-rule="evenodd" d="M8 3.29316 6V13.5a1.5 1.5 0 0 1-1.5 1.5h-9A1.5 1.5 0 0 1 2 13.5V9.29316-6zm5-.793V6l-2-2V2.5a.5.5 0 0 1 .5-.5h1a.5.5 0 0 1 .5.5z"></path></code>	Syntax not understood
66	<code><path fill-rule="evenodd" d="M7.293 1.5a1 1 0 0 1 1.414 0l6.647 6.646a.5.5 0 0 1-.708.708L8 2.207 1.354 8.854a.5.5 0 1 1-.708-.708L7.293 1.5z"></path></code>	Syntax not understood
67	<code></svg></code>	Syntax not understood
68	<code><h4>Hyr en bostad enkelt</h4></code>	Syntax not understood
69	<code><p>Skicka enkelt intresseanmälan till hyresvärdar</p></code>	Syntax not understood
70	<code></div></code>	Syntax not understood
71	<code><div class="col-md-5 feature-box"><svg xmlns="http://www.w3.org/2000/svg" width="1em" height="1em" viewBox="0 0 16 16" fill="currentColor" class="bi bi-people-fill icon" style="color: #131f28;"></code>	Unknown directive
72	<code><path fill-rule="evenodd" d="M7 14s-1 0-1-1 1-4 5-4 5 3 5 4-1 1-1 1H7zm4-6a3 3 0 1 0 0-6 3 3 0 0 0 6zm-5.784 6A2.238 2.238 0 0 1 5 13c0-1.355.68-2.75 1.936-3.72A6.325 6.325 0 0 0 5 9c-4 0-5 3-5 4s1 1 1 1h4.216zM4.5 8a2.5 2.5 0 1 0 0-5 2.5 2.5 0 0 0 0 5z"></path></code>	Syntax not understood
73	<code></svg></code>	Syntax not understood
74	<code><h4>Hyr ut din bostad</h4></code>	Syntax not understood
75	<code><p>Hyr enkelt ut din bostad till ett lågt pris</p></code>	Syntax not understood

Line #	Content	Error
76	</div>	Syntax not understood
77	<div class="col-md-5 feature-box"><svg xmlns="http://www.w3.org/2000/svg" width="1em" height="1em" viewBox="0 0 16 16" fill="currentColor" class="bi bi-cash icon" style="color: #131f28;">	Unknown directive
78	<path fill-rule="evenodd" d="M15 4H1v8h14V4zM1 3a1 1 0 0 0-1 1v8a1 1 0 0 0 1 1h14a1 1 0 0 0 1-1V4a1 1 0 0 0-1-1H1z"></path>	Syntax not understood
79	<path d="M13 4a2 2 0 0 0 2 2V4h-2zM3 4a2 2 0 0 1-2 2V4h2zm10 8a2 2 0 0 1 2-2v2h-2zM3 12a2 2 0 0 0-2-2v2h2zm7-4a2 2 0 1 1-4 0 2 2 0 0 1 4 0z"></path>	Syntax not understood
80	</svg>	Syntax not understood
81	<h4>Håll koll dina hyror</h4>	Syntax not understood
82	<p>Håll koll på betalda hyror eller påminn din hyresgäst lätt på mina sidor</p>	Syntax not understood
83	</div>	Syntax not understood
84	<div class="col-md-5 feature-box"><svg xmlns="http://www.w3.org/2000/svg" width="1em" height="1em" viewBox="0 0 16 16" fill="currentColor" class="bi bi-eye icon" style="color: #131f28;">	Unknown directive
85	<path fill-rule="evenodd" d="M16 8s-3-5.5-8-5.5S0 8 0 8s3 5.5 8 5.5S16 8 16 8zM1.173 8a13.134 13.134 0 0 0 1.66 2.043C4.12 11.332 5.88 12.5 8 12.5c2.12 0 3.879-1.168 5.168-2.457A13.134 13.134 0 0 0 14.828 8a13.133 13.133 0 0 0-1.66-2.043C11.879 4.668 10.119 3.5 8 3.5c-2.12 0-3.879 1.168-5.168 2.457A13.133 13.133 0 0 0 1.172 8z"></path>	Syntax not understood
86	<path fill-rule="evenodd" d="M8 5.5a2.5 2.5 0 1 0 0 5 2.5 2.5 0 0 0-5zM4.5 8a3.5 3.5 0 1 1 7 0 3.5 3.5 0 0 1-7 0z"></path>	Syntax not understood
87	</svg>	Syntax not understood
88	<h4>Ha koll på vem du hyr ut till</h4>	Syntax not understood
89	<p>Välj hyresgäst utifrån dina krav</p>	Syntax not understood
90	</div>	Syntax not understood
91	</div>	Syntax not understood
92	</div>	Syntax not understood
93	</section>	Syntax not understood
94	</script>	Syntax not understood
96	<!-- /faq view -->	Syntax not understood
98	<script id="view-faq" type="text/html">	Syntax not understood
99	<section class="clean-block clean-faq dark" style="background: rgb(246, 246, 246);">	Unknown directive

Line #	Content	Error
100	<div class="container">	Syntax not understood
101	<div class="block-heading">	Syntax not understood
102	<h2 style="color: #131f28;font-size: 35px;">FAQ</h2>	Unknown directive
103	<p>Subbo är en tjänst för hyrning och uthyrning av bostäder, här svarar vi på några vanliga frågor.</p>	Syntax not understood
104	</div>	Syntax not understood
105	<div class="block-content">	Syntax not understood
106	<div class="faq-item">	Syntax not understood
107	<h4 class="question">Hur hyr jag ut en lägenhet?</h4>	Syntax not understood
108	<div class="answer">	Syntax not understood
109	<p>För att hyra ut din lägenhet behöver du först och främst registrera ett konto och logga in. Du publicerar sedan lägenheten under fliken "Mina sidor", till en kostnad av endast 149kr.	Syntax not understood
110	Hitta din kommande hyresgäst bland våra verifierade bostadssökande och boka in visning med de du tycker verkar intressant.	Syntax not understood
111	</p>	Syntax not understood
112	</div>	Syntax not understood
113	</div>	Syntax not understood
114	<div class="faq-item">	Syntax not understood
115	<h4 class="question">Vad kostar det att använda subbo?</h4>	Syntax not understood
116	<div class="answer">	Syntax not understood
117	<p>Ordinarie pris för att skapa en annons på subbo.se är 149 kr. För studenter har vi ett rabatterat pris för endast 99 kr.</p>	Syntax not understood
118	</div>	Syntax not understood
119	</div>	Syntax not understood
120	<div class="faq-item">	Syntax not understood
121	<h4 class="question">nåt spexigt faq</h4>	Syntax not understood
122	<div class="answer">	Syntax not understood

Line #	Content	Error
123	<p>idk</p>	Syntax not understood
124	</div>	Syntax not understood
125	</div>	Syntax not understood
126	<div class="faq-item">	Syntax not understood
127	<h4 class="question">nåt spexigt faq</h4>	Syntax not understood
128	<div class="answer">	Syntax not understood
129	<p>idk</p>	Syntax not understood
130	</div>	Syntax not understood
131	</div>	Syntax not understood
132	</div>	Syntax not understood
133	</div>	Syntax not understood
134	</section>	Syntax not understood
135	</script>	Syntax not understood
137	<!-- /housing view -->	Syntax not understood
139	<script id="view-housing" type="text/html">	Syntax not understood
140	<section class="clean-block clean-form dark" style="padding-bottom: 216px;">	Unknown directive
141	<div class="container" style="padding-bottom: 117px;height: 63.8px;">	Unknown directive
142	<div class="block-heading" style="padding-top: 59px;">	Unknown directive
143	<h3 class="text-left" style="color: rgb(19,31,40);">Tillgängliga lägenheter</h3>	Unknown directive
145	</div>	Syntax not understood
146	</div>	Syntax not understood
147	<div class="container">	Syntax not understood
148	<div id="adrows" class="row pb-5 mb-4">	Syntax not understood
149	</div>	Syntax not understood

Line #	Content	Error
150	</div>	Syntax not understood
151	</section>	Syntax not understood
152	</script>	Syntax not understood
154	<!-- /login view -->	Syntax not understood
156	<script id="view-login" type="text/html">	Syntax not understood
157	<section class="clean-block clean-form dark">	Syntax not understood
158	<div class="container" style="padding-bottom: 186px;">	Unknown directive
159	<div class="block-heading" style="padding-top: 124px;">	Unknown directive
160	<h2 style="color: rgb(19,31,40);">Logga in</h2>	Unknown directive
161	<p></p>	Syntax not understood
162	</div>	Syntax not understood
163	<form style="border-top-color: rgb(19,31,40);">	Unknown directive
164	<div class="form-group"><label for="email">E-post</label><input class="form-control item" type="email" id="email"></div>	Syntax not understood
165	<div class="form-group"><label for="password">Lösenord</label><input class="form-control" type="password" id="password"></div>	Syntax not understood
166	<div class="form-group">	Syntax not understood
167	<div class="form-check"><input class="form-check-input" type="checkbox" id="checkbox"><label class="form-check-label" for="checkbox">Kom ihåg mig</label></div>	Syntax not understood
168	</div><button id="login" class="btn btn-primary btn-block" type="submit" style="background: rgb(19,31,40);">Logga in</button>	Unknown directive
169	</form>	Syntax not understood
170	</div>	Syntax not understood
171	</section>	Syntax not understood
172	</script>	Syntax not understood
174	<!-- Register view -->	Syntax not understood
176	<script id="view-register" type="text/html">	Syntax not understood

Line #	Content	Error
177	<section class="clean-block clean-form dark">	Syntax not understood
178	<div class="container" style="padding-bottom: 127px;">	Unknown directive
179	<div class="block-heading" style="padding-top: 77px;">	Unknown directive
180	<h2 style="color: rgb(19,31,40);">Bli medlem!</h2>	Unknown directive
181	<p>Bli medlem idag för att kunna lägga upp egna annonser och skicka intresseanmälan på bostäder</p>	Syntax not understood
182	</div>	Syntax not understood
183	<form style="border-top-color: rgb(19,31,40);">	Unknown directive
184	<div class="form-group"><label for="first_name">Förnamn</label><input class="form-control item" type="text" id="first_name"></div>	Syntax not understood
185	<div class="form-group"><label for="last_name">Efternamn</label><input class="form-control item" type="text" id="last_name"></div>	Syntax not understood
186	<div class="form-group"><label for="occupation">Ockupation</label><input class="form-control item" type="text" id="occupation"><small id="occupationHelp" class="form-text text-muted">T.ex. studerande, yrke, etc.</small></div>	Syntax not understood
187	<div class="form-group">	Syntax not understood
188	<label for="bio">Biografi</label>	Syntax not understood
189	<textarea class="form-control" id="bio" rows="3"></textarea>	Syntax not understood
190	<small id="bioHelp" class="form-text text-muted">Berätta vem du är, vad du söker för boende eller om du vill hyra ut en bostad.</small>	Syntax not understood
191	</div>	Syntax not understood
192	<div class="form-group"><label for="email">E-post</label><input class="form-control item" type="email" id="email"></div>	Syntax not understood
193	<div class="form-group"><label for="password">Lösenord</label><input class="form-control item" type="password" id="password"></div><button id="signup" class="btn btn-primary btn-block" type="submit" style="background: rgb(19,31,40);">Registrera dig</button>	Unknown directive
194	</form>	Syntax not understood
195	</div>	Syntax not understood
196	</section>	Syntax not understood
197	</script>	Syntax not understood
199	<!-- mypages view -->	Syntax not understood

Line #	Content	Error
201	<script id="view-mypages" type="text/html">	Syntax not understood
202	<section class="clean-block clean-form dark" style="padding-bottom: 216px;">	Unknown directive
204	<div class="jumbotron" style="padding-bottom: -50px;">	Unknown directive
205	<div class="row">	Syntax not understood
206	<div class="col-8">	Syntax not understood
207	<div class=container style="position: relative;">	Unknown directive
208	<h1 class="display-4" id="jumbotron-header"></h1>	Syntax not understood
209	<p class="lead" id="jumbotron-biography">Email: </p>	Unknown directive
210	<!--<hr class="my-4">-->	Syntax not understood
211	<!--<p>It uses utility classes for typography and spacing to space content out within the larger container.</p>-->	Syntax not understood
212	</div>	Syntax not understood
213	<p class="lead" style="position: absolute; bottom: 0;">	Unknown directive
214	Skapa Annonser	Syntax not understood
215	</p>	Syntax not understood
216	</div>	Syntax not understood
217	<div class="col-4" style="padding-top: 0px;">	Unknown directive
218	<div class="card mb-4 shadow-sm">	Syntax not understood
219	<div class="card-header">	Syntax not understood
220	<h4 class="my-0 text-center"> Min Bostad</h4>	Syntax not understood
221	</div>	Syntax not understood
222	<div class="card-body" id="my-housing-title">	Syntax not understood
223	<h3 class="card-title text-center mb-0">Min address</h3>	Syntax not understood
224	<p class="text-center">Stad, Län</p>	Syntax not understood
225	<p class="text-center">x rum • xx m2</p>	Syntax not understood

Line #	Content	Error
226	<code><p class="text-center">Hyra: xxxx kr/månad</p></code>	Unknown directive
227	<code></div></code>	Syntax not understood
228	<code></div></code>	Syntax not understood
229	<code></div></code>	Syntax not understood
230	<code></div></code>	Syntax not understood
231	<code></div></code>	Syntax not understood
233	<code><div class="container" style="padding-bottom: 117px;" id = "myinterests_container"></code>	Unknown directive
234	<code><div class="block-heading" style="padding-top: 5px;"></code>	Unknown directive
235	<code><h2 style="color: rgb(19,31,40);">Bostäder du har intresseanmält dig på:</h2></code>	Unknown directive
236	<code></div></code>	Syntax not understood
237	<code><!--<div class="card" style="width: 18rem;"></code>	Unknown directive
238	<code></code>	Syntax not understood
239	<code><div class="card-body"></code>	Syntax not understood
240	<code><h5 class="card-title">Card title</h5></code>	Syntax not understood
241	<code><p class="card-text">Some quick example text to build on the card title and make up the bulk of the card's content.</p></code>	Syntax not understood
242	<code>Go somewhere</code>	Syntax not understood
243	<code></div></code>	Syntax not understood
244	<code></div>--></code>	Syntax not understood
245	<code></div></code>	Syntax not understood
247	<code><div class="container" style="padding-bottom: 117px;" id = "mypage_container"></code>	Unknown directive
248	<code><div class="block-heading" style="padding-top: 5px;"></code>	Unknown directive
249	<code><h2 style="color: rgb(19,31,40);">Bostäder du hyr ut just nu:</h2></code>	Unknown directive
250	<code></div></code>	Syntax not understood
251	<code><!--<div class="card" style="width: 18rem;"></code>	Unknown directive

Line #	Content	Error
252	<code></code>	Syntax not understood
253	<code><div class="card-body"></code>	Syntax not understood
254	<code><h5 class="card-title">Card title</h5></code>	Syntax not understood
255	<code><p class="card-text">Some quick example text to build on the card title and make up the bulk of the card's content.</p></code>	Syntax not understood
256	<code>Go somewhere</code>	Syntax not understood
257	<code></div></code>	Syntax not understood
258	<code></div> --></code>	Syntax not understood
259	<code></div></code>	Syntax not understood
261	<code></section></code>	Syntax not understood
262	<code></script></code>	Syntax not understood
264	<code><!-- createadvert view --></code>	Syntax not understood
266	<code><script id="view-createadvert" type="text/html"></code>	Syntax not understood
267	<code><section class="clean-block clean-form dark"></code>	Syntax not understood
268	<code><div class="container" style="padding-bottom: 117px;"></code>	Unknown directive
269	<code><div class="block-heading" style="padding-top: 92px;padding-bottom: 6px;"></code>	Unknown directive
270	<code><h2 style="color: rgb(19,31,40);">Skapa en annons</h2></code>	Unknown directive
271	<code><p>Ange kortnummer 4000 0075 2000 0008 med valfri CVC och datum i framtiden för att betalningen ska gå igenom</p></code>	Syntax not understood
272	<code></div></code>	Syntax not understood
273	<code><form style="border-top-color: rgb(19,31,40);"></code>	Unknown directive
274	<code><form></code>	Syntax not understood
275	<code><div class="form-group"></code>	Syntax not understood
276	<code><label for="inputAddress">Adress</label></code>	Syntax not understood
277	<code><input type="text" class="form-control" id="inputAddress"></code>	Syntax not understood
278	<code></div></code>	Syntax not understood

Line #	Content	Error
279	<div class="form-row">	Syntax not understood
280	<div class="form-group col-md-12"> <!-- Denna rad ska nog inte egentligen behöva "col-md-12" eftersom den bara innehåller en item.-->	Syntax not understood
281	<label for="inputCity">Stad</label>	Syntax not understood
282	<input type="text" class="form-control" id="inputCity">	Syntax not understood
283	</div>	Syntax not understood
284	</div>	Syntax not understood
285	<div class="form-row"><!--La till egen rad för landskap & postnummer för att de skulle få mer plats. Om "col-md-x" ändras så ska varje rad adderas till 12.-->	Syntax not understood
286	<div class="form-group col-md-8">	Syntax not understood
287	<label for="inputState">Landskap</label>	Syntax not understood
288	<select id="inputState" class="form-control">	Syntax not understood
289	<option selected>Välj...</option>	Syntax not understood
290	<option>Blekinge</option>	Syntax not understood
291	<option>Bohuslän</option>	Syntax not understood
292	<option>Dalarna</option>	Syntax not understood
293	<option>Dalsland</option>	Syntax not understood
294	<option>Gotland</option>	Syntax not understood
295	<option>Gästrikland</option>	Syntax not understood
296	<option>Halland</option>	Syntax not understood
297	<option>Hälsningland</option>	Syntax not understood
298	<option>Härjedalen</option>	Syntax not understood
299	<option>Jämtland</option>	Syntax not understood
300	<option>Lappland</option>	Syntax not understood
301	<option>Medelpad</option>	Syntax not understood

Line #	Content	Error
302	<option>Norrbotten</option>	Syntax not understood
303	<option>Närke</option>	Syntax not understood
304	<option>Skåne</option>	Syntax not understood
305	<option>Småland</option>	Syntax not understood
306	<option>Södermanland</option>	Syntax not understood
307	<option>Uppland</option>	Syntax not understood
308	<option>Värmland</option>	Syntax not understood
309	<option>Västerbotten</option>	Syntax not understood
310	<option>Västergötland</option>	Syntax not understood
311	<option>Västmanland</option>	Syntax not understood
312	<option>Ångermanland</option>	Syntax not understood
313	<option>Öland</option>	Syntax not understood
314	<option>Östergötland</option>	Syntax not understood
315	</select>	Syntax not understood
316	</div>	Syntax not understood
317	<div class="form-group col-md-4">	Syntax not understood
318	<label for="inputZip">Postnummer</label>	Syntax not understood
319	<input type="text" class="form-control" id="inputZip">	Syntax not understood
320	</div>	Syntax not understood
321	</div>	Syntax not understood
322	<div class="form-row">	Syntax not understood
323	<div class="form-group col-md-6"><label for="inputStartDate">Tillgänglig från</label><input class="form-control" type="date" id="inputStartDate"></div>	Syntax not understood
324	<div class="form-group col-md-6"><label for="inputEndDate">Tillgänglig till</label><input class="form-control" type="date" id="inputEndDate"></div>	Syntax not understood
325	</div>	Syntax not understood

Line #	Content	Error
326	<div class="form-row">	Syntax not understood
327	<div class="form-group col-md-6"><label for="inputRooms">Antal rum</label> <input class="form-control" type="number" id="inputRooms"></div>	Syntax not understood
328	<div class="form-group col-md-6"><label for="inputArea">Yta (m²)</label><input class="form-control" type="number" id="inputArea"></div>	Syntax not understood
329	</div>	Syntax not understood
330	<div class="form-group"><label for="inputRent">Hyra (SEK)</label><input class="form-control" type="number" id="inputRent"></div>	Syntax not understood
332	<div class="form-check">	Syntax not understood
333	<input class="form-check-input" type="radio" name="kallvarmhyra" id="kallhyra" value="option1" checked>	Syntax not understood
334	<label class="form-check-label" for="kallhyra">	Syntax not understood
335	Kallhyra	Syntax not understood
336	</label>	Syntax not understood
337	</div>	Syntax not understood
338	<div class="form-check">	Syntax not understood
339	<input class="form-check-input" type="radio" name="kallvarmhyra" id="varmhyra" value="option2">	Syntax not understood
340	<label class="form-check-label" for="varmhyra">	Syntax not understood
341	Varmhyra	Syntax not understood
342	</label>	Syntax not understood
343	</div>	Syntax not understood
345	<div class="form-group"><label for="inputAdvertDescription">Annonstext</label> <input class="form-control" type="text" id="inputAdvertDescription"></div>	Syntax not understood
346	<div class="form-group"><label for="inputImages">Lägg till bilder</label> <input class="form-control-file" type="file" id="inputImages"></div>	Syntax not understood
347	<button class="btn btn-primary btn-block" type="submit" style="background: rgba(19,31,40,0.78);margin-top: 38px;border-top-color: rgb(0, 123, 255);">Förhandsgranska</button>	Unknown directive
348	<!-- <button class="btn btn-primary btn-block payment-successful" id="createadvert_btn" type="submit" style="background: rgb(19,31,40);margin-top: 17px;">Skapa annons</button> -->	Unknown directive
349	</form>	Syntax not understood
350	<div class="container" style="padding-bottom: 117px; padding-top: 50px;" id = "payment_container">	Unknown directive

Line #	Content	Error
351	<form id="payment-form" style="border-top-color: rgb(19,31,40);">	Unknown directive
352	<div id="card-element"></div>	Syntax not understood
353	<div id="card-error" role="alert"></div>	Syntax not understood
354	<button id="pay" disabled>	Syntax not understood
355	Betala	Syntax not understood
356	</button>	Syntax not understood
357	<p class="result-message hidden">	Syntax not understood
358	Betalningen lyckades!	Syntax not understood
359	</p>	Syntax not understood
360	<p class="payment-failed-message hidden">	Syntax not understood
361	Betalningen misslyckades!	Syntax not understood
362	</p>	Syntax not understood
363	</form>	Syntax not understood
364	</div>	Syntax not understood
365	</div>	Syntax not understood
366	</section>	Syntax not understood
367	<script src="assets/js/payment.js"></script>	Syntax not understood
369	</script>	Syntax not understood
371	<!-- payment page view -->	Syntax not understood
372	<!-- <script id="view-payment-page" type="text/html">	Syntax not understood
373	<section class="clean-block clean-form dark" style="padding-bottom: 216px;">	Unknown directive
374	<div class="container" style="padding-bottom: 117px;" id = "payment_container">	Unknown directive
375	<div class="block-heading" style="padding-top: 77px;">	Unknown directive
376	<h2 style="color: rgb(19,31,40);">Betala</h2>	Unknown directive

Line #	Content	Error
377	<p>Ange kortnummer 4000 0075 2000 0008 med valfri CVC och datum i framtiden</p>	Syntax not understood
378	</div>	Syntax not understood
379	<form id="payment-form">	Syntax not understood
380	<div id="card-element"></div>	Syntax not understood
381	<div id="card-error" role="alert"></div>	Syntax not understood
382	<button id="pay" disabled>	Syntax not understood
383	Betala	Syntax not understood
384	</button>	Syntax not understood
385	<p class="result-message hidden">	Syntax not understood
386	Betalningen lyckades!	Syntax not understood
387	</p>	Syntax not understood
388	<p class="payment-failed-message hidden">	Syntax not understood
389	Betalningen misslyckades!	Syntax not understood
390	</p>	Syntax not understood
391	</form>	Syntax not understood
392	</div>	Syntax not understood
393	</section>	Syntax not understood
394	<script src="assets/js/payment-page.js"></script>	Syntax not understood
395	</script> -->	Syntax not understood
400	<script id="view-ad" type="text/html">	Syntax not understood
401	<section class="clean-block clean-form dark" style="padding-bottom: 216px;">	Unknown directive
402	<div class="container" style="padding-bottom: 117px;height: 63.8px;">	Unknown directive
403	<div class="block-heading" style="padding-top: 59px;">	Unknown directive
404	<h3 class="text-left" style="color: rgb(19,31,40);">ANNONS</h3>	Unknown directive

Line #	Content	Error
406	</div>	Syntax not understood
407	</div>	Syntax not understood
408	<div class="container">	Syntax not understood
409	<div id="advertrow" class="row pb-5 mb-4">	Syntax not understood
410	</div>	Syntax not understood
411	</div>	Syntax not understood
412	</section>	Syntax not understood
413	</script>	Syntax not understood
416	<script src="assets/js/jquery.min.js"></script>	Syntax not understood
417	<script src="https://cdnjs.cloudflare.com/ajax/libs/page.js/1.11.6/page.js"></script>	Unknown directive
418	<script src="https://js.stripe.com/v3/"></script>	Unknown directive
419	<script src="assets/js/index.js"></script>	Syntax not understood
420	<script src="assets/js/housing.js"></script>	Syntax not understood
421	<script src="assets/js/login.js"></script>	Syntax not understood
422	<script src="assets/js/mypages.js"></script>	Syntax not understood
423	<script src="assets/js/registration.js"></script>	Syntax not understood
424	<script src="assets/js/createadvert.js"></script>	Syntax not understood
425	<script src="assets/js/advert.js"></script>	Syntax not understood
426	<script src="assets/js/allmain.js"></script>	Syntax not understood
428	<script src="assets/bootstrap/js/bootstrap.min.js"></script>	Syntax not understood
430	<!-- Router page.js, kanske byta ut mot hashchange-event router -->	Syntax not understood
431	<script>	Syntax not understood
432	// the "notfound" implements a catch-all	Syntax not understood
433	// with page('*', notfound). Here we have	Syntax not understood

Line #	Content	Error
434	// no catch-all, so page.js will redirect	Syntax not understood
435	// to the location of paths which do not	Syntax not understood
436	// match any of the following routes	Syntax not understood
437	//	Syntax not understood
438	//page.base('/basic');	Syntax not understood
440	page('/', index);	Syntax not understood
441	page('/faq', faq);	Syntax not understood
442	page('/housing', housing);	Syntax not understood
443	page('/login', login);	Syntax not understood
444	page('/register', register);	Syntax not understood
445	page('/my-pages', mypages);	Syntax not understood
446	page('/create-advert', createadvert);	Syntax not understood
447	page('/payment', paymentpage)	Syntax not understood
448	page('/ad/:id', ad);	Unknown directive
450	page();	Syntax not understood
452	function index() {	Syntax not understood
453	\$("#wrapper").html(\$("#view-home").html());	Syntax not understood
454	}	Syntax not understood
456	function faq() {	Syntax not understood
457	\$("#wrapper").html(\$("#view-faq").html());	Syntax not understood
458	}	Syntax not understood
460	function housing() {	Syntax not understood
461	\$("#wrapper").html(\$("#view-housing").html());	Syntax not understood
462	\$(document).ready(function(){	Syntax not understood

Line #	Content	Error
463	<code>\$(document).trigger("housingroute");</code>	Syntax not understood
464	<code>});</code>	Syntax not understood
465	<code>//\$(document).trigger("housingroute");</code>	Syntax not understood
467	<code>}</code>	Syntax not understood
469	<code>function login() {</code>	Syntax not understood
470	<code>\$("#wrapper").html(\$("#view-login").html());</code>	Syntax not understood
471	<code>}</code>	Syntax not understood
473	<code>function register() {</code>	Syntax not understood
474	<code>\$("#wrapper").html(\$("#view-register").html());</code>	Syntax not understood
475	<code>}</code>	Syntax not understood
477	<code>function mypages() {</code>	Syntax not understood
478	<code>\$("#wrapper").html(\$("#view-mypages").html());</code>	Syntax not understood
479	<code>}</code>	Syntax not understood
481	<code>function createadvert() {</code>	Syntax not understood
482	<code>\$("#wrapper").html(\$("#view-createadvert").html());</code>	Syntax not understood
483	<code>}</code>	Syntax not understood
485	<code>function paymentpage() {</code>	Syntax not understood
486	<code>\$("#wrapper").html(\$("#view-paymentpage").html());</code>	Syntax not understood
487	<code>}</code>	Syntax not understood
489	<code>function ad(ctx) {</code>	Syntax not understood
490	<code>\$("#wrapper").html(\$("#view-ad").html());</code>	Syntax not understood
491	<code>\$(document).ready(function(){</code>	Syntax not understood
492	<code>\$(document).trigger("advertroute", [ctx.params.id]);</code>	Syntax not understood
493	<code>});</code>	Syntax not understood

Line #	Content	Error
494	}	Syntax not understood
496	</script>	Syntax not understood
498	</body>	Syntax not understood
500	</html>	Syntax not understood

Additional items to manually check (1) — Run these additional validators on your site to check additional SEO best practices. ^

Structured data is valid ^

Run the [Structured Data Testing Tool](#) and the [Structured Data Linter](#) to validate structured data. [Learn more.](#)

Passed audits (8) ^

Has a <meta name="viewport"> tag with width or initial-scale ^

Add a <meta name="viewport">` tag to optimise your app for mobile screens. [Learn more.](#)

Document has a <title> element ^

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. [Learn more.](#)

Page has successful HTTP status code ^

Pages with unsuccessful HTTP status codes may not be indexed properly. [Learn more.](#)

Links have descriptive text ^

Descriptive link text helps search engines understand your content. [Learn more.](#)

Links are crawlable ^

Search engines may use `href` attributes on links to crawl websites. Ensure that the `href` attribute of anchor elements links to an appropriate destination, so that more pages of the site can be discovered. [Learn more](#)

Page isn't blocked from indexing ^

Search engines are unable to include your pages in search results if they don't have permission to crawl them. [Learn more.](#)

Document has a valid hreflang ^

hreflang links tell search engines what version of a page they should list in search results for a given language or region. [Learn more.](#)

Document avoids plugins ^

Search engines can't index plug-in content, and many devices restrict plug-ins or don't support them. [Learn more.](#)

Not applicable (3)**Document has a valid `rel=canonical`** ^

Canonical links suggest which URL to show in search results. [Learn more.](#)

Document uses legible font sizes ^

Font sizes less than 12px are too small to be legible and require mobile visitors to 'pinch to zoom' in order to read. Strive to have >60% of page text ≥ 12 px. [Learn more.](#)

Tap targets are sized appropriately ^

Interactive elements such as buttons and links should be large enough (48 x 48px) and have enough space around them to be easy enough to tap without overlapping onto other elements. [Learn more.](#)



progressive web app

These checks validate the aspects of a progressive web app. [Learn more.](#)

Installable**▲ Web app manifest does not meet the installability requirements — 1 reason** ^

Browsers can proactively prompt users to add your app to their home screen, which can lead to higher engagement. [Learn more.](#)

Failure reason

No manifest was fetched

PWA Optimised**▲ Does not register a service worker that controls page and `start_url`** ^

The service worker is the technology that enables your app to use many progressive web app features, such as offline, add to home screen and push notifications. [Learn more.](#)

▲ Does not redirect HTTP traffic to HTTPS ^

If you've already set up HTTPS, make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. [Learn more.](#)

▲ Is not configured for a custom splash screen Failures: No manifest was fetched. ^

A themed splash screen ensures a high-quality experience when users launch your app from their home screens. [Learn more.](#)

▲ Does not set a theme colour for the address bar. ^

Failures: No manifest was fetched, No `<meta name="theme-color">` tag found.

The browser address bar can be themed to match your site. [Learn more](#).

Content is sized correctly for the viewport ^

If the width of your app's content doesn't match the width of the viewport, your app might not be optimised for mobile screens. [Learn more](#).

Has a `<meta name="viewport">` tag with `width` or `initial-scale` ^

Add a `<meta name="viewport">` tag to optimise your app for mobile screens. [Learn more](#).

▲ Does not provide a valid `apple-touch-icon` ^

For ideal appearance on iOS when users add a progressive web app to the home screen, define an `apple-touch-icon`. It must point to a non-transparent 192px (or 180px) square PNG. [Learn More](#).

▲ Manifest doesn't have a maskable icon **No manifest was fetched** ^

A maskable icon ensures that the image fills the entire shape without being letterboxed when installing the app on a device. [Learn more](#).

Additional items to manually check (3) — These checks are required by the baseline [PWA checklist](#) but are not automatically checked by Lighthouse. They do not affect your score but it's important that you verify them manually. ^

Site works cross-browser ^

To reach the most users, sites should work across every major browser. [Learn more](#).

Page transitions don't feel like they block on the network ^

Transitions should feel snappy as you tap around, even on a slow network. This experience is key to a user's perception of performance. [Learn more](#).

Each page has a URL ^

Ensure individual pages are deep linkable via URL and that URLs are unique for the purpose of shareability on social media. [Learn more](#).

Runtime settings

URL	http://localhost:5000/
Fetch time	13 Apr 2021, 15:41 CEST
Device	Emulated desktop
Network throttling	40 ms TCP RTT, 10,240 Kbps throughput (Simulated)
CPU throttling	1x slowdown (Simulated)
Channel	devtools
User agent (host)	Mozilla/5.0 (Macintosh; Intel Mac OS X 11_2_2) AppleWebKit/537.36 (KHTML,

like Gecko) Chrome/89.0.4389.114 Safari/537.36

User agent (network) Mozilla/5.0 (Macintosh; Intel Mac OS X 10_14_6) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/84.0.4143.7 Safari/537.36 Chrome-Lighthouse

CPU/Memory power 958

Axe version 4.1.1

Generated by **Lighthouse** 7.0.0 | [File an issue](#)