### EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

### Permit Number 9540

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

### AIR CONTAMINANTS DATA

Emission	Source	Air	Contaminant	Emission Rates *	
Point No. (1)	Name (2)		Name (3)	lb/hr	TPY**
1	Kiln Exhaust Stack	VOC CO PM PM <sub>10</sub> SO <sub>2</sub> HF HCI	NO <sub>x</sub> 1.64 20.7 6.23 3.12 23.8 1.76 1.44	2.32 7.2 90.7 27.3 13.6 104.2 7.7 6.3	10.2
2	Dryer Room Exhaust	VOC CO PM PM <sub>10</sub> SO <sub>2</sub> HF HCI	NO <sub>x</sub> 1.90 8.88 3.48 1.74 0.53 0.04 0.06	2.81 8.32 38.9 15.24 7.62 2.32 0.19 0.25	12.3
3	Grog Crusher	PM <sub>10</sub>	PM 0.008	0.02 0.002	0.004
4	Dry Scrap Material Transfer F	Point PM <sub>10</sub>	PM 0.001	0.003 0.003	0.006
5	Boiler 1.1 MMBtu/hr	CO PM <sub>10</sub> SO <sub>2</sub>	NO <sub>x</sub> VOC 0.09 0.008 0.001	0.11 0.006 0.41 0.038 0.003	0.48 0.026

## EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

# AIR CONTAMINANTS DATA

Emission	Source	Air (	Contaminant	Emission Rates *	
Point No. (1)	Name (2)		Vame (3)	lb/hr	TPY**
6	Generator 67 hp	CO PM <sub>10</sub> SO <sub>2</sub>	NO <sub>x</sub> VOC 0.45 0.15 0.14	2.08 0.19 0.02 0.01 0.01	0.10 0.01
7	500-Gallon Gasoline Tank		VOC	7.1	0.1
8	1,000-Gallon Diesel Tank		VOC	0.02	0.01
FUG 1	Grog Grinding Room (4)	PM <sub>10</sub>	PM 0.10	0.38 0.04	0.19
FUG 2	Clay Grinding Room (4)	PM <sub>10</sub>	PM 0.002	0.86 0.004	1.34
FUG 3	Manufacturing Fugitives (4)	,	PM 0.0002	0.42 0.001	0.79
FUG 4	Limestone Grinding Fugitive		PM 0.0071	0.17 0.004	0.29
FUG 5	Lime Storage Fugitives (4)	PM <sub>10</sub>	PM 0.06	0.11 0.25	0.5
FUG 6	Mixing Room Fugitives(4)	PM <sub>10</sub>	PM 0.0003	0.30 0.001	0.47

<sup>(1)</sup> Emission point identification - either specific equipment designation or emission point number

from a plot plan.

- (2) Specific point source names. For fugitive sources, use an area name or fugitive source name.
- (3) NO<sub>x</sub> total oxides of nitrogen
  - VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
  - CO carbon monoxide
  - PM particulate matter, suspended in the atmosphere, including  $PM_{10}$
  - $PM_{10}$  particulate matter equal to or less than 10 microns in diameter. Where PM is not listed, it shall be assumed that no particulate matter greater than 10 microns is emitted.
  - SO<sub>2</sub> sulfur dioxide
  - HF hydrogen fluoride
  - HCl hydrogen chloride
- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- \* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Hrs/day	Days/week	Weeks/year or	8,760	_Hrs/year
---------	-----------	---------------	-------	-----------

\*\* Compliance with annual emission limits is based on a rolling 12-month period.

Dated January 8, 2007