EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

Permit No. 1829

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

AIR CONTAMINANTS DATA

Emission Point No. (1)	Source Air Contaminant Name (2) Name (3)	Emission Rates* lbs/hr TPY		
POINT NO. (1)	Name (2) Name (3)	105/111 171		
U-5A	Initiator Mixing Tank	VOC	1.22	0.12
U-5B	Initiator Mixing Tank	VOC	1.22	0.12
U-6A	Initiator Mixing Tank	VOC	0.86	0.11
U-6B	Initiator Mixing Tank	VOC	0.86	0.11
EP-5	Oxidizer Vent	VOC PM	3.6 1.2	15.7 5.0
F-EP-9	Piping Fugitives (4)	VOC	16.42	71.90
EP-10	Flare	NOx CO VOC	9.85 42.73 195.2	0.45 1.97 5.05
EP-22	Priller Vent	VOC	0.02	0.10
EP-23	Priller Vent	VOC	0.02	0.10
EP-24	Priller Vent	VOC	0.02	0.10
EP-28	Atomizer	РМ	6.99	20.4
EP-29	Virgin IPA Storage	VOC	20.8	0.18
EP-30	Recycled IPA Storage	VOC	0.5	0.47
EP-31	Acrylic Acid Storage	VOC	0.5	0.05
EP-35	Reflux Condenser Vent	VOC	0.13	0.57

(1) Emission point identification - either specific equipment designation or emission point number from plot plan.

(2) Specific point source name. For fugitive sources use area name or fugitive source name.

EMISSION SOURCES - MAXIMUM ALLOWABLE EMISSION RATES

(3)	VOC - volatile organic compounds as defined in General Rule 101.1 NOx - total oxides of nitrogen				
(4)	CO - carbon monoxide PM - particulate matter Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.				
*	Emission rates are based on and the facilities are limited by the following maximum operating schedule:				
	Hrs/dayDays/weekWeeks/yearor Hrs/year_8,760_				
	Di	ated			