### Permit Numbers 1105 and PSD-TX-185M1

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Emission	Source	Air Contaminant	Emission Rates *	
Point No. (1)	Name (2)	Name (3)	lb/hr	TPY
004T308R	Storage Tank	VOC	0.1	0.1
004T330	Storage Tank	VOC	0.1	0.1
004T331	Storage Tank	VOC	0.1	0.1
004T332	Storage Tank	VOC	0.1	0.1
004T333	Storage Tank	VOC	0.1	0.1
022T109	Storage Tank	VOC	0.3	0.1
022T113	Storage Tank	VOC	3.3	0.2
022T114	Storage Tank	VOC	0.4	1.2
026T194	Storage Tank	VOC	0.7(0.5)**	0.2
026T303	Storage Tank	VOC	0.7(0.5)**	0.2
050T403	Storage Tank	VOC	6.8	0.1
050T405	Storage Tank	VOC	0.1	0.1
050T412	Storage Tank	VOC	2.7	0.1
053T285R	Storage Tank	VOC	0.1	0.1
100T33	Storage Tank	VOC	0.3	1.0
100T34	Storage Tank	VOC	0.2	0.7

Permit Numbers 1105 and PSD-TX-185M1 Page 2

Emission *	Source	Air Contaminant	<u>Emission Rates</u>
- Point No. (1)	Name (2)	Name (3)	lb/hr TPY
008LR1 or 022LT51	Solvent B-624 Loading	VOC	0.3 <0.1
008LR1 or 022LT51	Solvent B-38 Loading	VOC	4.5 0.1
027FL1	Flare	CO NO <sub>x</sub> 0.6 SO <sub>2</sub> VOC	1.1 0.3 0.2 0.1 0.1 22.8 3.1
050FL1	Emergency Flare	VOC	Emergency Service
061D100	Quench Water System	СО	7.1 31.1
062C17	Compressor Engine	CO NO <sub>x</sub> 58.6 SO <sub>2</sub> VOC	5.9 24.3 243.3 0.02 0.1 0.92 3.8
062C19	Compressor Engine	CO NO <sub>x</sub> (5) SO <sub>2</sub> VOC	6.3 26.1 55.5 243.1 0.02 0.1 1.80 7.5
062C20	Compressor Engine	CO NO <sub>x</sub> (5) SO <sub>2</sub> VOC	6.3 26.1 55.5 243.1 0.02 0.1 1.80 7.5
062C22	Compressor Engine	CO NO <sub>x</sub> 20.9 SO <sub>2</sub> VOC	16.8 69.5 86.8 0.02 0.1 0.50 2.1

Emission *	Source	Ai	r Contaminant	Emission	Rates
Point No. (1)	Name (2)		Name (3)	lb/hr	TPY
062CD18A,	Reformer Furnace No. 17		СО	2.0	7.1
062CD18B, or 062CD18C	1.0.0	NO <sub>x</sub>	MEA NMHC 7.8	3.3 0.2 28.3	14.5 0.6
			PM SO <sub>2</sub>	0.3 0.1	1.0 0.1
062CD26 or 062CD28	Reformer Furnace No. 18	NMH NO <sub>x</sub> PM	CO MEA C 0.16 7.8 0.02	2.0 2.6 0.6 28.3 0.1	7.1 11.4
062CD28 or 062CD26	Reformer Furnace No. 19	NMH NO <sub>x</sub> ( PM	SO <sub>2</sub> CO MEA C 0.16 5) 0.02 SO <sub>2</sub>	0.03 2.0 2.6 0.6 12.1 0.1 0.02	0.1 7.1 11.4 43.8 0.1
062CD32 or 062CD26	Reformer Furnace No. 20 (6)	NMH( NO <sub>x</sub> PM	CO MEA C 0.26 11.0 0.03 SO <sub>2</sub>	3.2 2.1 1.2 48.2 0.2 0.02	14.0 9.1
062H21	Reformer Furnace No. 21	NO <sub>x</sub>	CO 3.5 PM SO <sub>2</sub> VOC	1.5 15.3 0.4 0.1 0.1	6.6 1.9 0.1 0.1

#### AIR CONTAMINANTS DATA

Emission	Source	Air Contaminant	<u>Emissior</u>	n Rates
<u>*</u>				
Point No. (1)	Name (2)	Name (3)	<u>lb/hr</u>	TPY
F053FG1	Fugitives (4)	СО	2.1	9.2
1 0001 01	r agilives (1)	VOC	29.0	127.0
F053WW1	Wastewater Fugitives	VOC	0.1	0.1
F053WW2	Wastewater Fugitives	VOC	2.3	10.2
F062FC1	Fugitives (4)	CO	10.7	47.0
F062FG1	Fugitives (4)	CO	10.7	47.0 12.1
		MEA	2.8	12.1
F062GA20	Analyzer Vents	СО	0.3	1.5
1 00201 (20	7 mary 201 V onto		0.0	1.0

- (1) Emission point identification either specific equipment designation or emission point number from a plot plan.
- (2) Specific point source names. For fugitive sources use area name or fugitive source name.
- (3) VOC volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1

CO - carbon monoxide

NO<sub>x</sub> - total oxides of nitrogen

SO<sub>2</sub> - sulfur dioxide

MEA - monoethanolamine

NMHC - nonmethane hydrocarbons

PM - particulate matter (including particulate matter less that 10 microns in diameter).

- (4) Fugitive emissions are an estimate only and should not be considered as a maximum allowable emission rate.
- (5) These are the Permit Number PSD-TX-185M1 emissions.
- (6) Emission rates include contributions from Cell Nos. 18 and 19.
- \* Emission rates are based on and the facilities are limited by the following maximum operating schedule:

Lm1SS1ON	Source	Air Contaminant	<u> Emission</u>	Rates
<u>*</u>				
Point No. (1)	Name (2)	Name (3)	1b/hr	TPY
24 Hrs/day	/ _ 7 _ Days/week <u>52</u>	Weeks/year		
** Volatile organic compound emissions in paranthesis will apply after the reconfiguration of the Distillation Train (Emission Point Number F053FG1) to include new vapor condensors and piping.				
		Da	ated	