

Emission Sources - Maximum Allowable Emission Rates

Permit Number 124341

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3) (6)	Emission Rates	
			lbs/hour	TPY (4)
12-OST-1	Oil Storage Tank (100,000 bbl)	VOC	1.15	4.57
		H ₂ S	<0.01	<0.01
		Benzene	<0.01	0.01
13-OST-2	Oil Storage Tank (100,000 bbl)	VOC	1.15	4.57
		H ₂ S	<0.01	<0.01
		Benzene	<0.01	0.01
13-OST-3	Oil Storage Tank (50,000 bbl)	VOC	0.85	3.26
		H ₂ S	<0.01	<0.01
		Benzene	<0.01	0.01
13-OST-4	Oil Storage Tank (2,000 bbl)	VOC	0.25	1.04
		H ₂ S	<0.01	<0.01
		Benzene	<0.01	<0.01
13-OST-5	Oil Storage Tank (2,000 bbl)	VOC	0.25	1.04
		H ₂ S	<0.01	<0.01
		Benzene	<0.01	<0.01
13-OST-6	Oil Storage Tank (2,000 bbl)	VOC	0.25	1.04
		H ₂ S	<0.01	<0.01
		Benzene	<0.01	<0.01

Emission Sources - Maximum Allowable Emission Rate

13-OST-7	Oil Storage Tank (2,000 bbl)	VOC	0.25	1.04
		H ₂ S	<0.01	<0.01
		Benzene	<0.01	<0.01
FF-1	Facility Fugitives (5)	VOC	1.55	6.77
		H ₂ S	<0.01	0.01
		Benzene	<0.01	<0.01
TLO-1	Uncontrolled Tank Landing	VOC	475.04	2.01
		H ₂ S	15.92	<0.01
		Benzene	0.85	<0.01
TCO-1	Uncontrolled Tank MSS	VOC	6.41	0.68
		H ₂ S	0.22	0.02
		Benzene	0.02	<0.01
TC-DC-MSS	Controlled Tank MSS (7)	PM	0.11	0.01
		PM ₁₀	0.11	0.01
		PM _{2.5}	0.11	0.01
		SO ₂	0.71	0.04
		NO _x	0.98	0.08
		CO	5.35	0.45
		VOC	0.22	0.01
		H ₂ S	<0.01	<0.01
		Benzene	<0.01	<0.01
Other MSS	Pump, line, valve and vessel repair and maintenance, shop work sampling	VOC	12.67	1.14
		H ₂ S	0.43	0.04

Emission Sources - Maximum Allowable Emission Rate

		Benzene	0.02	<0.01
--	--	---------	------	-------

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
- NO_x - total oxides of nitrogen
- SO₂ - sulfur dioxide
- PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented
- PM₁₀ - total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as represented
- PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter
- CO - carbon monoxide
- H₂S - hydrogen sulfide
- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.
- (6) VOC emissions include Hazardous Air Pollutants (HAPs).
- (7) MSS Tank degassing emissions are routed to a temporary third party control device such as a thermal oxidizer, vapor combustor, or portable flare.

Date: October 25, 2018