

Emission Sources - Maximum Allowable Emission Rates

Permit Number 91323L001

This table lists the maximum allowable emission rates and all sources of air contaminants on the applicant's property covered by this permit. The emission rates shown are those derived from information submitted as part of the application for permit and are the maximum rates allowed for these facilities, sources, and related activities. Any proposed increase in emission rates may require an application for a modification of the facilities covered by this permit.

Air Contaminants Data

Emission Point No. (1)	Source Name (2)	Air Contaminant Name (3)	Emission Rates (8)	
			lbs/hour	TPY (4)
3	Impact Crusher 1 (5)	PM	0.54	0.60
		PM ₁₀	0.24	0.27
		PM _{2.5}	0.05	0.05
9	Impact Crusher 2 (5)	PM	0.54	0.60
		PM ₁₀	0.24	0.27
		PM _{2.5}	0.05	0.05
21	Impact Crusher 3 (5)	PM	0.30	0.33
		PM ₁₀	0.14	0.15
		PM _{2.5}	0.03	0.03
5	Screen 1 (5)	PM	0.99	1.10
		PM ₁₀	0.33	0.37
		PM _{2.5}	0.02	0.03
11	Screen 2 (5)	PM	0.99	1.10
		PM ₁₀	0.33	0.37
		PM _{2.5}	0.02	0.03
17	Screen 3 (5)	PM	0.55	0.61
		PM ₁₀	0.19	0.21
		PM _{2.5}	0.01	0.01

Emission Sources - Maximum Allowable Emission Rates

MH-FUG	Material Handling (5)(6)	PM	0.73	0.82
		PM ₁₀	0.24	0.27
		PM _{2.5}	0.07	0.08
20	Tank (5)	VOC	<0.01	0.01
19	Diesel Generator	PM	0.85	1.87
		PM ₁₀	0.49	1.07
		PM _{2.5}	0.47	1.04
		VOC	0.86	1.88
		NO _x	29.28	64.12
		SO ₂	0.01	0.03
		CO	6.71	14.69
STK	Stockpiles (5)(7)	PM	-.--	4.57
		PM ₁₀	-.--	2.29
		PM _{2.5}	-.--	0.35

- (1) Emission point identification - either specific equipment designation or emission point number from plot plan.
- (2) Specific point source name. For fugitive sources, use area name or fugitive source name.
- (3) VOC - volatile organic compounds as defined in Title 30 Texas Administrative Code § 101.1
- NO_x - total oxides of nitrogen
- SO₂ - sulfur dioxide
- PM - total particulate matter, suspended in the atmosphere, including PM₁₀ and PM_{2.5}, as represented
- PM₁₀ - total particulate matter equal to or less than 10 microns in diameter, including PM_{2.5}, as represented
- PM_{2.5} - particulate matter equal to or less than 2.5 microns in diameter
- CO - carbon monoxide
- (4) Compliance with annual emission limits (tons per year) is based on a 12 month rolling period.
- (5) Emission rate is an estimate and is enforceable through compliance with the applicable special condition(s) and permit application representations.
- (6) Material Handling fugitives listed as EPN MH-FUG accounts for conveyor transfer points, conveyor length fugitives, screen drops and hopper loading, sand screw, and includes EPNs 1, 2, 4, 6-8, 10, 12-16, 18, 22, & LDG

Emission Sources - Maximum Allowable Emission Rates

- (7) Stockpile emissions account for 10 acres of wet sand and aggregate half of which is active 365 days per year.
- (8) Planned startup and shutdown emissions are included. Maintenance activities are not authorized by this permit.

Date: March 3, 2014